





Plot 7-181 PSD Antenna 3b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.33)



Plot 7-183 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.47)




Plot 7-182 PSD Antenna 3b (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.39)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG			Page 110 of 473
Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device		



Plot 7-184 PSD Antenna 3b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.61)



Plot 7-186 PSD Antenna 3b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.55)






Plot 7-185 PSD Antenna 3b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.35)



Plot 7-187 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.47)


FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 111 of 473	




FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 112 of 473



Plot 7-192 PSD Antenna 3b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.113)




Plot 7-194 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.111)




Plot 7-193 PSD Antenna 3b (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.103)


FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 113 of 473



Plot 7-195 PSD Antenna 3b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.97)



Plot 7-197 PSD Antenna 3b (80Mhz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-196 PSD Antenna 3b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.99)




Plot 7-198 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 114 of 473	




Plot 7-199 PSD Antenna 3b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.149)



Plot 7-201 PSD Antenna 3b (80MHz BW 802.11be(RU) RU26 Index0 - Ch.151)



Plot 7-200 PSD Antenna 3b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.179)




Plot 7-202 PSD Antenna 3b (160MHz BW 802.11be(RU) RU26 Index36 - Ch.143)


FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 115 of 473	



Plot 7-203 PSD Antenna 3b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.149)




Plot 7-205 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.143)




Plot 7-204 PSD Antenna 3b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.183)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 116 of 473



Plot 7-206 PSD Antenna 3b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.185)



Plot 7-208 PSD Antenna 3b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.183)




Plot 7-207 PSD Antenna 3b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.155)




Plot 7-209 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.175)


FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 117 of 473	




Plot 7-210 PSD Antenna 3b (20MHz BW 802.11be(RU) RU26 Index8 - Ch.229)



Plot 7-212 PSD Antenna 3b (80MHz BW 802.11be(RU) RU26 Index0 - Ch.215)



Plot 7-211 PSD Antenna 3b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.211)




Plot 7-213 PSD Antenna 3b (160MHz BW 802.11be(RU) RU26 Index17 - Ch.207)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG			Page 118 of 473
	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	



Plot 7-214 PSD Antenna 3b (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.209)



Plot 7-216 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.207)




Plot 7-215 PSD Antenna 3b (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.199)


FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 119 of 473	




Plot 7-217 PSD Antenna 3b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)



Plot 7-219 PSD Antenna 3b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-218 PSD Antenna 3b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.227)



Plot 7-220 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 120 of 473	

7.4.3 Antenna 1b Power Spectral Density Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	26	0	MCS5	-8.57	0.30	-8.27	-5.00	-3.27
	6255	61	be (20MHz)	26	8	MCS5	-8.56	0.30	-8.26	-5.00	-3.26
	6415	93	be (20MHz)	26	8	MCS5	-6.62	-0.60	-7.22	-5.00	-2.22
	6125	35	be (40MHz)	26	8	MCS5	-8.55	0.30	-8.25	-5.00	-3.25
	6245	59	be (40MHz)	26	17	MCS5	-8.66	0.30	-8.36	-5.00	-3.36
	6405	91	be (40MHz)	26	0	MCS5	-6.98	-0.60	-7.58	-5.00	-2.58
	6145	39	be (80MHz)	26	36	MCS5	-8.64	0.30	-8.34	-5.00	-3.34
	6225	55	be (80MHz)	26	0	MCS5	-8.26	0.30	-7.96	-5.00	-2.96
	6385	87	be (80MHz)	26	36	MCS5	-7.14	-0.60	-7.74	-5.00	-2.74
	6185	47	be (160MHz)	26	0	MCS5	-8.16	0.30	-7.86	-5.00	-2.86
Band 6	6345	79	be (160MHz)	26	0	MCS5	-6.72	-0.60	-7.32	-5.00	-2.32
	6435	97	be (20MHz)	26	0	MCS5	-8.49	0.30	-8.19	-5.00	-3.19
	6475	105	be (20MHz)	26	8	MCS5	-8.49	0.30	-8.19	-5.00	-3.19
	6515	113	be (20MHz)	26	0	MCS5	-7.75	0.30	-7.45	-5.00	-2.45
	6445	99	be (40MHz)	26	8	MCS5	-8.67	0.30	-8.37	-5.00	-3.37
	6485	107	be (40MHz)	26	8	MCS5	-8.69	0.30	-8.39	-5.00	-3.39
	6525	115	be (40MHz)	26	0	MCS5	-8.02	0.30	-7.72	-5.00	-2.72
	6465	103	be (80MHz)	26	17	MCS5	-8.44	0.30	-8.14	-5.00	-3.14
	6505	111	be (160MHz)	26	0	MCS5	-8.51	0.30	-8.21	-5.00	-3.21
	6535	117	be (20MHz)	26	8	MCS5	-8.31	0.20	-8.11	-5.00	-3.11
Band 7	6695	149	be (20MHz)	26	0	MCS5	-7.81	0.20	-7.61	-5.00	-2.61
	6875	185	be (20MHz)	26	8	MCS5	-7.86	0.20	-7.66	-5.00	-2.66
	6565	123	be (40MHz)	26	17	MCS5	-8.25	0.20	-8.05	-5.00	-3.05
	6725	155	be (40MHz)	26	17	MCS5	-7.89	0.20	-7.69	-5.00	-2.69
	6845	179	be (40MHz)	26	0	MCS5	-7.64	0.20	-7.44	-5.00	-2.44
	6545	119	be (80MHz)	26	0	MCS5	-8.31	0.20	-8.11	-5.00	-3.11
	6705	151	be (80MHz)	26	0	MCS5	-8.04	0.20	-7.84	-5.00	-2.84
	6865	183	be (80MHz)	26	0	MCS5	-7.97	0.20	-7.77	-5.00	-2.77
	6665	143	be (160MHz)	26	36	MCS5	-8.31	0.20	-8.11	-5.00	-3.11
	6825	175	be (160MHz)	26	0	MCS5	-7.18	0.20	-6.98	-5.00	-1.98
Band 8	6895	189	be (20MHz)	26	0	MCS5	-7.46	-0.80	-8.26	-5.00	-3.26
	6995	209	be (20MHz)	26	8	MCS5	-6.87	-0.80	-7.67	-5.00	-2.67
	7095	229	be (20MHz)	26	0	MCS5	-6.63	-0.80	-7.43	-5.00	-2.43
	6885	187	be (40MHz)	26	0	MCS5	-8.18	-0.80	-8.98	-5.00	-3.98
	7005	211	be (40MHz)	26	8	MCS5	-6.99	-0.80	-7.79	-5.00	-2.79
	7085	227	be (40MHz)	26	17	MCS5	-7.00	-0.80	-7.80	-5.00	-2.80
	6945	199	be (80MHz)	26	36	MCS5	-7.20	-0.80	-8.00	-5.00	-3.00
	7025	215	be (80MHz)	26	17	MCS5	-7.03	-0.80	-7.83	-5.00	-2.83
	6985	207	be (160MHz)	26	0	MCS5	-6.35	-0.80	-7.15	-5.00	-2.15

Table 7-75. Power Spectral Density Measurements Antenna 1b (RU26)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	106+26	82	MCS5	-8.26	0.30	-7.96	-5.00	-2.96
	6255	61	be (20MHz)	106+26	83	MCS5	-8.33	0.30	-8.03	-5.00	-3.03
	6415	93	be (20MHz)	106+26	83	MCS5	-6.94	-0.60	-7.54	-5.00	-2.54
	6145	39	be (80MHz)	484+242	91	MCS5	-8.41	0.30	-8.11	-5.00	-3.11
	6225	55	be (80MHz)	484+242	93	MCS5	-8.64	0.30	-8.34	-5.00	-3.34
	6385	87	be (80MHz)	484+242	92	MCS5	-7.47	-0.60	-8.07	-5.00	-3.07
	6185	47	be (160MHz)	996+484+242	99-L	MCS5	-9.03	0.30	-8.73	-5.00	-3.73
	6345	79	be (160MHz)	996+484+242	98-L	MCS5	-7.83	-0.60	-8.43	-5.00	-3.43
	6435	97	be (20MHz)	106+26	83	MCS5	-8.38	0.30	-8.08	-5.00	-3.08
	6475	105	be (20MHz)	106+26	83	MCS5	-8.64	0.30	-8.34	-5.00	-3.34
Band 6	6515	113	be (20MHz)	106+26	83	MCS5	-7.59	0.30	-7.29	-5.00	-2.29
	6465	103	be (80MHz)	484+242	93	MCS5	-8.24	0.30	-7.94	-5.00	-2.94
	6505	111	be (160MHz)	996+484+242	99-L	MCS5	-8.76	0.30	-8.46	-5.00	-3.46
	6535	117	be (20MHz)	106+26	82	MCS5	-8.52	0.20	-8.32	-5.00	-3.32
	6695	149	be (20MHz)	106+26	83	MCS5	-8.09	0.20	-7.89	-5.00	-2.89
	6875	185	be (20MHz)	106+26	82	MCS5	-7.80	0.20	-7.60	-5.00	-2.60
	6545	119	be (80MHz)	484+242	92	MCS5	-8.37	0.20	-8.17	-5.00	-3.17
	6705	151	be (80MHz)	484+242	92	MCS5	-7.87	0.20	-7.67	-5.00	-2.67
	6865	183	be (80MHz)	484+242	93	MCS5	-8.17	0.20	-7.97	-5.00	-2.97
	6665	143	be (160MHz)	996+484+242	97-L	MCS5	-8.38	0.20	-8.18	-5.00	-3.18
Band 7	6825	175	be (160MHz)	996+484+242	97-L	MCS5	-7.94	0.20	-7.74	-5.00	-2.74
	6895	189	be (20MHz)	106+26	82	MCS5	-7.29	-0.80	-8.09	-5.00	-3.09
	6995	209	be (20MHz)	106+26	83	MCS5	-7.13	-0.80	-7.93	-5.00	-2.93
	7095	229	be (20MHz)	106+26	83	MCS5	-7.04	-0.80	-7.84	-5.00	-2.84
	6945	199	be (80MHz)	484+242	91	MCS5	-7.14	-0.80	-7.94	-5.00	-2.94
	7025	215	be (80MHz)	484+242	91	MCS5	-7.14	-0.80	-7.94	-5.00	-2.94
	6985	207	be (160MHz)	996+484+242	99-L	MCS5	-7.15	-0.80	-7.95	-5.00	-2.95


Table 7-76. Power Spectral Density Measurements Antenna 1b (MRU)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 121 of 473


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	242	61	MCS5	-8.80	0.30	-8.50	-5.00	-3.50
	6255	61	be (20MHz)	242	61	MCS5	-8.94	0.30	-8.64	-5.00	-3.64
	6415	93	be (20MHz)	242	61	MCS5	-7.21	-0.60	-7.81	-5.00	-2.81
	6125	35	be (40MHz)	484	65	MCS5	-8.43	0.30	-8.13	-5.00	-3.13
	6245	59	be (40MHz)	484	65	MCS5	-8.57	0.30	-8.27	-5.00	-3.27
	6405	91	be (40MHz)	484	65	MCS5	-7.18	-0.60	-7.78	-5.00	-2.78
	6145	39	be (80MHz)	996	67	MCS5	-8.75	0.30	-8.45	-5.00	-3.45
	6225	55	be (80MHz)	996	67	MCS5	-8.84	0.30	-8.54	-5.00	-3.54
	6385	87	be (80MHz)	996	67	MCS5	-7.66	-0.60	-8.26	-5.00	-3.26
	6185	47	be (160MHz)	996	68	MCS5	-9.64	0.30	-9.34	-5.00	-4.34
Band 6	6345	79	be (160MHz)	996	68	MCS5	-8.32	-0.60	-8.92	-5.00	-3.92
	6435	97	be (20MHz)	242	61	MCS5	-8.49	0.30	-8.19	-5.00	-3.19
	6475	105	be (20MHz)	242	61	MCS5	-8.54	0.30	-8.24	-5.00	-3.24
	6515	113	be (20MHz)	242	61	MCS5	-7.77	0.30	-7.47	-5.00	-2.47
	6445	99	be (40MHz)	484	65	MCS5	-8.07	0.30	-7.77	-5.00	-2.77
	6485	107	be (40MHz)	484	65	MCS5	-8.36	0.30	-8.06	-5.00	-3.06
	6525	115	be (40MHz)	484	65	MCS5	-8.47	0.30	-8.17	-5.00	-3.17
	6465	103	be (80MHz)	996	67	MCS5	-8.53	0.30	-8.23	-5.00	-3.23
	6505	111	be (160MHz)	996	68	MCS5	-9.15	0.30	-8.85	-5.00	-3.85
Band 7	6535	117	be (20MHz)	242	61	MCS5	-8.69	0.20	-8.49	-5.00	-3.49
	6695	149	be (20MHz)	242	61	MCS5	-8.52	0.20	-8.32	-5.00	-3.32
	6875	185	be (20MHz)	242	61	MCS5	-7.93	0.20	-7.73	-5.00	-2.73
	6565	123	be (40MHz)	484	65	MCS5	-8.46	0.20	-8.26	-5.00	-3.26
	6725	155	be (40MHz)	484	65	MCS5	-8.23	0.20	-8.03	-5.00	-3.03
	6845	179	be (40MHz)	484	65	MCS5	-8.42	0.20	-8.22	-5.00	-3.22
	6545	119	be (80MHz)	996	67	MCS5	-8.89	0.20	-8.69	-5.00	-3.69
	6705	151	be (80MHz)	996	67	MCS5	-8.05	0.20	-7.85	-5.00	-2.85
	6865	183	be (80MHz)	996	67	MCS5	-8.31	0.20	-8.11	-5.00	-3.11
	6665	143	be (160MHz)	996	68	MCS5	-9.15	0.20	-8.95	-5.00	-3.95
Band 8	6825	175	be (160MHz)	996	68	MCS5	-8.56	0.20	-8.36	-5.00	-3.36
	6895	189	be (20MHz)	242	61	MCS5	-7.31	-0.80	-8.11	-5.00	-3.11
	6995	209	be (20MHz)	242	61	MCS5	-7.30	-0.80	-8.10	-5.00	-3.10
	7115	233	be (20MHz)	242	61	MCS5	-7.79	-0.80	-8.59	-5.00	-3.59
	6885	187	be (40MHz)	484	65	MCS5	-8.25	-0.80	-9.05	-5.00	-4.05
	7005	211	be (40MHz)	484	65	MCS5	-7.25	-0.80	-8.05	-5.00	-3.05
	7085	227	be (40MHz)	484	65	MCS5	-7.14	-0.80	-7.94	-5.00	-2.94
	6945	199	be (80MHz)	996	67	MCS5	-7.57	-0.80	-8.37	-5.00	-3.37
	7025	215	be (80MHz)	996	67	MCS5	-7.06	-0.80	-7.86	-5.00	-2.86
	6985	207	be (160MHz)	996	68	MCS5	-7.83	-0.80	-8.63	-5.00	-3.63

Table 7-77. Power Spectral Density Measurements Antenna 1b (Fully – Loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 122 of 473




Plot 7-221 PSD Antenna 1b (20MHz BW 802.11be(RU) RU26 Index8 - Ch.93)



Plot 7-223 PSD Antenna 1b (80MHz BW 802.11be(RU) RU26 Index36 - Ch.87)



Plot 7-222 PSD Antenna 1b (40MHz BW 802.11be(RU) RU26 Index0 - Ch.91)




Plot 7-224 PSD Antenna 1b (160MHz BW 802.11be(RU) RU26 Index0 - Ch.79)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG			Page 123 of 473
	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	



Plot 7-225 PSD Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.93)



Plot 7-227 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.79)




Plot 7-226 PSD Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.87)

FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 124 of 473	



Plot 7-228 PSD Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.93)



Plot 7-230 PSD Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.87)



Plot 7-229 PSD Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.91)




Plot 7-231 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.79)


FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 125 of 473




Plot 7-232 PSD Antenna 1b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.113)



Plot 7-234 PSD Antenna 1b (80MHz BW 802.11be(RU) RU26 Index17 - Ch.103)



Plot 7-233 PSD Antenna 1b (40MHz BW 802.11be(RU) RU26 Index0 - Ch.115)




Plot 7-235 PSD Antenna 1b (160MHz BW 802.11be(RU) RU26 Index0 - Ch.111)


FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 126 of 473



Plot 7-236 PSD Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.113)



Plot 7-238 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.111)




Plot 7-237 PSD Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.103)

FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 127 of 473



Plot 7-239 PSD Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.113)



Plot 7-241 PSD Antenna 1b (80Mhz BW 802.11be(RU) RU996 Index67 - Ch.103)






Plot 7-240 PSD Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.99)





Plot 7-242 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG			Page 128 of 473
	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	




FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 129 of 473




FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 130 of 473



Plot 7-250 PSD Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.185)



Plot 7-252 PSD Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)






Plot 7-251 PSD Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.155)




Plot 7-253 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.175)


FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device		Page 131 of 473




FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 132 of 473



Plot 7-258 PSD Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.229)



Plot 7-260 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.207)




Plot 7-259 PSD Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.199)


FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 133 of 473	



Plot 7-261 PSD Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.209)



Plot 7-263 PSD Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.215)



Plot 7-262 PSD Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.227)



Plot 7-264 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 134 of 473

7.4.4 SDM Primary Power Spectral Density Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 3b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	52	37	SDM	MCSS	-13.66	-13.52	-10.58	2.73	-7.84	-5.00	-2.84
	6255	61	be (20MHz)	52	40	SDM	MCSS	-13.16	-14.10	-10.59	2.73	-7.86	-5.00	-2.86
	6415	93	be (20MHz)	52	37	SDM	MCSS	-12.55	-12.84	-9.68	2.30	-7.37	-5.00	-2.37
	6125	35	be (40MHz)	52	44	SDM	MCSS	-13.65	-14.26	-10.93	2.73	-8.20	-5.00	-3.20
	6245	59	be (40MHz)	52	44	SDM	MCSS	-13.85	-14.27	-11.04	2.73	-8.31	-5.00	-3.31
	6405	91	be (40MHz)	52	44	SDM	MCSS	-12.85	-13.28	-10.05	2.30	-7.75	-5.00	-2.75
	6145	39	be (80MHz)	52	52	SDM	MCSS	-13.54	-13.95	-10.73	2.73	-8.00	-5.00	-3.00
	6225	55	be (80MHz)	52	37	SDM	MCSS	-13.49	-14.10	-10.77	2.73	-8.04	-5.00	-3.04
	6385	87	be (80MHz)	52	44	SDM	MCSS	-13.22	-13.75	-10.47	2.30	-8.16	-5.00	-3.16
	6185	47	be (160MHz)	52	52	SDM	MCSS	-13.65	-14.31	-10.95	2.73	-8.22	-5.00	-3.22
Band 6	6345	79	be (160MHz)	52	52	SDM	MCSS	-13.31	-14.10	-10.68	2.30	-8.37	-5.00	-3.37
	6435	97	be (20MHz)	52	37	SDM	MCSS	-13.09	-13.52	-10.29	2.02	-8.27	-5.00	-3.27
	6475	105	be (20MHz)	52	40	SDM	MCSS	-12.58	-13.67	-10.08	2.02	-8.06	-5.00	-3.06
	6515	113	be (20MHz)	52	40	SDM	MCSS	-12.69	-13.76	-10.19	2.02	-8.16	-5.00	-3.16
	6445	99	be (40MHz)	52	44	SDM	MCSS	-13.26	-13.78	-10.50	2.02	-8.48	-5.00	-3.48
	6485	107	be (40MHz)	52	40	SDM	MCSS	-13.16	-13.65	-10.39	2.02	-8.37	-5.00	-3.37
	6525	115	be (40MHz)	52	40	SDM	MCSS	-13.09	-13.69	-10.37	2.02	-8.34	-5.00	-3.34
	6465	103	be (80MHz)	52	52	SDM	MCSS	-13.32	-14.12	-10.69	2.02	-8.67	-5.00	-3.67
	6505	111	be (80MHz)	52	44	SDM	MCSS	-13.78	-14.15	-10.95	2.02	-8.93	-5.00	-3.93
	6535	117	be (20MHz)	52	37	SDM	MCSS	-12.99	-13.63	-10.29	2.29	-8.00	-5.00	-3.00
Band 7	6695	149	be (20MHz)	52	40	SDM	MCSS	-13.10	-13.41	-10.24	2.29	-7.95	-5.00	-2.95
	6875	185	be (20MHz)	52	40	SDM	MCSS	-13.80	-14.75	-11.24	2.29	-8.95	-5.00	-3.95
	6565	123	be (40MHz)	52	44	SDM	MCSS	-13.69	-13.82	-10.75	2.29	-8.46	-5.00	-3.46
	6725	155	be (40MHz)	52	37	SDM	MCSS	-13.68	-13.58	-10.62	2.29	-8.33	-5.00	-3.33
	6845	179	be (40MHz)	52	40	SDM	MCSS	-13.29	-13.56	-10.42	2.29	-8.12	-5.00	-3.12
	6545	119	be (80MHz)	52	37	SDM	MCSS	-13.70	-13.95	-10.81	2.29	-8.52	-5.00	-3.52
	6705	151	be (80MHz)	52	37	SDM	MCSS	-13.47	-13.07	-10.26	2.29	-7.97	-5.00	-2.97
	6865	183	be (80MHz)	52	37	SDM	MCSS	-14.19	-14.25	-11.21	2.29	-8.92	-5.00	-3.92
	6665	143	be (160MHz)	52	52	SDM	MCSS	-13.62	-14.35	-10.96	2.29	-8.67	-5.00	-3.67
	6825	175	be (160MHz)	52	37	SDM	MCSS	-14.55	-14.58	-11.55	2.29	-9.26	-5.00	-4.26
Band 8	6895	189	be (20MHz)	52	37	SDM	MCSS	-14.13	-14.36	-11.23	2.72	-8.52	-5.00	-3.52
	6995	209	be (20MHz)	52	40	SDM	MCSS	-13.57	-13.98	-10.76	2.72	-8.04	-5.00	-3.04
	7095	229	be (20MHz)	52	40	SDM	MCSS	-13.17	-13.99	-10.55	2.72	-7.83	-5.00	-2.83
	6885	187	be (40MHz)	52	40	SDM	MCSS	-14.31	-14.74	-11.50	2.72	-8.79	-5.00	-3.79
	7005	211	be (40MHz)	52	44	SDM	MCSS	-13.87	-14.59	-11.21	2.72	-8.49	-5.00	-3.49
	7085	227	be (40MHz)	52	44	SDM	MCSS	-13.87	-14.36	-11.10	2.72	-8.38	-5.00	-3.38
	6945	199	be (80MHz)	52	52	SDM	MCSS	-13.80	-14.27	-11.01	2.72	-8.30	-5.00	-3.30
	7025	215	be (80MHz)	52	44	SDM	MCSS	-13.90	-14.56	-11.21	2.72	-8.49	-5.00	-3.49
	6985	207	be (160MHz)	52	52	SDM	MCSS	-13.64	-14.92	-11.22	2.72	-8.50	-5.00	-3.50

Table 7-78. Power Spectral Density Measurements SDM Primary (RU52)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 3b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	106+26	82	SDM	MCSS	-12.87	-13.76	-10.28	2.73	-7.55	-5.00	-2.55
	6255	61	be (20MHz)	106+26	83	SDM	MCSS	-13.06	-13.89	-10.44	2.73	-7.71	-5.00	-2.71
	6415	93	be (20MHz)	106+26	83	SDM	MCSS	-12.38	-12.60	-9.48	2.30	-7.17	-5.00	-2.17
	6145	39	be (80MHz)	484+242	92	SDM	MCSS	-13.58	-14.01	-10.78	2.73	-8.05	-5.00	-3.05
	6225	55	be (80MHz)	484+242	93	SDM	MCSS	-13.42	-14.17	-10.77	2.73	-8.03	-5.00	-3.03
	6385	87	be (80MHz)	484+242	92	SDM	MCSS	-12.61	-13.67	-10.09	2.30	-7.79	-5.00	-2.79
	6185	47	be (160MHz)	996+484+242	96-L	SDM	MCSS	-14.12	-13.97	-11.03	2.73	-8.30	-5.00	-3.30
	6345	79	be (160MHz)	996+484+242	99-L	SDM	MCSS	-13.20	-14.05	-10.59	2.30	-8.29	-5.00	-3.29
	6435	97	be (20MHz)	106+26	82	SDM	MCSS	-13.34	-13.61	-10.46	2.02	-8.44	-5.00	-3.44
	6475	105	be (20MHz)	106+26	83	SDM	MCSS	-13.21	-13.98	-10.57	2.02	-8.54	-5.00	-3.54
Band 6	6515	113	be (20MHz)	106+26	83	SDM	MCSS	-13.26	-13.35	-10.30	2.02	-8.27	-5.00	-3.27
	6465	103	be (80MHz)	484+242	90	SDM	MCSS	-12.95	-14.16	-10.50	2.02	-8.48	-5.00	-3.48
	6505	111	be (160MHz)	996+484+242	96-L	SDM	MCSS	-13.28	-13.65	-10.45	2.02	-8.43	-5.00	-3.43
	6535	117	be (20MHz)	106+26	83	SDM	MCSS	-13.11	-13.19	-10.14	2.29	-7.85	-5.00	-2.85
	6695	149	be (20MHz)	106+26	83	SDM	MCSS	-12.91	-13.10	-9.99	2.29	-7.70	-5.00	-2.70
	6875	185	be (20MHz)	106+26	83	SDM	MCSS	-13.74	-14.22	-10.96	2.29	-8.67	-5.00	-3.67
	6545	119	be (80MHz)	484+242	92	SDM	MCSS	-13.29	-13.82	-10.54	2.29	-8.25	-5.00	-3.25
	6705	151	be (80MHz)	484+242	93	SDM	MCSS	-13.10	-13.40	-10.24	2.29	-7.95	-5.00	-2.95
	6865	183	be (80MHz)	484+242	90	SDM	MCSS	-13.79	-14.46	-11.10	2.29	-8.81	-5.00	-3.81
	6665	143	be (160MHz)	996+484+242	99-L	SDM	MCSS	-13.51	-13.30	-10.39	2.29	-8.10	-5.00	-3.10
Band 7	6825	175	be (160MHz)	996+484+242	97-L	SDM	MCSS	-14.02	-14.08	-11.04	2.29	-8.75	-5.00	-3.75
	6895	189	be (20MHz)	106+26	82	SDM	MCSS	-13.85	-13.69	-10.76	2.72	-8.04	-5.00	-3.04
	6995	209	be (20MHz)	106+26	83	SDM	MCSS	-13.40	-13.32	-10.35	2.72	-7.63	-5.00	-2.63
	7095	229	be (20MHz)	106+26	82	SDM	MCSS	-13.69	-13.61	-10.64	2.72	-7.92	-5.00	-2.92
	6945	199	be (80MHz)	484+242	92	SDM	MCSS	-13.59	-14.17	-10.86	2.72	-8.14	-5.00	-3.14
	7025	215	be (80MHz)	484+242	92	SDM	MCSS	-13.72	-14.08	-10.89	2.72	-8.17	-5.00	-3.17
	6985	207	be (160MHz)	996+484+242	99-L	SDM	MCSS	-13.27	-14.00	-10.61	2.72	-7.89	-5.00	-2.89

Table 7-79. Power Spectral Density Measurements SDM Primary (MRU)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 135 of 473

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 3b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	242	61	SDM	MCSS	-13.29	-13.54	-10.41	2.73	-7.67	-5.00	-2.67
	6255	61	be (20MHz)	242	61	SDM	MCSS	-13.04	-13.45	-10.23	2.73	-7.50	-5.00	-2.50
	6415	93	be (20MHz)	242	61	SDM	MCSS	-12.33	-12.66	-9.48	2.30	-7.18	-5.00	-2.18
	6125	35	be (40MHz)	484	65	SDM	MCSS	-13.29	-13.03	-10.14	2.73	-7.41	-5.00	-2.41
	6245	59	be (40MHz)	484	65	SDM	MCSS	-13.13	-14.23	-10.63	2.73	-7.90	-5.00	-2.90
	6405	91	be (40MHz)	484	65	SDM	MCSS	-12.72	-13.63	-10.14	2.30	-7.83	-5.00	-2.83
	6145	39	be (80MHz)	996	67	SDM	MCSS	-13.59	-14.19	-10.87	2.73	-8.14	-5.00	-3.14
	6225	55	be (80MHz)	996	67	SDM	MCSS	-13.64	-14.45	-11.02	2.73	-8.28	-5.00	-3.28
	6385	87	be (80MHz)	996	67	SDM	MCSS	-12.95	-13.76	-10.33	2.30	-8.02	-5.00	-3.02
	6185	47	be (160MHz)	996	68	SDM	MCSS	-14.39	-15.34	-11.83	2.73	-9.10	-5.00	-4.10
Band 6	6345	79	be (160MHz)	996	68	SDM	MCSS	-13.92	-14.58	-11.23	2.30	-8.92	-5.00	-3.92
	6435	97	be (20MHz)	242	61	SDM	MCSS	-13.20	-13.30	-10.24	2.02	-8.22	-5.00	-3.22
	6475	105	be (20MHz)	242	61	SDM	MCSS	-13.26	-13.80	-10.51	2.02	-8.48	-5.00	-3.48
	6515	113	be (20MHz)	242	61	SDM	MCSS	-13.22	-13.59	-10.39	2.02	-8.37	-5.00	-3.37
	6445	99	be (40MHz)	484	65	SDM	MCSS	-13.29	-13.86	-10.56	2.02	-8.53	-5.00	-3.53
	6485	107	be (40MHz)	484	65	SDM	MCSS	-13.08	-13.85	-10.44	2.02	-8.41	-5.00	-3.41
	6525	115	be (40MHz)	484	65	SDM	MCSS	-12.63	-13.60	-10.08	2.02	-8.05	-5.00	-3.05
	6465	103	be (80MHz)	996	67	SDM	MCSS	-13.29	-14.13	-10.68	2.02	-8.65	-5.00	-3.65
	6505	111	be (160MHz)	996	68	SDM	MCSS	-13.78	-14.87	-11.28	2.02	-9.26	-5.00	-4.26
	6535	117	be (20MHz)	242	61	SDM	MCSS	-12.93	-13.11	-10.00	2.29	-7.71	-5.00	-2.71
Band 7	6695	149	be (20MHz)	242	61	SDM	MCSS	-12.77	-12.91	-9.83	2.29	-7.54	-5.00	-2.54
	6875	185	be (20MHz)	242	61	SDM	MCSS	-13.73	-13.85	-10.78	2.29	-8.49	-5.00	-3.49
	6565	123	be (40MHz)	484	65	SDM	MCSS	-13.22	-14.12	-10.63	2.29	-8.34	-5.00	-3.34
	6725	155	be (40MHz)	484	65	SDM	MCSS	-13.37	-13.71	-10.53	2.29	-8.24	-5.00	-3.24
	6845	179	be (40MHz)	484	65	SDM	MCSS	-12.53	-13.38	-9.92	2.29	-7.63	-5.00	-2.63
	6545	119	be (80MHz)	996	67	SDM	MCSS	-13.66	-14.47	-11.04	2.29	-8.75	-5.00	-3.75
	6705	151	be (80MHz)	996	67	SDM	MCSS	-13.02	-13.49	-10.24	2.29	-7.95	-5.00	-2.95
	6865	183	be (80MHz)	996	67	SDM	MCSS	-13.90	-14.22	-11.05	2.29	-8.76	-5.00	-3.76
	6665	143	be (160MHz)	996	68	SDM	MCSS	-14.23	-14.46	-11.33	2.29	-9.04	-5.00	-4.04
	6825	175	be (160MHz)	996	68	SDM	MCSS	-14.50	-14.84	-11.65	2.29	-9.36	-5.00	-4.36
Band 8	6895	189	be (20MHz)	242	61	SDM	MCSS	-13.52	-13.93	-10.71	2.72	-7.99	-5.00	-2.99
	6995	209	be (20MHz)	242	61	SDM	MCSS	-13.46	-13.85	-10.64	2.72	-7.92	-5.00	-2.92
	7115	233	be (20MHz)	242	61	SDM	MCSS	-13.71	-14.90	-11.26	2.72	-8.54	-5.00	-3.54
	6885	187	be (40MHz)	484	65	SDM	MCSS	-13.25	-14.46	-10.80	2.72	-8.09	-5.00	-3.09
	7005	211	be (40MHz)	484	65	SDM	MCSS	-12.75	-13.90	-10.28	2.72	-7.56	-5.00	-2.56
	7085	227	be (40MHz)	484	65	SDM	MCSS	-13.56	-13.20	-10.36	2.72	-7.65	-5.00	-2.65
	6945	199	be (80MHz)	996	67	SDM	MCSS	-14.08	-14.41	-11.23	2.72	-8.52	-5.00	-3.52
	7025	215	be (80MHz)	996	67	SDM	MCSS	-13.57	-14.22	-10.87	2.72	-8.16	-5.00	-3.16
	6985	207	be (160MHz)	996	68	SDM	MCSS	-14.68	-14.95	-11.80	2.72	-9.08	-5.00	-4.08

Table 7-80. Power Spectral Density Measurements SDM Primary (Fully – Loaded RU)

FCC ID: BCGA3462 IC: 579C-A3462	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100082-27-R2.BCG	Test Dates: 9/15/2025 - 12/23/2025	EUT Type: Tablet Device	Page 136 of 473