







Plot 7-69 PSD Antenna 5T (20MHz BW 802.11be(RU) RU26 Index4 - Ch.165)




Plot 7-73 PSD Antenna 5T (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.155)




Plot 7-70 PSD Antenna 5T (40MHz BW 802.11be(RU) RU26 Index8 - Ch.159)




Plot 7-74 PSD Antenna 5T (20MHz BW 802.11be(RU) RU242 Index61 - Ch.165)




Plot 7-71 PSD Antenna 5T (80MHz BW 802.11be(RU) RU26 Index36 - Ch.155)



Plot 7-75 PSD Antenna 5T (40MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-72 PSD Antenna 5T (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.165)



Plot 7-76 PSD Antenna 5T (80MHz BW 802.11be(RU) RU996 Index67 - Ch.155)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 96 of 380

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	26	0	MCS5	7.72	-1.80	5.92	10.0	-4.08
	5200	40	be (20MHz)	26	0	MCS5	7.64	-1.80	5.84	10.0	-4.16
	5240	48	be (20MHz)	26	8	MCS5	7.68	-1.80	5.88	10.0	-4.13
	5190	38	be (40MHz)	26	0	MCS5	7.68	-1.80	5.88	10.0	-4.12
	5230	46	be (40MHz)	26	17	MCS5	7.69	-1.80	5.89	10.0	-4.11
	5210	42	be (80MHz)	26	36	MCS5	7.73	-1.80	5.93	10.0	-4.07
Band 1/2A	5250	50	be (160MHz)	52	52	MCS5	7.56	-1.80	5.76	10.0	-4.24

Table 7-155. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (RU26)

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	52+26	71	MCS5	7.41	-1.80	5.61	10	-4.40
	5200	40	be (20MHz)	52+26	71	MCS5	7.67	-1.80	5.87	10	-4.13
	5240	48	be (20MHz)	52+26	72	MCS5	7.76	-1.80	5.96	10	-4.05
	5180	36	be (20MHz)	106+26	82	MCS5	6.38	-1.80	4.58	10	-5.42
	5200	40	be (20MHz)	106+26	83	MCS5	7.57	-1.80	5.77	10	-4.23
	5240	48	be (20MHz)	106+26	82	MCS5	7.79	-1.80	5.99	10	-4.01
	5210	42	be (80MHz)	484+242	90	MCS5	-4.39	-1.80	-6.19	10	-16.19
Band 1/2A	5250	50 (L)	be (160MHz)	996+484	95	MCS5	-6.26	-1.80	-8.06	10	-18.06
	5250	50 (L)	be (160MHz)	996+484+242	96	MCS5	-7.38	-1.80	-9.18	10	-19.18
	5250	50 (U)	be (160MHz)	996+484	94	MCS5	-6.45	-1.80	-8.25	10	-18.25
	5250	50 (U)	be (160MHz)	996+484+242	96	MCS5	-7.14	-1.80	-8.94	10	-18.94

Table 7-156. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (MRU)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	242	61	MCS5	3.68	-1.80	1.88	10.0	-8.12
	5200	40	be (20MHz)	242	61	MCS5	7.49	-1.80	5.69	10.0	-4.31
	5240	48	be (20MHz)	242	61	MCS5	7.73	-1.80	5.93	10.0	-4.07
	5190	38	be (40MHz)	484	65	MCS5	-1.42	-1.80	-3.22	10.0	-13.22
	5230	46	be (40MHz)	484	65	MCS5	4.47	-1.80	2.67	10.0	-7.33
	5210	42	be (80MHz)	996	67	MCS5	-4.76	-1.80	-6.56	10.0	-16.56
Band 1/2A	5250	50	be (160MHz)	996	68	MCS5	-8.10	-1.80	-9.90	10.0	-19.90

Table 7-157. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 5T (Fully-loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 97 of 380




Plot 7-77 PSD Antenna 5T (20MHz BW 802.11be(RU) RU26 Index0 - Ch.36)




Plot 7-81 PSD Antenna 5T (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.48)




Plot 7-78 PSD Antenna 5T (40MHz BW 802.11be(RU) RU26 Index17 - Ch.46)




Plot 7-82 PSD Antenna 5T (80MHz BW 802.11be(RU) RU484+242 Index90 - Ch.42)




Plot 7-79 PSD Antenna 5T (80MHz BW 802.11be(RU) RU26 Index36 - Ch.42)



Plot 7-83 PSD Antenna 5T (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)




Plot 7-80 PSD Antenna 5T (160MHz BW 802.11be(RU) RU52 Index52 - Ch.50)




Plot 7-84 PSD Antenna 5T (20MHz BW 802.11be(RU) RU242 Index61 - Ch.48)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 98 of 380



Plot 7-85 PSD Antenna 5T (40MHz BW 802.11be(RU) RU484 Index65 - Ch.46)



Plot 7-87 PSD Antenna 5T (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)



Plot 7-86 PSD Antenna 5T (80MHz BW 802.11be(RU) RU996 Index67 - Ch.42)

FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 99 of 380	

7.5.2 Antenna 3b Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	26	0	MCS5	3.57	11.0	-7.43
	5200	40	be (20MHz)	26	8	MCS5	3.28	11.0	-7.72
	5240	48	be (20MHz)	26	8	MCS5	3.29	11.0	-7.71
	5190	38	be (40MHz)	26	17	MCS5	3.44	11.0	-7.56
	5230	46	be (40MHz)	26	8	MCS5	3.57	11.0	-7.44
	5210	42	be (80MHz)	26	36	MCS5	3.36	11.0	-7.64
Band 1/2A	5250	50	be (160MHz)	52	52	MCS5	3.68	11.0	-7.32
Band 2A	5260	52	be (20MHz)	52	39	MCS5	3.55	11.0	-7.45
	5280	60	be (20MHz)	52	40	MCS5	3.68	11.0	-7.32
	5320	64	be (20MHz)	52	37	MCS5	3.66	11.0	-7.34
	5270	54	be (40MHz)	52	40	MCS5	5.08	11.0	-5.92
	5310	62	be (40MHz)	52	40	MCS5	5.19	11.0	-5.81
	5290	58	be (80MHz)	52	37	MCS5	5.12	11.0	-5.88
Band 2C	5500	100	be (20MHz)	52	39	MCS5	3.49	11.0	-7.51
	5580	116	be (20MHz)	52	37	MCS5	3.78	11.0	-7.22
	5720	144	be (20MHz)	52	37	MCS5	3.44	11.0	-7.56
	5510	102	be (40MHz)	52	40	MCS5	4.02	11.0	-6.98
	5550	110	be (40MHz)	52	44	MCS5	4.03	11.0	-6.97
	5590	118	be (40MHz)	52	40	MCS5	3.93	11.0	-7.07
	5670	134	be (40MHz)	52	40	MCS5	4.01	11.0	-6.99
	5710	142	be (40MHz)	52	40	MCS5	3.82	11.0	-7.18
	5530	106	be (80MHz)	52	37	MCS5	4.01	11.0	-6.99
	5610	122	be (80MHz)	52	44	MCS5	3.77	11.0	-7.23
	5690	138	be (80MHz)	52	44	MCS5	4.06	11.0	-6.94
	5570	114	be (160MHz)	52	37	MCS5	3.52	11.0	-7.48

Table 7-158. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 3b (RU26)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 100 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	52+26	71	MCS5	3.17	11.00	-7.83
	5200	40	be (20MHz)	52+26	71	MCS5	3.23	11.00	-7.77
	5240	48	be (20MHz)	52+26	71	MCS5	3.41	11.00	-7.59
	5180	36	be (20MHz)	106+26	83	MCS5	2.99	11.00	-8.01
	5200	40	be (20MHz)	106+26	82	MCS5	3.01	11.00	-8.00
	5240	48	be (20MHz)	106+26	83	MCS5	3.17	11.00	-7.83
Band 1/2A	5210	42	be (80MHz)	484+242	93	MCS5	-5.24	11.00	-16.24
	5250	50 (L)	be (160MHz)	996+484	95	MCS5	-7.67	11.00	-18.67
	5250	50 (L)	be (160MHz)	996+484+242	98	MCS5	-8.21	11.00	-19.21
	5250	50 (U)	be (160MHz)	996+484	94	MCS5	-7.53	11.00	-18.53
Band 2A	5250	50 (U)	be (160MHz)	996+484+242	96	MCS5	-8.21	11.00	-19.21
	5260	52	be (20MHz)	52+26	71	MCS5	3.30	11.00	-7.70
	5280	60	be (20MHz)	52+26	71	MCS5	3.37	11.00	-7.63
	5320	64	be (20MHz)	52+26	71	MCS5	3.35	11.00	-7.65
	5260	52	be (20MHz)	106+26	82	MCS5	3.00	11.00	-8.00
	5280	60	be (20MHz)	106+26	83	MCS5	3.12	11.00	-7.88
Band 2C	5320	64	be (20MHz)	106+26	82	MCS5	3.11	11.00	-7.89
	5290	58	be (80MHz)	484+242	92	MCS5	-4.77	11.00	-15.77
	5500	100	be (20MHz)	52+26	71	MCS5	3.18	11.00	-7.82
	5580	116	be (20MHz)	52+26	71	MCS5	3.20	11.00	-7.80
	5720	144	be (20MHz)	52+26	71	MCS5	2.77	11.00	-8.23
	5500	100	be (20MHz)	106+26	82	MCS5	3.13	11.00	-7.87
	5580	116	be (20MHz)	106+26	83	MCS5	2.99	11.00	-8.01
	5720	144	be (20MHz)	106+26	82	MCS5	2.72	11.00	-8.28
	5530	106	be (80MHz)	484+242	91	MCS5	-6.84	11.00	-17.84
	5610	122	be (80MHz)	484+242	92	MCS5	-4.00	11.00	-15.00
	5690	138	be (80MHz)	484+242	92	MCS5	-1.59	11.00	-12.59
	5570	114 (L)	be (160MHz)	996+484	95	MCS5	-9.93	11.00	-20.93
	5570	114 (H)	be (160MHz)	996+484+242	99	MCS5	-10.36	11.00	-21.36
	5570	114 (L)	be (160MHz)	996+484	95	MCS5	-9.93	11.00	-20.93
	5570	114 (H)	be (160MHz)	996+484+242	99	MCS5	-10.36	11.00	-21.36

Table 7-159. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 3b (MRU)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 101 of 380


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	242	61	MCS5	2.33	11.0	-8.67
	5200	40	be (20MHz)	242	61	MCS5	2.97	11.0	-8.03
	5240	48	be (20MHz)	242	61	MCS5	3.11	11.0	-7.90
	5190	38	be (40MHz)	484	65	MCS5	-2.40	11.0	-13.40
	5230	46	be (40MHz)	484	65	MCS5	0.13	11.0	-10.87
Band 1/2A	5210	42	be (80MHz)	996	67	MCS5	-5.97	11.0	-16.97
	5250	50	be (160MHz)	996x2	68	MCS5	-8.95	11.0	-19.95
Band 2A	5260	52	be (20MHz)	242	61	MCS5	2.96	11.0	-8.05
	5280	60	be (20MHz)	242	61	MCS5	3.09	11.0	-7.92
	5320	64	be (20MHz)	242	61	MCS5	2.14	11.0	-8.86
	5270	54	be (40MHz)	484	65	MCS5	0.03	11.0	-10.97
	5310	62	be (40MHz)	484	65	MCS5	-3.07	11.0	-14.07
Band 2C	5290	58	be (80MHz)	996	67	MCS5	-6.06	11.0	-17.06
	5500	100	be (20MHz)	242	61	MCS5	0.29	11.0	-10.72
	5580	116	be (20MHz)	242	61	MCS5	2.91	11.0	-8.09
	5720	144	be (20MHz)	242	61	MCS5	3.08	11.0	-7.92
	5510	102	be (40MHz)	484	65	MCS5	-4.34	11.0	-15.34
	5550	110	be (40MHz)	484	65	MCS5	-0.10	11.0	-11.10
	5590	118	be (40MHz)	484	65	MCS5	0.07	11.0	-10.93
	5670	134	be (40MHz)	484	65	MCS5	-1.74	11.0	-12.74
	5710	142	be (40MHz)	484	65	MCS5	0.00	11.0	-11.00
	5530	106	be (80MHz)	996	67	MCS5	-8.10	11.0	-19.10
	5610	122	be (80MHz)	996	67	MCS5	-3.27	11.0	-14.27
	5690	138	be (80MHz)	996	67	MCS5	-2.93	11.0	-13.93
	5570	114	be (160MHz)	996x2	68	MCS5	-11.15	11.0	-22.15

Table 7-160. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 3b (Full Loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 102 of 380




Plot 7-88 PSD Antenna 3b (20MHz BW 802.11be(RU) RU52 Index37 - Ch.116)




Plot 7-92 PSD Antenna 3b (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.48)




Plot 7-89 PSD Antenna 3b (40MHz BW 802.11be(RU) RU52 Index40 - Ch.62)




Plot 7-93 PSD Antenna 3b (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.138)




Plot 7-90 PSD Antenna 3b (80MHz BW 802.11be(RU) RU52 Index37 - Ch.58)



Plot 7-94 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996+484 Index94 - Ch.50)




Plot 7-91 PSD Antenna 3b (160MHz BW 802.11be(RU) RU52 Index52 - Ch.50)




Plot 7-95 PSD Antenna 3b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.48)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 103 of 380



Plot 7-96 PSD Antenna 3b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.46)



Plot 7-98 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)



Plot 7-97 PSD Antenna 3b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.138)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 104 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5180	149	be (20MHz)	26	0	MCS5	0.58	30.0	-29.42
	5200	157	be (20MHz)	26	8	MCS5	0.68	30.0	-29.33
	5240	165	be (20MHz)	26	0	MCS5	0.83	30.0	-29.17
	5190	151	be (40MHz)	26	8	MCS5	0.23	30.0	-29.77
	5230	159	be (40MHz)	26	8	MCS5	0.40	30.0	-29.60
	5210	155	be (80MHz)	26	17	MCS5	0.49	30.0	-29.51

Table 7-161. Band 3 Power Spectral Density Measurements Antenna 3b (RU26)


	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	52+26	71	MCS5	0.20	30.0	-29.80
	5785	157	be (20MHz)	52+26	71	MCS5	0.30	30.0	-29.70
	5825	165	be (20MHz)	52+26	71	MCS5	0.39	30.0	-29.62
	5745	149	be (20MHz)	106+26	82	MCS5	-0.11	30.0	-30.11
	5785	157	be (20MHz)	106+26	83	MCS5	0.00	30.0	-30.00
	5825	165	be (20MHz)	106+26	83	MCS5	0.08	30.0	-29.92
	5775	155	be (80MHz)	484+242	93	MCS5	-6.70	30.0	-36.70

Table 7-162. Band 3 Power Spectral Density Measurements Antenna 3b (MRU)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	242	61	MCS5	0.03	30.0	-29.97
	5785	157	be (20MHz)	242	61	MCS5	0.01	30.0	-29.99
	5825	165	be (20MHz)	242	61	MCS5	0.10	30.0	-29.90
	5755	151	be (40MHz)	484	65	MCS5	-2.85	30.0	-32.85
	5795	159	be (40MHz)	484	65	MCS5	-2.99	30.0	-32.99
	5775	155	be (80MHz)	996	67	MCS5	-6.80	30.0	-36.80

Table 7-163. Band 3 Power Spectral Density Measurements Antenna 3b (Fully-loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 105 of 380




Plot 7-99 PSD Antenna 3b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.165)




Plot 7-103 PSD Antenna 3b (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.155)




Plot 7-100 PSD Antenna 3b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.159)




Plot 7-104 PSD Antenna 3b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.165)




Plot 7-101 PSD Antenna 3b (80MHz BW 802.11be(RU) RU26 Index17 - Ch.155)



Plot 7-105 PSD Antenna 3b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-102 PSD Antenna 3b (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.165)



Plot 7-106 PSD Antenna 3b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.155)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 106 of 380

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	26	0	MCS5	3.55	-1.00	2.55	10.0	-7.45
	5200	40	be (20MHz)	26	0	MCS5	3.27	-1.00	2.27	10.0	-7.73
	5240	48	be (20MHz)	26	8	MCS5	3.58	-1.00	2.58	10.0	-7.42
	5190	38	be (40MHz)	26	0	MCS5	3.52	-1.00	2.52	10.0	-7.48
	5230	46	be (40MHz)	26	8	MCS5	3.57	-1.00	2.57	10.0	-7.43
	5210	42	be (80MHz)	26	17	MCS5	1.25	-1.00	0.25	10.0	-9.75
Band 1/2A	5250	50	be (160MHz)	52	52	MCS5	5.83	-1.00	4.83	10.0	-5.17

Table 7-164. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 3b (RU26)









	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	52+26	71	MCS5	3.24	-1.00	2.24	10	-7.76
	5200	40	be (20MHz)	52+26	72	MCS5	3.41	-1.00	2.41	10	-7.59
	5240	48	be (20MHz)	52+26	71	MCS5	3.62	-1.00	2.62	10	-7.38
	5180	36	be (20MHz)	106+26	82	MCS5	3.49	-1.00	2.49	10	-7.51
	5200	40	be (20MHz)	106+26	82	MCS5	3.51	-1.00	2.51	10	-7.49
	5240	48	be (20MHz)	106+26	83	MCS5	3.64	-1.00	2.64	10	-7.36
Band 1/2A	5210	42	be (80MHz)	484+242	91	MCS5	-4.89	-1.00	-5.89	10	-15.89
	5250	50 (L)	be (160MHz)	996+484	95	MCS5	-7.67	-1.00	-8.67	10	-18.67
	5250	50 (L)	be (160MHz)	996+484+242	98	MCS5	-8.21	-1.00	-9.21	10	-19.21
	5250	50 (U)	be (160MHz)	996+484	94	MCS5	-7.53	-1.00	-8.53	10	-18.53
	5250	50 (U)	be (160MHz)	996+484+242	96	MCS5	-8.21	-1.00	-9.21	10	-19.21

Table 7-165. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 3b (MRU)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	242	61	MCS5	2.54	-1.00	1.54	10.0	-8.46
	5200	40	be (20MHz)	242	61	MCS5	2.79	-1.00	1.79	10.0	-8.21
	5240	48	be (20MHz)	242	61	MCS5	2.96	-1.00	1.96	10.0	-8.05
	5190	38	be (40MHz)	484	65	MCS5	-2.22	-1.00	-3.22	10.0	-13.22
	5230	46	be (40MHz)	484	65	MCS5	-0.07	-1.00	-1.07	10.0	-11.07
	5210	42	be (80MHz)	996	67	MCS5	-5.92	-1.00	-6.92	10.0	-16.92
Band 1/2A	5250	50	be (160MHz)	996	68	MCS5	-9.30	-1.00	-10.30	10.0	-20.30

Table 7-166. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 3b (Fully-loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 107 of 380




FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 108 of 380



Plot 7-115 PSD Antenna 3b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.46)



Plot 7-117 PSD Antenna 3b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)



Plot 7-116 PSD Antenna 3b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.42)

FCC ID: BCGA3462 IC: 579C-A3462	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 109 of 380

7.5.3 Antenna 1b Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	26	0	MCS5	4.86	11.0	-6.14
	5200	40	be (20MHz)	26	0	MCS5	4.59	11.0	-6.41
	5240	48	be (20MHz)	26	0	MCS5	4.89	11.0	-6.11
	5190	38	be (40MHz)	26	0	MCS5	4.42	11.0	-6.58
	5230	46	be (40MHz)	26	17	MCS5	4.77	11.0	-6.23
	5210	42	be (80MHz)	26	0	MCS5	4.66	11.0	-6.34
Band 1/2A	5250	50	be (160MHz)	52	52	MCS5	5.01	11.0	-5.99
Band 2A	5260	52	be (20MHz)	52	39	MCS5	4.94	11.0	-6.06
	5280	60	be (20MHz)	52	37	MCS5	4.76	11.0	-6.24
	5320	64	be (20MHz)	52	40	MCS5	4.89	11.0	-6.11
	5270	54	be (40MHz)	52	40	MCS5	6.61	11.0	-4.39
	5310	62	be (40MHz)	52	40	MCS5	6.22	11.0	-4.78
	5290	58	be (80MHz)	52	37	MCS5	6.61	11.0	-4.39
Band 2C	5500	100	be (20MHz)	52	37	MCS5	4.87	11.0	-6.13
	5580	116	be (20MHz)	52	37	MCS5	5.01	11.0	-5.99
	5720	144	be (20MHz)	52	37	MCS5	4.75	11.0	-6.25
	5510	102	be (40MHz)	52	40	MCS5	5.11	11.0	-5.89
	5550	110	be (40MHz)	52	44	MCS5	5.26	11.0	-5.74
	5590	118	be (40MHz)	52	37	MCS5	5.24	11.0	-5.76
	5670	134	be (40MHz)	52	40	MCS5	5.47	11.0	-5.53
	5710	142	be (40MHz)	52	40	MCS5	5.36	11.0	-5.64
	5530	106	be (80MHz)	52	37	MCS5	5.27	11.0	-5.73
	5610	122	be (80MHz)	52	37	MCS5	5.03	11.0	-5.97
	5690	138	be (80MHz)	52	37	MCS5	5.27	11.0	-5.73
	5570	114	be (160MHz)	52	52	MCS5	4.96	11.0	-6.04

Table 7-167. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 1b (RU26)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 110 of 380

V 10.6 10/27/2023

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	52+26	71	MCS5	3.27	11.00	-7.73
	5200	40	be (20MHz)	52+26	72	MCS5	3.01	11.00	-7.99
	5240	48	be (20MHz)	52+26	71	MCS5	3.32	11.00	-7.68
	5180	36	be (20MHz)	106+26	83	MCS5	3.06	11.00	-7.94
	5200	40	be (20MHz)	106+26	83	MCS5	3.13	11.00	-7.87
	5240	48	be (20MHz)	106+26	83	MCS5	3.26	11.00	-7.74
Band 1/2A	5210	42	be (80MHz)	484+242	92	MCS5	-5.37	11.00	-16.37
	5250	50 (L)	be (160MHz)	996+484	95	MCS5	-7.28	11.00	-18.28
	5250	50 (L)	be (160MHz)	996+484+242	99	MCS5	-8.02	11.00	-19.02
	5250	50 (U)	be (160MHz)	996+484	94	MCS5	-7.37	11.00	-18.37
Band 2A	5250	50 (U)	be (160MHz)	996+484+242	98	MCS5	-7.98	11.00	-18.98
	5260	52	be (20MHz)	52+26	71	MCS5	3.18	11.00	-7.82
	5280	60	be (20MHz)	52+26	72	MCS5	3.10	11.00	-7.90
	5320	64	be (20MHz)	52+26	71	MCS5	3.15	11.00	-7.85
	5260	52	be (20MHz)	106+26	82	MCS5	3.01	11.00	-7.99
	5280	60	be (20MHz)	106+26	82	MCS5	3.15	11.00	-7.85
Band 2C	5320	64	be (20MHz)	106+26	82	MCS5	3.02	11.00	-7.98
	5290	58	be (80MHz)	484+242	92	MCS5	-4.58	11.00	-15.58
	5500	100	be (20MHz)	52+26	71	MCS5	3.01	11.00	-7.99
	5580	116	be (20MHz)	52+26	72	MCS5	3.04	11.00	-7.96
	5720	144	be (20MHz)	52+26	72	MCS5	3.18	11.00	-7.82
	5500	100	be (20MHz)	106+26	82	MCS5	3.07	11.00	-7.93
	5580	116	be (20MHz)	106+26	83	MCS5	3.46	11.00	-7.54
	5720	144	be (20MHz)	106+26	82	MCS5	2.77	11.00	-8.23
	5530	106	be (80MHz)	484+242	91	MCS5	-6.65	11.00	-17.65
	5610	122	be (80MHz)	484+242	93	MCS5	-3.67	11.00	-14.67
	5690	138	be (80MHz)	484+242	91	MCS5	-1.53	11.00	-12.53
	5570	114 (L)	be (160MHz)	996+484	95	MCS5	-9.38	11.00	-20.38
	5570	114 (H)	be (160MHz)	996+484+242	97	MCS5	-10.04	11.00	-21.04
	5570	114 (L)	be (160MHz)	996+484	95	MCS5	-9.38	11.00	-20.38
	5570	114 (H)	be (160MHz)	996+484+242	97	MCS5	-10.04	11.00	-21.04

Table 7-168. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 1b (MRU)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 111 of 380


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	242	61	MCS5	3.92	11.0	-7.08
	5200	40	be (20MHz)	242	61	MCS5	4.47	11.0	-6.53
	5240	48	be (20MHz)	242	61	MCS5	4.57	11.0	-6.44
	5190	38	be (40MHz)	484	65	MCS5	-1.11	11.0	-12.11
	5230	46	be (40MHz)	484	65	MCS5	1.50	11.0	-9.50
Band 1/2A	5210	42	be (80MHz)	996	67	MCS5	-4.42	11.0	-15.42
	5250	50	be (160MHz)	996x2	68	MCS5	-7.53	11.0	-18.53
Band 2A	5260	52	be (20MHz)	242	61	MCS5	4.30	11.0	-6.71
	5280	60	be (20MHz)	242	61	MCS5	4.32	11.0	-6.68
	5320	64	be (20MHz)	242	61	MCS5	3.20	11.0	-7.80
	5270	54	be (40MHz)	484	65	MCS5	1.35	11.0	-9.65
	5310	62	be (40MHz)	484	65	MCS5	-1.53	11.0	-12.53
Band 2C	5290	58	be (80MHz)	996	67	MCS5	-4.46	11.0	-15.46
	5500	100	be (20MHz)	242	61	MCS5	1.68	11.0	-9.32
	5580	116	be (20MHz)	242	61	MCS5	4.66	11.0	-6.34
	5720	144	be (20MHz)	242	61	MCS5	3.97	11.0	-7.03
	5510	102	be (40MHz)	484	65	MCS5	-3.12	11.0	-14.12
	5550	110	be (40MHz)	484	65	MCS5	1.44	11.0	-9.56
	5590	118	be (40MHz)	484	65	MCS5	1.59	11.0	-9.41
	5670	134	be (40MHz)	484	65	MCS5	-0.48	11.0	-11.48
	5710	142	be (40MHz)	484	65	MCS5	1.49	11.0	-9.51
	5530	106	be (80MHz)	996	67	MCS5	-6.43	11.0	-17.43
	5610	122	be (80MHz)	996	67	MCS5	-2.05	11.0	-13.05
	5690	138	be (80MHz)	996	67	MCS5	-1.98	11.0	-12.98
	5570	114	be (160MHz)	996x2	68	MCS5	-9.55	11.0	-20.55

Table 7-169. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna 1b (Full Loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 112 of 380

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-118 PSD Antenna 1b (20MHz BW 802.11be(RU) RU52 Index37 - Ch.116)




Plot 7-122 PSD Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.116)




Plot 7-119 PSD Antenna 1b (40MHz BW 802.11be(RU) RU52 Index40 - Ch.54)




Plot 7-123 PSD Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.138)




Plot 7-120 PSD Antenna 1b (80MHz BW 802.11be(RU) RU52 Index37 - Ch.58)



Plot 7-124 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)




Plot 7-121 PSD Antenna 1b (160MHz BW 802.11be(RU) RU52 Index52 - Ch.50)




Plot 7-125 PSD Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.116)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 113 of 380



Plot 7-126 PSD Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.118)



Plot 7-128 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)



Plot 7-127 PSD Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.138)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 114 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5180	149	be (20MHz)	26	8	MCS5	1.79	30.0	-28.21
	5200	157	be (20MHz)	26	8	MCS5	1.97	30.0	-28.03
	5240	165	be (20MHz)	26	8	MCS5	2.20	30.0	-27.80
	5190	151	be (40MHz)	26	8	MCS5	1.44	30.0	-28.56
	5230	159	be (40MHz)	26	8	MCS5	1.89	30.0	-28.11
	5210	155	be (80MHz)	26	36	MCS5	1.96	30.0	-28.04

Table 7-170. Band 3 Power Spectral Density Measurements Antenna 1b (RU26)


	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	52+26	71	MCS5	0.07	30.0	-29.93
	5785	157	be (20MHz)	52+26	71	MCS5	0.21	30.0	-29.79
	5825	165	be (20MHz)	52+26	71	MCS5	0.44	30.0	-29.56
	5745	149	be (20MHz)	106+26	83	MCS5	0.05	30.0	-29.95
	5785	157	be (20MHz)	106+26	82	MCS5	0.17	30.0	-29.83
	5825	165	be (20MHz)	106+26	83	MCS5	0.37	30.0	-29.63
	5775	155	be (80MHz)	484+242	91	MCS5	-6.56	30.0	-36.56

Table 7-171. Band 3 Power Spectral Density Measurements Antenna 1b (MRU)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	242	61	MCS5	1.46	30.0	-28.54
	5785	157	be (20MHz)	242	61	MCS5	1.61	30.0	-28.40
	5825	165	be (20MHz)	242	61	MCS5	1.77	30.0	-28.23
	5755	151	be (40MHz)	484	65	MCS5	-1.80	30.0	-31.80
	5795	159	be (40MHz)	484	65	MCS5	-1.86	30.0	-31.86
	5775	155	be (80MHz)	996	67	MCS5	-5.46	30.0	-35.46

Table 7-172. Band 3 Power Spectral Density Measurements Antenna 1b (Fully-loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 115 of 380




Plot 7-129 PSD Antenna 1b (20MHz BW 802.11be(RU) RU26 Index8 - Ch.165)




Plot 7-133 PSD Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.155)




Plot 7-130 PSD Antenna 1b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.159)




Plot 7-134 PSD Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.165)




Plot 7-131 PSD Antenna 1b (80MHz BW 802.11be(RU) RU26 Index36 - Ch.155)



Plot 7-135 PSD Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-132 PSD Antenna 1b (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.165)



Plot 7-136 PSD Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.155)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 116 of 380

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	26	0	MCS5	4.88	-0.70	4.18	10.0	-5.82
	5200	40	be (20MHz)	26	8	MCS5	4.50	-0.70	3.80	10.0	-6.20
	5240	48	be (20MHz)	26	8	MCS5	4.90	-0.70	4.20	10.0	-5.80
	5190	38	be (40MHz)	26	17	MCS5	4.94	-0.70	4.24	10.0	-5.77
	5230	46	be (40MHz)	26	8	MCS5	4.96	-0.70	4.26	10.0	-5.74
	5210	42	be (80MHz)	26	17	MCS5	4.94	-0.70	4.24	10.0	-5.76
Band 1/2A	5250	50	be (160MHz)	52	52	MCS5	5.00	-0.70	4.30	10.0	-5.70

Table 7-173. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 1b (RU26)


	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	52+26	71	MCS5	4.43	-0.70	3.73	10	-6.27
	5200	40	be (20MHz)	52+26	71	MCS5	4.53	-0.70	3.83	10	-6.17
	5240	48	be (20MHz)	52+26	71	MCS5	4.60	-0.70	3.90	10	-6.11
	5180	36	be (20MHz)	106+26	82	MCS5	4.52	-0.70	3.82	10	-6.18
	5200	40	be (20MHz)	106+26	82	MCS5	4.66	-0.70	3.96	10	-6.04
	5240	48	be (20MHz)	106+26	82	MCS5	4.83	-0.70	4.13	10	-5.88
	5210	42	be (80MHz)	484+242	93	MCS5	-3.58	-0.70	-4.28	10	-14.28
Band 1/2A	5250	50 (L)	be (160MHz)	996+484	95	MCS5	-7.28	-0.70	-7.98	10	-17.98
	5250	50 (L)	be (160MHz)	996+484+242	99	MCS5	-8.02	-0.70	-8.72	10	-18.72
	5250	50 (U)	be (160MHz)	996+484	94	MCS5	-7.37	-0.70	-8.07	10	-18.07
	5250	50 (U)	be (160MHz)	996+484+242	98	MCS5	-7.98	-0.70	-8.68	10	-18.68

Table 7-174. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 1b (MRU)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	242	61	MCS5	3.46	-0.70	2.76	10.0	-7.24
	5200	40	be (20MHz)	242	61	MCS5	4.55	-0.70	3.85	10.0	-6.15
	5240	48	be (20MHz)	242	61	MCS5	4.74	-0.70	4.04	10.0	-5.96
	5190	38	be (40MHz)	484	65	MCS5	-0.76	-0.70	-1.46	10.0	-11.46
	5230	46	be (40MHz)	484	65	MCS5	1.66	-0.70	0.96	10.0	-9.04
	5210	42	be (80MHz)	996	67	MCS5	-4.36	-0.70	-5.06	10.0	-15.06
Band 1/2A	5250	50	be (160MHz)	996	68	MCS5	-7.52	-0.70	-8.22	10.0	-18.22

Table 7-175. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 1b (Fully-loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 117 of 380




Plot 7-137 PSD Antenna 1b (20MHz BW 802.11be(RU) RU26 Index8 - Ch.48)




Plot 7-141 PSD Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.48)




Plot 7-138 PSD Antenna 1b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.46)




Plot 7-142 PSD Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.42)




Plot 7-139 PSD Antenna 1b (80MHz BW 802.11be(RU) RU26 Index17 - Ch.42)



Plot 7-143 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)




Plot 7-140 PSD Antenna 1b (160MHz BW 802.11be(RU) RU52 Index52 - Ch.50)



Plot 7-144 PSD Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.48)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 118 of 380



Plot 7-145 PSD Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.46)



Plot 7-147 PSD Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)



Plot 7-146 PSD Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.42)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 119 of 380

7.5.4 Summed CDD/SDM Primary Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Antenna 5T Power Density [dBm/MHz]	Antenna 3b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	26	8	MCSS	4.58	3.12	6.92	11.0	-4.08
	5200	40	be (20MHz)	26	0	MCSS	4.58	3.16	6.94	11.0	-4.06
	5240	48	be (20MHz)	26	8	MCSS	4.27	3.50	6.91	11.0	-4.09
	5190	38	be (40MHz)	26	17	MCSS	4.53	3.29	6.96	11.0	-4.04
	5230	46	be (40MHz)	26	8	MCSS	4.59	3.40	7.05	11.0	-3.95
Band 1/2A	5210	42	be (80MHz)	26	36	MCSS	4.30	3.37	6.87	11.0	-4.13
	5250	50	be (160MHz)	52	52	MCSS	4.53	3.42	7.02	11.0	-3.98
Band 2A	5260	52	be (20MHz)	52	37	MCSS	4.85	3.55	7.26	11.0	-3.74
	5280	60	be (20MHz)	52	37	MCSS	4.70	3.63	7.21	11.0	-3.79
	5320	64	be (20MHz)	52	37	MCSS	4.50	3.65	7.10	11.0	-3.90
	5270	54	be (40MHz)	52	40	MCSS	5.64	5.01	8.35	11.0	-2.65
	5310	62	be (40MHz)	52	40	MCSS	5.75	4.80	8.31	11.0	-2.69
Band 2C	5290	58	be (80MHz)	52	44	MCSS	5.49	4.98	8.25	11.0	-2.75
	5500	100	be (20MHz)	52	37	MCSS	4.50	3.76	7.16	11.0	-3.84
	5580	116	be (20MHz)	52	39	MCSS	4.81	3.59	7.25	11.0	-3.75
	5720	144	be (20MHz)	52	40	MCSS	4.19	3.25	6.75	11.0	-4.25
	5510	102	be (40MHz)	52	44	MCSS	5.25	3.88	7.63	11.0	-3.37
	5550	110	be (40MHz)	52	40	MCSS	5.29	3.99	7.70	11.0	-3.30
	5590	118	be (40MHz)	52	40	MCSS	5.35	3.83	7.66	11.0	-3.34
	5670	134	be (40MHz)	52	40	MCSS	5.71	3.92	7.92	11.0	-3.08
	5710	142	be (40MHz)	52	37	MCSS	5.28	3.69	7.57	11.0	-3.43
	5530	106	be (80MHz)	52	52	MCSS	5.33	3.61	7.56	11.0	-3.44
	5610	122	be (80MHz)	52	44	MCSS	5.68	3.77	7.84	11.0	-3.16
	5690	138	be (80MHz)	52	44	MCSS	5.46	3.53	7.61	11.0	-3.39
	5570	114	be (160MHz)	52	52	MCSS	4.38	3.61	7.02	11.0	-3.98

Table 7-176. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Primary (RU26)

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Antenna 5T Power Density [dBm/MHz]	Antenna 3b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	52+26	71	MCSS	4.44	3.07	6.82	11.0	-4.18
	5200	40	be (20MHz)	52+26	71	MCSS	4.40	3.15	6.83	11.0	-4.17
	5240	48	be (20MHz)	52+26	71	MCSS	4.68	3.23	7.02	11.0	-3.98
	5180	36	be (20MHz)	106+26	82	MCSS	4.43	2.86	6.73	11.0	-4.27
	5200	40	be (20MHz)	106+26	83	MCSS	4.03	2.88	6.50	11.0	-4.50
Band 1/2A	5240	48	be (20MHz)	106+26	83	MCSS	4.24	2.95	6.65	11.0	-4.35
	5210	42	be (80MHz)	484+242	93	MCSS	-4.94	-5.89	-2.38	11.0	-13.38
Band 2A	5250	50 (L)	be (160MHz)	996+484	95	MCSS	-7.91	-9.03	-5.42	11.0	-16.42
	5250	50 (L)	be (160MHz)	996+484+242	99	MCSS	-8.68	-9.78	-6.18	11.0	-17.18
	5250	50 (U)	be (160MHz)	996+484	94	MCSS	-8.01	-9.17	-5.54	11.0	-16.54
	5250	50 (U)	be (160MHz)	996+484+242	99	MCSS	-8.82	-9.96	-6.35	11.0	-17.35
	5260	52	be (20MHz)	52+26	71	MCSS	4.58	3.16	6.94	11.0	-4.06
Band 2C	5280	60	be (20MHz)	52+26	71	MCSS	4.57	3.17	6.93	11.0	-4.07
	5320	64	be (20MHz)	52+26	71	MCSS	4.26	3.24	6.79	11.0	-4.21
	5260	52	be (20MHz)	106+26	83	MCSS	4.07	2.80	6.49	11.0	-4.51
	5280	60	be (20MHz)	106+26	83	MCSS	4.14	2.96	6.60	11.0	-4.40
	5320	64	be (20MHz)	106+26	82	MCSS	4.06	2.94	6.55	11.0	-4.45
	5290	58	be (80MHz)	484+242	93	MCSS	-3.89	-5.12	-1.45	11.0	-12.45
	5500	100	be (20MHz)	52+26	71	MCSS	4.03	3.07	6.59	11.0	-4.41
	5580	116	be (20MHz)	52+26	71	MCSS	4.36	3.17	6.81	11.0	-4.19
	5720	144	be (20MHz)	52+26	71	MCSS	3.98	2.96	6.51	11.0	-4.49
	5500	100	be (20MHz)	106+26	83	MCSS	3.93	2.19	6.16	11.0	-4.84
	5580	116	be (20MHz)	106+26	83	MCSS	4.58	2.74	6.77	11.0	-4.23
	5720	144	be (20MHz)	106+26	83	MCSS	4.28	2.76	6.60	11.0	-4.40
	5530	106	be (80MHz)	484+242	92	MCSS	-5.96	-7.19	-3.52	11.0	-14.52
Band 2C	5610	122	be (80MHz)	484+242	90	MCSS	-2.60	-4.30	-0.35	11.0	-11.35
	5690	138	be (80MHz)	484+242	91	MCSS	-0.21	-1.52	2.19	11.0	-8.81
	*5570	114 (L)	be (160MHz)	996+484	95	MCSS	-8.83	-10.03	-6.38	11.0	-17.38
	*5570	114 (H)	be (160MHz)	996+484+242	98	MCSS	-9.77	-10.53	-7.13	11.0	-18.13
	*5570	114 (L)	be (160MHz)	996+484	95	MCSS	-8.83	-10.03	-6.38	11.0	-17.38
Band 2C	*5570	114 (H)	be (160MHz)	996+484+242	98	MCSS	-9.77	-10.53	-7.13	11.0	-18.13


Table 7-177. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Primary (MRU)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 120 of 380


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Antenna 5T Power Density [dBm/MHz]	Antenna 3b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	242	61	MCSS	3.14	1.51	5.41	11.0	-5.59
	5200	40	be (20MHz)	242	61	MCSS	4.11	2.93	6.57	11.0	-4.43
	5240	48	be (20MHz)	242	61	MCSS	4.33	3.07	6.76	11.0	-4.24
	5190	38	be (40MHz)	484	65	MCSS	-1.43	-2.78	0.96	11.0	-10.04
	5230	46	be (40MHz)	484	65	MCSS	1.55	0.01	3.86	11.0	-7.14
	5210	42	be (80MHz)	996	67	MCSS	-4.88	-6.02	-2.40	11.0	-13.40
Band 1/2A	5250	50	be (160MHz)	996x2	68	MCSS	-9.89	-10.73	-7.28	11.0	-18.28
Band 2A	5260	52	be (20MHz)	242	61	MCSS	4.25	2.86	6.62	11.0	-4.38
	5280	60	be (20MHz)	242	61	MCSS	4.28	2.92	6.66	11.0	-4.34
	5320	64	be (20MHz)	242	61	MCSS	2.89	1.79	5.38	11.0	-5.62
	5270	54	be (40MHz)	484	65	MCSS	1.25	-0.10	3.64	11.0	-7.36
	5310	62	be (40MHz)	484	65	MCSS	-1.92	-3.21	0.49	11.0	-10.51
	5290	58	be (80MHz)	996	67	MCSS	-5.09	-6.14	-2.57	11.0	-13.57
Band 2C	5500	100	be (20MHz)	242	61	MCSS	0.83	-0.29	3.32	11.0	-7.68
	5580	116	be (20MHz)	242	61	MCSS	3.99	2.73	6.42	11.0	-4.58
	5720	144	be (20MHz)	242	61	MCSS	3.60	2.56	6.12	11.0	-4.88
	5510	102	be (40MHz)	484	65	MCSS	-3.50	-4.44	-0.93	11.0	-11.93
	5550	110	be (40MHz)	484	65	MCSS	1.04	0.01	3.56	11.0	-7.44
	5590	118	be (40MHz)	484	65	MCSS	1.46	-0.08	3.77	11.0	-7.23
	5670	134	be (40MHz)	484	65	MCSS	-1.02	-2.13	1.47	11.0	-9.53
	5710	142	be (40MHz)	484	65	MCSS	1.08	-0.10	3.54	11.0	-7.46
	5530	106	be (80MHz)	996	67	MCSS	-7.22	-8.37	-4.74	11.0	-15.74
	5610	122	be (80MHz)	996	67	MCSS	-2.61	-3.84	-0.17	11.0	-11.17
	5690	138	be (80MHz)	996	67	MCSS	-1.69	-2.97	0.73	11.0	-10.27
	5570	114	be (160MHz)	996X2	68	MCSS	-10.54	-11.65	-8.05	11.0	-19.05

Table 7-178. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Primary (Fully-loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 121 of 380




Plot 7-148 PSD CDD Primary Antenna 3b (20MHz BW 802.11be(RU) RU52 Index37 - Ch.52)




Plot 7-152 PSD CDD Primary Antenna 5T (20MHz BW 802.11be(RU) RU52 Index37 - Ch.52)




Plot 7-149 PSD CDD Primary Antenna 3b (40MHz BW 802.11be(RU) RU52 Index40 - Ch.54)




Plot 7-153 PSD CDD Primary Antenna 5T (40MHz BW 802.11be(RU) RU52 Index40 - Ch.54)




Plot 7-150 PSD CDD Primary Antenna 3b (80MHz BW 802.11be(RU) RU52 Index44 - Ch.58)



Plot 7-154 PSD CDD Primary Antenna 5T (80MHz BW 802.11be(RU) RU52 Index44 - Ch.58)




Plot 7-151 PSD CDD Primary Antenna 3b (160MHz BW 802.11be(RU) RU52 Index52 - Ch.50)




Plot 7-155 PSD CDD Primary Antenna 5T (160MHz BW 802.11be(RU) RU52 Index52 - Ch.50)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 122 of 380




Plot 7-156 PSD CDD Primary Antenna 3b (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.48)




Plot 7-159 PSD CDD Primary Antenna 5T (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.48)




Plot 7-157 PSD CDD Primary Antenna 3b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.138)



Plot 7-160 PSD CDD Primary Antenna 5T (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.138)



Plot 7-158 PSD CDD Primary Antenna 3b (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)




Plot 7-161 PSD CDD Primary Antenna 5T (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 123 of 380

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-162 PSD CDD Primary Antenna 3b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.48)




Plot 7-166 PSD CDD Primary Antenna 5T (20MHz BW 802.11be(RU) RU242 Index61 - Ch.48)




Plot 7-163 PSD CDD Primary Antenna 3b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.46)



Plot 7-167 PSD CDD Primary Antenna 5T (40MHz BW 802.11be(RU) RU484 Index65 - Ch.46)




Plot 7-164 PSD CDD Primary Antenna 3b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.138)



Plot 7-168 PSD CDD Primary Antenna 5T (80MHz BW 802.11be(RU) RU996 Index67 - Ch.138)



Plot 7-165 PSD CDD Primary Antenna 3b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)



Plot 7-169 PSD CDD Primary Antenna 5T (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 124 of 380

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 3b Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5180	149	be (20MHz)	26	0	MCSS	1.57	0.42	4.04	30.0	-25.96
	5200	157	be (20MHz)	26	0	MCSS	1.59	0.32	4.01	30.0	-25.99
	5240	165	be (20MHz)	26	8	MCSS	1.72	0.74	4.27	30.0	-25.73
	5190	151	be (40MHz)	26	17	MCSS	1.64	0.42	4.08	30.0	-25.92
	5230	159	be (40MHz)	26	8	MCSS	1.56	0.40	4.03	30.0	-25.97
	5210	155	be (80MHz)	26	36	MCSS	1.39	0.54	4.00	30.0	-26.00

Table 7-179. Band 3 Power Spectral Density Measurements CDD Primary (RU26)


	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 3b Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Mbe Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	52+26	72	MCSS	1.33	-0.17	3.66	30.0	-26.34
	5785	157	be (20MHz)	52+26	71	MCSS	1.22	0.08	3.70	30.0	-26.30
	5825	165	be (20MHz)	52+26	71	MCSS	1.57	0.29	3.98	30.0	-26.02
	5745	149	be (20MHz)	106+26	83	MCSS	0.96	-0.32	3.38	30.0	-26.62
	5785	157	be (20MHz)	106+26	82	MCSS	0.92	-0.16	3.42	30.0	-26.58
	5825	165	be (20MHz)	106+26	83	MCSS	1.22	0.14	3.72	30.0	-26.28
	5775	155	be (80MHz)	484+242	90	MCSS	-5.52	-6.88	-3.13	30.0	-33.13

Table 7-180. Band 3 Power Spectral Density Measurements CDD Primary (MRU)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 3b Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	242	61	MCSS	0.98	-0.21	3.44	30.0	-26.56
	5785	157	be (20MHz)	242	61	MCSS	0.95	-0.04	3.49	30.0	-26.51
	5825	165	be (20MHz)	242	61	MCSS	1.22	0.01	3.67	30.0	-26.33
	5755	151	be (40MHz)	484	65	MCSS	-1.94	-3.07	0.54	30.0	-29.46
	5795	159	be (40MHz)	484	65	MCSS	-1.95	-3.14	0.51	30.0	-29.49
	5775	155	be (80MHz)	996	67	MCSS	-6.11	-6.95	-3.50	30.0	-33.50

Table 7-181. Band 3 Power Spectral Density Measurements CDD Primary (Fully-loaded RU)


FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device		Page 125 of 380




Plot 7-170 PSD CDD Primary Antenna 3b (20MHz BW 802.11be(RU) RU26 Index8 - Ch.165)




Plot 7-173 PSD CDD Primary Antenna 5T (20MHz BW 802.11be(RU) RU26 Index8 - Ch.165)




Plot 7-171 PSD CDD Primary Antenna 3b (40MHz BW 802.11be(RU) RU26 Index17 - Ch.151)



Plot 7-174 PSD CDD Primary Antenna 5T (40MHz BW 802.11be(RU) RU26 Index17 - Ch.151)



Plot 7-172 PSD CDD Primary Antenna 3b (80MHz BW 802.11be(RU) RU26 Index36 - Ch.155)



Plot 7-175 PSD CDD Primary Antenna 5T (80MHz BW 802.11be(RU) RU26 Index36 - Ch.155)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-23-R2.BCG	Test Dates: 08/22/2025 - 1/19/2025	EUT Type: Tablet Device	Page 126 of 380