




Figure 340 - Core 0 (A) 2404 MHz (CH0) 6 dB Bandwidth




Figure 341 - Core 1 (B) 2404 MHz (CH0) 99% Bandwidth




Figure 342 - Core 1 (B) 2404 MHz (CH0) 6 dB Bandwidth




Figure 343 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 344 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth




Figure 345 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 346 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 0 EDR (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.072	-	-	-	≥500.0
2441	1.076	-	-	-	≥500.0
2480	1.076	-	-	-	≥500.0

Table 57 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.180	-	-	-	-
2441	1.180	-	-	-	-
2480	1.180	-	-	-	-

Table 58 - 99% Bandwidth Results




Figure 347 - Core 0 (A) 2402 MHz (CH0) 99% Bandwidth




Figure 348 - Core 0 (A) 2402 MHz (CH0) 6 dB Bandwidth




Figure 349 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 350 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 351 - Core 0 (A) 2480 MHz (CH78) 99% Bandwidth




Figure 352 - Core 0 (A) 2480 MHz (CH78) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 0 HDT (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.136	-	-	-	≥500.0
2439	2.136	-	-	-	≥500.0
2474	2.136	-	-	-	≥500.0

Table 59 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.360	-	-	-	-
2439	2.360	-	-	-	-
2474	2.352	-	-	-	-

Table 60 - 99% Bandwidth Results




Figure 353 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 354 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 355 - Core 0 (A) 2439 MHz (CH37) 99% Bandwidth




Figure 356 - Core 0 (A) 2439 MHz (CH37) 6 dB Bandwidth




Figure 357 - Core 0 (A) 2474 MHz (CH72) 99% Bandwidth




Figure 358 - Core 0 (A) 2474 MHz (CH72) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 0 HDR (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	0.555	-	-	-	≥500.0
2440	0.585	-	-	-	≥500.0
2476	0.570	-	-	-	≥500.0

Table 61 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.635	-	-	-	-
2440	4.635	-	-	-	-
2476	4.635	-	-	-	-

Table 62 - 99% Bandwidth Results




Figure 359 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 360 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 361 - Core 0 (A) 2440 MHz (CH38) 99% Bandwidth




Figure 362 - Core 0 (A) 2440 MHz (CH38) 6 dB Bandwidth




Figure 363 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 364 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED ePa Core 0 HDRP (HDRPM4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	3.020	-	-	-	≥500.0
2440	4.040	-	-	-	≥500.0
2475	4.060	-	-	-	≥500.0

Table 63 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.740	-	-	-	-
2440	4.740	-	-	-	-
2475	4.760	-	-	-	-

Table 64 - 99% Bandwidth Results




Figure 365 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 366 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 367 - Core 0 (A) 2440 MHz (CH38) 99% Bandwidth




Figure 368 - Core 0 (A) 2440 MHz (CH38) 6 dB Bandwidth




Figure 369 - Core 0 (A) 2475 MHz (CH73) 99% Bandwidth




Figure 370 - Core 0 (A) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 0 LE (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	0.668	-	-	-	≥500.0
2440	0.668	-	-	-	≥500.0
2480	0.668	-	-	-	≥500.0

Table 65 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.016	-	-	-	-
2440	1.012	-	-	-	-
2480	1.016	-	-	-	-

Table 66 - 99% Bandwidth Results




Figure 371 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 372 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 373 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 374 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 375 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 376 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 1 EDR (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.076	-	-	≥500.0
2441	-	1.076	-	-	≥500.0
2480	-	1.076	-	-	≥500.0

Table 67 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.180	-	-	-
2441	-	1.180	-	-	-
2480	-	1.180	-	-	-

Table 68 - 99% Bandwidth Results




Figure 377 - Core 1 (B) 2402 MHz (CH0) 99% Bandwidth




Figure 378 - Core 1 (B) 2402 MHz (CH0) 6 dB Bandwidth




Figure 379 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 380 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 381 - Core 1 (B) 2480 MHz (CH78) 99% Bandwidth




Figure 382 - Core 1 (B) 2480 MHz (CH78) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 1 HDT (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.136	-	-	≥500.0
2439	-	2.136	-	-	≥500.0
2474	-	2.136	-	-	≥500.0

Table 69 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.360	-	-	-
2439	-	2.360	-	-	-
2474	-	2.352	-	-	-

Table 70 - 99% Bandwidth Results




Figure 383 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 384 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 385 - Core 1 (B) 2439 MHz (CH37) 99% Bandwidth




Figure 386 - Core 1 (B) 2439 MHz (CH37) 6 dB Bandwidth




Figure 387 - Core 1 (B) 2474 MHz (CH72) 99% Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 1 HDR (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	0.555	-	-	≥500.0
2440	-	0.555	-	-	≥500.0
2476	-	0.555	-	-	≥500.0

Table 71 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.650	-	-	-
2440	-	4.635	-	-	-
2476	-	4.635	-	-	-

Table 72 - 99% Bandwidth Results




Figure 389 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 390 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 391 - Core 1 (B) 2440 MHz (CH38) 99% Bandwidth




Figure 392 - Core 1 (B) 2440 MHz (CH38) 6 dB Bandwidth




Figure 393 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 394 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED ePa Core 1 HDRP (HDRPM4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.400	-	-	≥500.0
2440	-	4.060	-	-	≥500.0
2475	-	4.060	-	-	≥500.0

Table 73 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.740	-	-	-
2440	-	4.740	-	-	-
2475	-	4.760	-	-	-

Table 74 - 99% Bandwidth Results




Figure 395 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 396 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 397 - Core 1 (B) 2440 MHz (CH38) 99% Bandwidth




Figure 398 - Core 1 (B) 2440 MHz (CH38) 6 dB Bandwidth




Figure 399 - Core 1 (B) 2475 MHz (CH73) 99% Bandwidth




Figure 400 - Core 1 (B) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 1 LE (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	0.668	-	-	≥500.0
2440	-	0.668	-	-	≥500.0
2480	-	0.668	-	-	≥500.0

Table 75 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.016	-	-	-
2440	-	1.012	-	-	-
2480	-	1.016	-	-	-

Table 76 - 99% Bandwidth Results




Figure 401 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 402 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 403 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth




Figure 404 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 405 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 406 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 0 + Core 1 EDR (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.076	1.076	-	-	≥500.0
2441	1.076	1.076	-	-	≥500.0
2480	1.076	1.072	-	-	≥500.0

Table 77 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.180	1.180	-	-	-
2441	1.180	1.180	-	-	-
2480	1.180	1.180	-	-	-

Table 78 - 99% Bandwidth Results




Figure 407 - Core 0 (A) 2402 MHz (CH0) 99% Bandwidth




Figure 408 - Core 0 (A) 2402 MHz (CH0) 6 dB Bandwidth




Figure 409 - Core 1 (B) 2402 MHz (CH0) 99% Bandwidth




Figure 410 - Core 1 (B) 2402 MHz (CH0) 6 dB Bandwidth




Figure 411 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 412 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 413 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 414 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 415 - Core 0 (A) 2480 MHz (CH78) 99% Bandwidth




Figure 416 - Core 0 (A) 2480 MHz (CH78) 6 dB Bandwidth




Figure 417 - Core 1 (B) 2480 MHz (CH78) 99% Bandwidth





Figure 418 - Core 1 (B) 2480 MHz (CH78) 6 dB Bandwidth

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.136	2.136	-	-	≥500.0
2439	2.136	2.136	-	-	≥500.0
2474	2.136	2.136	-	-	≥500.0

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.360	2.360	-	-	-
2439	2.352	2.352	-	-	-
2474	2.352	2.352	-	-	-






Figure 420 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth







Figure 421 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth








Figure 426 - Core 1 (B) 2439 MHz (CH37) 6 dB Bandwidth




Figure 427 - Core 0 (A) 2474 MHz (CH72) 99% Bandwidth




Figure 428 - Core 0 (A) 2474 MHz (CH72) 6 dB Bandwidth




Figure 429 - Core 1 (B) 2474 MHz (CH72) 99% Bandwidth




Figure 430 - Core 1 (B) 2474 MHz (CH72) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	FCC+ISED C ePa Core 0 + Core 1 HDR (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	0.570	0.555	-	-	≥500.0
2440	0.570	0.555	-	-	≥500.0
2476	0.555	0.555	-	-	≥500.0

Table 81 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.650	4.650	-	-	-
2440	4.635	4.635	-	-	-
2476	4.635	4.635	-	-	-

Table 82 - 99% Bandwidth Results




Figure 431 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth