




Figure 504 - Bluetooth HDRPS2, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 505 - Bluetooth HDRPM12, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 506 - Bluetooth XHDRPM8, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 507 - Bluetooth CS1LE1M, SISO, Core 2 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 508 - Bluetooth CS1LE2M, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz

iPA - Core 0-1 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-52.89
Static	3DH5	2402	2400	-53.10
Static	HDR4	2404	2400	-60.61
Static	HDR8	2404	2400	-51.38
Static	LE1M	2402	2400	-57.44
Static	LE2M	2404	2400	-61.32
Static	HDT3	2404	2400	-32.89
Static	HDT4	2404	2400	-32.41
Static	HDT6	2404	2400	-32.76
Static	HDRPS2	2404	2400	-61.52
Static	HDRPM12	2404	2400	-44.16
Static	XHDRPM8	2404	2400	-44.62
Static	CS1LE1M	2402	2400	-41.07
Static	CS1LE2M	2404	2400	-41.23

Table 162 - MIMO Authorised Band Edge Results




Figure 509 - Bluetooth 2DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 510 - Bluetooth 3DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 511 - Bluetooth HDR4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 512 - Bluetooth HDR8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 513 - Bluetooth LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 514 - Bluetooth LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 515 - Bluetooth HDT3, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 516 - Bluetooth HDT4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 517 - Bluetooth HDT6, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 518 - Bluetooth HDRPS2, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 519 - Bluetooth HDRPM12, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 520 - Bluetooth XHDRPM8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 521 - Bluetooth CS1LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 522 - Bluetooth CS1LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz

ePA - Core 0 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-59.41
Static	3DH5	2402	2400	-60.68
Static	HDR4	2404	2400	-65.80
Static	HDR8	2404	2400	-47.44
Static	LE1M	2402	2400	-65.25
Static	LE2M	2404	2400	-66.15
Static	HDT3	2404	2400	-58.67
Static	HDT4	2404	2400	-58.04
Static	HDT6	2404	2400	-51.58
Static	HDRPS2	2404	2400	-62.78
Static	HDRPM12	2404	2400	-43.68
Static	XHDRPM8	2404	2400	-44.58
Static	CS1LE1M	2402	2400	-41.79
Static	CS1LE2M	2404	2400	-41.33

Table 163 - SISO Authorised Band Edge Results




Figure 523 - Bluetooth 2DH5, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 524 - Bluetooth 3DH5, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 525 - Bluetooth HDR4, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 526 - Bluetooth HDR8, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 527 - Bluetooth LE1M, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 528 - Bluetooth LE2M, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 529 - Bluetooth HDT3, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 530 - Bluetooth HDT4, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 531 - Bluetooth HDT6, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 532 - Bluetooth HDRPS2, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 533 - Bluetooth HDRPM12, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 534 - Bluetooth XHDRPM8, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 535 - Bluetooth CS1LE1M, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 536 - Bluetooth CS1LE2M, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz

ePA - Core 1 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-57.97
Static	3DH5	2402	2400	-58.81
Static	HDR4	2404	2400	-63.14
Static	HDR8	2404	2400	-44.88
Static	LE1M	2402	2400	-66.23
Static	LE2M	2404	2400	-67.72
Static	HDT3	2404	2400	-54.82
Static	HDT4	2404	2400	-54.97
Static	HDT6	2404	2400	-48.26
Static	HDRPS2	2404	2400	-61.01
Static	HDRPM12	2404	2400	-43.03
Static	XHDRPM8	2404	2400	-43.23
Static	CS1LE1M	2402	2400	-41.80
Static	CS1LE2M	2404	2400	-40.96

Table 164 - SISO Authorised Band Edge Results




Figure 537 - Bluetooth 2DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 538 - Bluetooth 3DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 539 - Bluetooth HDR4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 540 - Bluetooth HDR8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 541 - Bluetooth LE1M, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 542 - Bluetooth LE2M, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 543 - Bluetooth HDT3, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 544 - Bluetooth HDT4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 545 - Bluetooth HDT6, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 546 - Bluetooth HDRPS2, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 547 - Bluetooth HDRPM12, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 548 - Bluetooth XHDRPM8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 549 - Bluetooth CS1LE1M, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 550 - Bluetooth CS1LE2M, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz

ePA - Core 0-1 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-58.03
Static	3DH5	2402	2400	-57.67
Static	HDR4	2404	2400	-63.30
Static	HDR8	2404	2400	-46.95
Static	LE1M	2402	2400	-66.45
Static	LE2M	2404	2400	-68.61
Static	HDT3	2404	2400	-56.30
Static	HDT4	2404	2400	-55.52
Static	HDT6	2404	2400	-49.28
Static	HDRPS2	2404	2400	-58.50
Static	HDRPM12	2404	2400	-44.25
Static	XHDRPM8	2404	2400	-44.35
Static	CS1LE1M	2402	2400	-41.77
Static	CS1LE2M	2404	2400	-41.47

Table 165 - MIMO Authorised Band Edge Results




**Figure 551 - Bluetooth 2DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz**




Figure 552 - Bluetooth 3DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 553 - Bluetooth HDR4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 554 - Bluetooth HDR8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 555 - Bluetooth LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 556 - Bluetooth LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 557 - Bluetooth HDT3, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 558 - Bluetooth HDT4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 559 - Bluetooth HDT6, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 560 - Bluetooth HDRPS2, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 561 - Bluetooth HDRPM12, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 562 - Bluetooth XHDRPM8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 563 - Bluetooth CS1LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




**Figure 564 - Bluetooth CS1LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**

FCC 47 CFR Part 15, Limit Clause 15.247 (d)

20 dB below the fundamental measured in a 100 kHz bandwidth using a peak detector. If the transmitter complies with the conducted power limits, based on the use of RMS averaging over a time interval, the attenuation required shall be 30 dB below the fundamental instead of 20 dB.

ISED RSS-247, Limit Clause 6.6

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the RF power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided that the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.



2.4.7 Test Location and Test Equipment Used

This test was carried out in RF Chamber 15 and RF Chamber 17.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Emissions Software	TUV SUD	EmX V3.6.3 V.	5125	-	O/P Mon
1500W (300V 12A) AC Power Supply	iTech	IT7324	5956	-	O/P Mon
5m Semi-Anechoic Chamber (Dual-Axis), Chamber 15	Albatross Projects	RF Chamber 15	5963	36	23-Apr-2028
Compact Antenna Mast	Maturo Gmbh	CAM4.0-P	5964	-	TU
Mast & Turntable Controller	Maturo Gmbh	FCU3.0	5966	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	5967	-	TU
Turntable	Maturo Gmbh	TT1.5SI	5968	-	TU
Horn Antenna (1-10 GHz)	Schwarzbeck	BBHA9120B	6141	12	12-Sep-2027
SAC Switch Unit	TUV SUD	TUV_SSU_001	6144	12	05-Dec-2026
Digital Multimeter	Fluke	115	6145	12	02-Jun-2027
Digital Multimeter	Fluke	115	6146	12	03-Jun-2027
EMI Test Receiver	Rohde & Schwarz	ESW44	6294	12	23-Mar-2027
Cable (SMA to SMA 1m)	Junkosha	MWX221/B	6305	12	19-May-2027
EMC Test Receiver	Rohde & Schwarz	ESW44	6333	12	08-May-2027
SAC Switch Unit	TUV SUD	TUV_SSU_004 PLC	6349	12	18-May-2027
Horn Antenna (1–10.5 GHz)	Schwarzbeck	BBHA 9120 B	6457	12	12-Sep-2027
AC Power Supply	iTech	IT7324	6657	-	O/P Mon
3m Semi-Anechoic Chamber	Albatross Projects	RF Chamber 17	6658	36	07-May-2028
Mast and Turntable Controller	Maturo Gmbh	FCU3.0	6659	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	6660	-	TU
Turntable	Maturo Gmbh	TT1.5SI	6661	-	TU
8M SMA Cable	Junkosha	MWX221-08000AMSAMS/B	6833	12	20-Aug-2027



Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Handheld Hygrometer	Fluke	971	6838	12	16-Sep-2026
1m SMA-Type Cable	Junkosha	MWX221-01000AMSAMS/B	6840	12	23-Sep-2026
1m SMA-Type Cable	Junkosha	MWX221-01000AMSAMS/B	6845	12	14-Sep-2027
8m SMA-Type Cable	Junkosha	MWX221-08000AMSAMS/B	6851	12	06-Nov-2026
Humidity & Temperature meter	Fluke	971	7103	12	19-Aug-2027

Table 166

TU - Traceability Unscheduled
O/P Mon - Output Monitored using calibrated equipment



2.5 Spurious Radiated Emissions

2.5.1 Specification Reference

FCC 47 CFR Part 15C, Clause 15.209 and 15.247 (d)
ISED RSS-247, Clause 2.4 and 6.6
ISED RSS-GEN, Clause 6.13 and 8.9

2.5.2 Equipment Under Test and Modification State

A3468, S/N: C7326RXHKY - Modification State 0
A3468, S/N: D9RD9N9N0R - Modification State 0

2.5.3 Date of Test

23-August-2026 to 04-September-2026

2.5.4 Test Method

This test was performed in accordance with ANSI C63.10, clause 6.3, 6.5 and 6.6.

The EUT was placed on the non-conducting platform in a manner typical of a normal installation.

Pre-scans in the 30 MHz to 1 GHz & 18 GHz to 26GHz range were limited to mid channel (2440 MHz).

The plots shown are the characterisation of the EUT. The limits on the plots represent the most stringent case for restricted bands, (74/54 dBµV/m) when compared to 20 dBc outside restricted bands. The limits shown have been used as a threshold to determine where further measurements are necessary. Where results are within 10 dB of the limits shown on the plots, further investigation was carried out and reported in results tables.

Ports on the EUT were terminated with loads as described in ANSI C63.4 clause 6.2.4. For EUT's with multiple connectors of the same type, additional interconnecting cables were connected, and pre-scans performed to determine whether the level of the emissions were increased by >2 dB.

The following conversion can be applied to convert from dBµV/m to µV/m:
 $10^{(\text{Field Strength in dB}\mu\text{V/m}/20)}$

Above 18 GHz, the measurement distance was reduced to 1 m. The limit line was increased by $20 \cdot \text{LOG}(3/1) = 9.54$ dB.

Where formal measurements have been necessary, the results have been presented in the emissions table.

A reduced frequency range for testing was employed on some of the test modes within this test section, based on the manufacturers RSE test plan. With any reduction based on their pre-assessment of the device, to determine the ranges and test channels that were most likely to produce emissions.

2.5.5 Example Test Setup Diagram




Figure 565

2.5.6 Environmental Conditions

Ambient Temperature	19.4 - 23.6 °C
Relative Humidity	30.5 - 41.5 %



2.5.7 Test Results

2.4 GHz Bluetooth - DTS

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 167 - 2402 MHz (CH2402), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz

*No emissions found within 20 dB of the limit.




Figure 566 - 2402 MHz (CH2402), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 567 - 2402 MHz (CH2402), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.649	21.20	40.00	-18.80	Q-Peak	110	390	Horizontal
37.929	21.59	40.00	-18.41	Q-Peak	232	201	Vertical

Table 168 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 568 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 569 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 570 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 571 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 169 - 2480 MHz (CH2480), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz

*No emissions found within 20 dB of the limit.




Figure 572 - 2480 MHz (CH2480), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 573 - 2480 MHz (CH2480), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 170 - 2402 MHz (CH2402), LE1M, iPA, Core 2, 1 GHz to 18 GHz

*No emissions found within 20 dB of the limit.




Figure 574 - 2402 MHz (CH2402), LE1M, iPA, Core 2, 1 GHz to 18 GHz, Horizontal




Figure 575 - 2402 MHz (CH2402), LE1M, iPA, Core 2, 1 GHz to 18 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.553	21.49	40.00	-18.51	Q-Peak	193	164	Vertical
37.820	21.18	40.00	-18.82	Q-Peak	269	363	Horizontal
159.908	21.31	43.50	-22.19	Q-Peak	359	373	Vertical

Table 171 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 576 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 577 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 578 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 579 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4959.980	34.49	54.00	-19.51	RMS	353	314	Vertical

Table 172 - 2480 MHz (CH2480), LE1M, iPA, Core 2, 1 GHz to 18 GHz

No other emissions found within 20 dB of the limit.




Figure 580 - 2480 MHz (CH2480), LE1M, iPA, Core 2, 1 GHz to 18 GHz, Horizontal




Figure 581 - 2480 MHz (CH2480), LE1M, iPA, Core 2, 1 GHz to 18 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2389.913	35.39	54.00	-18.61	RMS	50	390	Horizontal
2389.920	40.77	54.00	-13.23	RMS	355	264	Vertical
2484.253	36.38	54.00	-17.62	RMS	7	291	Vertical
4804.046	38.17	54.00	-15.83	RMS	23	288	Vertical

Table 173 - 2402 MHz (CH2402), LE1M, ePA, Core 0 + Core 1, 1 GHz to 18 GHz

No other emissions found within 20 dB of the limit.




Figure 582 - 2402 MHz (CH2402), LE1M, ePA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 583 - 2402 MHz (CH2402), LE1M, ePA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
38.090	21.52	40.00	-18.48	Q-Peak	123	109	Vertical
38.202	21.25	40.00	-18.75	Q-Peak	183	255	Horizontal
2389.857	36.50	54.00	-17.50	RMS	1	306	Vertical
2486.159	37.23	54.00	-16.77	RMS	350	276	Vertical
4880.000	39.48	54.00	-14.52	RMS	347	326	Vertical
7319.425	41.15	54.00	-12.85	RMS	37	260	Vertical

Table 174 - 2440 MHz (CH2440), LE1M, ePA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 584 - 2440 MHz (CH2440), LE1M, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 585 - 2440 MHz (CH2440), LE1M, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 586 - 2440 MHz (CH2440), LE1M, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 587 - 2440 MHz (CH2440), LE1M, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical