

FCC and ISED Test Report

Apple Inc
Model: A3469



In accordance with FCC 47 CFR Part 15C,
ISED RSS-247 and ISED RSS-GEN
(2.4 GHz WLAN)

Prepared for: Apple Inc
One Apple Park Way
Cupertino
California
95014
USA

TUV SUD
SERVICES
(UK)
LIMITED

Digitally signed
by TUV SUD
SERVICES (UK)
LIMITED
Date:
2026.10.07
09:14:32 +01'00'

FCC ID: BCGA3469

IC: 579C-A3469

COMMERCIAL-IN-CONFIDENCE



Document 75967136-15 Issue 01

SIGNATURE

NAME	JOB TITLE	RESPONSIBLE FOR	ISSUE DATE
Matthew Russell	Chief Engineer, RF	Authorised Signatory	07 October 2026

Signatures in this approval box have checked this document in line with the requirements of TÜV SÜD document control rules.

ENGINEERING STATEMENT

The measurements shown in this report were made in accordance with the procedures described on test pages. All reported testing was carried out on a sample equipment to demonstrate limited compliance with FCC 47 CFR Part 15C and ISED RSS-247 and ISED RSS-GEN. The sample tested was found to comply with the requirements defined in the applied rules.

RESPONSIBLE FOR	NAME	DATE	SIGNATURE
Report Generation	Rachael Watkins	07 October 2026	

FCC Accreditation

492497/UK2010 Octagon House, Fareham Test Laboratory

553713/UK2026 Concorde Park, Fareham Test Laboratory

ISED Accreditation

12669A/UK0003 Octagon House, Fareham Test Laboratory

28798/UK0003 Concorde Park, Fareham Test Laboratory

EXECUTIVE SUMMARY

A sample of this product was tested and found to be compliant with FCC 47 CFR Part 15C, ISED RSS-247 and ISED RSS-GEN: 2024, Issue 4 (2025-07) and Issue 5 (2018-04) + A2 (2021-02) for the tests detailed in section 1.3.



DISCLAIMER AND COPYRIGHT

This non-binding report has been prepared by TÜV SÜD with all reasonable skill and care. The document is confidential to the potential Client and TÜV SÜD. No part of this document may be reproduced without the prior written approval of TÜV SÜD. © 2026 TÜV SÜD. This report relates only to the actual item/items tested.

ACCREDITATION

Our UKAS Accreditation does not cover opinions and interpretations and any expressed are outside the scope of our UKAS Accreditation.

Results of tests not covered by our UKAS Accreditation Schedule are marked NUA (Not UKAS Accredited). Results of tests covered by our Flexible UKAS Accreditation Schedule are marked FS (Flexible Scope).

TÜV SÜD
is a trading name of TÜV SÜD Ltd
Registered in Scotland at East Kilbride,
Glasgow G75 0QF, United Kingdom
Registered number: SC215164

TÜV SÜD Ltd is a
TÜV SÜD Group Company

Phone: +44 (0) 1489 558100
Fax: +44 (0) 1489 558101
www.tuvsud.com/en

TÜV SÜD
Octagon House
Concorde Way
Fareham
Hampshire PO15 5RL
United Kingdom



Contents

1	Report Summary	2
1.1	Report Modification Record.....	2
1.2	Introduction.....	2
1.3	Brief Summary of Results	3
1.4	Product Information	4
1.5	Deviations from the Standard.....	5
1.6	Identification of the EUT	6
1.7	EUT Modification Record	6
1.8	Test Location.....	7
2	Test Details	8
2.1	Restricted Band Edges	8
2.2	Emission Bandwidth.....	62
2.3	Maximum Conducted Output Power	89
2.4	Authorised Band Edges	126
2.5	Spurious Radiated Emissions	142
2.6	Power Spectral Density.....	169
3	Measurement Uncertainty	195



1 Report Summary

1.1 Report Modification Record

Alterations and additions to this report will be issued to the holders of each copy in the form of a complete document.

Issue	Description of Change	Date of Issue
1	First Issue	07 October 2026

Table 1

1.2 Introduction

Applicant	Apple Inc
Manufacturer	Apple Inc
EUT/Sample Identification	Refer to section 1.6
Test Specification/Issue/Date	FCC 47 CFR Part 15C: 2024 ISED RSS-247: Issue 4 (2025-07) ISED RSS-GEN: Issue 5 (2018-04) + A2 (2028-02)
Start of Test	23-August-2026
Finish of Test	23-September-2026
Name of Engineer(s)	Thilanka Savirunath Liyanage, Nathan Ocom, Manohar Thota, Colin Brain, Morsalin Hossain, Gridi Bilali, Jayvir Makwana, George Williams, Thomas Biddlecombe, Akhil Rajendran Bhaskaran Nair, Dulanjan Witharamalage, Tony Baby, Ian Hart, Manohar Thota, Marius Vasii
Related Document(s)	ANSI C63.10-2020 +Cor.1-2023+C63.10a-2024 KDB 662911 D01 v02r01



1.3 Brief Summary of Results

A brief summary of the tests carried out in accordance with FCC 47 CFR Part 15C and ISED RSS-247 and ISED RSS-GEN is shown below.

Section	Specification Clause			Test Description	Result	Comments/Base Standard
	Part 15C	RSS-247	RSS-GEN			
Configuration and Mode: 2.4 GHz WLAN						
-	15.203	-	-	Antenna Requirement	N/T	The device complies with the provisions of this section, as it uses permanently attached integral antennas.
2.1	15.205	2.4	8.10	Restricted Band Edges	Pass	ANSI C63.10-2020 +Cor.1-2023+C63.10a-2024
2.2	15.247 (a)(2)	6.3.1	6.7	Emission Bandwidth	Pass	ANSI C63.10-2020 +Cor.1-2023+C63.10a-2024
2.3	15.247 (b)	6.3.2	6.12	Maximum Conducted Output Power	Pass	ANSI C63.10-2020 +Cor.1-2023+C63.10a-2024 KDB 662911 D01 v02r01
2.4	15.247 (d)	6.6	-	Authorised Band Edges	Pass	ANSI C63.10-2020 +Cor.1-2023+C63.10a-2024
2.5	15.209 and 15.247 (d)	2.4 and 6.6	6.13 and 8.9	Spurious Radiated Emissions	Pass	ANSI C63.10-2020 +Cor.1-2023+C63.10a-2024
2.6	15.247 (e)	6.3.1	6.12	Power Spectral Density	Pass	ANSI C63.10-2020 +Cor.1-2023+C63.10a-2024 KDB 662911 D01 v02r01

Table 2



1.4 Product Information

1.4.1 Technical Description

The equipment under test (EUT) was a portable laptop computer.

1.4.2 Test Modes

The EUT's 2.4 GHz 802.11 radio supports SISO (Single Input/Single Output) and 2x2 MIMO (Multiple Input/Multiple Output) modes as follows:

Technology	Modes	Data Rates	SISO	MIMO			
				CDD	STBC	SDM	TXBF
802.11 b	Legacy	1, 2, 5.5 and 11 Mbps	Yes	No	No	No	No
802.11 g	Legacy	6, 9, 12, 18, 24, 36, 48 and 54 Mbps	Yes	Yes	No	No	No
802.11 n	HT20	MCS 0 - 7	Yes	Yes	Yes	No	No
		MCS 8 - 15	No	No	No	Yes	No
802.11 ac	VHT20	MCS 0 - 8	Yes	Yes	Yes	Yes	Yes
802.11 ax	HE20	MCS 0 - 9 SU 242 RU 26/52/106/242	Yes	Yes	Yes	Yes	Yes*
802.11 be	EHT20	MCS 0 - 9 SU 242 RU 26/52/106/242 MRU 52+26/106+26	Yes	Yes	Yes	Yes	Yes*

Table 3

*Limited to SU operation

The EUT uses the same power tables for CDD, SDM and STBC modes, but use a 3 dB lower power table for Transmit Beamforming (TxBF) modes to compensate for the additional 2x2 beamforming gain.

After preliminary investigations were performed to find worst-case operation, the EUT was tested in the following modes.

SISO Modes (Core 0 and Core 1)

- 802.11b (1 Mbps)
- 802.11g (12 Mbps)
- 802.11n HT20 (MCS2)
- 802.11ax HE20 SU (MCS2x1)
- 802.11ax HE20 MU RU26/52/106 (MCS2x1)
- 802.11be EHT20 MU RU52+26/106+26 (MCS2x1)

2x2 MIMO Modes (Core 0 + Core 1):

- 802.11g - CDD (12 Mbps)
- 802.11n HT20 - CDD (MCS2) and SDM (MCS10)
- 802.11ac VHT20 - TXBF (MCS2x1)
- 802.11ax HE20 SU - CDD (MCS2x1), SDM (MCS2x2), and TXBF (MCS2x1)
- 802.11ax HE20 MU RU26/52/106 - CDD (MCS2x1) and SDM (MCS2x2)
- 802.11be EHT20 MU RU52+26/106+26 - CDD (MCS2x1) and SDM (MCS2x2)

Note: The RU offset for bottom and middle channels were placed in the lowest position and on the top channel, the offset was placed in the upper most position.

With Spurious Radiated Emissions tests limited to the modes shown below, with the device configured to operate at maximum output power. As this was deemed to be worst case.



SISO Modes (Core 0 and Core 1):

- 802.11b - 1 Mbps

2x2 MIMO Modes (Core 0 + Core 1):

- 802.11n HT20 - CDD - MCS2
- 802.11g HT20 - CDD - (12 Mbps)
- 802.11ax HE20 MU RU26- CDD - MCS2x1
- 802.11be EHT20 MU RU52+26 - CDD - MCS2x1
- 802.11be EHT20 MU RU106+26 - CDD - MCS2x1

1.4.3 Test Setup

For conducted tests the EUT antennas were disconnected and replaced with U.FL to SMA test cables to enable conducted testing on each core. The loss of these test cables was known and compensated for in any conducted measurements.

For all tests, the EUT was put into a continuous transmit test mode with the chipset manufacturer's test commands. The EUT then transmitted the required type of packeted 802.11 data frames of fixed length, containing the standard headers and with pseudo-random data content, ensuring the measured signals were representative and contained all the symbols at the highest power control level.

All testing was performed with the EUT powered via a 120 V AC, 60 Hz source.

1.4.4 Antenna Gain Table

Antenna Port	Frequency Range (MHz)	Peak Gain (dBi)	Conducted Cable Loss (dB)
Core 0 (WF1)	2412	5.5	0.71
	2442	5.1	0.71
	2472	4.0	0.71
Core 1 (WF3)	2412	5.7	0.71
	2442	5.5	0.71
	2472	4.2	0.71
Core 2 (WF2)	2412	3.1	0.71
	2442	4.9	0.71
	2472	4.5	0.71

Table 4

1.5 Deviations from the Standard

No deviations from the applicable test standard were made during testing.



1.6 Identification of the EUT

The table below details identification of the EUT(s) that have been used to carry out the testing within this report.

Model: A3469		
Serial Number	Hardware Version	Software Version
CDWD21066G	REV1.0	26A32823e
MVG9J5GXR9	REV1.0	26A300
CGQ3MY5262	REV1.0	26A300
LRP73KYLXX	REV1.0	26A300
C6V3CV06VH	REV1.0	26A300

Table 5

1.7 EUT Modification Record

The table below details modifications made to the EUT during the test programme.

The modifications incorporated during each test are recorded on the appropriate test pages.

Modification State	Description of Modification still fitted to EUT	Modification Fitted By	Date Modification Fitted
Model: A3469, Serial Number: CDWD21066G			
0	As supplied by the customer	Not Applicable	Not Applicable
Model: A3469, Serial Number: MVG9J5GXR9			
0	As supplied by the customer	Not Applicable	Not Applicable
Model: A3469, Serial Number: CGQ3MY5262			
0	As supplied by the customer	Not Applicable	Not Applicable
Model: A3469, Serial Number: LRP73KYLXX			
0	As supplied by the customer	Not Applicable	Not Applicable
Model: A3469, Serial Number: C6V3CV06VH			
0	As supplied by the customer	Not Applicable	Not Applicable

Table 6



1.8 Test Location

TÜV SÜD conducted the following tests at our Octagon House Test Laboratory.

Test Name	Name of Engineer(s)	Accreditation
Configuration and Mode: 2.4 GHz WLAN		
Maximum Conducted Output Power	George Capps	UKAS
Emission Bandwidth	George Capps	UKAS
Power Spectral Density	George Capps	UKAS

Table 7

Office Address:

TÜV SÜD
Octagon House
Concorde Way
Fareham
Hampshire
PO15 5RL
United Kingdom

TÜV SÜD conducted the following tests at our Concorde Park Test Laboratory.

Test Name	Name of Engineer(s)	Accreditation
Configuration and Mode: 2.4 GHz WLAN		
Restricted Band Edges	Akhil Rajendran Bhaskaran Nair, Dulanjan Witharamalage, Tony Baby, Nathan Ocom, Ian Hart, Gridi Bilali, Morsalin Hossain, Manohar Thota, Marius Vasii	UKAS
Authorised Band Edges	Akhil Rajendran Bhaskaran Nair, Dulanjan Witharamalage, Tony Baby, Nathan Ocom, Ian Hart, Gridi Bilali, Morsalin Hossain, Manohar Thota, Marius Vasii	UKAS
Spurious Radiated Emissions	Thilanka Savirunath Liyanage, Nathan Ocom, Manohar Thota, Colin Brain, Morsalin Hossain, Gridi Bilali	UKAS

Table 8

Office Address:

TÜV SÜD
Concorde Park
Concorde Way
Fareham
Hampshire
PO15 5FG
United Kingdom



2 Test Details

2.1 Restricted Band Edges

2.1.1 Specification Reference

FCC 47 CFR Part 15C, Clause 15.205
ISED RSS-247, Clause 2.4
ISED RSS-GEN, Clause 8.10

2.1.2 Equipment Under Test and Modification State

A3469, S/N: CGQ3MY5262 - Modification State 0
A3469, S/N: C6V3CV06VH - Modification State 0
A3469, S/N: LRP73KYLXX - Modification State 0

2.1.3 Date of Test

31-July-2026 to 06-August-2026

2.1.4 Test Method

This test was performed in accordance with ANSI C63.10, clause 6.10.5 and 11.12.1.

Plots for average measurements were taken in accordance with ANSI C63.10, clause 11.12.2.5.2.

The following conversion can be applied to convert from dBμV/m to μV/m:

$10^{(\text{Field Strength in dB}\mu\text{V/m}/20)}$.

2.1.5 Environmental Conditions

Ambient Temperature	19.3 - 24.5 °C
Relative Humidity	33.4 - 51.7 %



2.1.6 Test Results

2.4 GHz WLAN

20 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11b	1 Mbps	-	-	2412	2390	61.90	50.96
802.11g	24 Mbps	-	-	2412	2390	65.37	51.47
802.11n HT20	MCS 2	-	-	2412	2390	63.88	50.95
802.11ax HE20	MCS 2x1	SU	-	2412	2390	65.24	51.31
802.11ax HE20	MCS 9x1	106	53	2412	2390	68.21	45.87
802.11be EHT20	MCS 9x1	106+26	82	2412	2390	68.76	46.95
802.11b	1 Mbps	-	-	2462	2483.5	59.37	49.20
802.11b	1 Mbps	-	-	2467	2483.5	58.22	48.94
802.11b	1 Mbps	-	-	2472	2483.5	57.20	47.83
802.11g	24 Mbps	-	-	2462	2483.5	64.66	50.01
802.11g	54 Mbps	-	-	2467	2483.5	64.78	50.78
802.11g	12 Mbps	-	-	2472	2483.5	64.87	50.95
802.11n HT20	MCS 2	-	-	2462	2483.5	64.05	50.80
802.11n HT20	MCS 2	-	-	2467	2483.5	61.81	50.26
802.11n HT20	MCS 7	-	-	2472	2483.5	64.91	50.31
802.11ax HE20	MCS 9x1	SU	-	2462	2483.5	68.26	50.44
802.11ax HE20	MCS 9x1	106	54	2462	2483.5	67.63	45.93
802.11ax HE20	MCS 9x1	SU	-	2467	2483.5	65.09	50.25
802.11ax HE20	MCS 9x1	52	40	2467	2483.5	67.01	44.87
802.11ax HE20	MCS 4x1	SU	-	2472	2483.5	69.14	48.71
802.11ax HE20	MCS 9x1	26	8	2472	2483.5	67.95	47.99
802.11be EHT20	MCS 9x1	52+26	72	2462	2483.5	68.24	45.84
802.11be EHT20	MCS 9x1	106+26	83	2467	2483.5	68.79	49.65
802.11be EHT20	MCS 9x1	106+26	83	2472	2483.5	68.86	49.68

Table 9 - SISO Restricted Band Edge Results




**Figure 1 - 802.11b, SISO, Core 0 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 2 - 802.11g, SISO, Core 0 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 3 - 802.11n HT20, SISO, Core 0 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 4 - 802.11ax HE20, SU, SISO, Core 0 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 5 - 802.11ax HE20, RU106-53, SISO, Core 0 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 6 - 802.11be EHT20, RU106+26-82, SISO, Core 0 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 7 - 802.11b, SISO, Core 0 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 8 - 802.11b, SISO, Core 0 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 9 - 802.11b, SISO, Core 0 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 10 - 802.11g, SISO, Core 0 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




Figure 11 - 802.11g, SISO, Core 0 - 2467 MHz
Band Edge Frequency 2483.5 MHz




Figure 12 - 802.11g, SISO, Core 0 - 2472 MHz
Band Edge Frequency 2483.5 MHz




Figure 13 - 802.11n HT20, SISO, Core 0 - 2462 MHz
Band Edge Frequency 2483.5 MHz




Figure 14 - 802.11n HT20, SISO, Core 0 - 2467 MHz
Band Edge Frequency 2483.5 MHz




**Figure 15 - 802.11n HT20, SISO, Core 0 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 16 - 802.11ax HE20, SU, SISO, Core 0 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 17 - 802.11ax HE20, RU106-54, SISO, Core 0 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 18 - 802.11ax HE20, SU, SISO, Core 0 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




Figure 19 - 802.11ax HE20, RU52-40, SISO, Core 0 - 2467 MHz
Band Edge Frequency 2483.5 MHz




Figure 20 - 802.11ax HE20, SU, SISO, Core 0 - 2472 MHz
Band Edge Frequency 2483.5 MHz




**Figure 21 - 802.11ax HE20, RU26-8, SISO, Core 0 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 22 - 802.11be EHT20, RU52+26-72, SISO, Core 0 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 23 - 802.11be EHT20, RU106+26-83, SISO, Core 0 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 24 - 802.11be EHT20, RU106+26-83, SISO, Core 0 - 2472 MHz
Band Edge Frequency 2483.5 MHz**



20 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11b	1 Mbps	-	-	2412	2390	59.27	50.32
802.11g	24 Mbps	-	-	2412	2390	65.63	51.47
802.11n HT20	MCS 4	-	-	2412	2390	66.50	51.49
802.11ax HE20	MCS 9x1	SU	-	2412	2390	69.36	48.94
802.11ax HE20	MCS 9x1	106	53	2412	2390	68.62	45.78
802.11be EHT20	MCS 9x1	52+26	70	2412	2390	69.25	46.20
802.11b	1 Mbps	-	-	2462	2483.5	59.58	50.02
802.11b	1 Mbps	-	-	2467	2483.5	60.19	50.85
802.11b	1 Mbps	-	-	2472	2483.5	58.74	51.46
802.11g	54 Mbps	-	-	2462	2483.5	68.63	49.76
802.11g	24 Mbps	-	-	2467	2483.5	63.74	51.22
802.11g	24 Mbps	-	-	2472	2483.5	69.35	50.14
802.11n HT20	MCS 7	-	-	2462	2483.5	69.19	49.24
802.11n HT20	MCS 4	-	-	2467	2483.5	64.94	51.38
802.11n HT20	MCS 4	-	-	2472	2483.5	65.57	51.13
802.11ax HE20	MCS 2x1	SU	-	2462	2483.5	63.66	51.45
802.11ax HE20	MCS 9x1	52	40	2462	2483.5	61.09	44.42
802.11ax HE20	MCS 9x1	SU	-	2467	2483.5	69.21	48.32
802.11ax HE20	MCS 9x1	106	54	2467	2483.5	68.96	46.59
802.11ax HE20	MCS 4x1	SU	-	2472	2483.5	68.83	48.55
802.11ax HE20	MCS 9x1	52	40	2472	2483.5	69.46	48.93
802.11be EHT20	MCS 9x1	106+26	83	2462	2483.5	68.92	49.92
802.11be EHT20	MCS 9x1	52+26	72	2467	2483.5	69.42	46.99
802.11be EHT20	MCS 9x1	106+26	83	2472	2483.5	69.02	49.14

Table 10 - SISO Restricted Band Edge Results




**Figure 25 - 802.11b, SISO, Core 1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 26 - 802.11g, SISO, Core 1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 27 - 802.11n HT20, SISO, Core 1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 28 - 802.11ax HE20, SU, SISO, Core 1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 29 - 802.11ax HE20, RU106-53, SISO, Core 1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 30 - 802.11be EHT20, RU52+26-70, SISO, Core 1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 31 - 802.11b, SISO, Core 1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 32 - 802.11b, SISO, Core 1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 33 - 802.11b, SISO, Core 1 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 34 - 802.11g, SISO, Core 1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




Figure 35 - 802.11g, SISO, Core 1 - 2467 MHz
Band Edge Frequency 2483.5 MHz




Figure 36 - 802.11g, SISO, Core 1 - 2472 MHz
Band Edge Frequency 2483.5 MHz




Figure 37 - 802.11n HT20, SISO, Core 1 - 2462 MHz
Band Edge Frequency 2483.5 MHz




Figure 38 - 802.11n HT20, SISO, Core 1 - 2467 MHz
Band Edge Frequency 2483.5 MHz




**Figure 39 - 802.11n HT20, SISO, Core 1 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 40 - 802.11ax HE20, SU, SISO, Core 1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 41 - 802.11ax HE20, RU52-40, SISO, Core 1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 42 - 802.11ax HE20, SU, SISO, Core 1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 43 - 802.11ax HE20, RU106-54, SISO, Core 1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 44 - 802.11ax HE20, SU, SISO, Core 1 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




Figure 45 - 802.11ax HE20, RU52-40, SISO, Core 1 - 2472 MHz
Band Edge Frequency 2483.5 MHz




Figure 46 - 802.11be EHT20, RU106+26-83, SISO, Core 1 - 2462 MHz
Band Edge Frequency 2483.5 MHz




**Figure 47 - 802.11be EHT20, RU52+26-72, SISO, Core 1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 48 - 802.11be EHT20, RU106+26-83, SISO, Core 1 - 2472 MHz
Band Edge Frequency 2483.5 MHz**

20 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11g	24 Mbps	-	-	2412	2390	65.89	51.42
802.11n HT20	MCS 7	-	-	2412	2390	68.89	49.25
802.11ax HE20	MCS 4x1	SU	-	2412	2390	65.34	51.09
802.11ax HE20	MCS 9x1	106	54	2412	2390	68.93	47.75
802.11be EHT20	MCS 9x1	52+26	70	2412	2390	69.40	48.03
802.11g	54 Mbps	-	-	2462	2483.5	65.45	50.82
802.11g	24 Mbps	-	-	2467	2483.5	64.05	49.60
802.11g	24 Mbps	-	-	2472	2483.5	69.06	45.54
802.11n HT20	MCS 2	-	-	2462	2483.5	65.87	51.39
802.11n HT20	MCS 2	-	-	2467	2483.5	64.74	50.84
802.11n HT20	MCS 7	-	-	2472	2483.5	69.47	50.62
802.11ax HE20	MCS 4x1	SU	-	2462	2483.5	63.81	50.78
802.11ax HE20	MCS 9x1	106	54	2462	2483.5	67.64	46.56
802.11ax HE20	MCS 2x1	SU	-	2467	2483.5	62.59	49.61
802.11ax HE20	MCS 9x1	106	54	2467	2483.5	68.30	48.32
802.11ax HE20	MCS 9x1	SU	-	2472	2483.5	67.73	47.98
802.11ax HE20	MCS 9x1	26	8	2472	2483.5	68.59	48.69
802.11be EHT20	MCS 9x1	52+26	72	2462	2483.5	68.42	46.98
802.11be EHT20	MCS 9x1	52+26	70	2467	2483.5	68.98	46.95
802.11be EHT20	MCS 9x1	52+26	72	2472	2483.5	69.01	43.74

Table 11 - CDD Restricted Band Edge Results




Figure 49 - 802.11g, CDD, Core 0-1 - 2412 MHz
Band Edge Frequency 2390 MHz




**Figure 50 - 802.11n HT20, CDD, Core 0-1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 51 - 802.11ax HE20, SU, CDD, Core 0-1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 52 - 802.11ax HE20, RU106-54, CDD, Core 0-1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 53 - 802.11be EHT20, RU52+26-70, CDD, Core 0-1 - 2412 MHz
Band Edge Frequency 2390 MHz**




**Figure 54 - 802.11g, CDD, Core 0-1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 55 - 802.11g, CDD, Core 0-1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 56 - 802.11g, CDD, Core 0-1 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 57 - 802.11n HT20, CDD, Core 0-1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 58 - 802.11n HT20, CDD, Core 0-1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 59 - 802.11n HT20, CDD, Core 0-1 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 60 - 802.11ax HE20, SU, CDD, Core 0-1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 61 - 802.11ax HE20, RU106-54, CDD, Core 0-1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 62 - 802.11ax HE20, SU, CDD, Core 0-1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 63 - 802.11ax HE20, RU106-54, CDD, Core 0-1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 64 - 802.11ax HE20, SU, CDD, Core 0-1 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 65 - 802.11ax HE20, RU26-8, CDD, Core 0-1 - 2472 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 66 - 802.11be EHT20, RU52+26-72, CDD, Core 0-1 - 2462 MHz
Band Edge Frequency 2483.5 MHz**




**Figure 67 - 802.11be EHT20, RU52+26-70, CDD, Core 0-1 - 2467 MHz
Band Edge Frequency 2483.5 MHz**




Figure 68 - 802.11be EHT20, RU52+26-72, CDD, Core 0-1 - 2472 MHz
Band Edge Frequency 2483.5 MHz

20 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11n HT20	MCS 4	-	-	2412	2390	66.10	50.53
802.11ax HE20	MCS 2x2	SU	-	2412	2390	66.44	51.44
802.11ax HE20	MCS 9x2	52	40	2412	2390	65.39	47.02
802.11be EHT20	MCS 9x2	106+26	82	2412	2390	69.22	47.39
802.11n HT20	MCS 2	-	-	2462	2483.5	64.94	50.49
802.11n HT20	MCS 2	-	-	2467	2483.5	64.61	49.70
802.11n HT20	MCS 7	-	-	2472	2483.5	68.49	47.09
802.11ax HE20	MCS 4x2	SU	-	2462	2483.5	63.40	49.84
802.11ax HE20	MCS 9x2	52	40	2462	2483.5	69.29	45.26
802.11ax HE20	MCS 4x2	SU	-	2467	2483.5	62.60	49.61
802.11ax HE20	MCS 9x2	106	54	2467	2483.5	68.30	47.36
802.11ax HE20	MCS 4x2	SU	-	2472	2483.5	68.22	47.76
802.11ax HE20	MCS 9x2	26	8	2472	2483.5	69.11	48.36
802.11be EHT20	MCS 9x2	106+26	83	2462	2483.5	68.84	47.60
802.11be EHT20	MCS 9x2	106+26	83	2467	2483.5	66.70	49.60
802.11be EHT20	MCS 9x2	52+26	70	2472	2483.5	68.52	43.19

Table 12 - SDM Restricted Band Edge Results




**Figure 69 - 802.11n HT20, SDM, Core 0-1 - 2412 MHz
Band Edge Frequency 2390 MHz**