




Figure 560 - Bluetooth HDT4, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 561 - Bluetooth HDT6, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 562 - Bluetooth HDRPS2, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 563 - Bluetooth HDRPM12, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 564 - Bluetooth XHDRPM8, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 565 - Bluetooth CS1LE1M, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




**Figure 566 - Bluetooth CS1LE2M, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz**

ePA - Core 1 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-59.36
Static	3DH5	2402	2400	-58.25
Static	HDR4	2404	2400	-63.88
Static	HDR8	2404	2400	-49.55
Static	LE1M	2402	2400	-65.07
Static	LE2M	2404	2400	-67.85
Static	HDT3	2404	2400	-57.06
Static	HDT4	2404	2400	-57.37
Static	HDT6	2404	2400	-51.99
Static	HDRPS2	2404	2400	-62.00
Static	HDRPM12	2404	2400	-46.43
Static	XHDRPM8	2404	2400	-46.59
Static	CS1LE1M	2402	2400	-41.80
Static	CS1LE2M	2404	2400	-41.29

Table 186 - SISO Authorised Band Edge Results




Figure 567 - Bluetooth 2DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 568 - Bluetooth 3DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 569 - Bluetooth HDR4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 570 - Bluetooth HDR8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 571 - Bluetooth LE1M, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 572 - Bluetooth LE2M, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 573 - Bluetooth HDT3, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz






**Figure 576 - Bluetooth HDRPS2, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 577 - Bluetooth HDRPM12, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz**




Figure 578 - Bluetooth XHDRPM8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz





Figure 579 - Bluetooth CS1LE1M, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz



ePA - Core 0-1 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-60.94
Static	3DH5	2402	2400	-61.25
Static	HDR4	2404	2400	-66.09
Static	HDR8	2404	2400	-49.91
Static	LE1M	2402	2400	-66.32
Static	LE2M	2404	2400	-69.18
Static	HDT3	2404	2400	-59.48
Static	HDT4	2404	2400	-59.10
Static	HDT6	2404	2400	-52.59
Static	HDRPS2	2404	2400	-61.66
Static	HDRPM12	2404	2400	-46.39
Static	XHDRPM8	2404	2400	-45.70
Static	CS1LE1M	2402	2400	-42.01
Static	CS1LE2M	2404	2400	-41.24

Table 187 - MIMO Authorised Band Edge Results




Figure 581 - Bluetooth 2DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 582 - Bluetooth 3DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 583 - Bluetooth HDR4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 584 - Bluetooth HDR8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 585 - Bluetooth LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz**




Figure 586 - Bluetooth LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz





Figure 587 - Bluetooth HDT3, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz






Figure 590 - Bluetooth HDRPS2, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 591 - Bluetooth HDRPM12, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 592 - Bluetooth XHDRPM8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 593 - Bluetooth CS1LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




**Figure 594 - Bluetooth CS1LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**

FCC 47 CFR Part 15, Limit Clause 15.247 (d)

20 dB below the fundamental measured in a 100 kHz bandwidth using a peak detector. If the transmitter complies with the conducted power limits, based on the use of RMS averaging over a time interval, the attenuation required shall be 30 dB below the fundamental instead of 20 dB.

ISED RSS-247, Limit Clause 6.6

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the RF power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided that the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.



2.4.7 Test Location and Test Equipment Used

This test was carried out in RF Chamber 15.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Emissions Software	TUV SUD	EmX V3.6.3	5125	-	O/P Mon
1500W (300V 12A) AC Power Supply	iTech	IT7324	5956	-	O/P Mon
5m Semi-Anechoic Chamber (Dual-Axis), Chamber 15	Albatross Projects	RF Chamber 15	5963	36	23-Apr-2028
Compact Antenna Mast	Maturo Gmbh	CAM4.0-P	5964	-	TU
Mast & Turntable Controller	Maturo Gmbh	FCU3.0	5966	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	5967	-	TU
Turntable	Maturo Gmbh	TT1.5SI	5968	-	TU
Horn Antenna (1-10 GHz)	Schwarzbeck	BBHA9120B	6141	12	14-Sep-2026
SAC Switch Unit	TUV SUD	TUV_SSU_001	6144	12	05-Dec-2026
Digital Multimeter	Fluke	115	6146	12	03-Jun-2027
EMC Test Receiver	Rohde & Schwarz	ESW44	6333	12	08-May-2027
8M SMA Cable	Junkosha	MWX221-08000AMSAMS/B	6833	12	18-Aug-2026
1m SMA-Type Cable	Junkosha	MWX221-01000AMSAMS/B	6840	12	23-Sep-2026
1m SMA-Type Cable	Junkosha	MWX221-01000AMSAMS/B	6845	12	06-Sep-2026
Humidity & Temperature meter	Fluke	971	7103	12	05-Aug-2026

Table 188

O/P Mon – Output Monitored using calibrated equipment
TU - Traceability Unscheduled



2.5 Spurious Radiated Emissions

2.5.1 Specification Reference

FCC 47 CFR Part 15C, Clause 15.209 and 15.247 (d)
ISED RSS-247, Clause 2.4 and 6.6
ISED RSS-GEN, Clause 6.13 and 8.9

2.5.2 Equipment Under Test and Modification State

A3469, S/N: CGQ3MY5262 - Modification State 0
A3469, S/N: CYK71DJW99 - Modification State 0

2.5.3 Date of Test

15-August-2026 to 04-September-2026

2.5.4 Test Method

This test was performed in accordance with ANSI C63.10, clause 6.3, 6.5 and 6.6.

The EUT was placed on the non-conducting platform in a manner typical of a normal installation.

Pre-scans in the 30 MHz to 1 GHz & 18 GHz to 26GHz range were limited to mid channel (2440 MHz).

The plots shown are the characterisation of the EUT. The limits on the plots represent the most stringent case for restricted bands, (74/54 dBµV/m) when compared to 20 dBc outside restricted bands. The limits shown have been used as a threshold to determine where further measurements are necessary. Where results are within 10 dB of the limits shown on the plots, further investigation was carried out and reported in results tables.

Ports on the EUT were terminated with loads as described in ANSI C63.4 clause 6.2.4. For EUT's with multiple connectors of the same type, additional interconnecting cables were connected, and pre-scans performed to determine whether the level of the emissions were increased by >2 dB.

The following conversion can be applied to convert from dBµV/m to µV/m:
 $10^{(\text{Field Strength in dB}\mu\text{V/m}/20)}$

Above 18 GHz, the measurement distance was reduced to 1 m. The limit line was increased by $20 \cdot \text{LOG}(3/1) = 9.54$ dB.

Where formal measurements have been necessary, the results have been presented in the emissions table.

A reduced frequency range for testing was employed on some of the test modes within this test section, based on the manufacturers RSE test plan. With any reduction based on their pre-assessment of the device, to determine the ranges and test channels that were most likely to produce emissions.

2.5.5 Example Test Setup Diagram




Figure 595

2.5.6 Environmental Conditions

Ambient Temperature	19.5 - 30.1 °C
Relative Humidity	39.6 - 41.9 %



2.5.7 Test Results

2.4 GHz Bluetooth - DTS

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 189 - 2402 MHz, LE1M, iPA, Core 0 + Core 1, 1 to 18 GHz

*No emissions found within 20 dB of the limit.




Figure 596 - 2402 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 597 - 2402 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
108.591	20.07	43.50	-23.43	Q-Peak	355	249	Horizontal
109.896	17.13	43.50	-26.37	Q-Peak	63	390	Vertical

Table 190 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 598 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 599 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 600 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 601 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 191 - 2480 MHz, LE1M, iPA, Core 0 + Core 1, 1 to 18 GHz

*No emissions found within 20 dB of the limit.




Figure 602 - 2480 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 603 - 2480 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 192 - 2402 MHz, LE1M, iPA, Core 2, 1 to 18 GHz

*No emissions found within 20 dB of the limit.




Figure 604 - 2402 MHz, LE1M, iPA, Core 2, 1 GHz to 18 GHz, Horizontal




Figure 605 - 2402 MHz, LE1M, iPA, Core 2, 1 GHz to 18 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.778	20.04	40.00	-19.96	Q-Peak	339	279	Horizontal
38.052	20.28	40.00	-19.72	Q-Peak	195	268	Vertical
73.852	18.40	40.00	-21.60	Q-Peak	39	169	Horizontal
73.853	18.08	40.00	-21.92	Q-Peak	360	218	Vertical

Table 193 - 2440 MHz, LE1M, iPA, Core 2, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 606 - 2440 MHz, LE1M, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 607 - 2440 MHz, LE1M, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 608 - 2440 MHz, LE1M, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 609 - 2440 MHz, LE1M, iPA, Core 2, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4959.808	38.27	54.00	-15.73	RMS	331	274	Vertical

Table 194 - 2480 MHz, LE1M, iPA, Core 2, 1 to 18 GHz

No other emissions found within 20 dB of the limit.




Figure 610 - 2480 MHz, LE1M, iPA, Core 2, 1 GHz to 18 GHz, Horizontal




Figure 611 - 2480 MHz, LE1M, iPA, Core 2, 1 GHz to 18 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2389.684	55.13	74.00	-18.87	Peak	354	272	Vertical
2389.976	37.12	54.00	-16.88	RMS	303	400	Horizontal
2389.997	44.42	54.00	-9.58	RMS	1	311	Vertical
2484.957	35.78	54.00	-18.22	RMS	10	311	Vertical

Table 195 - 2402 MHz, LE1M, ePA, Core 0 + Core 1, 1 to 18 GHz

No other emissions found within 20 dB of the limit.




Figure 612 - 2402 MHz, LE1M, ePA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 613 - 2402 MHz, LE1M, ePA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.763	19.87	40.00	-20.13	Q-Peak	163	390	Vertical
73.463	18.36	40.00	-21.64	Q-Peak	139	106	Horizontal
74.047	17.93	40.00	-22.07	Q-Peak	43	273	Vertical
108.649	20.09	43.50	-23.41	Q-Peak	6	281	Horizontal
2389.981	40.09	54.00	-13.91	RMS	3	344	Vertical
2483.714	36.93	54.00	-17.07	RMS	356	399	Vertical
7320.523	39.28	54.00	-14.72	RMS	37	230	Vertical

Table 196 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 614 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)






Figure 615 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 616 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 617 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2389.871	38.79	54.00	-15.21	RMS	358	344	Vertical
2498.696	33.58	54.00	-20.42	RMS	4	318	Vertical

Table 197 - 2480 MHz, LE1M, ePA, Core 0 + Core 1, 1 to 18 GHz

No other emissions found within 20 dB of the limit.




Figure 618 - 2480 MHz, LE1M, ePA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 619 - 2480 MHz, LE1M, ePA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.720	19.87	40.00	-20.13	Q-Peak	128	338	Horizontal
73.809	17.69	40.00	-22.31	Q-Peak	109	308	Vertical
74.012	18.26	40.00	-21.74	Q-Peak	117	111	Horizontal
109.370	19.85	43.50	-23.65	Q-Peak	172	271	Horizontal

Table 198 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 620 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 621 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 622 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 623 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.558	19.88	40.00	-20.12	Q-Peak	189	387	Horizontal
37.745	19.92	40.00	-20.08	Q-Peak	306	312	Vertical
114.998	19.64	43.50	-23.86	Q-Peak	133	149	Vertical

Table 199 - 2440 MHz, HDT4, iPA, Core 2, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 624 - 2440 MHz, HDT4, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 625 - 2440 MHz, HDT4, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 626 - 2440 MHz, HDT4, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 627 - 2440 MHz, HDT4, iPA, Core 2, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.885	19.98	40.00	-20.02	Q-Peak	350	294	Horizontal
73.012	17.71	40.00	-22.29	Q-Peak	36	235	Vertical
74.027	18.59	40.00	-21.41	Q-Peak	120	131	Horizontal
112.071	18.63	43.50	-24.87	Q-Peak	211	100	Vertical
2389.654	34.56	54.00	-19.44	RMS	354	355	Vertical

Table 200 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 8 to 18 GHz

No other emissions found within 20 dB of the limit.




Figure 628 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 629 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 630 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 631 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.609	20.04	40.00	-19.96	Q-Peak	350	277	Horizontal
37.717	19.98	40.00	-20.02	Q-Peak	355	386	Vertical
73.606	19.11	40.00	-20.89	Q-Peak	8	107	Vertical
73.879	18.45	40.00	-21.55	Q-Peak	13	128	Horizontal

Table 201 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 632 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 633 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 634 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 635 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical