

26 dB & 99% Bandwidth (U-NII-2A) (continued)**Results: SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	16.440	-	-	-
5300	-	16.500	-	-	-
5320	-	16.440	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	20.520	-	-	-
5300	-	20.400	-	-	-
5320	-	20.400	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	17.640	-	-	-
5300	-	17.640	-	-	-
5320	-	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	21.300	-	-	-
5300	-	21.240	-	-	-
5320	-	21.420	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	36.700	-	-	-
5310	-	36.300	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	56.400	-	-	-
5310	-	41.900	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	36.200	-	-	-
5310	-	36.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	42.100	-	-	-
5310	-	42.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	75.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	93.200	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	75.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	80.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11ac VHT160
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	77.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	18.840	-	-	-
5300	-	18.780	-	-	-
5320	-	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	21.900	-	-	-
5300	-	21.900	-	-	-
5320	-	21.720	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	18.120	-	-	-
5300	-	18.000	-	-	-
5320	-	17.880	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	20.340	-	-	-
5300	-	20.160	-	-	-
5320	-	20.100	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	17.940	-	-	-
5300	-	17.820	-	-	-
5320	-	17.880	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	20.160	-	-	-
5300	-	19.980	-	-	-
5320	-	20.220	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	16.620	-	-	-
5300	-	16.440	-	-	-
5320	-	16.560	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	18.900	-	-	-
5300	-	18.660	-	-	-
5320	-	18.840	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	17.880	-	-	-
5300	-	17.880	-	-	-
5320	-	17.760	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	20.580	-	-	-
5300	-	20.400	-	-	-
5320	-	20.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	37.600	-	-	-
5310	-	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	42.500	-	-	-
5310	-	42.600	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	76.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	82.200	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	58.240	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	63.360	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	78.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.400	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	78.120	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)**Results: MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	16.500	16.500	-	-	-
5300	16.500	16.560	-	-	-
5320	16.560	16.560	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.340	20.880	-	-	-
5300	20.400	20.880	-	-	-
5320	20.280	20.820	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.640	17.640	-	-	-
5300	17.640	17.640	-	-	-
5320	17.640	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.540	21.420	-	-	-
5300	21.240	21.600	-	-	-
5320	21.300	21.240	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	36.400	36.400	-	-	-
5310	36.200	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	44.900	44.900	-	-	-
5310	42.200	42.300	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	36.200	36.200	-	-	-
5310	36.200	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.300	42.300	-	-	-
5310	42.400	42.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	75.600	75.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	92.800	92.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	75.200	75.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	80.800	81.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.200	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.400	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	76.800	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.000	82.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.840	18.900	-	-	-
5300	18.840	18.900	-	-	-
5320	18.840	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.660	21.720	-	-	-
5300	21.480	21.660	-	-	-
5320	21.720	21.900	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.060	18.060	-	-	-
5300	18.000	17.940	-	-	-
5320	17.820	18.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.220	20.220	-	-	-
5300	20.160	20.160	-	-	-
5320	20.280	20.220	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.940	17.940	-	-	-
5300	17.880	17.820	-	-	-
5320	17.880	17.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.400	20.340	-	-	-
5300	20.280	19.980	-	-	-
5320	20.340	20.160	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	16.620	16.380	-	-	-
5300	16.440	16.200	-	-	-
5320	16.560	16.380	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.960	18.720	-	-	-
5300	18.660	18.420	-	-	-
5320	18.720	18.540	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.880	17.760	-	-	-
5300	17.880	17.760	-	-	-
5320	17.700	17.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.340	20.040	-	-	-
5300	20.520	20.100	-	-	-
5320	20.340	19.920	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	37.700	37.700	-	-	-
5310	37.700	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.800	42.700	-	-	-
5310	43.000	43.300	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	76.800	76.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	82.200	82.200	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	58.240	58.240	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	63.200	63.040	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.000	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.800	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.400	78.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.400	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.120	78.120	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.440	82.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)**Results: MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.580	17.640	-	-	-
5300	17.580	17.640	-	-	-
5320	17.580	17.580	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.000	21.300	-	-	-
5300	21.240	21.360	-	-	-
5320	21.300	21.360	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	36.200	36.200	-	-	-
5310	36.000	36.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.100	42.200	-	-	-
5310	41.800	42.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	75.200	75.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	80.800	80.800	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.200	77.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.000	82.400	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.840	18.780	-	-	-
5300	18.840	18.780	-	-	-
5320	18.840	18.780	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.480	21.780	-	-	-
5300	21.600	21.780	-	-	-
5320	21.780	21.600	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.060	18.120	-	-	-
5300	18.000	18.000	-	-	-
5320	18.000	17.940	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.220	20.280	-	-	-
5300	20.040	20.160	-	-	-
5320	20.100	20.220	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.820	17.880	-	-	-
5300	17.880	17.760	-	-	-
5320	17.880	17.760	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.280	20.160	-	-	-
5300	20.160	20.100	-	-	-
5320	20.220	20.220	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	16.620	16.440	-	-	-
5300	16.440	16.260	-	-	-
5320	16.560	16.380	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.660	18.600	-	-	-
5300	18.660	18.420	-	-	-
5320	18.840	18.420	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.880	17.760	-	-	-
5300	17.880	17.760	-	-	-
5320	17.700	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.280	20.160	-	-	-
5300	20.340	20.160	-	-	-
5320	20.160	20.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	37.600	37.700	-	-	-
5310	37.600	37.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.500	43.300	-	-	-
5310	42.500	42.800	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	76.800	76.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	82.000	82.200	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	58.240	58.240	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	63.040	63.520	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.600	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.800	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.400	78.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.800	82.400	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.120	78.120	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.440	82.440	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)**Results: TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ac VHT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.640	17.580	-	-	-
5300	17.580	17.640	-	-	-
5320	17.640	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.240	21.300	-	-	-
5300	21.300	21.300	-	-	-
5320	21.180	21.360	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	36.100	36.100	-	-	-
5310	36.100	36.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.200	42.100	-	-	-
5310	42.300	42.300	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	75.200	75.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	80.800	81.000	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.200	77.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.000	82.000	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.840	18.780	-	-	-
5300	18.840	18.840	-	-	-
5320	18.840	18.900	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.780	21.660	-	-	-
5300	21.540	21.540	-	-	-
5320	21.600	21.780	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	37.700	37.700	-	-	-
5310	37.600	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.600	42.900	-	-	-
5310	42.900	42.600	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	76.800	76.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	82.200	82.200	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.600	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.800	-	-	-

4.2.3 5.47-5.725 GHz band (U-NII-2C)**Results: SISO / Core 0**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.440	-	-	-	-
5600	16.860	-	-	-	-
5700	16.560	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.340	-	-	-	-
5600	22.140	-	-	-	-
5700	20.400	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.640	-	-	-	-
5600	18.000	-	-	-	-
5700	17.640	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.360	-	-	-	-
5600	23.220	-	-	-	-
5700	21.000	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.200	-	-	-	-
5590	46.600	-	-	-	-
5670	36.300	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.000	-	-	-	-
5590	76.000	-	-	-	-
5670	42.100	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.100	-	-	-	-
5590	36.840	-	-	-	-
5670	36.200	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	41.800	-	-	-	-
5590	44.880	-	-	-	-
5670	42.200	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.600	-	-	-	-
5610	84.040	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	88.400	-	-	-	-
5610	117.480	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.000	-	-	-	-
5610	76.200	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	81.000	-	-	-	-
5610	83.600	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.800	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ac VHT160
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.000	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	163.600	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.840	-	-	-	-
5600	19.200	-	-	-	-
5700	18.840	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.600	-	-	-	-
5600	23.280	-	-	-	-
5700	21.660	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.060	-	-	-	-
5600	16.980	-	-	-	-
5700	18.000	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.220	-	-	-	-
5600	18.720	-	-	-	-
5700	20.100	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.880	-	-	-	-
5600	18.240	-	-	-	-
5700	17.880	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.340	-	-	-	-
5600	21.120	-	-	-	-
5700	20.100	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.620	-	-	-	-
5600	16.980	-	-	-	-
5700	16.560	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.900	-	-	-	-
5600	19.320	-	-	-	-
5700	18.780	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.880	-	-	-	-
5600	18.240	-	-	-	-
5700	17.760	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.400	-	-	-	-
5600	22.260	-	-	-	-
5700	20.100	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	37.700	-	-	-	-
5590	38.280	-	-	-	-
5670	37.700	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.700	-	-	-	-
5590	45.000	-	-	-	-
5670	42.600	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	76.600	-	-	-	-
5610	77.600	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	82.000	-	-	-	-
5610	83.200	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	58.240	-	-	-	-
5610	78.000	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	63.040	-	-	-	-
5610	83.000	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	155.600	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	165.200	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	116.700	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	125.100	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	136.800	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	145.800	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)**Results: SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	16.440	-	-	-
5600	-	16.800	-	-	-
5700	-	16.500	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	20.580	-	-	-
5600	-	21.960	-	-	-
5700	-	20.580	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	17.640	-	-	-
5600	-	18.000	-	-	-
5700	-	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	21.360	-	-	-
5600	-	23.040	-	-	-
5700	-	21.180	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	36.200	-	-	-
5590	-	37.320	-	-	-
5670	-	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	42.000	-	-	-
5590	-	64.080	-	-	-
5670	-	41.900	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	2 (Core 1)	Rate/Modulation:	MCS0 (BPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	36.100	-	-	-
5590	-	36.600	-	-	-
5670	-	36.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	42.800	-	-	-
5590	-	44.760	-	-	-
5670	-	42.300	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	75.600	-	-	-
5610	-	81.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	87.400	-	-	-
5610	-	116.400	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	75.000	-	-	-
5610	-	76.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	80.600	-	-	-
5610	-	82.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	154.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	164.400	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ac VHT160
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	154.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	163.600	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	18.840	-	-	-
5600	-	19.140	-	-	-
5700	-	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	21.720	-	-	-
5600	-	23.340	-	-	-
5700	-	21.660	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	18.060	-	-	-
5600	-	17.040	-	-	-
5700	-	18.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	20.160	-	-	-
5600	-	18.720	-	-	-
5700	-	20.220	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	17.940	-	-	-
5600	-	18.180	-	-	-
5700	-	17.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	20.460	-	-	-
5600	-	21.120	-	-	-
5700	-	20.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	16.620	-	-	-
5600	-	16.980	-	-	-
5700	-	16.560	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	18.840	-	-	-
5600	-	19.320	-	-	-
5700	-	18.780	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	17.880	-	-	-
5600	-	18.240	-	-	-
5700	-	17.760	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	20.640	-	-	-
5600	-	21.780	-	-	-
5700	-	20.400	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	37.700	-	-	-
5590	-	38.160	-	-	-
5670	-	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	42.400	-	-	-
5590	-	44.760	-	-	-
5670	-	42.700	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	76.800	-	-	-
5610	-	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	82.000	-	-	-
5610	-	83.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	58.240	-	-	-
5610	-	77.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	63.680	-	-	-
5610	-	83.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	155.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	164.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	116.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	125.700	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	137.160	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	145.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)**Results: MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.440	16.560	-	-	-
5600	16.800	16.920	-	-	-
5700	16.500	16.560	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.640	20.580	-	-	-
5600	22.200	22.320	-	-	-
5700	20.340	20.700	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.640	17.640	-	-	-
5600	18.000	17.940	-	-	-
5700	17.640	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.300	21.420	-	-	-
5600	23.040	22.800	-	-	-
5700	21.420	21.300	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.200	36.300	-	-	-
5590	44.660	37.320	-	-	-
5670	36.300	36.300	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	41.800	42.300	-	-	-
5590	75.460	58.080	-	-	-
5670	41.700	42.200	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.100	36.200	-	-	-
5590	36.720	36.720	-	-	-
5670	36.200	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	41.900	41.900	-	-	-
5590	45.240	44.280	-	-	-
5670	42.100	42.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.600	75.600	-	-	-
5610	83.400	81.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	88.600	88.200	-	-	-
5610	118.000	115.800	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.200	75.200	-	-	-
5610	76.000	76.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	80.800	81.200	-	-	-
5610	82.200	82.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.800	154.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	164.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.000	154.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	163.600	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.840	18.840	-	-	-
5600	19.080	19.140	-	-	-
5700	18.840	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.600	21.960	-	-	-
5600	23.040	23.280	-	-	-
5700	21.720	21.780	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.060	18.060	-	-	-
5600	17.040	16.980	-	-	-
5700	18.060	18.060	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.340	20.280	-	-	-
5600	18.720	18.660	-	-	-
5700	20.160	20.100	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.880	17.940	-	-	-
5600	18.180	18.180	-	-	-
5700	17.580	17.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.400	20.340	-	-	-
5600	21.300	21.060	-	-	-
5700	20.100	19.920	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.620	16.380	-	-	-
5600	16.980	16.800	-	-	-
5700	16.560	16.440	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.900	18.720	-	-	-
5600	19.380	18.660	-	-	-
5700	18.780	18.540	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.880	17.760	-	-	-
5600	18.240	18.060	-	-	-
5700	17.700	17.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.340	20.220	-	-	-
5600	21.780	21.240	-	-	-
5700	20.100	19.860	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	37.600	37.700	-	-	-
5590	38.160	38.160	-	-	-
5670	37.800	37.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.600	42.100	-	-	-
5590	45.600	45.240	-	-	-
5670	42.800	42.800	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	76.800	76.800	-	-	-
5610	77.600	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	82.600	82.000	-	-	-
5610	83.400	83.200	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	58.240	58.240	-	-	-
5610	78.000	77.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	63.520	63.520	-	-	-
5610	83.000	83.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	155.600	155.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	165.200	164.800	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	116.700	117.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	125.700	125.700	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	137.160	136.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	145.800	146.160	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)**Results: MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.580	17.580	-	-	-
5600	17.940	17.940	-	-	-
5700	17.580	17.580	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.120	21.180	-	-	-
5600	22.800	22.800	-	-	-
5700	21.240	21.360	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.100	36.100	-	-	-
5590	36.720	36.720	-	-	-
5670	36.100	36.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	41.800	42.100	-	-	-
5590	46.560	44.880	-	-	-
5670	41.900	41.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.200	75.200	-	-	-
5610	76.400	76.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	80.800	80.800	-	-	-
5610	82.400	82.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.000	154.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	164.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.840	18.780	-	-	-
5600	19.080	19.140	-	-	-
5700	18.840	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.600	21.720	-	-	-
5600	23.100	22.860	-	-	-
5700	21.480	21.660	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.120	18.060	-	-	-
5600	17.040	16.980	-	-	-
5700	18.000	18.060	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.340	20.160	-	-	-
5600	18.660	18.660	-	-	-
5700	20.160	20.160	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.940	17.940	-	-	-
5600	18.180	18.180	-	-	-
5700	17.820	17.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.340	20.160	-	-	-
5600	21.120	21.000	-	-	-
5700	20.040	19.920	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.620	16.380	-	-	-
5600	16.980	16.800	-	-	-
5700	16.560	16.380	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.900	18.600	-	-	-
5600	19.320	18.660	-	-	-
5700	18.840	18.660	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.880	17.760	-	-	-
5600	18.240	18.060	-	-	-
5700	17.700	17.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.520	20.220	-	-	-
5600	21.720	21.180	-	-	-
5700	20.100	19.800	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core 1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	37.600	37.700	-	-	-
5590	38.160	38.160	-	-	-
5670	37.600	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.900	42.400	-	-	-
5590	45.600	44.880	-	-	-
5670	42.400	43.300	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	76.800	76.800	-	-	-
5610	77.600	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	82.200	82.200	-	-	-
5610	83.000	83.200	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	58.240	58.240	-	-	-
5610	78.000	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	63.040	63.360	-	-	-
5610	83.200	83.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	155.600	156.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	165.200	164.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	117.000	116.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	125.100	125.400	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	137.160	137.160	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	145.440	145.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)**Results: TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ac VHT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.640	17.640	-	-	-
5600	18.000	18.000	-	-	-
5700	17.640	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.480	21.240	-	-	-
5600	23.040	23.220	-	-	-
5700	21.420	21.540	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.200	36.200	-	-	-
5590	36.720	36.720	-	-	-
5670	36.200	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.100	42.100	-	-	-
5590	45.120	44.760	-	-	-
5670	41.900	42.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.200	75.200	-	-	-
5610	76.000	76.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	80.800	80.800	-	-	-
5610	82.000	81.600	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.000	154.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	164.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.840	18.840	-	-	-
5600	19.200	19.140	-	-	-
5700	18.840	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.660	21.720	-	-	-
5600	23.400	22.920	-	-	-
5700	21.780	21.900	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	37.700	37.700	-	-	-
5590	38.280	38.160	-	-	-
5670	37.700	37.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.400	43.100	-	-	-
5590	45.000	44.880	-	-	-
5670	42.500	42.700	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	76.800	76.800	-	-	-
5610	77.600	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	82.200	82.000	-	-	-
5610	83.400	83.200	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	155.600	155.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	165.200	165.200	-	-	-

4.2.4 Channels that straddle the U-NII-2C and U-NII-3 bands at 5.725 GHz**Results: SISO / Core 0**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.340	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.440	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.880	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.740	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	35.860		-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	52.100		-	-	

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.100				

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.300				

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	77.240				

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	93.320				

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.800				

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.600				

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.480	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	16.100	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.400	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.340	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	-	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.900				

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.600				

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	73.600	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	76.600	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	54.680	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.120	-	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.340	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	15.320	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	15.620	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	33.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	42.500	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	2 (Core 1)	Rate/Modulation:	MCS0 (BPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	33.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	36.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	73.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	92.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	72.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	75.400	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.480	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	15.920	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.300	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.280	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.360	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.220	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.300	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.280	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.420	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	33.900	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	36.500	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	73.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	76.200	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	54.680	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	57.080	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.280	13.280	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.200	15.500	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.820	13.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.800	15.620	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.480	33.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	44.280	39.400	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.100	33.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.400	36.100	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	77.240	73.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	93.560	92.800	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.800	72.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.800	75.400	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.420	14.360	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.800	15.740	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.400	13.340	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	14.240	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	13.280	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	14.300	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	13.160	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	14.180	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	13.220	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	14.180	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.800	33.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.500	36.500	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	73.400	73.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	76.400	76.200	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	54.680	54.520	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	71.800	56.920	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.760	13.760	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.500	15.500	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.000	33.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.300	35.800	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.800	72.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.800	75.400	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.420	14.360	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.920	15.680	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.400	13.280	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	14.240	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.280	13.160	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.420	14.180	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	13.160	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	14.180	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.280	13.220	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.420	14.180	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.800	33.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.600	36.200	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	73.600	73.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	76.200	76.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	54.680	54.520	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.600	69.240	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ac VHT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.820	13.760	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.680	15.560	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.000	33.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.200	35.800	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.600	72.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.400	75.200	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.420	14.360	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.860	15.980	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.800	33.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.300	36.300	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	73.400	73.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	76.400	76.200	-	-	-

4.3 Minimum 6 dB & 99% Bandwidth

Test Summary:

Test Engineer:	Max Passell	Test Dates:	09 June 2026 to 01 July 2026
Test Sample Serial Number:	Y929QLWGKP		

FCC Clause:	Part 15.407(e)
ISED Canada Clause:	RSS-247 7.3.4.2
OBW Test Method Used:	ANSI C63.10 Section 12.5.3 referencing section 6.9.3
EBW Test Method Used:	ANSI C63.10 Section 12.5.1

Environmental Conditions:

Temperature (°C):	22 to 26
Relative Humidity (%):	37 to 52

Note(s):

1. OBW: The transmitter output is connected to a signal analyser. The RBW is set in the range of 1% to 5% of the 99% OBW. The VBW is set to $\geq 3 \times \text{RBW}$. The sweep time is coupled. The 99% emission bandwidth was calculated by the test system using the raw trace data from the signal analyser.
2. 6 dB BW: The transmitter output is connected to a signal analyser. The RBW is set to 100 kHz. The VBW is set to $\geq 3 \times \text{RBW}$. A peak detector was used, sweep time was set to auto and the trace mode was Max Hold. The bandwidth was measured at 6 dB down from the peak of the signal.
3. Example plots of each modulation on the worst-case channel, for one antenna configuration, can be seen below to show setting parameters comply with testing method/procedure. All other plots are archived on the UL IT server and available for inspection if required.
4. For channels that straddle the U-NII-2C and U-NII-3 bands at 5725 MHz, measurements were performed on the portion of the emission that is contained within the U-NII-3 band.

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**4.3.1 Channels that straddle the U-NII-2C and U-NII-3 bands at 5.725 GHz****Results: SISO / Core 0**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.220	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.220	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.760	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.760	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	6.700	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.200	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.100	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.200	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.160	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	2.600	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.660	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.340	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	2.560	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.800	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.100	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.880	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.160	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.220	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.760	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.820	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.300	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.200	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.100	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.200	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	2.800	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	3.400	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	2.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	3.400	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.360	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.480	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.420	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.480	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.480	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.340	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	2.560	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.480	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.480	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.800	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	4.100	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	3.400	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	4.200	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	3.720	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	4.200	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.220	3.280	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.220	3.220	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.820	3.820	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.820	3.520	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.480	3.300	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.240	3.300	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.100	3.100	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.300	3.300	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.160	3.000	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	3.400	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	2.800	2.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	3.400	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	4.420	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	4.480	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.600	4.660	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	4.480	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.540	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.600	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.340	3.220	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	2.560	2.560	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.480	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.600	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.900	3.900	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.100	4.200	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	3.400	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	4.200	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.880	3.880	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	4.200	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.820	3.880	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.520	3.520	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.200	3.200	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.300	3.300	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	2.800	2.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	3.400	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	4.420	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	4.420	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.660	4.660	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	4.480	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.540	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.480	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.340	3.220	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	2.560	2.560	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	4.480	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.540	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.900	3.900	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.200	4.200	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.600	3.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	4.400	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.040	3.880	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	4.200	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ac VHT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.820	3.820	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.820	3.580	-	-	≥500

Antenna Configuration:	TxBF	Mode:	802.11ac VHT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.100	3.100	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.300	3.300	-	-	≥500

Antenna Configuration:	TxBF	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	2.600	2.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	3.400	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	4.480	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.360	4.480	-	-	≥500

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.900	3.900	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.200	4.200	-	-	≥500

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	3.400	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.400	4.400	-	-	≥500

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


4.3.1 5.725-5.85 GHz band (U-NII-3)

Results: SISO / Core 0


Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	16.560	-	-	-	-
5785	16.500	-	-	-	-
5825	16.560	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	15.840	-	-	-	≥500
5785	15.720	-	-	-	≥500
5825	15.780	-	-	-	≥500



99%





6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	17.640	-	-	-	-
5785	17.640	-	-	-	-
5825	17.640	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	16.440	-	-	-	≥500
5785	16.980	-	-	-	≥500
5825	16.080	-	-	-	≥500





Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5755	41.860	-	-	-	-
5795	41.720	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5755	35.420	-	-	-	≥500
5795	35.420	-	-	-	≥500




Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5755	36.200	-	-	-	-
5795	36.200	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5755	35.300	-	-	-	≥500
5795	35.300	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5775	76.600	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5775	75.400	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5775	75.400	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5775	75.400	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.480	-	-	-	-
5785	18.900	-	-	-	-
5825	18.840	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.480	-	-	-	≥500
5785	18.840	-	-	-	≥500
5825	18.480	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.360	-	-	-	-
5785	16.320	-	-	-	-
5825	18.300	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	2.100	-	-	-	≥500
5785	2.760	-	-	-	≥500
5825	8.340	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.060	-	-	-	-
5785	16.200	-	-	-	-
5825	18.000	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	15.780	-	-	-	≥500
5785	7.980	-	-	-	≥500
5825	15.780	-	-	-	≥500



99%





6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	17.940	-	-	-	-
5785	17.940	-	-	-	-
5825	17.880	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	17.100	-	-	-	≥500
5785	17.160	-	-	-	≥500
5825	17.100	-	-	-	≥500




Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	16.560	-	-	-	-
5785	16.380	-	-	-	-
5825	16.560	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	15.060	-	-	-	≥500
5785	12.600	-	-	-	≥500
5825	13.800	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	17.940	-	-	-	-
5785	17.940	-	-	-	-
5825	17.760	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	17.040	-	-	-	≥500
5785	17.100	-	-	-	≥500
5825	17.040	-	-	-	≥500



99%



6 dB