

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.400	77.600	-	-	320.0
6705	77.400	77.600	-	-	320.0
6865	77.600	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	83.000	-	-	320.0
6705	82.800	83.200	-	-	320.0
6865	83.000	83.200	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.200	-	-	320.0
6825	165.600	166.000	-	-	320.0


26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Results: SP / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.800	-	-	-	320.0
6715	16.800	-	-	-	320.0
6855	16.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.020	-	-	-	320.0
6715	22.140	-	-	-	320.0
6855	22.020	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	37.560	-	-	-	320.0
6685	38.160	-	-	-	320.0
6845	53.280	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	64.200	-	-	-	320.0
6685	69.240	-	-	-	320.0
6845	77.760	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	91.920	-	-	-	320.0
6625	85.680	-	-	-	320.0
6705	85.200	-	-	-	320.0
6785	86.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	137.760	-	-	-	320.0
6625	118.080	-	-	-	320.0
6705	117.120	-	-	-	320.0
6785	129.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	288.800	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.200	-	-	-	320.0
6715	19.080	-	-	-	320.0
6855	19.140	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.160	-	-	-	320.0
6715	23.160	-	-	-	320.0
6855	22.980	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.600	-	-	-	320.0
6715	16.800	-	-	-	320.0
6855	18.660	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.520	-	-	-	320.0
6715	18.360	-	-	-	320.0
6855	20.580	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	-	-	-	320.0
6715	17.040	-	-	-	320.0
6855	18.360	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.820	-	-	-	320.0
6715	18.720	-	-	-	320.0
6855	20.940	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.180	-	-	-	320.0
6715	18.180	-	-	-	320.0
6855	18.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.360	-	-	-	320.0
6715	20.940	-	-	-	320.0
6855	20.880	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	-	-	-	320.0
6715	16.980	-	-	-	320.0
6855	17.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.040	-	-	-	320.0
6715	19.380	-	-	-	320.0
6855	19.620	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.060	-	-	-	320.0
6855	18.120	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.780	-	-	-	320.0
6715	21.480	-	-	-	320.0
6855	21.420	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.280	-	-	-	320.0
6685	38.160	-	-	-	320.0
6845	38.280	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	45.000	-	-	-	320.0
6685	44.880	-	-	-	320.0
6845	45.360	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.800	-	-	-	320.0
6625	77.600	-	-	-	320.0
6705	77.400	-	-	-	320.0
6785	77.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	-	-	-	320.0
6625	83.000	-	-	-	320.0
6705	83.200	-	-	-	320.0
6785	83.200	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	59.040	-	-	-	320.0
6625	59.040	-	-	-	320.0
6705	78.400	-	-	-	320.0
6785	59.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	94.400	-	-	-	320.0
6625	95.200	-	-	-	320.0
6705	138.000	-	-	-	320.0
6785	83.520	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.000	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	166.800	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	117.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	243.900	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	137.880	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	288.720	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-7) / SP (continued)**Results: SP / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	16.800	-	-	320.0
6715	-	16.800	-	-	320.0
6855	-	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	22.080	-	-	320.0
6715	-	22.200	-	-	320.0
6855	-	22.080	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	37.080	-	-	320.0
6685	-	37.200	-	-	320.0
6845	-	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	54.360	-	-	320.0
6685	-	60.240	-	-	320.0
6845	-	73.320	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	84.000	-	-	320.0
6625	-	83.820	-	-	320.0
6705	-	83.800	-	-	320.0
6785	-	84.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	117.120	-	-	320.0
6625	-	117.920	-	-	320.0
6705	-	117.600	-	-	320.0
6785	-	118.360	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	154.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	167.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	19.200	-	-	320.0
6715	-	19.200	-	-	320.0
6855	-	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	22.980	-	-	320.0
6715	-	23.220	-	-	320.0
6855	-	23.340	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.660	-	-	320.0
6715	-	16.920	-	-	320.0
6855	-	18.660	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.580	-	-	320.0
6715	-	18.480	-	-	320.0
6855	-	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.360	-	-	320.0
6715	-	17.040	-	-	320.0
6855	-	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.520	-	-	320.0
6715	-	18.660	-	-	320.0
6855	-	20.760	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	18.300	-	-	320.0
6855	-	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.360	-	-	320.0
6715	-	20.880	-	-	320.0
6855	-	21.120	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	17.040	-	-	320.0
6715	-	16.980	-	-	320.0
6855	-	17.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	19.620	-	-	320.0
6715	-	19.260	-	-	320.0
6855	-	19.500	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	18.120	-	-	320.0
6855	-	18.180	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.660	-	-	320.0
6715	-	21.060	-	-	320.0
6855	-	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	38.280	-	-	320.0
6685	-	38.160	-	-	320.0
6845	-	38.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	45.000	-	-	320.0
6685	-	44.400	-	-	320.0
6845	-	45.360	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	77.600	-	-	320.0
6625	-	77.400	-	-	320.0
6705	-	77.400	-	-	320.0
6785	-	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	83.000	-	-	320.0
6625	-	83.000	-	-	320.0
6705	-	83.400	-	-	320.0
6785	-	83.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	58.720	-	-	320.0
6625	-	58.720	-	-	320.0
6705	-	78.200	-	-	320.0
6785	-	58.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	83.680	-	-	320.0
6625	-	84.960	-	-	320.0
6705	-	109.200	-	-	320.0
6785	-	70.880	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	117.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	171.900	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	137.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	284.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)**Results: SP / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.740	16.800	-	-	320.0
6715	16.860	16.860	-	-	320.0
6855	16.860	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.020	22.380	-	-	320.0
6715	22.200	22.260	-	-	320.0
6855	22.380	22.380	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.400	37.440	-	-	320.0
6685	51.200	38.880	-	-	320.0
6845	56.200	53.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	73.800	66.720	-	-	320.0
6685	77.000	75.720	-	-	320.0
6845	78.400	78.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	93.080	84.720	-	-	320.0
6625	94.380	84.720	-	-	320.0
6705	95.760	86.160	-	-	320.0
6785	98.560	96.460	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	156.520	118.080	-	-	320.0
6625	159.120	117.600	-	-	320.0
6705	166.040	116.880	-	-	320.0
6785	192.920	169.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.240	155.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	297.780	239.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6855	19.200	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.040	23.220	-	-	320.0
6715	23.400	23.100	-	-	320.0
6855	23.160	23.100	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	18.600	-	-	320.0
6715	16.860	16.620	-	-	320.0
6855	18.660	18.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.760	20.760	-	-	320.0
6715	18.360	18.300	-	-	320.0
6855	20.520	20.580	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	18.300	-	-	320.0
6715	16.980	16.980	-	-	320.0
6855	18.360	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.700	20.640	-	-	320.0
6715	18.720	18.660	-	-	320.0
6855	20.640	20.700	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.180	-	-	320.0
6715	18.300	18.240	-	-	320.0
6855	18.180	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.180	21.240	-	-	320.0
6715	21.000	21.000	-	-	320.0
6855	21.000	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.040	16.920	-	-	320.0
6715	16.980	16.740	-	-	320.0
6855	16.980	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.920	19.380	-	-	320.0
6715	19.320	18.600	-	-	320.0
6855	19.680	19.320	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.060	-	-	320.0
6715	18.060	18.120	-	-	320.0
6855	18.060	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.600	21.060	-	-	320.0
6715	21.480	20.640	-	-	320.0
6855	21.780	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.160	38.160	-	-	320.0
6845	38.280	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.760	45.120	-	-	320.0
6685	45.000	45.120	-	-	320.0
6845	45.000	45.120	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.600	-	-	320.0
6625	77.600	77.600	-	-	320.0
6705	77.600	77.600	-	-	320.0
6785	77.880	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.000	83.400	-	-	320.0
6625	83.200	83.200	-	-	320.0
6705	83.200	83.200	-	-	320.0
6785	83.600	83.800	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	59.200	59.040	-	-	320.0
6625	59.520	59.040	-	-	320.0
6705	79.000	78.400	-	-	320.0
6785	59.200	59.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	95.840	92.000	-	-	320.0
6625	96.000	95.520	-	-	320.0
6705	141.200	133.000	-	-	320.0
6785	113.920	106.880	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.000	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	178.400	172.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	118.500	117.900	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	267.000	263.700	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	138.600	138.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	297.000	294.840	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)**Results: SP / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.200	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6855	19.260	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.100	23.100	-	-	320.0
6715	23.040	23.160	-	-	320.0
6855	23.880	23.400	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	18.660	-	-	320.0
6715	16.920	16.920	-	-	320.0
6855	18.600	18.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.580	21.060	-	-	320.0
6715	18.360	18.360	-	-	320.0
6855	20.820	20.460	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	18.300	-	-	320.0
6715	17.040	16.980	-	-	320.0
6855	18.420	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.700	20.640	-	-	320.0
6715	18.720	18.660	-	-	320.0
6855	20.580	20.700	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	18.240	-	-	320.0
6715	18.240	18.240	-	-	320.0
6855	18.300	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.240	21.180	-	-	320.0
6715	20.940	21.060	-	-	320.0
6855	21.300	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.040	16.920	-	-	320.0
6715	16.980	16.740	-	-	320.0
6855	16.980	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.980	19.320	-	-	320.0
6715	19.320	18.600	-	-	320.0
6855	19.200	19.380	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.060	-	-	320.0
6715	18.120	18.060	-	-	320.0
6855	18.120	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.720	21.000	-	-	320.0
6715	21.900	20.520	-	-	320.0
6855	21.480	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.280	38.040	-	-	320.0
6845	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	45.000	44.880	-	-	320.0
6685	45.600	45.600	-	-	320.0
6845	45.840	46.200	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.600	-	-	320.0
6625	77.600	77.600	-	-	320.0
6705	77.600	77.600	-	-	320.0
6785	77.880	77.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	83.200	-	-	320.0
6625	83.600	83.000	-	-	320.0
6705	83.200	83.400	-	-	320.0
6785	96.800	83.800	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	59.040	58.880	-	-	320.0
6625	59.520	59.040	-	-	320.0
6705	79.000	78.600	-	-	320.0
6785	59.200	59.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	95.680	95.040	-	-	320.0
6625	96.000	95.520	-	-	320.0
6705	144.200	133.000	-	-	320.0
6785	114.240	106.080	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.000	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	177.200	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	118.200	117.900	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	267.300	265.200	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	138.600	138.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	296.640	295.560	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)**Results: SP / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6855	19.200	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.280	23.220	-	-	320.0
6715	23.040	23.160	-	-	320.0
6855	23.040	23.160	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.160	38.160	-	-	320.0
6845	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.880	45.120	-	-	320.0
6685	45.240	44.880	-	-	320.0
6845	44.880	45.360	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.600	-	-	320.0
6625	77.600	77.600	-	-	320.0
6705	77.660	77.600	-	-	320.0
6785	77.880	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	83.200	-	-	320.0
6625	83.400	83.200	-	-	320.0
6705	83.600	83.200	-	-	320.0
6785	83.820	83.400	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.240	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	178.080	171.200	-	-	320.0


26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Results: VLP / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.800	-	-	-	320.0
6715	16.800	-	-	-	320.0
6875	16.860	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.960	-	-	-	320.0
6715	22.020	-	-	-	320.0
6875	22.020	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	36.720	-	-	-	320.0
6685	36.720	-	-	-	320.0
6845	36.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.040	-	-	-	320.0
6685	44.520	-	-	-	320.0
6845	44.400	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	82.000	-	-	-	320.0
6705	80.600	-	-	-	320.0
6865	81.200	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	116.200	-	-	-	320.0
6705	116.000	-	-	-	320.0
6865	116.200	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	155.600	-	-	-	320.0
6825	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	166.000	-	-	-	320.0
6825	165.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	-	-	-	320.0
6715	19.200	-	-	-	320.0
6875	19.140	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.040	-	-	-	320.0
6715	23.160	-	-	-	320.0
6875	23.340	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	-	-	-	320.0
6715	16.980	-	-	-	320.0
6875	18.660	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.700	-	-	-	320.0
6715	18.420	-	-	-	320.0
6875	20.700	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.360	-	-	-	320.0
6715	16.920	-	-	-	320.0
6875	18.360	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.700	-	-	-	320.0
6715	18.720	-	-	-	320.0
6875	20.580	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.240	-	-	-	320.0
6875	18.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.300	-	-	-	320.0
6715	21.120	-	-	-	320.0
6875	20.940	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	-	-	-	320.0
6715	16.980	-	-	-	320.0
6875	17.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.680	-	-	-	320.0
6715	19.380	-	-	-	320.0
6875	19.560	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.060	-	-	-	320.0
6875	18.180	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.780	-	-	-	320.0
6715	21.120	-	-	-	320.0
6875	21.120	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.040	-	-	-	320.0
6685	38.280	-	-	-	320.0
6845	38.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.880	-	-	-	320.0
6685	45.120	-	-	-	320.0
6845	44.520	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.400	-	-	-	320.0
6705	77.600	-	-	-	320.0
6865	77.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	-	-	-	320.0
6705	83.200	-	-	-	320.0
6865	83.200	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	-	-	-	320.0
6705	77.800	-	-	-	320.0
6865	58.720	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	64.160	-	-	-	320.0
6705	83.400	-	-	-	320.0
6865	63.680	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	-	-	-	320.0
6825	156.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	-	-	-	320.0
6825	165.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	117.000	-	-	-	320.0
6825	117.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	125.700	-	-	-	320.0
6825	126.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	137.520	-	-	-	320.0
6825	137.520	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	146.160	-	-	-	320.0
6825	146.520	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)**Results: VLP / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	16.800	-	-	320.0
6715	-	16.800	-	-	320.0
6875	-	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.900	-	-	320.0
6715	-	22.020	-	-	320.0
6875	-	22.140	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	36.700	-	-	320.0
6685	-	36.720	-	-	320.0
6845	-	36.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	44.300	-	-	320.0
6685	-	44.280	-	-	320.0
6845	-	44.280	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	81.800	-	-	320.0
6705	-	81.200	-	-	320.0
6865	-	81.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	117.800	-	-	320.0
6705	-	116.600	-	-	320.0
6865	-	116.000	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	155.600	-	-	320.0
6825	-	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	166.000	-	-	320.0
6825	-	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	19.140	-	-	320.0
6715	-	19.140	-	-	320.0
6875	-	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	23.100	-	-	320.0
6715	-	23.460	-	-	320.0
6875	-	23.040	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.660	-	-	320.0
6715	-	16.980	-	-	320.0
6875	-	18.660	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.760	-	-	320.0
6715	-	18.360	-	-	320.0
6875	-	20.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	16.980	-	-	320.0
6875	-	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.820	-	-	320.0
6715	-	18.780	-	-	320.0
6875	-	20.880	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.180	-	-	320.0
6715	-	18.240	-	-	320.0
6875	-	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.360	-	-	320.0
6715	-	21.060	-	-	320.0
6875	-	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	17.100	-	-	320.0
6715	-	16.980	-	-	320.0
6875	-	17.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.040	-	-	320.0
6715	-	19.380	-	-	320.0
6875	-	19.620	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	18.060	-	-	320.0
6875	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.720	-	-	320.0
6715	-	21.000	-	-	320.0
6875	-	21.180	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	38.280	-	-	320.0
6685	-	38.280	-	-	320.0
6845	-	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	45.120	-	-	320.0
6685	-	45.120	-	-	320.0
6845	-	45.240	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	77.400	-	-	320.0
6705	-	77.400	-	-	320.0
6865	-	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	83.200	-	-	320.0
6705	-	83.400	-	-	320.0
6865	-	83.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	58.560	-	-	320.0
6705	-	77.800	-	-	320.0
6865	-	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	63.840	-	-	320.0
6705	-	83.000	-	-	320.0
6865	-	63.840	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	156.400	-	-	320.0
6825	-	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	166.000	-	-	320.0
6825	-	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	117.300	-	-	320.0
6825	-	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	126.000	-	-	320.0
6825	-	125.700	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	137.520	-	-	320.0
6825	-	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	146.520	-	-	320.0
6825	-	146.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)**Results: VLP / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.800	16.920	-	-	320.0
6715	16.800	16.860	-	-	320.0
6875	16.800	16.860	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.260	22.500	-	-	320.0
6715	21.840	22.320	-	-	320.0
6875	22.140	22.440	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	36.700	36.720	-	-	320.0
6685	36.600	36.840	-	-	320.0
6845	36.720	36.840	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.300	44.400	-	-	320.0
6685	44.400	43.800	-	-	320.0
6845	44.040	44.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	81.600	81.400	-	-	320.0
6705	80.800	81.000	-	-	320.0
6865	81.200	81.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	116.800	116.400	-	-	320.0
6705	116.000	116.000	-	-	320.0
6865	116.600	116.600	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	155.600	155.600	-	-	320.0
6825	155.600	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	166.000	165.600	-	-	320.0
6825	165.200	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	19.140	-	-	320.0
6715	19.200	19.200	-	-	320.0
6875	19.200	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.160	23.160	-	-	320.0
6715	23.340	23.220	-	-	320.0
6875	23.520	22.860	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.360	18.300	-	-	320.0
6715	17.040	16.920	-	-	320.0
6875	18.480	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.760	20.640	-	-	320.0
6715	18.720	18.660	-	-	320.0
6875	20.880	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.240	-	-	320.0
6715	18.240	18.240	-	-	320.0
6875	18.300	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.420	21.060	-	-	320.0
6715	21.000	20.880	-	-	320.0
6875	21.000	20.940	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	16.980	-	-	320.0
6715	16.980	16.800	-	-	320.0
6875	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.680	19.380	-	-	320.0
6715	19.380	18.660	-	-	320.0
6875	19.560	19.320	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.120	-	-	320.0
6715	18.120	18.060	-	-	320.0
6875	18.120	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.600	21.180	-	-	320.0
6715	21.120	20.460	-	-	320.0
6875	21.180	20.580	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.040	38.160	-	-	320.0
6845	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	45.120	44.760	-	-	320.0
6685	45.480	45.000	-	-	320.0
6845	44.760	44.880	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.400	77.600	-	-	320.0
6705	77.400	77.400	-	-	320.0
6865	77.400	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.000	83.200	-	-	320.0
6705	83.000	83.200	-	-	320.0
6865	83.000	83.200	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	58.720	-	-	320.0
6705	78.000	77.800	-	-	320.0
6865	58.720	58.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	63.840	63.680	-	-	320.0
6705	83.000	83.000	-	-	320.0
6865	63.680	63.840	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.200	165.600	-	-	320.0
6825	165.600	165.600	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	117.000	117.300	-	-	320.0
6825	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	125.700	125.400	-	-	320.0
6825	125.700	126.300	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	137.520	137.520	-	-	320.0
6825	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	146.520	146.520	-	-	320.0
6825	146.520	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)**Results: VLP / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.080	19.140	-	-	320.0
6715	19.080	19.140	-	-	320.0
6875	19.080	19.080	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.100	23.280	-	-	320.0
6715	22.920	23.280	-	-	320.0
6875	22.980	23.400	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	18.660	-	-	320.0
6715	16.680	16.920	-	-	320.0
6875	18.720	18.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.880	20.640	-	-	320.0
6715	18.420	18.420	-	-	320.0
6875	20.640	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.360	18.300	-	-	320.0
6715	17.040	16.980	-	-	320.0
6875	18.300	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.820	20.700	-	-	320.0
6715	18.780	18.540	-	-	320.0
6875	20.760	20.820	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.240	-	-	320.0
6715	18.240	18.240	-	-	320.0
6875	18.300	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.240	21.000	-	-	320.0
6715	21.180	20.940	-	-	320.0
6875	20.880	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	16.920	-	-	320.0
6715	16.980	16.800	-	-	320.0
6875	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.220	19.500	-	-	320.0
6715	19.320	18.660	-	-	320.0
6875	19.680	19.200	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.060	-	-	320.0
6715	18.120	18.060	-	-	320.0
6875	18.120	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.660	21.120	-	-	320.0
6715	21.180	20.760	-	-	320.0
6875	21.240	20.640	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.040	38.040	-	-	320.0
6685	38.160	38.040	-	-	320.0
6845	38.040	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.880	44.640	-	-	320.0
6685	45.120	45.000	-	-	320.0
6845	44.400	44.760	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.600	-	-	320.0
6705	77.600	77.400	-	-	320.0
6865	77.400	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.000	83.000	-	-	320.0
6705	82.800	83.000	-	-	320.0
6865	83.200	83.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	58.560	-	-	320.0
6705	77.800	77.800	-	-	320.0
6865	58.560	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	63.680	63.680	-	-	320.0
6705	83.000	83.000	-	-	320.0
6865	63.840	63.680	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.600	-	-	320.0
6825	165.200	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	117.000	117.300	-	-	320.0
6825	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	125.700	125.700	-	-	320.0
6825	125.700	126.000	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	137.520	137.520	-	-	320.0
6825	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	146.160	146.160	-	-	320.0
6825	146.520	146.880	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)**Results: VLP / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6875	19.200	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.100	23.040	-	-	320.0
6715	23.220	23.280	-	-	320.0
6875	23.220	23.100	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.280	38.160	-	-	320.0
6845	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	45.360	45.240	-	-	320.0
6685	44.880	45.360	-	-	320.0
6845	44.760	44.880	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.400	77.400	-	-	320.0
6705	77.400	77.400	-	-	320.0
6865	77.600	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.000	83.000	-	-	320.0
6705	83.200	83.000	-	-	320.0
6865	83.000	82.800	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	166.000	165.600	-	-	320.0
6825	165.200	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-8) (continued)


4.2.4 6.875-7.125 GHz band (U-NII-8)

Results: LPI / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	16.800	-	-	-	320.0
6995	16.800	-	-	-	320.0
7095	16.860	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	22.020	-	-	-	320.0
6995	21.840	-	-	-	320.0
7095	22.020	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6885	36.720	-	-	-	320.0
6965	36.600	-	-	-	320.0
7085	36.720	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6885	44.160	-	-	-	320.0
6965	44.400	-	-	-	320.0
7085	44.040	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6945	81.800	-	-	-	320.0
7025	82.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6945	117.400	-	-	-	320.0
7025	115.400	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6985	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6985	166.800	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	19.140	-	-	-	320.0
6995	19.140	-	-	-	320.0
7095	19.140	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	23.040	-	-	-	320.0
6995	23.100	-	-	-	320.0
7095	22.980	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	18.600	-	-	-	320.0
6995	16.920	-	-	-	320.0
7095	18.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	20.820	-	-	-	320.0
6995	18.420	-	-	-	320.0
7095	20.700	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	18.300	-	-	-	320.0
6995	17.040	-	-	-	320.0
7095	18.360	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	20.820	-	-	-	320.0
6995	18.780	-	-	-	320.0
7095	20.640	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	18.240	-	-	-	320.0
6995	18.240	-	-	-	320.0
7095	18.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	21.360	-	-	-	320.0
6995	21.060	-	-	-	320.0
7095	20.880	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	17.040	-	-	-	320.0
6995	16.980	-	-	-	320.0
7095	17.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	19.920	-	-	-	320.0
6995	19.260	-	-	-	320.0
7095	19.440	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	18.240	-	-	-	320.0
6995	18.120	-	-	-	320.0
7095	18.120	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	21.720	-	-	-	320.0
6995	21.060	-	-	-	320.0
7095	21.120	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6885	38.160	-	-	-	320.0
6965	38.160	-	-	-	320.0
7085	38.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6885	45.240	-	-	-	320.0
6965	45.360	-	-	-	320.0
7085	45.240	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6945	77.400	-	-	-	320.0
7025	77.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6945	83.200	-	-	-	320.0
7025	83.200	-	-	-	320.0

