

26 dB & 99% Bandwidth (U-NII-2A) (continued)**Results: SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	16.500	-	-	-
5300	-	16.500	-	-	-
5320	-	16.500	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	20.280	-	-	-
5300	-	20.400	-	-	-
5320	-	20.340	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	17.580	-	-	-
5300	-	17.640	-	-	-
5320	-	17.580	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	21.480	-	-	-
5300	-	21.120	-	-	-
5320	-	21.360	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	36.900	-	-	-
5310	-	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	61.100	-	-	-
5310	-	42.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	36.200	-	-	-
5310	-	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	42.100	-	-	-
5310	-	41.900	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	75.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	93.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	75.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	80.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	77.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.400	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11ac VHT160
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	77.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	18.840	-	-	-
5300	-	18.900	-	-	-
5320	-	18.780	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	21.720	-	-	-
5300	-	21.720	-	-	-
5320	-	21.720	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	18.120	-	-	-
5300	-	16.320	-	-	-
5320	-	18.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	20.340	-	-	-
5300	-	18.300	-	-	-
5320	-	20.160	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	17.940	-	-	-
5300	-	17.820	-	-	-
5320	-	17.760	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	20.280	-	-	-
5300	-	19.980	-	-	-
5320	-	20.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	16.620	-	-	-
5300	-	16.440	-	-	-
5320	-	16.560	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	18.840	-	-	-
5300	-	18.660	-	-	-
5320	-	18.840	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	17.880	-	-	-
5300	-	17.880	-	-	-
5320	-	17.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	-	20.220	-	-	-
5300	-	20.400	-	-	-
5320	-	20.340	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	37.700	-	-	-
5310	-	37.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	-	42.700	-	-	-
5310	-	43.200	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	76.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	82.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	58.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	-	63.200	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.400	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	78.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.400	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	78.120	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	-	82.440	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)**Results: MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	16.500	16.560	-	-	-
5300	16.500	16.500	-	-	-
5320	16.500	16.500	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.400	20.760	-	-	-
5300	20.400	20.640	-	-	-
5320	20.400	20.820	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.640	17.580	-	-	-
5300	17.640	17.580	-	-	-
5320	17.580	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.180	21.480	-	-	-
5300	21.360	21.300	-	-	-
5320	21.240	21.540	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	36.500	36.600	-	-	-
5310	36.200	36.300	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	51.100	55.800	-	-	-
5310	41.800	42.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	36.200	36.100	-	-	-
5310	36.100	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.200	42.200	-	-	-
5310	42.000	42.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	75.800	75.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	93.200	93.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	75.200	75.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	81.000	80.800	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.200	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.000	82.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.200	77.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.000	82.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.840	18.900	-	-	-
5300	18.840	18.840	-	-	-
5320	18.900	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	22.020	21.480	-	-	-
5300	21.780	21.780	-	-	-
5320	21.660	21.480	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.120	18.060	-	-	-
5300	16.440	16.260	-	-	-
5320	17.940	18.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.220	20.100	-	-	-
5300	18.420	18.300	-	-	-
5320	20.280	20.040	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.000	17.940	-	-	-
5300	16.980	16.980	-	-	-
5320	17.760	17.760	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.160	20.100	-	-	-
5300	18.780	18.540	-	-	-
5320	20.040	20.160	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	16.620	16.440	-	-	-
5300	16.380	16.200	-	-	-
5320	16.620	16.380	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.480	18.660	-	-	-
5300	18.660	18.420	-	-	-
5320	18.780	18.660	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.880	17.760	-	-	-
5300	17.940	17.760	-	-	-
5320	17.760	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.460	20.220	-	-	-
5300	20.400	20.040	-	-	-
5320	20.100	19.980	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	37.700	37.700	-	-	-
5310	37.700	37.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.400	42.700	-	-	-
5310	42.600	42.900	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	76.800	76.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	82.200	82.200	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	58.240	58.240	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	63.680	63.200	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.000	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.400	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.400	78.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.800	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.120	78.120	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.440	82.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)**Results: MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.580	17.580	-	-	-
5300	17.580	17.580	-	-	-
5320	17.580	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.180	21.300	-	-	-
5300	21.120	21.300	-	-	-
5320	21.120	21.120	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	36.200	36.100	-	-	-
5310	36.100	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	41.900	42.700	-	-	-
5310	41.600	41.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	75.200	75.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	81.200	80.800	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.200	77.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.000	82.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.780	18.780	-	-	-
5300	18.840	18.780	-	-	-
5320	18.780	18.780	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.660	21.480	-	-	-
5300	21.720	21.780	-	-	-
5320	21.600	21.900	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.060	18.000	-	-	-
5300	16.440	16.260	-	-	-
5320	18.000	17.940	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.160	20.160	-	-	-
5300	18.420	18.420	-	-	-
5320	20.040	20.160	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.940	17.940	-	-	-
5300	17.820	17.700	-	-	-
5320	17.880	17.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.340	20.160	-	-	-
5300	20.100	20.100	-	-	-
5320	20.220	20.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	16.560	16.380	-	-	-
5300	16.380	16.260	-	-	-
5320	16.560	16.380	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	19.080	18.600	-	-	-
5300	18.660	18.420	-	-	-
5320	18.720	18.660	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.880	17.760	-	-	-
5300	17.880	17.760	-	-	-
5320	17.700	17.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	20.580	20.220	-	-	-
5300	20.280	20.040	-	-	-
5320	20.100	19.860	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	37.600	37.700	-	-	-
5310	37.600	37.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.800	42.800	-	-	-
5310	42.900	43.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	76.800	76.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	82.200	82.200	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	58.240	58.240	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	63.520	63.200	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.000	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.400	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.400	78.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.400	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.120	78.120	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.440	82.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)**Results: TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ac VHT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	17.580	17.640	-	-	-
5300	17.580	17.640	-	-	-
5320	17.640	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.360	21.600	-	-	-
5300	21.420	21.600	-	-	-
5320	21.300	21.540	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	36.100	36.200	-	-	-
5310	36.100	36.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.200	41.900	-	-	-
5310	42.000	42.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	75.200	75.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	80.800	80.800	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	77.200	77.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.000	82.000	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	18.840	18.840	-	-	-
5300	18.900	18.840	-	-	-
5320	18.840	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5260	21.960	21.660	-	-	-
5300	21.900	21.720	-	-	-
5320	21.720	21.660	-	-	-

26 dB & 99% Bandwidth (U-NII-2A) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	37.600	37.700	-	-	-
5310	37.700	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5270	42.800	42.500	-	-	-
5310	42.500	42.800	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	76.800	77.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5290	82.400	82.200	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	78.000	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5250	82.400	82.800	-	-	-

4.2.3 5.47-5.725 GHz band (U-NII-2C)**Results: SISO / Core 0**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.500	-	-	-	-
5600	16.800	-	-	-	-
5700	16.500	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.400	-	-	-	-
5600	22.320	-	-	-	-
5700	20.520	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.640	-	-	-	-
5600	18.000	-	-	-	-
5700	17.580	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.420	-	-	-	-
5600	22.920	-	-	-	-
5700	21.240	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.200	-	-	-	-
5590	46.200	-	-	-	-
5670	36.200	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	41.400	-	-	-	-
5590	76.200	-	-	-	-
5670	42.200	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.100	-	-	-	-
5590	36.720	-	-	-	-
5670	36.200	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	41.900	-	-	-	-
5590	44.760	-	-	-	-
5670	42.400	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.600	-	-	-	-
5610	83.200	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	88.400	-	-	-	-
5610	117.600	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.200	-	-	-	-
5610	76.000	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	81.000	-	-	-	-
5610	82.200	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.800	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ac VHT160
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.400	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.780	-	-	-	-
5600	19.140	-	-	-	-
5700	18.840	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.780	-	-	-	-
5600	23.160	-	-	-	-
5700	21.720	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.120	-	-	-	-
5600	17.040	-	-	-	-
5700	18.000	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.220	-	-	-	-
5600	18.780	-	-	-	-
5700	20.160	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.940	-	-	-	-
5600	18.300	-	-	-	-
5700	17.880	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.400	-	-	-	-
5600	20.880	-	-	-	-
5700	19.980	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.560	-	-	-	-
5600	16.980	-	-	-	-
5700	16.560	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	19.080	-	-	-	-
5600	19.320	-	-	-	-
5700	18.660	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.880	-	-	-	-
5600	18.240	-	-	-	-
5700	17.760	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.460	-	-	-	-
5600	21.660	-	-	-	-
5700	20.160	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	37.700	-	-	-	-
5590	38.160	-	-	-	-
5670	37.700	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.500	-	-	-	-
5590	45.120	-	-	-	-
5670	42.800	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	76.600	-	-	-	-
5610	77.600	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	82.000	-	-	-	-
5610	83.200	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	63.680	-	-	-	-
5610	78.000	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	58.240	-	-	-	-
5610	83.400	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	156.000	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.800	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	117.000	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	125.100	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	137.160	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	145.800	-	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)**Results: SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	16.500	-	-	-
5600	-	16.800	-	-	-
5700	-	16.500	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	20.400	-	-	-
5600	-	22.140	-	-	-
5700	-	20.400	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	17.580	-	-	-
5600	-	17.940	-	-	-
5700	-	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	21.180	-	-	-
5600	-	23.100	-	-	-
5700	-	21.420	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	36.200	-	-	-
5590	-	37.320	-	-	-
5670	-	36.300	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	41.800	-	-	-
5590	-	63.120	-	-	-
5670	-	41.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	2 (Core 1)	Rate/Modulation:	MCS0 (BPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	36.100	-	-	-
5590	-	36.600	-	-	-
5670	-	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	42.100	-	-	-
5590	-	44.280	-	-	-
5670	-	42.400	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	75.600	-	-	-
5610	-	81.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	87.600	-	-	-
5610	-	115.400	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	75.000	-	-	-
5610	-	76.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	81.000	-	-	-
5610	-	82.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	154.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	164.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ac VHT160
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	154.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	164.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	18.840	-	-	-
5600	-	19.140	-	-	-
5700	-	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	21.960	-	-	-
5600	-	23.400	-	-	-
5700	-	21.600	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	18.120	-	-	-
5600	-	16.860	-	-	-
5700	-	18.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	20.220	-	-	-
5600	-	18.720	-	-	-
5700	-	20.220	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	17.940	-	-	-
5600	-	18.240	-	-	-
5700	-	17.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	20.340	-	-	-
5600	-	20.940	-	-	-
5700	-	19.980	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	16.620	-	-	-
5600	-	16.980	-	-	-
5700	-	16.560	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	18.660	-	-	-
5600	-	19.320	-	-	-
5700	-	18.840	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	17.880	-	-	-
5600	-	18.240	-	-	-
5700	-	17.760	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	-	20.520	-	-	-
5600	-	21.660	-	-	-
5700	-	20.040	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	37.700	-	-	-
5590	-	38.280	-	-	-
5670	-	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	-	42.400	-	-	-
5590	-	45.000	-	-	-
5670	-	42.900	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	76.800	-	-	-
5610	-	77.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	82.200	-	-	-
5610	-	83.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	58.240	-	-	-
5610	-	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	-	63.360	-	-	-
5610	-	83.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	155.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	164.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	116.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	125.700	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	136.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	-	145.440	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)**Results: MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.500	16.500	-	-	-
5600	16.800	16.860	-	-	-
5700	16.560	16.500	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.460	20.880	-	-	-
5600	21.960	22.320	-	-	-
5700	20.280	20.700	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.580	17.640	-	-	-
5600	18.000	17.940	-	-	-
5700	17.640	17.580	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.420	21.420	-	-	-
5600	22.980	22.980	-	-	-
5700	21.420	21.300	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.200	36.200	-	-	-
5590	38.040	37.680	-	-	-
5670	36.300	36.300	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.000	42.000	-	-	-
5590	74.280	70.080	-	-	-
5670	42.300	42.300	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.100	36.200	-	-	-
5590	36.720	36.720	-	-	-
5670	36.100	36.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.100	42.100	-	-	-
5590	45.240	44.640	-	-	-
5670	42.300	42.200	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.400	75.600	-	-	-
5610	82.600	82.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	88.600	89.600	-	-	-
5610	117.000	117.200	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.200	75.200	-	-	-
5610	76.200	76.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	81.000	80.800	-	-	-
5610	82.600	82.400	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.400	154.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.400	164.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.000	154.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	163.600	164.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.780	18.840	-	-	-
5600	19.200	19.200	-	-	-
5700	18.840	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.540	21.720	-	-	-
5600	23.040	22.980	-	-	-
5700	21.780	21.840	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.120	18.060	-	-	-
5600	16.980	16.980	-	-	-
5700	18.000	17.940	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.280	20.040	-	-	-
5600	18.780	18.540	-	-	-
5700	20.160	20.220	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.880	17.940	-	-	-
5600	18.180	18.240	-	-	-
5700	17.700	17.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.340	20.100	-	-	-
5600	20.940	20.820	-	-	-
5700	19.860	20.100	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.620	16.440	-	-	-
5600	16.980	16.800	-	-	-
5700	16.560	16.380	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.540	18.660	-	-	-
5600	19.440	18.660	-	-	-
5700	18.780	18.600	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.940	17.700	-	-	-
5600	18.240	18.060	-	-	-
5700	17.760	17.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.400	20.160	-	-	-
5600	21.720	20.940	-	-	-
5700	20.340	19.860	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	37.700	37.700	-	-	-
5590	38.160	38.160	-	-	-
5670	37.600	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.600	42.400	-	-	-
5590	45.360	45.000	-	-	-
5670	42.600	42.600	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	76.800	76.800	-	-	-
5610	77.600	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	82.200	82.000	-	-	-
5610	83.200	83.400	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	58.240	58.400	-	-	-
5610	78.000	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	63.360	63.200	-	-	-
5610	83.000	82.600	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	155.600	155.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.800	164.800	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	117.000	117.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	125.700	125.400	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	137.160	136.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	145.800	145.440	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)**Results: MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.580	17.640	-	-	-
5600	17.940	17.940	-	-	-
5700	17.640	17.580	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.240	21.120	-	-	-
5600	22.800	22.800	-	-	-
5700	21.180	21.180	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.100	36.100	-	-	-
5590	36.720	36.720	-	-	-
5670	36.200	36.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	41.800	41.700	-	-	-
5590	45.600	45.360	-	-	-
5670	42.200	41.900	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.200	75.200	-	-	-
5610	76.200	76.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	81.000	81.000	-	-	-
5610	82.000	82.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.400	154.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	163.600	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.840	18.780	-	-	-
5600	19.140	19.140	-	-	-
5700	18.840	18.780	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.960	21.720	-	-	-
5600	22.980	22.980	-	-	-
5700	21.900	21.660	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.000	18.060	-	-	-
5600	16.980	16.500	-	-	-
5700	18.000	17.880	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.160	20.340	-	-	-
5600	18.720	18.600	-	-	-
5700	20.160	19.980	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.940	17.940	-	-	-
5600	18.180	18.240	-	-	-
5700	17.820	17.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.280	20.160	-	-	-
5600	20.940	20.880	-	-	-
5700	20.040	19.980	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	16.620	16.380	-	-	-
5600	16.980	16.800	-	-	-
5700	16.620	16.440	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.540	18.660	-	-	-
5600	19.440	18.660	-	-	-
5700	18.900	18.600	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.940	17.760	-	-	-
5600	18.240	18.060	-	-	-
5700	17.760	17.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	20.640	20.220	-	-	-
5600	21.540	21.120	-	-	-
5700	20.160	19.860	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core 1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	37.700	37.600	-	-	-
5590	38.160	38.160	-	-	-
5670	37.700	37.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.700	43.000	-	-	-
5590	45.600	45.960	-	-	-
5670	42.900	42.600	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	76.800	76.800	-	-	-
5610	77.600	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	82.400	82.400	-	-	-
5610	83.200	83.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	58.240	58.240	-	-	-
5610	78.000	78.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	63.520	63.360	-	-	-
5610	83.000	82.800	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	156.000	155.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.800	164.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	117.000	117.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	125.400	125.400	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	137.160	136.800	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	145.800	145.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)**Results: TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ac VHT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	17.580	17.640	-	-	-
5600	17.940	18.000	-	-	-
5700	17.640	17.640	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.180	21.420	-	-	-
5600	22.920	23.100	-	-	-
5700	21.480	21.420	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	36.100	36.100	-	-	-
5590	36.600	36.720	-	-	-
5670	36.200	36.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	41.900	42.200	-	-	-
5590	44.400	44.160	-	-	-
5670	42.300	42.300	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	75.200	75.200	-	-	-
5610	76.000	76.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	80.800	80.800	-	-	-
5610	82.000	81.800	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	154.400	154.000	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.000	164.000	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	18.840	18.840	-	-	-
5600	19.200	19.140	-	-	-
5700	18.840	18.840	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5500	21.600	21.600	-	-	-
5600	23.160	23.280	-	-	-
5700	21.600	21.840	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	37.700	37.700	-	-	-
5590	38.160	38.160	-	-	-
5670	37.700	37.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5510	42.600	42.800	-	-	-
5590	45.120	45.000	-	-	-
5670	42.900	42.800	-	-	-

26 dB & 99% Bandwidth (U-NII-2C) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	76.800	76.800	-	-	-
5610	77.600	77.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5530	82.400	82.200	-	-	-
5610	83.200	83.200	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	155.600	155.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5570	164.800	164.800	-	-	-

4.2.4 Channels that straddle the U-NII-2C and U-NII-3 bands at 5.725 GHz**Results: SISO / Core 0**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.280	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.380	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.880	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.680	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.600		-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	44.760		-	-	

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.100				

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.100				

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	74.000				

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	93.000				

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.600				

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.600				

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.480	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.860	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.280	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.340	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	-	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.420	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.900				

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.300				

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	73.400	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	76.200	-	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	54.680	-	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.120	-	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.280	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	15.500	-	-	-

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.820	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	15.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	33.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	43.600	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	2 (Core 1)	Rate/Modulation:	MCS0 (BPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	33.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	36.000	-	-	-

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	73.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	92.800	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	72.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	75.600	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.480	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	15.920	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.240	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.340	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.360	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.220	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.300	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	13.280	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	14.420	-	-	-

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	33.900	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	36.600	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	73.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	76.200	-	-	-

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	54.680	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	57.080	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	13.220	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.440	15.260	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.760	13.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.680	15.620	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.300	33.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	42.600	41.600	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.000	32.900	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.200	35.700	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	74.200	74.380	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	93.000	93.080	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.400	72.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.400	75.400	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	14.300	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.740	15.740	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.280	13.280	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.180	14.120	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.160	13.160	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.240	14.180	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	13.160	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.240	14.120	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	13.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	14.120	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.700	33.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.500	36.400	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	73.400	73.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	76.000	76.000	-	-	-

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	54.680	54.680	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.440	71.960	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.760	13.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.440	15.560	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.000	32.900	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.200	36.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.600	72.600	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.400	75.400	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	14.300	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.680	15.740	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.340	13.220	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	14.180	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.040	13.220	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	14.180	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.220	13.160	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.240	14.120	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.160	13.100	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.300	14.120	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.700	33.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.900	36.100	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	73.200	73.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	76.000	76.000	-	-	-

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	54.680	54.520	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	71.480	71.1960	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ac VHT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	13.760	13.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.680	15.440	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.000	32.900	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.100	36.100	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	72.400	72.400	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.400	75.400	-	-	-

26 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	14.360	14.300	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	15.680	15.800	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	33.800	33.700	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	36.200	36.200	-	-	-

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	73.200	73.200	-	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	75.800	76.000	-	-	-

4.3 Minimum 6 dB & 99% Bandwidth

Test Summary:

Test Engineer:	Miriam Thompson	Test Dates:	27 April 2026 to 18 May 2026
Test Sample Serial Number:	CMX0W2GF03		

FCC Clause:	Part 15.407(e)
ISED Canada Clause:	RSS-247 7.3.4.2
OBW Test Method Used:	ANSI C63.10 Section 12.5.3 referencing section 6.9.3
EBW Test Method Used:	ANSI C63.10 Section 12.5.1

Environmental Conditions:

Temperature (°C):	19 to 21
Relative Humidity (%):	40 to 44

Note(s):

1. OBW: The transmitter output is connected to a signal analyser. The RBW is set in the range of 1% to 5% of the 99% OBW. The VBW is set to $\geq 3 \times \text{RBW}$. The sweep time is coupled. The 99% emission bandwidth was calculated by the test system using the raw trace data from the signal analyser.
2. 6 dB BW: The transmitter output is connected to a signal analyser. The RBW is set to 100 kHz. The VBW is set to $\geq 3 \times \text{RBW}$. A peak detector was used, sweep time was set to auto and the trace mode was Max Hold. The bandwidth was measured at 6 dB down from the peak of the signal.
3. Example plots of each modulation on the worst-case channel, for one antenna configuration, can be seen below to show setting parameters comply with testing method/procedure. All other plots are archived on the UL IT server and available for inspection if required.
4. For channels that straddle the U-NII-2C and U-NII-3 bands at 5725 MHz, measurements were performed on the portion of the emission that is contained within the U-NII-3 band.

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**4.3.1 Channels that straddle the U-NII-2C and U-NII-3 bands at 5.725 GHz****Results: SISO / Core 0**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.220	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.280	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.820	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.820	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.480	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.240	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.100	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.300	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.000	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	2.600	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.660	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.340	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	2.560	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.800	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.100	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.400	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	-	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.040	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	-	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.220	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.220	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.760	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.820	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.300	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.300	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.000	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.300	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	2.800	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	3.400	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	2.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	3.400	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.420	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.480	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.660	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.420	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.540	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.420	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	3.340	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	2.560	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.480	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	-	4.540	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	3.800	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	-	4.100	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	3.400	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	4.200	-	-	≥500

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	3.880	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	-	4.200	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.280	3.340	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.280	3.280	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.880	3.940	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.640	3.400	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.400	3.400	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.500	3.500	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.200	3.300	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.400	3.400	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.200	3.060	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.600	3.500	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	2.800	3.000	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.600	3.600	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.540	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	4.540	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.720	4.720	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.540	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.600	4.660	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.600	4.660	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.400	3.280	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	2.620	2.620	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.600	4.600	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.000	4.000	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.300	4.300	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.400	4.400	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.600	3.600	-	-	≥500

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.880	3.880	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	4.200	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.880	3.940	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.640	3.640	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11n HT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS10 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.200	3.300	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.400	3.400	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.000	3.000	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.600	3.600	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.480	4.540	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.420	4.360	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.660	4.720	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.540	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.600	4.660	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.660	4.660	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.400	3.280	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	2.620	2.680	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.600	4.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.660	4.600	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.000	4.000	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.300	4.300	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.600	3.800	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.400	4.400	-	-	≥500

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.040	4.040	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.200	4.360	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)**Results: TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ac VHT20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.880	3.940	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	3.880	3.640	-	-	≥500

Antenna Configuration:	TxBF	Mode:	802.11ac VHT40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.200	3.200	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	3.400	3.400	-	-	≥500

Antenna Configuration:	TxBF	Mode:	802.11ac VHT80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	2.800	2.800	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.600	3.600	-	-	≥500

Minimum 6 dB & 99% Bandwidth (Straddle Channels U-NII-2C – U-NII-3) (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.540	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5720	4.540	4.540	-	-	≥500

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.000	4.000	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5710	4.300	4.300	-	-	≥500

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	3.600	3.600	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5690	4.400	4.400	-	-	≥500

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


4.3.1 5.725-5.85 GHz band (U-NII-3)

Results: SISO / Core 0


Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	16.500	-	-	-	-
5785	16.560	-	-	-	-
5825	16.500	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	15.780	-	-	-	≥500
5785	15.780	-	-	-	≥500
5825	15.780	-	-	-	≥500



99%





6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11n HT20
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	17.640	-	-	-	-
5785	17.640	-	-	-	-
5825	17.580	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	16.080	-	-	-	≥500
5785	16.380	-	-	-	≥500
5825	16.680	-	-	-	≥500




Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5755	36.900	-	-	-	-
5795	36.900	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5755	35.600	-	-	-	≥500
5795	35.300	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11n HT40
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5755	36.200	-	-	-	-
5795	36.100	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5755	35.300	-	-	-	≥500
5795	35.300	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5775	76.200	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5775	75.400	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ac VHT80
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5775	75.200	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5775	75.600	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.840	-	-	-	-
5785	18.840	-	-	-	-
5825	18.840	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.660	-	-	-	≥500
5785	18.480	-	-	-	≥500
5825	18.540	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.420	-	-	-	-
5785	15.600	-	-	-	-
5825	18.240	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	12.060	-	-	-	≥500
5785	2.700	-	-	-	≥500
5825	10.860	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.120	-	-	-	-
5785	16.500	-	-	-	-
5825	18.060	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	15.840	-	-	-	≥500
5785	7.980	-	-	-	≥500
5825	15.780	-	-	-	≥500



99%




6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	18.000	-	-	-	-
5785	17.940	-	-	-	-
5825	17.880	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	17.040	-	-	-	≥500
5785	17.100	-	-	-	≥500
5825	17.100	-	-	-	≥500



99%





6 dB

Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	16.620	-	-	-	-
5785	16.440	-	-	-	-
5825	16.560	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	15.120	-	-	-	≥500
5785	12.660	-	-	-	≥500
5825	13.800	-	-	-	≥500




Minimum 6 dB & 99% Bandwidth (U-NII-3) (continued)


Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	17.880	-	-	-	-
5785	17.940	-	-	-	-
5825	17.760	-	-	-	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	1	2	3	4	
5745	16.980	-	-	-	≥500
5785	16.920	-	-	-	≥500
5825	17.040	-	-	-	≥500



99%



6 dB