

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	18.060	17.940	-	-	320.0
6175	16.860	16.620	-	-	320.0
6415	18.300	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	20.280	20.220	-	-	320.0
6175	18.720	18.600	-	-	320.0
6415	20.820	20.760	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	17.880	17.880	-	-	320.0
6175	18.240	18.180	-	-	320.0
6415	18.300	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	20.280	20.220	-	-	320.0
6175	21.000	20.940	-	-	320.0
6415	21.000	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	16.620	16.380	-	-	320.0
6175	16.980	16.800	-	-	320.0
6415	17.040	16.860	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	18.660	18.720	-	-	320.0
6175	19.320	18.660	-	-	320.0
6415	19.560	19.260	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	17.940	17.700	-	-	320.0
6175	18.120	18.060	-	-	320.0
6415	18.120	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	20.400	20.220	-	-	320.0
6175	21.180	20.880	-	-	320.0
6415	21.480	20.580	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5965	37.700	37.700	-	-	320.0
6165	38.160	38.160	-	-	320.0
6405	38.280	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5965	43.000	43.200	-	-	320.0
6165	44.880	45.120	-	-	320.0
6405	45.240	45.480	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	76.800	77.000	-	-	320.0
6145	77.400	77.600	-	-	320.0
6385	77.600	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	82.200	82.200	-	-	320.0
6145	83.200	83.400	-	-	320.0
6385	83.200	83.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	58.400	58.400	-	-	320.0
6145	59.040	59.040	-	-	320.0
6385	58.880	58.880	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	63.360	69.600	-	-	320.0
6145	94.880	95.360	-	-	320.0
6385	84.160	86.400	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	155.600	155.600	-	-	320.0
6185	156.000	155.820	-	-	320.0
6345	156.000	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	165.200	169.200	-	-	320.0
6185	173.600	174.720	-	-	320.0
6345	167.200	167.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	117.000	117.000	-	-	320.0
6185	158.000	158.400	-	-	320.0
6345	117.300	117.900	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	125.100	169.200	-	-	320.0
6185	236.800	236.800	-	-	320.0
6345	173.700	198.600	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	137.160	137.160	-	-	320.0
6185	157.600	158.000	-	-	320.0
6345	137.880	138.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	146.160	210.240	-	-	320.0
6185	286.800	288.400	-	-	320.0
6345	284.040	285.120	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)**Results: SP / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	18.780	18.840	-	-	320.0
6175	19.140	19.200	-	-	320.0
6415	19.140	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	21.660	21.660	-	-	320.0
6175	23.220	23.640	-	-	320.0
6415	23.040	23.400	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	18.360	18.360	-	-	320.0
6175	16.860	16.860	-	-	320.0
6415	18.600	18.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	20.400	20.280	-	-	320.0
6175	18.420	18.360	-	-	320.0
6415	20.700	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	18.060	18.060	-	-	320.0
6175	16.980	16.980	-	-	320.0
6415	18.360	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	20.220	20.220	-	-	320.0
6175	18.720	18.660	-	-	320.0
6415	20.820	20.640	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	17.940	17.940	-	-	320.0
6175	18.240	18.180	-	-	320.0
6415	18.120	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	20.280	20.160	-	-	320.0
6175	21.000	20.940	-	-	320.0
6415	21.060	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	16.620	16.440	-	-	320.0
6175	16.980	16.800	-	-	320.0
6415	17.040	16.860	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	18.600	18.660	-	-	320.0
6175	19.380	18.600	-	-	320.0
6415	19.440	19.320	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	17.880	17.700	-	-	320.0
6175	18.120	18.060	-	-	320.0
6415	18.120	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	20.400	20.100	-	-	320.0
6175	21.480	20.700	-	-	320.0
6415	21.660	20.640	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5965	37.700	37.600	-	-	320.0
6165	38.160	38.160	-	-	320.0
6405	38.280	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5965	42.900	42.900	-	-	320.0
6165	44.760	45.480	-	-	320.0
6405	45.720	45.120	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	77.000	77.000	-	-	320.0
6145	77.600	77.600	-	-	320.0
6385	77.600	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	82.200	82.200	-	-	320.0
6145	83.200	83.600	-	-	320.0
6385	83.200	83.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	58.400	58.400	-	-	320.0
6145	59.040	59.040	-	-	320.0
6385	58.880	59.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	63.200	70.240	-	-	320.0
6145	95.040	95.520	-	-	320.0
6385	71.520	83.680	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	156.000	156.400	-	-	320.0
6185	156.000	156.400	-	-	320.0
6345	156.000	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	164.800	173.600	-	-	320.0
6185	171.600	170.800	-	-	320.0
6345	177.600	164.800	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	117.000	117.000	-	-	320.0
6185	158.000	158.400	-	-	320.0
6345	117.600	117.900	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	125.400	170.700	-	-	320.0
6185	236.800	237.200	-	-	320.0
6345	198.600	197.400	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	137.160	137.160	-	-	320.0
6185	157.200	158.000	-	-	320.0
6345	137.880	137.880	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	145.440	211.680	-	-	320.0
6185	287.200	288.000	-	-	320.0
6345	285.840	285.840	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)**Results: SP / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	18.840	18.840	-	-	320.0
6175	19.140	19.200	-	-	320.0
6415	19.140	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5955	21.720	21.840	-	-	320.0
6175	23.400	23.460	-	-	320.0
6415	23.520	23.040	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5965	37.700	37.700	-	-	320.0
6165	38.160	38.160	-	-	320.0
6405	38.280	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5965	42.800	42.700	-	-	320.0
6165	45.240	45.240	-	-	320.0
6405	45.000	45.720	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / SP (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	77.000	77.000	-	-	320.0
6145	77.400	77.600	-	-	320.0
6385	77.600	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
5985	82.200	82.200	-	-	320.0
6145	83.400	83.400	-	-	320.0
6385	83.200	83.200	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	156.000	155.600	-	-	320.0
6185	156.400	156.000	-	-	320.0
6345	156.240	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6025	164.800	171.200	-	-	320.0
6185	174.800	176.800	-	-	320.0
6345	175.980	165.200	-	-	320.0


26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Results: VLP / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	16.800	-	-	-	320.0
6175	16.800	-	-	-	320.0
6415	16.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	22.020	-	-	-	320.0
6175	21.900	-	-	-	320.0
6415	21.960	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	36.840	-	-	-	320.0
6285	36.720	-	-	-	320.0
6405	36.700	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	44.400	-	-	-	320.0
6285	44.280	-	-	-	320.0
6405	44.400	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	80.000	-	-	-	320.0
6305	81.000	-	-	-	320.0
6385	81.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	117.800	-	-	-	320.0
6305	115.800	-	-	-	320.0
6385	117.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	155.600	-	-	-	320.0
6345	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.600	-	-	-	320.0
6345	165.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	19.140	-	-	-	320.0
6175	19.140	-	-	-	320.0
6415	19.140	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	22.860	-	-	-	320.0
6175	23.040	-	-	-	320.0
6415	23.340	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.720	-	-	-	320.0
6175	16.920	-	-	-	320.0
6415	18.360	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	20.760	-	-	-	320.0
6175	18.480	-	-	-	320.0
6415	20.580	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.180	-	-	-	320.0
6175	17.040	-	-	-	320.0
6415	18.420	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	20.580	-	-	-	320.0
6175	18.720	-	-	-	320.0
6415	20.820	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.240	-	-	-	320.0
6175	18.120	-	-	-	320.0
6415	18.240	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	21.300	-	-	-	320.0
6175	20.760	-	-	-	320.0
6415	21.180	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	17.040	-	-	-	320.0
6175	16.980	-	-	-	320.0
6415	17.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	20.220	-	-	-	320.0
6175	19.380	-	-	-	320.0
6415	19.440	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.240	-	-	-	320.0
6175	18.060	-	-	-	320.0
6415	18.120	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	21.840	-	-	-	320.0
6175	21.060	-	-	-	320.0
6415	21.180	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	38.160	-	-	-	320.0
6285	38.040	-	-	-	320.0
6405	38.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	44.880	-	-	-	320.0
6285	45.120	-	-	-	320.0
6405	45.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	77.600	-	-	-	320.0
6305	77.400	-	-	-	320.0
6385	77.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	83.200	-	-	-	320.0
6305	83.000	-	-	-	320.0
6385	83.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	58.560	-	-	-	320.0
6305	77.800	-	-	-	320.0
6385	58.560	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	64.000	-	-	-	320.0
6305	83.200	-	-	-	320.0
6385	63.680	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	156.800	-	-	-	320.0
6345	156.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	166.000	-	-	-	320.0
6345	166.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	157.200	-	-	-	320.0
6345	117.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.200	-	-	-	320.0
6345	126.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	156.800	-	-	-	320.0
6345	137.520	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.200	-	-	-	320.0
6345	146.160	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)**Results: VLP / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	16.800	-	-	320.0
6175	-	16.800	-	-	320.0
6415	-	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	21.960	-	-	320.0
6175	-	22.020	-	-	320.0
6415	-	22.080	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	-	36.720	-	-	320.0
6285	-	36.720	-	-	320.0
6405	-	36.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	-	44.640	-	-	320.0
6285	-	44.280	-	-	320.0
6405	-	44.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	-	80.800	-	-	320.0
6305	-	81.400	-	-	320.0
6385	-	82.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	-	126.000	-	-	320.0
6305	-	118.000	-	-	320.0
6385	-	117.600	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	-	155.200	-	-	320.0
6345	-	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	-	165.200	-	-	320.0
6345	-	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	19.140	-	-	320.0
6175	-	19.140	-	-	320.0
6415	-	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	23.340	-	-	320.0
6175	-	23.280	-	-	320.0
6415	-	23.220	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	18.720	-	-	320.0
6175	-	16.620	-	-	320.0
6415	-	18.480	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	20.820	-	-	320.0
6175	-	18.240	-	-	320.0
6415	-	20.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	18.300	-	-	320.0
6175	-	16.560	-	-	320.0
6415	-	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	20.880	-	-	320.0
6175	-	18.420	-	-	320.0
6415	-	20.700	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	18.240	-	-	320.0
6175	-	18.240	-	-	320.0
6415	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	21.240	-	-	320.0
6175	-	21.000	-	-	320.0
6415	-	20.940	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	17.040	-	-	320.0
6175	-	16.980	-	-	320.0
6415	-	17.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	19.620	-	-	320.0
6175	-	19.320	-	-	320.0
6415	-	19.680	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	18.240	-	-	320.0
6175	-	18.060	-	-	320.0
6415	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	-	21.480	-	-	320.0
6175	-	21.240	-	-	320.0
6415	-	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	-	38.160	-	-	320.0
6285	-	38.160	-	-	320.0
6405	-	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	-	44.880	-	-	320.0
6285	-	45.000	-	-	320.0
6405	-	45.240	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	-	77.400	-	-	320.0
6305	-	77.400	-	-	320.0
6385	-	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	-	83.000	-	-	320.0
6305	-	83.200	-	-	320.0
6385	-	83.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	-	58.560	-	-	320.0
6305	-	77.800	-	-	320.0
6385	-	58.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	-	63.840	-	-	320.0
6305	-	83.200	-	-	320.0
6385	-	64.000	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	-	156.800	-	-	320.0
6345	-	156.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	-	165.600	-	-	320.0
6345	-	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	-	157.200	-	-	320.0
6345	-	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	-	165.600	-	-	320.0
6345	-	146.160	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	-	156.800	-	-	320.0
6345	-	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	-	165.600	-	-	320.0
6345	-	126.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)**Results: VLP / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	16.800	16.860	-	-	320.0
6175	16.800	16.860	-	-	320.0
6415	16.800	16.860	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	21.840	22.500	-	-	320.0
6175	21.840	22.560	-	-	320.0
6415	22.200	22.200	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	36.720	36.700	-	-	320.0
6285	36.700	36.720	-	-	320.0
6405	36.720	36.700	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	43.920	44.500	-	-	320.0
6285	44.100	44.400	-	-	320.0
6405	44.160	44.800	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	79.600	80.800	-	-	320.0
6305	81.000	81.400	-	-	320.0
6385	81.800	82.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	117.600	116.200	-	-	320.0
6305	116.800	116.800	-	-	320.0
6385	117.200	116.200	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	155.200	155.200	-	-	320.0
6345	155.600	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.600	165.600	-	-	320.0
6345	165.200	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	19.140	19.140	-	-	320.0
6175	19.140	19.140	-	-	320.0
6415	19.200	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	23.640	23.040	-	-	320.0
6175	23.280	23.280	-	-	320.0
6415	23.100	23.040	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6415	18.360	18.180	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6415	20.760	20.760	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.240	18.060	-	-	320.0
6175	18.240	18.240	-	-	320.0
6415	18.240	17.940	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	21.360	20.820	-	-	320.0
6175	21.120	21.060	-	-	320.0
6415	21.120	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	17.100	16.980	-	-	320.0
6175	16.980	16.800	-	-	320.0
6415	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	20.160	19.680	-	-	320.0
6175	19.440	18.660	-	-	320.0
6415	19.680	19.380	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.240	18.060	-	-	320.0
6175	18.120	18.060	-	-	320.0
6415	18.120	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	21.900	20.880	-	-	320.0
6175	21.240	20.520	-	-	320.0
6415	20.880	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	38.160	38.160	-	-	320.0
6285	38.160	38.160	-	-	320.0
6405	38.040	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	45.360	44.760	-	-	320.0
6285	44.880	45.120	-	-	320.0
6405	45.120	45.120	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	77.400	77.400	-	-	320.0
6305	77.400	77.400	-	-	320.0
6385	77.400	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	83.000	82.800	-	-	320.0
6305	83.000	83.000	-	-	320.0
6385	83.200	83.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	58.560	58.400	-	-	320.0
6305	78.000	77.800	-	-	320.0
6385	58.720	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	63.680	64.000	-	-	320.0
6305	83.200	83.200	-	-	320.0
6385	64.160	63.680	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	156.800	156.800	-	-	320.0
6345	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.600	165.600	-	-	320.0
6345	165.600	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	157.200	157.200	-	-	320.0
6345	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.600	165.600	-	-	320.0
6345	125.700	125.700	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	156.800	156.800	-	-	320.0
6345	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.200	165.200	-	-	320.0
6345	146.160	146.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)**Results: VLP / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	19.140	19.140	-	-	320.0
6175	19.080	19.140	-	-	320.0
6415	19.140	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	23.100	22.860	-	-	320.0
6175	22.620	22.980	-	-	320.0
6415	23.160	22.980	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6415	18.600	18.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6415	20.460	20.580	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.300	18.300	-	-	320.0
6175	16.860	16.500	-	-	320.0
6415	18.360	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	20.760	20.640	-	-	320.0
6175	18.720	18.420	-	-	320.0
6415	20.820	20.460	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.240	18.240	-	-	320.0
6175	18.180	18.240	-	-	320.0
6415	18.240	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	21.480	21.120	-	-	320.0
6175	20.820	20.880	-	-	320.0
6415	20.940	20.940	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	17.040	16.920	-	-	320.0
6175	16.980	16.800	-	-	320.0
6415	16.980	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	20.100	19.440	-	-	320.0
6175	19.380	18.660	-	-	320.0
6415	19.560	19.260	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	18.240	18.120	-	-	320.0
6175	18.120	18.060	-	-	320.0
6415	18.120	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	21.480	21.120	-	-	320.0
6175	21.120	20.760	-	-	320.0
6415	21.060	20.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	38.040	38.160	-	-	320.0
6285	38.040	38.160	-	-	320.0
6405	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	45.120	45.120	-	-	320.0
6285	44.280	44.400	-	-	320.0
6405	44.520	44.880	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	77.600	77.600	-	-	320.0
6305	77.600	77.600	-	-	320.0
6385	77.400	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	83.000	83.400	-	-	320.0
6305	83.000	83.200	-	-	320.0
6385	83.000	83.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	58.560	58.720	-	-	320.0
6305	77.800	77.800	-	-	320.0
6385	58.560	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	64.160	63.840	-	-	320.0
6305	83.000	83.000	-	-	320.0
6385	64.000	63.840	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	156.400	156.400	-	-	320.0
6345	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.200	165.600	-	-	320.0
6345	166.000	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	157.200	157.200	-	-	320.0
6345	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	166.000	165.600	-	-	320.0
6345	126.000	126.000	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	156.800	157.200	-	-	320.0
6345	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.200	165.200	-	-	320.0
6345	146.880	146.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)**Results: VLP / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	19.140	19.140	-	-	320.0
6175	19.200	19.140	-	-	320.0
6415	19.200	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6115	23.160	23.340	-	-	320.0
6175	23.160	23.400	-	-	320.0
6415	23.160	23.220	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	38.160	38.280	-	-	320.0
6285	38.160	38.040	-	-	320.0
6405	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6125	44.640	45.120	-	-	320.0
6285	45.240	44.760	-	-	320.0
6405	45.000	45.360	-	-	320.0

26 dB & 99% Bandwidth (U-NII-5) / VLP (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	77.600	77.600	-	-	320.0
6305	77.600	77.600	-	-	320.0
6385	77.400	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6145	83.400	83.200	-	-	320.0
6305	83.200	83.000	-	-	320.0
6385	83.000	83.200	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	156.400	156.400	-	-	320.0
6345	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6185	165.200	165.600	-	-	320.0
6345	165.200	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) (continued)


4.2.2 6.425-6.525 GHz band (U-NII-6)

Results: LPI / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	16.800	-	-	-	320.0
6475	16.800	-	-	-	320.0
6515	16.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.780	-	-	-	320.0
6475	21.840	-	-	-	320.0
6515	21.900	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	36.700	-	-	-	320.0
6485	36.720	-	-	-	320.0
6525	36.700	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	44.200	-	-	-	320.0
6485	44.160	-	-	-	320.0
6525	44.300	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	80.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	117.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	167.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.080	-	-	-	320.0
6475	19.200	-	-	-	320.0
6515	19.200	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	23.220	-	-	-	320.0
6475	23.100	-	-	-	320.0
6515	22.860	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.540	-	-	-	320.0
6475	16.860	-	-	-	320.0
6515	18.660	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.820	-	-	-	320.0
6475	18.300	-	-	-	320.0
6515	20.580	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	-	-	-	320.0
6475	17.040	-	-	-	320.0
6515	18.360	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.700	-	-	-	320.0
6475	18.720	-	-	-	320.0
6515	20.760	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.120	-	-	-	320.0
6475	18.120	-	-	-	320.0
6515	18.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.360	-	-	-	320.0
6475	21.000	-	-	-	320.0
6515	20.940	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.040	-	-	-	320.0
6475	16.980	-	-	-	320.0
6515	17.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.740	-	-	-	320.0
6475	19.260	-	-	-	320.0
6515	19.680	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	-	-	-	320.0
6475	18.120	-	-	-	320.0
6515	18.120	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.840	-	-	-	320.0
6475	21.000	-	-	-	320.0
6515	21.120	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	-	-	-	320.0
6485	38.160	-	-	-	320.0
6525	38.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	45.120	-	-	-	320.0
6485	45.360	-	-	-	320.0
6525	44.280	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	83.400	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	58.560	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	64.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	165.200	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.000	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	126.300	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.520	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	146.520	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)**Results: LPI / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	16.800	-	-	320.0
6475	-	16.800	-	-	320.0
6515	-	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	22.020	-	-	320.0
6475	-	22.080	-	-	320.0
6515	-	21.840	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	36.720	-	-	320.0
6485	-	36.700	-	-	320.0
6525	-	36.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	44.280	-	-	320.0
6485	-	44.500	-	-	320.0
6525	-	44.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	80.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	116.000	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	19.200	-	-	320.0
6475	-	19.200	-	-	320.0
6515	-	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	23.100	-	-	320.0
6475	-	23.220	-	-	320.0
6515	-	22.860	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.660	-	-	320.0
6475	-	16.980	-	-	320.0
6515	-	18.660	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	20.580	-	-	320.0
6475	-	18.360	-	-	320.0
6515	-	20.460	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.240	-	-	320.0
6475	-	17.040	-	-	320.0
6515	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	20.760	-	-	320.0
6475	-	18.720	-	-	320.0
6515	-	20.640	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.240	-	-	320.0
6475	-	18.180	-	-	320.0
6515	-	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	21.540	-	-	320.0
6475	-	20.940	-	-	320.0
6515	-	21.120	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	17.040	-	-	320.0
6475	-	16.980	-	-	320.0
6515	-	17.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	19.560	-	-	320.0
6475	-	19.440	-	-	320.0
6515	-	19.500	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.240	-	-	320.0
6475	-	18.060	-	-	320.0
6515	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	21.720	-	-	320.0
6475	-	21.060	-	-	320.0
6515	-	20.940	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	38.160	-	-	320.0
6485	-	38.280	-	-	320.0
6525	-	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	45.000	-	-	320.0
6485	-	44.880	-	-	320.0
6525	-	44.520	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	83.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	63.840	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	126.000	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	146.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)**Results: LPI / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	16.800	16.860	-	-	320.0
6475	16.800	16.860	-	-	320.0
6515	16.800	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	22.020	22.200	-	-	320.0
6475	22.080	22.500	-	-	320.0
6515	22.020	22.500	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	36.720	36.840	-	-	320.0
6485	36.720	36.700	-	-	320.0
6525	36.600	36.700	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	43.800	44.400	-	-	320.0
6485	44.520	44.100	-	-	320.0
6525	44.160	44.300	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	80.600	80.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	116.000	116.400	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	155.600	155.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	166.400	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.140	19.140	-	-	320.0
6475	19.200	19.140	-	-	320.0
6515	19.080	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	23.100	22.980	-	-	320.0
6475	23.220	22.980	-	-	320.0
6515	23.160	23.280	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.660	18.660	-	-	320.0
6475	16.920	16.500	-	-	320.0
6515	18.480	18.660	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.820	20.580	-	-	320.0
6475	18.480	18.300	-	-	320.0
6515	20.460	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.300	18.300	-	-	320.0
6475	16.980	17.040	-	-	320.0
6515	18.360	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.820	20.820	-	-	320.0
6475	18.660	18.660	-	-	320.0
6515	20.700	20.640	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	18.060	-	-	320.0
6475	18.240	18.240	-	-	320.0
6515	18.180	18.180	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.480	20.940	-	-	320.0
6475	20.940	21.060	-	-	320.0
6515	21.060	20.940	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.100	16.920	-	-	320.0
6475	16.980	16.800	-	-	320.0
6515	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.100	19.260	-	-	320.0
6475	19.380	18.660	-	-	320.0
6515	19.800	19.380	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	18.060	-	-	320.0
6475	18.120	18.060	-	-	320.0
6515	18.120	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.480	21.180	-	-	320.0
6475	20.820	20.460	-	-	320.0
6515	21.060	20.580	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	38.040	-	-	320.0
6485	38.160	38.280	-	-	320.0
6525	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	44.880	45.240	-	-	320.0
6485	45.120	45.120	-	-	320.0
6525	45.000	45.720	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.400	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	83.000	83.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	58.720	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	63.840	63.840	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	165.600	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.000	117.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	125.700	126.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	146.160	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)**Results: LPI / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.080	19.080	-	-	320.0
6475	19.140	19.140	-	-	320.0
6515	19.080	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	23.400	23.280	-	-	320.0
6475	22.980	23.040	-	-	320.0
6515	22.740	23.460	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.660	18.600	-	-	320.0
6475	16.920	16.920	-	-	320.0
6515	18.600	18.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.760	21.060	-	-	320.0
6475	18.480	18.360	-	-	320.0
6515	20.520	20.640	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.300	18.300	-	-	320.0
6475	17.040	17.040	-	-	320.0
6515	18.240	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.640	20.760	-	-	320.0
6475	18.720	18.660	-	-	320.0
6515	20.640	20.820	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.060	18.240	-	-	320.0
6475	18.240	18.120	-	-	320.0
6515	18.180	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.060	21.000	-	-	320.0
6475	21.180	20.820	-	-	320.0
6515	21.060	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.040	16.920	-	-	320.0
6475	16.980	16.800	-	-	320.0
6515	17.040	16.860	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.800	19.440	-	-	320.0
6475	19.320	18.660	-	-	320.0
6515	19.680	19.260	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	18.060	-	-	320.0
6475	18.060	18.060	-	-	320.0
6515	18.120	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.540	21.060	-	-	320.0
6475	21.000	20.760	-	-	320.0
6515	21.180	20.640	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	38.160	-	-	320.0
6485	38.160	38.200	-	-	320.0
6525	38.040	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	44.400	44.280	-	-	320.0
6485	45.120	44.800	-	-	320.0
6525	44.760	44.400	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	82.800	82.800	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	58.560	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	63.680	64.000	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	165.600	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.000	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	126.000	126.000	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.520	137.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	146.520	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)**Results: LPI / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.140	19.200	-	-	320.0
6475	19.140	19.140	-	-	320.0
6515	19.140	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	23.220	23.160	-	-	320.0
6475	23.160	23.040	-	-	320.0
6515	23.340	23.220	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	38.160	-	-	320.0
6485	38.280	38.280	-	-	320.0
6525	38.280	38.280	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	44.880	45.360	-	-	320.0
6485	45.720	45.240	-	-	320.0
6525	44.760	45.240	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / LPI (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	83.200	83.200	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.400	156.800	-	-	320.0


Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	165.600	166.000	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Results: ISSED / SP / SISO / Core 0


Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	16.800	-	-	-	320.0
6475	16.800	-	-	-	320.0
6515	16.860	-	-	-	320.0



Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)


Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	37.200	-	-	-	320.0
6485	37.320	-	-	-	320.0
6525	37.440	-	-	-	320.0



99% Bandwidth (U-NII-6) / SP (continued)


Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	84.000	-	-	-	320.0



Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)


Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	154.800	-	-	-	320.0



99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.140	-	-	-	320.0
6475	19.140	-	-	-	320.0
6515	19.140	-	-	-	320.0



Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.540	-	-	-	320.0
6475	16.920	-	-	-	320.0
6515	18.660	-	-	-	320.0

