


99% Bandwidth (U-NII-6) / SP (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.300	-	-	-	320.0
6475	16.740	-	-	-	320.0
6515	18.420	-	-	-	320.0



Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)


Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	-	-	-	320.0
6475	17.880	-	-	-	320.0
6515	18.240	-	-	-	320.0



99% Bandwidth (U-NII-6) / SP (continued)


Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.100	-	-	-	320.0
6475	16.980	-	-	-	320.0
6515	17.040	-	-	-	320.0



Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)


Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	-	-	-	320.0
6475	18.120	-	-	-	320.0
6515	18.120	-	-	-	320.0



99% Bandwidth (U-NII-6) / SP (continued)


Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.040	-	-	-	320.0
6485	38.280	-	-	-	320.0
6525	38.280	-	-	-	320.0



Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)


Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	-	-	-	320.0



99% Bandwidth (U-NII-6) / SP (continued)


Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	59.040	-	-	-	320.0



Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)


Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	155.600	-	-	-	320.0



99% Bandwidth (U-NII-6) / SP (continued)


Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.600	-	-	-	320.0



Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.880	-	-	-	320.0



99% Bandwidth (U-NII-6) / SP (continued)**Results: ISED / SP / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	16.800	-	-	320.0
6475	-	16.800	-	-	320.0
6515	-	16.860	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	55.080	-	-	320.0
6485	-	54.960	-	-	320.0
6525	-	55.680	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	82.560	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	154.800	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	19.140	-	-	320.0
6475	-	19.200	-	-	320.0
6515	-	19.200	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.660	-	-	320.0
6475	-	16.680	-	-	320.0
6515	-	18.660	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.240	-	-	320.0
6475	-	16.980	-	-	320.0
6515	-	18.240	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.060	-	-	320.0
6475	-	18.300	-	-	320.0
6515	-	18.000	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	17.040	-	-	320.0
6475	-	16.980	-	-	320.0
6515	-	17.040	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.240	-	-	320.0
6475	-	18.120	-	-	320.0
6515	-	18.120	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	38.040	-	-	320.0
6485	-	38.160	-	-	320.0
6525	-	38.280	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	77.600	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	58.880	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	155.600	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	117.300	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	137.520	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)**Results: ISED / SP / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	16.800	16.860	-	-	320.0
6475	16.860	16.860	-	-	320.0
6515	16.800	16.860	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	37.800	37.560	-	-	320.0
6485	43.120	37.560	-	-	320.0
6525	44.380	37.680	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	85.200	90.720	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	157.760	157.180	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.140	19.140	-	-	320.0
6475	19.140	19.140	-	-	320.0
6515	19.140	19.200	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.660	18.600	-	-	320.0
6475	16.860	16.920	-	-	320.0
6515	18.660	18.600	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.300	18.240	-	-	320.0
6475	16.980	16.980	-	-	320.0
6515	18.360	18.120	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	18.240	-	-	320.0
6475	18.240	18.240	-	-	320.0
6515	18.240	18.240	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.040	16.920	-	-	320.0
6475	16.980	16.800	-	-	320.0
6515	17.040	16.860	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	18.060	-	-	320.0
6475	18.120	18.060	-	-	320.0
6515	18.120	18.060	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	38.160	-	-	320.0
6485	38.280	38.160	-	-	320.0
6525	38.160	38.280	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	77.400	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	58.880	59.040	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.000	156.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.600	117.600	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.880	137.880	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)**Results: ISED / SP / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.140	19.140	-	-	320.0
6475	19.140	19.140	-	-	320.0
6515	19.140	19.140	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.660	18.660	-	-	320.0
6475	16.680	16.740	-	-	320.0
6515	18.600	18.540	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.360	18.240	-	-	320.0
6475	17.040	16.920	-	-	320.0
6515	18.360	18.360	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.180	18.300	-	-	320.0
6475	18.300	18.180	-	-	320.0
6515	17.880	18.240	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.100	16.920	-	-	320.0
6475	16.980	16.800	-	-	320.0
6515	17.040	16.920	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.180	18.060	-	-	320.0
6475	18.120	18.120	-	-	320.0
6515	18.180	18.120	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	38.160	-	-	320.0
6485	38.160	38.160	-	-	320.0
6525	38.280	38.040	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	77.400	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	59.040	59.040	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.000	156.000	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.300	117.600	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.880	137.880	-	-	320.0

99% Bandwidth (U-NII-6) / SP (continued)**Results: ISED / SP / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.200	19.200	-	-	320.0
6475	19.140	19.200	-	-	320.0
6515	19.140	19.140	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	38.160	-	-	320.0
6485	38.160	38.280	-	-	320.0
6525	38.160	38.160	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	77.600	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.000	156.000	-	-	320.0


26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Results: VLP / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	16.800	-	-	-	320.0
6475	16.800	-	-	-	320.0
6515	16.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	22.140	-	-	-	320.0
6475	21.900	-	-	-	320.0
6515	22.080	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	36.720	-	-	-	320.0
6485	36.700	-	-	-	320.0
6525	36.720	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	44.040	-	-	-	320.0
6485	44.000	-	-	-	320.0
6525	44.520	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	80.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	115.800	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	165.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.140	-	-	-	320.0
6475	19.140	-	-	-	320.0
6515	19.200	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	23.100	-	-	-	320.0
6475	23.400	-	-	-	320.0
6515	23.580	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.420	-	-	-	320.0
6475	16.980	-	-	-	320.0
6515	18.660	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.700	-	-	-	320.0
6475	18.420	-	-	-	320.0
6515	20.520	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.360	-	-	-	320.0
6475	17.040	-	-	-	320.0
6515	18.360	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.580	-	-	-	320.0
6475	18.720	-	-	-	320.0
6515	20.520	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	-	-	-	320.0
6475	18.180	-	-	-	320.0
6515	18.240	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.000	-	-	-	320.0
6475	21.120	-	-	-	320.0
6515	21.060	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.040	-	-	-	320.0
6475	16.980	-	-	-	320.0
6515	17.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.100	-	-	-	320.0
6475	19.320	-	-	-	320.0
6515	19.620	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	-	-	-	320.0
6475	18.060	-	-	-	320.0
6515	18.120	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.660	-	-	-	320.0
6475	21.120	-	-	-	320.0
6515	21.180	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	-	-	-	320.0
6485	38.040	-	-	-	320.0
6525	38.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	44.640	-	-	-	320.0
6485	44.880	-	-	-	320.0
6525	45.360	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	83.200	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	58.560	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	64.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	166.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	125.400	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.520	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	146.520	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)**Results: VLP / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	16.800	-	-	320.0
6475	-	16.800	-	-	320.0
6515	-	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	21.960	-	-	320.0
6475	-	22.140	-	-	320.0
6515	-	22.020	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	36.700	-	-	320.0
6485	-	36.600	-	-	320.0
6525	-	36.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	44.100	-	-	320.0
6485	-	44.400	-	-	320.0
6525	-	44.280	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	80.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	117.000	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	19.140	-	-	320.0
6475	-	19.140	-	-	320.0
6515	-	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	23.040	-	-	320.0
6475	-	23.340	-	-	320.0
6515	-	23.280	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.660	-	-	320.0
6475	-	16.560	-	-	320.0
6515	-	18.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	20.640	-	-	320.0
6475	-	18.300	-	-	320.0
6515	-	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.300	-	-	320.0
6475	-	17.040	-	-	320.0
6515	-	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	20.580	-	-	320.0
6475	-	18.720	-	-	320.0
6515	-	20.640	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.300	-	-	320.0
6475	-	18.240	-	-	320.0
6515	-	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	21.420	-	-	320.0
6475	-	21.240	-	-	320.0
6515	-	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	17.040	-	-	320.0
6475	-	16.980	-	-	320.0
6515	-	17.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	20.100	-	-	320.0
6475	-	19.320	-	-	320.0
6515	-	19.380	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	18.240	-	-	320.0
6475	-	18.060	-	-	320.0
6515	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	-	21.780	-	-	320.0
6475	-	21.360	-	-	320.0
6515	-	20.940	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	38.040	-	-	320.0
6485	-	38.160	-	-	320.0
6525	-	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	-	44.760	-	-	320.0
6485	-	44.760	-	-	320.0
6525	-	45.360	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	83.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	-	63.840	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	125.400	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	-	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)**Results: VLP / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	16.800	16.860	-	-	320.0
6475	16.800	16.860	-	-	320.0
6515	16.800	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.960	22.380	-	-	320.0
6475	22.140	22.620	-	-	320.0
6515	21.720	22.140	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	36.600	36.700	-	-	320.0
6485	36.720	36.720	-	-	320.0
6525	36.720	36.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	44.100	44.100	-	-	320.0
6485	44.040	44.280	-	-	320.0
6525	44.160	44.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	80.600	80.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	117.400	117.400	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	155.600	155.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	165.200	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.200	19.200	-	-	320.0
6475	19.140	19.140	-	-	320.0
6515	19.200	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	22.920	23.220	-	-	320.0
6475	22.920	22.980	-	-	320.0
6515	23.340	23.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.300	18.300	-	-	320.0
6475	16.860	17.040	-	-	320.0
6515	18.420	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.760	20.760	-	-	320.0
6475	18.780	18.540	-	-	320.0
6515	20.520	20.280	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.180	18.120	-	-	320.0
6475	18.300	18.000	-	-	320.0
6515	18.180	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.360	21.180	-	-	320.0
6475	21.180	21.180	-	-	320.0
6515	20.940	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.100	16.920	-	-	320.0
6475	16.980	16.800	-	-	320.0
6515	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.800	19.440	-	-	320.0
6475	19.380	18.660	-	-	320.0
6515	19.500	19.320	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	18.060	-	-	320.0
6475	18.120	18.060	-	-	320.0
6515	18.120	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.660	20.820	-	-	320.0
6475	21.120	20.820	-	-	320.0
6515	21.060	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.160	38.040	-	-	320.0
6485	38.280	38.040	-	-	320.0
6525	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	44.760	44.760	-	-	320.0
6485	45.120	44.760	-	-	320.0
6525	45.240	44.640	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.400	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	83.000	83.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	58.560	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	64.160	64.160	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	165.600	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.000	117.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	125.700	126.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	146.160	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)**Results: VLP / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.080	19.080	-	-	320.0
6475	19.140	19.140	-	-	320.0
6515	19.140	19.080	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	23.160	23.040	-	-	320.0
6475	23.100	23.280	-	-	320.0
6515	22.920	23.040	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.720	18.540	-	-	320.0
6475	16.500	16.920	-	-	320.0
6515	18.660	18.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.580	20.760	-	-	320.0
6475	18.300	18.300	-	-	320.0
6515	20.340	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.300	18.360	-	-	320.0
6475	16.860	16.740	-	-	320.0
6515	18.360	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	20.760	20.820	-	-	320.0
6475	18.660	18.420	-	-	320.0
6515	20.760	20.700	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	18.240	-	-	320.0
6475	18.180	18.240	-	-	320.0
6515	18.300	18.180	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.120	21.240	-	-	320.0
6475	21.060	20.760	-	-	320.0
6515	21.060	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	17.100	16.920	-	-	320.0
6475	16.980	16.860	-	-	320.0
6515	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.980	19.440	-	-	320.0
6475	19.320	18.660	-	-	320.0
6515	19.380	19.320	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	18.240	18.120	-	-	320.0
6475	18.120	18.060	-	-	320.0
6515	18.120	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	21.720	21.000	-	-	320.0
6475	21.060	20.760	-	-	320.0
6515	20.940	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.040	38.040	-	-	320.0
6485	38.160	38.160	-	-	320.0
6525	38.040	38.280	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	45.360	45.000	-	-	320.0
6485	45.240	44.520	-	-	320.0
6525	45.000	45.120	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	83.200	83.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	58.560	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	64.000	63.680	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	166.000	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	126.000	125.400	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	145.800	146.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)**Results: VLP / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	19.140	19.140	-	-	320.0
6475	19.200	19.200	-	-	320.0
6515	19.140	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6435	23.280	23.160	-	-	320.0
6475	23.340	23.340	-	-	320.0
6515	23.160	23.220	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	38.040	38.160	-	-	320.0
6485	38.040	38.160	-	-	320.0
6525	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6445	45.000	45.120	-	-	320.0
6485	45.000	44.880	-	-	320.0
6525	45.360	44.880	-	-	320.0

26 dB & 99% Bandwidth (U-NII-6) / VLP (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	77.600	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6465	83.200	83.000	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6505	165.600	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) (continued)


4.2.3 6.525-6.875 GHz band (U-NII-7)

Results: LPI / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.800	-	-	-	320.0
6715	16.800	-	-	-	320.0
6875	16.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.020	-	-	-	320.0
6715	22.140	-	-	-	320.0
6875	22.080	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	36.600	-	-	-	320.0
6685	36.600	-	-	-	320.0
6845	36.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.400	-	-	-	320.0
6685	44.040	-	-	-	320.0
6845	44.160	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	81.400	-	-	-	320.0
6705	80.600	-	-	-	320.0
6865	80.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	116.200	-	-	-	320.0
6705	115.200	-	-	-	320.0
6865	117.800	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	155.600	-	-	-	320.0
6825	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	168.000	-	-	-	320.0
6825	166.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.200	-	-	-	320.0
6715	19.140	-	-	-	320.0
6875	19.140	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.040	-	-	-	320.0
6715	23.220	-	-	-	320.0
6875	23.220	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	-	-	-	320.0
6715	16.560	-	-	-	320.0
6875	18.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.520	-	-	-	320.0
6715	18.360	-	-	-	320.0
6875	20.460	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	-	-	-	320.0
6715	17.040	-	-	-	320.0
6875	18.180	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.760	-	-	-	320.0
6715	18.720	-	-	-	320.0
6875	20.580	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.180	-	-	-	320.0
6875	18.180	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.360	-	-	-	320.0
6715	20.880	-	-	-	320.0
6875	21.060	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.040	-	-	-	320.0
6715	16.980	-	-	-	320.0
6875	16.980	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.800	-	-	-	320.0
6715	19.320	-	-	-	320.0
6875	19.620	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.120	-	-	-	320.0
6875	18.060	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.660	-	-	-	320.0
6715	20.880	-	-	-	320.0
6875	20.880	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	-	-	-	320.0
6685	38.280	-	-	-	320.0
6845	38.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.880	-	-	-	320.0
6685	45.000	-	-	-	320.0
6845	44.880	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	-	-	-	320.0
6705	77.400	-	-	-	320.0
6865	77.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.600	-	-	-	320.0
6705	83.200	-	-	-	320.0
6865	83.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	-	-	-	320.0
6705	77.800	-	-	-	320.0
6865	58.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	63.680	-	-	-	320.0
6705	82.800	-	-	-	320.0
6865	64.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	-	-	-	320.0
6825	156.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	-	-	-	320.0
6825	165.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	-	-	-	320.0
6825	117.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.200	-	-	-	320.0
6825	125.700	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	-	-	-	320.0
6825	137.520	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	172.000	-	-	-	320.0
6825	146.160	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)**Results: LPI / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	16.800	-	-	320.0
6715	-	16.800	-	-	320.0
6875	-	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	22.080	-	-	320.0
6715	-	22.080	-	-	320.0
6875	-	21.840	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	36.720	-	-	320.0
6685	-	36.720	-	-	320.0
6845	-	36.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	44.160	-	-	320.0
6685	-	44.280	-	-	320.0
6845	-	44.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	81.800	-	-	320.0
6705	-	81.200	-	-	320.0
6865	-	80.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	116.000	-	-	320.0
6705	-	115.200	-	-	320.0
6865	-	117.600	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	155.600	-	-	320.0
6825	-	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	165.600	-	-	320.0
6825	-	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	19.140	-	-	320.0
6715	-	19.140	-	-	320.0
6875	-	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	23.400	-	-	320.0
6715	-	23.280	-	-	320.0
6875	-	22.920	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.660	-	-	320.0
6715	-	16.680	-	-	320.0
6875	-	18.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.000	-	-	320.0
6715	-	18.360	-	-	320.0
6875	-	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.360	-	-	320.0
6715	-	17.040	-	-	320.0
6875	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.580	-	-	320.0
6715	-	18.600	-	-	320.0
6875	-	20.820	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.180	-	-	320.0
6715	-	18.240	-	-	320.0
6875	-	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.060	-	-	320.0
6715	-	20.940	-	-	320.0
6875	-	21.180	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	17.040	-	-	320.0
6715	-	16.980	-	-	320.0
6875	-	16.980	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	19.980	-	-	320.0
6715	-	19.320	-	-	320.0
6875	-	19.740	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	18.120	-	-	320.0
6875	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.480	-	-	320.0
6715	-	20.880	-	-	320.0
6875	-	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	38.160	-	-	320.0
6685	-	38.160	-	-	320.0
6845	-	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	45.120	-	-	320.0
6685	-	45.000	-	-	320.0
6845	-	44.640	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	77.600	-	-	320.0
6705	-	77.400	-	-	320.0
6865	-	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	83.000	-	-	320.0
6705	-	83.000	-	-	320.0
6865	-	83.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	58.560	-	-	320.0
6705	-	77.800	-	-	320.0
6865	-	58.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	63.680	-	-	320.0
6705	-	83.000	-	-	320.0
6865	-	63.840	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	156.400	-	-	320.0
6825	-	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	166.000	-	-	320.0
6825	-	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	157.200	-	-	320.0
6825	-	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	165.600	-	-	320.0
6825	-	126.000	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	156.800	-	-	320.0
6825	-	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	165.600	-	-	320.0
6825	-	146.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)**Results: LPI / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.800	16.860	-	-	320.0
6715	16.800	16.860	-	-	320.0
6875	16.800	16.860	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.080	22.440	-	-	320.0
6715	22.020	22.320	-	-	320.0
6875	21.960	22.380	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	36.700	36.700	-	-	320.0
6685	36.600	36.720	-	-	320.0
6845	36.720	36.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.200	44.400	-	-	320.0
6685	44.160	44.520	-	-	320.0
6845	44.280	44.280	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	81.400	81.800	-	-	320.0
6705	81.200	81.400	-	-	320.0
6865	81.200	81.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	117.800	117.600	-	-	320.0
6705	117.600	116.000	-	-	320.0
6865	116.800	115.200	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	155.600	155.600	-	-	320.0
6825	155.200	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	166.000	165.200	-	-	320.0
6825	165.200	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.200	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6875	19.200	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.280	22.980	-	-	320.0
6715	22.860	23.040	-	-	320.0
6875	23.280	23.160	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	18.600	-	-	320.0
6715	16.500	16.800	-	-	320.0
6875	18.480	18.660	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.640	20.460	-	-	320.0
6715	18.060	18.360	-	-	320.0
6875	20.460	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.360	18.300	-	-	320.0
6715	16.860	16.980	-	-	320.0
6875	18.180	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.760	20.940	-	-	320.0
6715	18.600	18.540	-	-	320.0
6875	20.760	20.640	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.180	18.120	-	-	320.0
6715	18.240	18.180	-	-	320.0
6875	18.300	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.480	21.000	-	-	320.0
6715	21.120	21.300	-	-	320.0
6875	20.940	20.940	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	16.920	-	-	320.0
6715	16.980	16.800	-	-	320.0
6875	17.040	16.860	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.980	19.320	-	-	320.0
6715	19.380	18.660	-	-	320.0
6875	19.560	19.080	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.060	-	-	320.0
6715	18.060	18.060	-	-	320.0
6875	18.120	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.600	21.060	-	-	320.0
6715	20.880	20.760	-	-	320.0
6875	21.060	20.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.280	38.160	-	-	320.0
6845	38.160	38.280	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.760	45.120	-	-	320.0
6685	45.240	44.760	-	-	320.0
6845	44.880	45.240	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.600	-	-	320.0
6705	77.600	77.400	-	-	320.0
6865	77.600	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.400	83.200	-	-	320.0
6705	83.000	83.200	-	-	320.0
6865	83.200	83.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	58.560	-	-	320.0
6705	77.800	77.800	-	-	320.0
6865	58.560	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	64.480	63.840	-	-	320.0
6705	83.000	83.000	-	-	320.0
6865	64.000	63.840	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.200	-	-	320.0
6825	165.600	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	157.200	-	-	320.0
6825	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	166.000	-	-	320.0
6825	125.700	126.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.800	157.200	-	-	320.0
6825	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.600	-	-	320.0
6825	146.520	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)**Results: LPI / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	19.140	-	-	320.0
6715	19.140	19.080	-	-	320.0
6875	19.080	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.100	23.040	-	-	320.0
6715	22.800	22.920	-	-	320.0
6875	22.980	22.860	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	18.660	-	-	320.0
6715	16.860	16.680	-	-	320.0
6875	18.720	18.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.640	20.700	-	-	320.0
6715	18.360	18.300	-	-	320.0
6875	20.640	20.580	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	18.360	-	-	320.0
6715	17.040	16.740	-	-	320.0
6875	18.420	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.640	20.820	-	-	320.0
6715	18.720	18.660	-	-	320.0
6875	20.760	20.700	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.240	-	-	320.0
6715	18.180	18.240	-	-	320.0
6875	18.300	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.360	21.060	-	-	320.0
6715	21.000	21.000	-	-	320.0
6875	21.240	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.040	16.920	-	-	320.0
6715	16.980	16.800	-	-	320.0
6875	16.980	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.740	19.500	-	-	320.0
6715	19.380	18.660	-	-	320.0
6875	19.560	19.200	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.060	-	-	320.0
6715	18.120	18.060	-	-	320.0
6875	18.060	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.540	21.180	-	-	320.0
6715	21.180	20.520	-	-	320.0
6875	21.180	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.200	38.160	-	-	320.0
6845	38.100	38.100	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.640	44.520	-	-	320.0
6685	45.000	45.360	-	-	320.0
6845	45.300	45.000	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.600	-	-	320.0
6705	77.600	77.600	-	-	320.0
6865	77.600	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	83.000	-	-	320.0
6705	83.000	82.800	-	-	320.0
6865	83.200	83.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	58.560	-	-	320.0
6705	78.000	77.800	-	-	320.0
6865	58.560	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	63.520	64.160	-	-	320.0
6705	82.800	82.800	-	-	320.0
6865	63.840	63.840	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.600	-	-	320.0
6825	165.600	165.200	-	-	320.0