

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	157.200	-	-	320.0
6825	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.200	165.200	-	-	320.0
6825	126.000	125.700	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.800	156.800	-	-	320.0
6825	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	164.800	165.600	-	-	320.0
6825	146.160	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)**Results: LPI / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6875	19.140	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.340	23.160	-	-	320.0
6715	23.100	23.340	-	-	320.0
6875	23.220	23.220	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.160	38.160	-	-	320.0
6845	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.760	45.240	-	-	320.0
6685	45.000	44.880	-	-	320.0
6845	44.760	44.640	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / LPI (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.400	77.600	-	-	320.0
6705	77.600	77.400	-	-	320.0
6865	77.400	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.000	83.000	-	-	320.0
6705	83.000	83.000	-	-	320.0
6865	83.000	83.200	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.600	-	-	320.0
6825	166.000	165.200	-	-	320.0


26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Results: SP / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.800	-	-	-	320.0
6715	16.800	-	-	-	320.0
6855	16.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.080	-	-	-	320.0
6715	22.140	-	-	-	320.0
6855	22.020	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	37.320	-	-	-	320.0
6685	37.560	-	-	-	320.0
6845	40.320	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	64.560	-	-	-	320.0
6685	66.960	-	-	-	320.0
6845	75.840	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	93.600	-	-	-	320.0
6625	93.860	-	-	-	320.0
6705	86.160	-	-	-	320.0
6785	94.560	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	154.700	-	-	-	320.0
6625	157.040	-	-	-	320.0
6705	116.880	-	-	-	320.0
6785	159.360	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	155.200	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	239.200	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	-	-	-	320.0
6715	19.200	-	-	-	320.0
6855	19.140	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.280	-	-	-	320.0
6715	23.040	-	-	-	320.0
6855	23.100	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.720	-	-	-	320.0
6715	16.860	-	-	-	320.0
6855	18.660	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.700	-	-	-	320.0
6715	18.420	-	-	-	320.0
6855	20.580	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	-	-	-	320.0
6715	16.980	-	-	-	320.0
6855	18.420	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.640	-	-	-	320.0
6715	18.780	-	-	-	320.0
6855	20.700	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.240	-	-	-	320.0
6855	18.240	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.300	-	-	-	320.0
6715	20.820	-	-	-	320.0
6855	21.060	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	-	-	-	320.0
6715	16.980	-	-	-	320.0
6855	17.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.040	-	-	-	320.0
6715	19.320	-	-	-	320.0
6855	19.380	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.120	-	-	-	320.0
6855	18.180	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.200	-	-	-	320.0
6715	21.600	-	-	-	320.0
6855	21.420	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	-	-	-	320.0
6685	38.160	-	-	-	320.0
6845	38.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	45.120	-	-	-	320.0
6685	45.000	-	-	-	320.0
6845	45.240	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.800	-	-	-	320.0
6625	77.600	-	-	-	320.0
6705	77.400	-	-	-	320.0
6785	77.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.400	-	-	-	320.0
6625	83.400	-	-	-	320.0
6705	83.400	-	-	-	320.0
6785	83.200	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	59.040	-	-	-	320.0
6625	59.040	-	-	-	320.0
6705	78.400	-	-	-	320.0
6785	59.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	95.360	-	-	-	320.0
6625	95.520	-	-	-	320.0
6705	135.600	-	-	-	320.0
6785	106.560	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	185.240	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	309.320	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	166.320	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	296.940	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-7) / SP (continued)**Results: SP / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	16.800	-	-	320.0
6715	-	16.800	-	-	320.0
6855	-	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.960	-	-	320.0
6715	-	22.200	-	-	320.0
6855	-	22.140	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	37.080	-	-	320.0
6685	-	37.080	-	-	320.0
6845	-	37.680	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	55.680	-	-	320.0
6685	-	60.360	-	-	320.0
6845	-	69.120	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	84.040	-	-	320.0
6625	-	83.600	-	-	320.0
6705	-	84.480	-	-	320.0
6785	-	85.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	117.260	-	-	320.0
6625	-	117.400	-	-	320.0
6705	-	117.120	-	-	320.0
6785	-	117.840	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	154.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	168.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	19.140	-	-	320.0
6715	-	19.200	-	-	320.0
6855	-	19.080	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	23.220	-	-	320.0
6715	-	23.220	-	-	320.0
6855	-	23.160	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.660	-	-	320.0
6715	-	16.680	-	-	320.0
6855	-	18.540	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.700	-	-	320.0
6715	-	18.360	-	-	320.0
6855	-	20.580	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.360	-	-	320.0
6715	-	16.860	-	-	320.0
6855	-	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.880	-	-	320.0
6715	-	18.720	-	-	320.0
6855	-	20.580	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	18.060	-	-	320.0
6855	-	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.180	-	-	320.0
6715	-	20.880	-	-	320.0
6855	-	21.120	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	17.040	-	-	320.0
6715	-	16.980	-	-	320.0
6855	-	17.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.040	-	-	320.0
6715	-	19.320	-	-	320.0
6855	-	19.560	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	18.180	-	-	320.0
6855	-	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.660	-	-	320.0
6715	-	21.660	-	-	320.0
6855	-	21.360	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	38.160	-	-	320.0
6685	-	38.280	-	-	320.0
6845	-	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	45.000	-	-	320.0
6685	-	45.360	-	-	320.0
6845	-	45.240	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	77.800	-	-	320.0
6625	-	77.400	-	-	320.0
6705	-	77.400	-	-	320.0
6785	-	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	83.400	-	-	320.0
6625	-	83.000	-	-	320.0
6705	-	83.000	-	-	320.0
6785	-	83.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	58.720	-	-	320.0
6625	-	58.880	-	-	320.0
6705	-	78.200	-	-	320.0
6785	-	58.880	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	84.320	-	-	320.0
6625	-	91.200	-	-	320.0
6705	-	129.000	-	-	320.0
6785	-	74.560	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	157.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	285.600	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	157.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	286.800	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)**Results: SP / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.860	16.920	-	-	320.0
6715	16.800	16.920	-	-	320.0
6855	16.860	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.140	22.260	-	-	320.0
6715	22.320	22.440	-	-	320.0
6855	22.380	22.440	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.800	37.800	-	-	320.0
6685	48.860	44.800	-	-	320.0
6845	55.800	51.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	75.880	73.080	-	-	320.0
6685	76.440	76.440	-	-	320.0
6845	77.400	78.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	85.920	84.960	-	-	320.0
6625	93.600	92.400	-	-	320.0
6705	94.120	93.600	-	-	320.0
6785	95.420	96.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	117.600	128.880	-	-	320.0
6625	156.260	152.400	-	-	320.0
6705	157.040	157.560	-	-	320.0
6785	161.200	169.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	193.600	161.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	318.400	316.800	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.200	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6855	19.140	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.460	23.040	-	-	320.0
6715	22.980	23.100	-	-	320.0
6855	23.340	23.640	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	18.540	-	-	320.0
6715	16.860	16.860	-	-	320.0
6855	18.600	18.780	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.820	20.580	-	-	320.0
6715	18.480	18.360	-	-	320.0
6855	20.580	20.640	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	18.240	-	-	320.0
6715	16.620	16.980	-	-	320.0
6855	18.420	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.760	20.520	-	-	320.0
6715	18.660	18.600	-	-	320.0
6855	20.640	20.760	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.180	18.240	-	-	320.0
6715	18.240	18.240	-	-	320.0
6855	18.180	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.180	20.880	-	-	320.0
6715	21.120	20.820	-	-	320.0
6855	21.000	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.040	16.860	-	-	320.0
6715	16.980	16.800	-	-	320.0
6855	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.860	19.620	-	-	320.0
6715	19.380	18.660	-	-	320.0
6855	19.560	19.320	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.120	-	-	320.0
6715	18.120	18.120	-	-	320.0
6855	18.120	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.480	20.820	-	-	320.0
6715	21.120	20.580	-	-	320.0
6855	21.060	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.280	38.280	-	-	320.0
6845	38.280	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.880	45.000	-	-	320.0
6685	45.360	45.480	-	-	320.0
6845	45.120	45.120	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.600	-	-	320.0
6625	77.600	77.600	-	-	320.0
6705	77.600	77.600	-	-	320.0
6785	77.800	77.660	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	83.200	-	-	320.0
6625	82.800	83.000	-	-	320.0
6705	83.200	83.000	-	-	320.0
6785	83.400	83.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	59.040	59.040	-	-	320.0
6625	59.200	59.200	-	-	320.0
6705	78.600	78.600	-	-	320.0
6785	58.880	59.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	95.360	95.200	-	-	320.0
6625	95.840	95.680	-	-	320.0
6705	135.600	138.400	-	-	320.0
6785	96.160	106.080	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.240	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	179.760	172.800	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	167.160	165.900	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	290.220	289.380	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	159.200	158.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	296.400	296.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)**Results: SP / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.200	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6855	19.260	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.520	23.220	-	-	320.0
6715	23.220	22.980	-	-	320.0
6855	24.660	23.580	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	18.600	-	-	320.0
6715	16.920	16.920	-	-	320.0
6855	18.540	18.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.580	20.580	-	-	320.0
6715	18.420	18.360	-	-	320.0
6855	20.400	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.300	-	-	320.0
6715	16.980	16.860	-	-	320.0
6855	18.180	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.700	20.640	-	-	320.0
6715	18.780	18.600	-	-	320.0
6855	20.640	20.700	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.180	-	-	320.0
6715	18.240	18.240	-	-	320.0
6855	18.300	18.180	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.420	21.180	-	-	320.0
6715	21.060	21.000	-	-	320.0
6855	20.940	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	16.920	-	-	320.0
6715	16.980	16.740	-	-	320.0
6855	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.920	19.500	-	-	320.0
6715	19.440	18.600	-	-	320.0
6855	19.380	19.320	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.300	18.060	-	-	320.0
6715	18.180	18.060	-	-	320.0
6855	18.180	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.380	21.180	-	-	320.0
6715	21.360	20.820	-	-	320.0
6855	21.420	20.880	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.160	38.160	-	-	320.0
6845	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	45.360	45.480	-	-	320.0
6685	44.880	45.000	-	-	320.0
6845	45.960	45.600	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.800	-	-	320.0
6625	77.600	77.600	-	-	320.0
6705	77.800	77.800	-	-	320.0
6785	77.800	77.880	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.400	83.400	-	-	320.0
6625	83.400	83.400	-	-	320.0
6705	83.400	83.200	-	-	320.0
6785	83.600	115.940	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	59.200	59.040	-	-	320.0
6625	59.360	59.200	-	-	320.0
6705	78.600	78.600	-	-	320.0
6785	59.040	59.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	95.520	95.680	-	-	320.0
6625	96.000	95.680	-	-	320.0
6705	138.600	138.800	-	-	320.0
6785	108.800	104.320	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.000	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	180.000	169.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	162.400	159.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	287.600	286.020	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.900	158.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	297.780	296.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)**Results: SP / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.200	19.140	-	-	320.0
6715	19.140	19.140	-	-	320.0
6855	19.200	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.400	22.920	-	-	320.0
6715	23.280	23.460	-	-	320.0
6855	23.640	23.580	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.280	38.160	-	-	320.0
6685	38.280	38.160	-	-	320.0
6845	38.160	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	45.360	45.000	-	-	320.0
6685	44.880	45.840	-	-	320.0
6845	45.840	45.360	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / SP (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.800	-	-	320.0
6625	77.660	77.800	-	-	320.0
6705	77.800	77.800	-	-	320.0
6785	77.800	77.880	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	83.600	-	-	320.0
6625	83.600	83.400	-	-	320.0
6705	83.400	83.400	-	-	320.0
6785	83.600	95.260	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.000	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	184.000	169.200	-	-	320.0


26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Results: VLP / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.860	-	-	-	320.0
6715	16.800	-	-	-	320.0
6875	16.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.200	-	-	-	320.0
6715	21.780	-	-	-	320.0
6875	22.080	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	36.720	-	-	-	320.0
6685	36.720	-	-	-	320.0
6845	36.700	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.040	-	-	-	320.0
6685	44.040	-	-	-	320.0
6845	43.900	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	81.200	-	-	-	320.0
6705	81.000	-	-	-	320.0
6865	80.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	117.600	-	-	-	320.0
6705	116.200	-	-	-	320.0
6865	117.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	155.600	-	-	-	320.0
6825	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	166.000	-	-	-	320.0
6825	164.800	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.200	-	-	-	320.0
6715	19.080	-	-	-	320.0
6875	19.200	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.280	-	-	-	320.0
6715	23.340	-	-	-	320.0
6875	23.160	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.600	-	-	-	320.0
6715	16.560	-	-	-	320.0
6875	18.660	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.880	-	-	-	320.0
6715	18.300	-	-	-	320.0
6875	20.700	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.360	-	-	-	320.0
6715	16.800	-	-	-	320.0
6875	18.240	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.820	-	-	-	320.0
6715	18.780	-	-	-	320.0
6875	20.760	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.240	-	-	-	320.0
6875	18.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.360	-	-	-	320.0
6715	21.060	-	-	-	320.0
6875	21.180	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.040	-	-	-	320.0
6715	16.980	-	-	-	320.0
6875	16.980	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.980	-	-	-	320.0
6715	19.320	-	-	-	320.0
6875	19.680	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	-	-	-	320.0
6715	18.180	-	-	-	320.0
6875	18.060	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.720	-	-	-	320.0
6715	21.180	-	-	-	320.0
6875	21.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	-	-	-	320.0
6685	38.160	-	-	-	320.0
6845	38.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.880	-	-	-	320.0
6685	45.000	-	-	-	320.0
6845	45.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.400	-	-	-	320.0
6705	77.400	-	-	-	320.0
6865	77.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.600	-	-	-	320.0
6705	83.000	-	-	-	320.0
6865	83.200	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	-	-	-	320.0
6705	77.800	-	-	-	320.0
6865	58.720	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	63.680	-	-	-	320.0
6705	83.000	-	-	-	320.0
6865	64.000	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	-	-	-	320.0
6825	156.400	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	-	-	-	320.0
6825	165.600	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	-	-	-	320.0
6825	117.300	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.200	-	-	-	320.0
6825	125.700	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	-	-	-	320.0
6825	137.520	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	-	-	-	320.0
6825	146.520	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)**Results: VLP / SISO / Core 1**

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	16.800	-	-	320.0
6715	-	16.800	-	-	320.0
6875	-	16.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	22.200	-	-	320.0
6715	-	22.080	-	-	320.0
6875	-	22.140	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	36.720	-	-	320.0
6685	-	36.720	-	-	320.0
6845	-	36.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	44.160	-	-	320.0
6685	-	44.160	-	-	320.0
6845	-	44.280	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	81.600	-	-	320.0
6705	-	81.600	-	-	320.0
6865	-	80.800	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	117.600	-	-	320.0
6705	-	116.600	-	-	320.0
6865	-	116.200	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	2 (Core 1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	155.600	-	-	320.0
6825	-	155.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	165.600	-	-	320.0
6825	-	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	19.140	-	-	320.0
6715	-	19.140	-	-	320.0
6875	-	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	23.220	-	-	320.0
6715	-	23.100	-	-	320.0
6875	-	23.100	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.540	-	-	320.0
6715	-	16.920	-	-	320.0
6875	-	18.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.460	-	-	320.0
6715	-	18.360	-	-	320.0
6875	-	20.580	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.360	-	-	320.0
6715	-	16.680	-	-	320.0
6875	-	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	20.820	-	-	320.0
6715	-	18.600	-	-	320.0
6875	-	20.820	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	2 (Core 1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	18.000	-	-	320.0
6875	-	18.240	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.120	-	-	320.0
6715	-	20.820	-	-	320.0
6875	-	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	17.040	-	-	320.0
6715	-	16.980	-	-	320.0
6875	-	17.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	19.980	-	-	320.0
6715	-	19.380	-	-	320.0
6875	-	19.560	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	18.240	-	-	320.0
6715	-	18.060	-	-	320.0
6875	-	18.060	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	-	21.900	-	-	320.0
6715	-	21.180	-	-	320.0
6875	-	21.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	38.160	-	-	320.0
6685	-	38.280	-	-	320.0
6845	-	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	-	45.000	-	-	320.0
6685	-	45.360	-	-	320.0
6845	-	45.120	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE80 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	77.400	-	-	320.0
6705	-	77.400	-	-	320.0
6865	-	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	83.000	-	-	320.0
6705	-	83.200	-	-	320.0
6865	-	83.400	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT80 MRU 484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	58.560	-	-	320.0
6705	-	77.800	-	-	320.0
6865	-	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	-	64.000	-	-	320.0
6705	-	83.200	-	-	320.0
6865	-	63.840	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11ax HE160 SU
Test Port:	2 (Core 1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	156.400	-	-	320.0
6825	-	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	166.000	-	-	320.0
6825	-	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	157.200	-	-	320.0
6825	-	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	165.200	-	-	320.0
6825	-	126.300	-	-	320.0

Antenna Configuration:	SISO	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	2 (Core 1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	156.400	-	-	320.0
6825	-	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	-	165.200	-	-	320.0
6825	-	146.160	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)**Results: VLP / MIMO CDD**

Antenna Configuration:	MIMO CDD	Mode:	802.11a20
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	16.800	16.920	-	-	320.0
6715	16.800	16.860	-	-	320.0
6875	16.800	16.860	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	22.260	22.560	-	-	320.0
6715	21.960	22.620	-	-	320.0
6875	21.960	22.380	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a40
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	36.600	36.700	-	-	320.0
6685	36.600	36.700	-	-	320.0
6845	36.720	36.700	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.280	44.400	-	-	320.0
6685	44.040	44.400	-	-	320.0
6845	44.040	44.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11a80
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	81.400	81.200	-	-	320.0
6705	80.200	81.000	-	-	320.0
6865	80.600	80.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	117.600	116.600	-	-	320.0
6705	117.000	116.400	-	-	320.0
6865	117.400	115.600	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11a160
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.600	-	-	320.0
6825	165.600	165.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.600	-	-	320.0
6825	165.600	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.080	19.200	-	-	320.0
6715	19.140	19.200	-	-	320.0
6875	19.200	19.200	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.040	23.220	-	-	320.0
6715	23.340	23.040	-	-	320.0
6875	23.100	23.040	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.360	18.360	-	-	320.0
6715	16.740	17.040	-	-	320.0
6875	18.420	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.700	20.820	-	-	320.0
6715	18.720	18.660	-	-	320.0
6875	20.820	20.340	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.240	-	-	320.0
6715	18.240	18.240	-	-	320.0
6875	18.300	18.180	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.420	21.060	-	-	320.0
6715	21.000	20.940	-	-	320.0
6875	21.060	20.760	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	16.920	-	-	320.0
6715	16.980	16.800	-	-	320.0
6875	17.040	16.980	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.680	19.620	-	-	320.0
6715	19.380	18.660	-	-	320.0
6875	19.440	19.260	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.120	-	-	320.0
6715	18.120	18.060	-	-	320.0
6875	18.120	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.780	21.180	-	-	320.0
6715	21.060	20.640	-	-	320.0
6875	21.060	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.280	38.160	-	-	320.0
6845	38.160	38.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.760	45.120	-	-	320.0
6685	44.760	44.640	-	-	320.0
6845	44.880	45.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.400	-	-	320.0
6705	77.400	77.400	-	-	320.0
6865	77.400	77.600	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.000	83.000	-	-	320.0
6705	83.000	83.000	-	-	320.0
6865	83.000	83.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	58.560	-	-	320.0
6705	77.800	77.800	-	-	320.0
6865	58.560	58.720	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	64.000	63.680	-	-	320.0
6705	82.800	83.000	-	-	320.0
6865	64.000	64.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	166.000	165.600	-	-	320.0
6825	165.600	165.200	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	157.200	-	-	320.0
6825	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.600	-	-	320.0
6825	126.000	126.000	-	-	320.0

Antenna Configuration:	MIMO CDD	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	157.200	-	-	320.0
6825	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.200	165.200	-	-	320.0
6825	146.160	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)**Results: VLP / MIMO SDM**

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	19.140	-	-	320.0
6715	19.140	19.080	-	-	320.0
6875	19.140	19.080	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.160	23.100	-	-	320.0
6715	23.220	23.280	-	-	320.0
6875	23.040	22.620	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.660	18.660	-	-	320.0
6715	16.920	16.920	-	-	320.0
6875	18.660	18.660	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.700	20.940	-	-	320.0
6715	18.360	18.360	-	-	320.0
6875	20.580	20.640	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU52
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.360	18.240	-	-	320.0
6715	16.860	16.920	-	-	320.0
6875	18.300	18.360	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.820	20.640	-	-	320.0
6715	18.780	18.600	-	-	320.0
6875	20.820	20.700	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE20 RU106
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS11x2 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.180	18.180	-	-	320.0
6715	18.240	18.240	-	-	320.0
6875	18.300	18.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.360	21.060	-	-	320.0
6715	20.940	21.060	-	-	320.0
6875	20.940	20.820	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	17.100	16.920	-	-	320.0
6715	16.980	16.800	-	-	320.0
6875	17.040	16.920	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	20.160	19.560	-	-	320.0
6715	19.320	18.660	-	-	320.0
6875	19.740	19.440	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	18.240	18.060	-	-	320.0
6715	18.060	18.060	-	-	320.0
6875	18.120	18.120	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	21.840	21.000	-	-	320.0
6715	21.180	20.640	-	-	320.0
6875	20.940	20.700	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.040	38.100	-	-	320.0
6685	38.100	38.280	-	-	320.0
6845	38.100	38.160	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	44.760	45.100	-	-	320.0
6685	44.700	44.880	-	-	320.0
6845	44.500	44.760	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.400	77.400	-	-	320.0
6705	77.600	77.600	-	-	320.0
6865	77.400	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.000	82.800	-	-	320.0
6705	83.000	83.000	-	-	320.0
6865	83.400	83.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT80 MRU 484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	58.560	58.560	-	-	320.0
6705	77.800	77.800	-	-	320.0
6865	58.720	58.560	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	63.840	63.840	-	-	320.0
6705	82.800	83.200	-	-	320.0
6865	63.680	63.840	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x2 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.200	165.200	-	-	320.0
6825	166.000	165.600	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	157.200	-	-	320.0
6825	117.300	117.300	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.600	165.200	-	-	320.0
6825	125.700	125.700	-	-	320.0

Antenna Configuration:	MIMO SDM	Mode:	802.11be EHT160 MRU 996+484+242
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS9x2 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	157.200	156.800	-	-	320.0
6825	137.520	137.520	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.200	165.600	-	-	320.0
6825	146.520	146.520	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)**Results: VLP / TxBF**

Antenna Configuration:	TxBF	Mode:	802.11ax HE20 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	19.140	19.200	-	-	320.0
6715	19.140	19.140	-	-	320.0
6875	19.140	19.140	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6535	23.040	23.100	-	-	320.0
6715	22.980	23.400	-	-	320.0
6875	23.040	23.100	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE40 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	38.160	38.160	-	-	320.0
6685	38.160	38.160	-	-	320.0
6845	38.280	38.040	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6565	45.000	45.360	-	-	320.0
6685	45.120	45.480	-	-	320.0
6845	45.240	45.120	-	-	320.0

26 dB & 99% Bandwidth (U-NII-7) / VLP (continued)

Antenna Configuration:	TxBF	Mode:	802.11ax HE80 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	77.600	77.400	-	-	320.0
6705	77.600	77.400	-	-	320.0
6865	77.400	77.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6545	83.200	83.000	-	-	320.0
6705	83.000	83.000	-	-	320.0
6865	83.200	83.000	-	-	320.0

Antenna Configuration:	TxBF	Mode:	802.11ax HE160 SU
Test Port:	1+2 (Core 0+Core1)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	156.400	156.400	-	-	320.0
6825	156.400	156.400	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6665	165.200	165.200	-	-	320.0
6825	165.600	166.000	-	-	320.0

26 dB & 99% Bandwidth (U-NII-8) (continued)


4.2.4 6.875-7.125 GHz band (U-NII-8)

Results: LPI / SISO / Core 0

Antenna Configuration:	SISO	Mode:	802.11a20
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	16.800	-	-	-	320.0
6995	16.800	-	-	-	320.0
7095	16.740	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	21.900	-	-	-	320.0
6995	22.140	-	-	-	320.0
7095	21.780	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a40
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6885	36.600	-	-	-	320.0
6965	36.700	-	-	-	320.0
7085	36.720	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6885	44.280	-	-	-	320.0
6965	43.900	-	-	-	320.0
7085	43.920	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a80
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6945	80.800	-	-	-	320.0
7025	81.800	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6945	117.800	-	-	-	320.0
7025	117.800	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11a160
Test Port:	1 (Core 0)	Rate/Modulation:	12 Mbps (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6985	155.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6985	166.400	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	19.200	-	-	-	320.0
6995	19.140	-	-	-	320.0
7095	19.080	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	23.160	-	-	-	320.0
6995	23.220	-	-	-	320.0
7095	23.340	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	18.660	-	-	-	320.0
6995	16.860	-	-	-	320.0
7095	18.600	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	20.760	-	-	-	320.0
6995	18.360	-	-	-	320.0
7095	20.580	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU52
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	18.180	-	-	-	320.0
6995	17.040	-	-	-	320.0
7095	18.240	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	20.640	-	-	-	320.0
6995	18.720	-	-	-	320.0
7095	20.520	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE20 RU106
Test Port:	1 (Core 0)	Rate/Modulation:	MCS11x1 (1024QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	18.180	-	-	-	320.0
6995	18.000	-	-	-	320.0
7095	18.180	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	21.060	-	-	-	320.0
6995	20.880	-	-	-	320.0
7095	21.060	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 52+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	17.040	-	-	-	320.0
6995	16.980	-	-	-	320.0
7095	17.040	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	19.980	-	-	-	320.0
6995	19.320	-	-	-	320.0
7095	19.440	-	-	-	320.0




26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11be EHT20 MRU 106+26
Test Port:	1 (Core 0)	Rate/Modulation:	MCS9x1 (256QAM)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	18.240	-	-	-	320.0
6995	18.120	-	-	-	320.0
7095	18.120	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6895	21.780	-	-	-	320.0
6995	21.000	-	-	-	320.0
7095	21.180	-	-	-	320.0



26 dB & 99% Bandwidth (U-NII-8) / LPI (continued)

Antenna Configuration:	SISO	Mode:	802.11ax HE40 SU
Test Port:	1 (Core 0)	Rate/Modulation:	MCS2x1 (QPSK)

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6885	38.040	-	-	-	320.0
6965	38.160	-	-	-	320.0
7085	38.160	-	-	-	320.0

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	1	2	3	4	
6885	45.240	-	-	-	320.0
6965	44.880	-	-	-	320.0
7085	44.760	-	-	-	320.0

