



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a40  | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency<br>(MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit<br>(kHz) |
|-------------------------|-----------------------|--------|---|---|----------------|
|                         | A                     | B      | C | D |                |
| 5270                    | -                     | 56.076 | - | - | -              |
| 5310                    | -                     | 41.830 | - | - | -              |

**Table 1200 - 26 dB Bandwidth Results**

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |        |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|--------|---|---|----------------|
|                         | A                   | B      | C | D |                |
| 5270                    | -                   | 37.380 | - | - | -              |
| 5310                    | -                   | 36.240 | - | - | -              |

**Table 1201 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a80  | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5290                 | -                     | 98.340 | - | - | -           |

**Table 1202 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5290                 | -                   | 75.614 | - | - | -           |

**Table 1203 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a160 | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | -                     | 81.816 | - | - | -           |

**Table 1204 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | -                   | 77.196 | - | - | -           |

**Table 1205 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |              |                          |   |
|---------------------------|--------------|--------------------------|---|
| Mode:                     | 802.11n HT20 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)   | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5260                 | -                     | 21.480 | - | - | -           |
| 5280                 | -                     | 20.880 | - | - | -           |
| 5320                 | -                     | 21.012 | - | - | -           |

**Table 1206 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5260                 | -                   | 17.604 | - | - | -           |
| 5280                 | -                   | 17.604 | - | - | -           |
| 5320                 | -                   | 17.610 | - | - | -           |

**Table 1207 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |              |                          |   |
|---------------------------|--------------|--------------------------|---|
| Mode:                     | 802.11n HT40 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)   | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5270                 | -                     | 41.720 | - | - | -           |
| 5310                 | -                     | 41.740 | - | - | -           |

**Table 1208 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5270                 | -                   | 36.150 | - | - | -           |
| 5310                 | -                   | 36.140 | - | - | -           |

**Table 1209 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                |                          |   |
|---------------------------|----------------|--------------------------|---|
| Mode:                     | 802.11ac VHT80 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO           | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)     | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5290                 | -                     | 80.542 | - | - | -           |

**Table 1210 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5290                 | -                   | 75.086 | - | - | -           |

**Table 1211 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                 |                          |   |
|---------------------------|-----------------|--------------------------|---|
| Mode:                     | 802.11ac VHT160 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1          | DCCF (dB):               | - |
| Antenna Configuration:    | SISO            | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)      | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | -                     | 81.606 | - | - | -           |

**Table 1212 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | -                   | 76.902 | - | - | -           |

**Table 1213 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE20 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5260                 | -                     | 21.588 | - | - | -           |
| 5280                 | -                     | 21.576 | - | - | -           |
| 5320                 | -                     | 21.570 | - | - | -           |

**Table 1214 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5260                 | -                   | 18.792 | - | - | -           |
| 5280                 | -                   | 18.804 | - | - | -           |
| 5320                 | -                   | 18.792 | - | - | -           |

**Table 1215 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE40 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5270                 | -                     | 42.492 | - | - | -           |
| 5310                 | -                     | 42.168 | - | - | -           |

**Table 1216 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5270                 | -                   | 37.596 | - | - | -           |
| 5310                 | -                   | 37.608 | - | - | -           |

**Table 1217 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE80 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5290                 | -                     | 81.708 | - | - | -           |

**Table 1218 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5290                 | -                   | 76.692 | - | - | -           |

**Table 1219 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                   |                          |   |
|---------------------------|-------------------|--------------------------|---|
| Mode:                     | 802.11ax HE160 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1            | DCCF (dB):               | - |
| Antenna Configuration:    | SISO              | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)        | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | -                     | 81.984 | - | - | -           |

**Table 1220 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | -                   | 77.784 | - | - | -           |

**Table 1221 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a20  | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5500                 | -                     | 19.944 | - | - | -           |
| 5600                 | -                     | 21.804 | - | - | -           |
| 5700                 | -                     | 19.800 | - | - | -           |
| 5720                 | -                     | 14.846 | - | - | -           |

**Table 1222 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5500                 | -                   | 16.362 | - | - | -           |
| 5600                 | -                   | 16.770 | - | - | -           |
| 5700                 | -                   | 16.362 | - | - | -           |
| 5720                 | -                   | 13.088 | - | - | -           |

**Table 1223 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a40  | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5510                 | -                     | 41.930 | - | - | -           |
| 5590                 | -                     | 63.120 | - | - | -           |
| 5670                 | -                     | 43.300 | - | - | -           |
| 5710                 | -                     | 40.830 | - | - | -           |

**Table 1224 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5510                 | -                   | 36.200 | - | - | -           |
| 5590                 | -                   | 38.160 | - | - | -           |
| 5670                 | -                   | 36.300 | - | - | -           |
| 5710                 | -                   | 32.880 | - | - | -           |

**Table 1225 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a80  | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5530                 | -                     | 90.618 | - | - | -           |
| 5610                 | -                     | 97.482 | - | - | -           |
| 5690                 | -                     | 91.804 | - | - | -           |

**Table 1226 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5530                 | -                   | 75.526 | - | - | -           |
| 5610                 | -                   | 75.746 | - | - | -           |
| 5690                 | -                   | 72.422 | - | - | -           |

**Table 1227 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a160 | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|-----------------------|---------|---|---|-------------|
|                      | A                     | B       | C | D |             |
| 5570                 | -                     | 163.170 | - | - | -           |

**Table 1228 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|---------------------|---------|---|---|-------------|
|                      | A                   | B       | C | D |             |
| 5570                 | -                   | 154.350 | - | - | -           |

**Table 1229 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |              |                          |   |
|---------------------------|--------------|--------------------------|---|
| Mode:                     | 802.11n HT20 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)   | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5500                 | -                     | 21.462 | - | - | -           |
| 5600                 | -                     | 22.740 | - | - | -           |
| 5700                 | -                     | 21.318 | - | - | -           |
| 5720                 | -                     | 15.704 | - | - | -           |

**Table 1230 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5500                 | -                   | 17.610 | - | - | -           |
| 5600                 | -                   | 17.934 | - | - | -           |
| 5700                 | -                   | 17.610 | - | - | -           |
| 5720                 | -                   | 13.688 | - | - | -           |

**Table 1231 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |              |                          |   |
|---------------------------|--------------|--------------------------|---|
| Mode:                     | 802.11n HT40 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)   | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5510                 | -                     | 41.850 | - | - | -           |
| 5590                 | -                     | 44.160 | - | - | -           |
| 5670                 | -                     | 41.750 | - | - | -           |
| 5710                 | -                     | 35.820 | - | - | -           |

**Table 1232 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5510                 | -                   | 36.150 | - | - | -           |
| 5590                 | -                   | 36.636 | - | - | -           |
| 5670                 | -                   | 36.130 | - | - | -           |
| 5710                 | -                   | 32.760 | - | - | -           |

**Table 1233 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                |                          |   |
|---------------------------|----------------|--------------------------|---|
| Mode:                     | 802.11ac VHT80 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO           | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)     | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5530                 | -                     | 80.542 | - | - | -           |
| 5610                 | -                     | 80.498 | - | - | -           |
| 5690                 | -                     | 75.414 | - | - | -           |

**Table 1234 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5530                 | -                   | 75.108 | - | - | -           |
| 5610                 | -                   | 75.086 | - | - | -           |
| 5690                 | -                   | 71.960 | - | - | -           |

**Table 1235 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                 |                          |   |
|---------------------------|-----------------|--------------------------|---|
| Mode:                     | 802.11ac VHT160 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1          | DCCF (dB):               | - |
| Antenna Configuration:    | SISO            | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)      | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|-----------------------|---------|---|---|-------------|
|                      | A                     | B       | C | D |             |
| 5570                 | -                     | 162.834 | - | - | -           |

**Table 1236 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|---------------------|---------|---|---|-------------|
|                      | A                   | B       | C | D |             |
| 5570                 | -                   | 153.804 | - | - | -           |

**Table 1237 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE20 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5500                 | -                     | 21.516 | - | - | -           |
| 5600                 | -                     | 22.956 | - | - | -           |
| 5700                 | -                     | 21.546 | - | - | -           |
| 5720                 | -                     | 15.806 | - | - | -           |

**Table 1238 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5500                 | -                   | 18.810 | - | - | -           |
| 5600                 | -                   | 19.056 | - | - | -           |
| 5700                 | -                   | 18.798 | - | - | -           |
| 5720                 | -                   | 14.294 | - | - | -           |

**Table 1239 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE40 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5510                 | -                     | 42.816 | - | - | -           |
| 5590                 | -                     | 44.808 | - | - | -           |
| 5670                 | -                     | 42.756 | - | - | -           |
| 5710                 | -                     | 36.240 | - | - | -           |

**Table 1240 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5510                 | -                   | 37.596 | - | - | -           |
| 5590                 | -                   | 38.016 | - | - | -           |
| 5670                 | -                   | 37.608 | - | - | -           |
| 5710                 | -                   | 33.528 | - | - | -           |

**Table 1241 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE80 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5530                 | -                     | 81.620 | - | - | -           |
| 5610                 | -                     | 81.708 | - | - | -           |
| 5690                 | -                     | 75.876 | - | - | -           |

**Table 1242 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5530                 | -                   | 76.692 | - | - | -           |
| 5610                 | -                   | 76.714 | - | - | -           |
| 5690                 | -                   | 72.752 | - | - | -           |

**Table 1243 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                   |                          |   |
|---------------------------|-------------------|--------------------------|---|
| Mode:                     | 802.11ax HE160 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1            | DCCF (dB):               | - |
| Antenna Configuration:    | SISO              | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)        | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|-----------------------|---------|---|---|-------------|
|                      | A                     | B       | C | D |             |
| 5570                 | -                     | 164.010 | - | - | -           |

**Table 1244 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|---------------------|---------|---|---|-------------|
|                      | A                   | B       | C | D |             |
| 5570                 | -                   | 155.484 | - | - | -           |

**Table 1245 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a20  | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5720                 | -                    | 3.166  | - | - | ≥500.0      |
| 5745                 | -                    | 15.660 | - | - | ≥500.0      |
| 5785                 | -                    | 15.660 | - | - | ≥500.0      |
| 5825                 | -                    | 15.660 | - | - | ≥500.0      |

**Table 1246 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5720                 | -                   | 3.262  | - | - | -           |
| 5745                 | -                   | 16.362 | - | - | -           |
| 5785                 | -                   | 16.350 | - | - | -           |
| 5825                 | -                   | 16.362 | - | - | -           |

**Table 1247 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a40  | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5710                 | -                    | 3.190  | - | - | ≥500.0      |
| 5755                 | -                    | 35.100 | - | - | ≥500.0      |
| 5795                 | -                    | 35.112 | - | - | ≥500.0      |

**Table 1248 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5710                 | -                   | 3.590  | - | - | -           |
| 5755                 | -                   | 36.372 | - | - | -           |
| 5795                 | -                   | 36.360 | - | - | -           |

**Table 1249 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |            |                          |   |
|------------------------|------------|--------------------------|---|
| Mode:                  | 802.11a80  | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps    | DCCF (dB):               | - |
| Antenna Configuration: | SISO       | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1) | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5690                 | -                    | 3.192  | - | - | ≥500.0      |
| 5775                 | -                    | 75.108 | - | - | ≥500.0      |

**Table 1250 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5690                 | -                   | 3.478  | - | - | -           |
| 5775                 | -                   | 75.724 | - | - | -           |

**Table 1251 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |              |                          |   |
|---------------------------|--------------|--------------------------|---|
| Mode:                     | 802.11n HT20 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)   | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5720                 | -                    | 3.748  | - | - | ≥500.0      |
| 5745                 | -                    | 16.566 | - | - | ≥500.0      |
| 5785                 | -                    | 15.960 | - | - | ≥500.0      |
| 5825                 | -                    | 15.678 | - | - | ≥500.0      |

**Table 1252 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5720                 | -                   | 3.844  | - | - | -           |
| 5745                 | -                   | 17.610 | - | - | -           |
| 5785                 | -                   | 17.610 | - | - | -           |
| 5825                 | -                   | 17.610 | - | - | -           |

**Table 1253 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |              |                          |   |
|---------------------------|--------------|--------------------------|---|
| Mode:                     | 802.11n HT40 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)   | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5710                 | -                    | 3.180  | - | - | ≥500.0      |
| 5755                 | -                    | 36.276 | - | - | ≥500.0      |
| 5795                 | -                    | 35.040 | - | - | ≥500.0      |

**Table 1254 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5710                 | -                   | 3.310  | - | - | -           |
| 5755                 | -                   | 36.144 | - | - | -           |
| 5795                 | -                   | 36.150 | - | - | -           |

**Table 1255 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                |                          |   |
|---------------------------|----------------|--------------------------|---|
| Mode:                     | 802.11ac VHT80 | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1         | DCCF (dB):               | - |
| Antenna Configuration:    | SISO           | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)     | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5690                 | -                    | 3.192  | - | - | ≥500.0      |
| 5775                 | -                    | 71.236 | - | - | ≥500.0      |

**Table 1256 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5690                 | -                   | 3.258  | - | - | -           |
| 5775                 | -                   | 75.130 | - | - | -           |

**Table 1257 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE20 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5720                 | -                    | 4.390  | - | - | ≥500.0      |
| 5745                 | -                    | 17.784 | - | - | ≥500.0      |
| 5785                 | -                    | 18.216 | - | - | ≥500.0      |
| 5825                 | -                    | 18.228 | - | - | ≥500.0      |

**Table 1258 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5720                 | -                   | 4.474  | - | - | -           |
| 5745                 | -                   | 18.792 | - | - | -           |
| 5785                 | -                   | 18.792 | - | - | -           |
| 5825                 | -                   | 18.798 | - | - | -           |

**Table 1259 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE40 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5710                 | -                    | 4.044  | - | - | ≥500.0      |
| 5755                 | -                    | 37.284 | - | - | ≥500.0      |
| 5795                 | -                    | 36.888 | - | - | ≥500.0      |

**Table 1260 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5710                 | -                   | 4.044  | - | - | -           |
| 5755                 | -                   | 37.596 | - | - | -           |
| 5795                 | -                   | 37.608 | - | - | -           |

**Table 1261 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                  |                          |   |
|---------------------------|------------------|--------------------------|---|
| Mode:                     | 802.11ax HE80 SU | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1           | DCCF (dB):               | - |
| Antenna Configuration:    | SISO             | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | B (Core 1)       | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5690                 | -                    | 4.072  | - | - | ≥500.0      |
| 5775                 | -                    | 75.042 | - | - | ≥500.0      |

**Table 1262 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5690                 | -                   | 4.050  | - | - | -           |
| 5775                 | -                   | 76.736 | - | - | -           |

**Table 1263 - 99% Bandwidth Results**



| Protocol          | 26 dB Bandwidth (MHz) |         |
|-------------------|-----------------------|---------|
|                   | Minimum               | Maximum |
| 802.11a20         | 19.722                | 23.010  |
| 802.11a40         | 41.420                | 66.708  |
| 802.11a80         | 88.792                | 96.580  |
| 802.11a160        | 162.960               | 163.338 |
| 802.11n HT20      | 20.760                | 22.812  |
| 802.11n HT40      | 41.250                | 44.580  |
| 802.11ac VHT80    | 80.212                | 80.564  |
| 802.11ac VHT160   | 162.792               | 163.002 |
| 802.11ax HE20 SU  | 21.144                | 24.306  |
| 802.11ax HE40 SU  | 42.084                | 44.904  |
| 802.11ax HE80 SU  | 81.554                | 81.972  |
| 802.11ax HE160 SU | 164.010               | 164.136 |

Table 1264 - 26 dB Bandwidth Summary Results - MIMO CDD




Figure 541 - 802.11a20 Minimum 26 dB EBW




Figure 542 - 802.11a20 Maximum 26 dB EBW




Figure 543 - 802.11a40 Minimum 26 dB EBW




Figure 544 - 802.11a40 Maximum 26 dB EBW




Figure 545 - 802.11a80 Minimum 26 dB EBW




Figure 546 - 802.11a80 Maximum 26 dB EBW




Figure 547 - 802.11a160 Minimum 26 dB EBW




Figure 548 - 802.11a160 Maximum 26 dB EBW




Figure 549 - 802.11n HT20 Minimum 26 dB EBW




Figure 550 - 802.11n HT20 Maximum 26 dB EBW




Figure 551 - 802.11n HT40 Minimum 26 dB EBW




Figure 552 - 802.11n HT40 Maximum 26 dB EBW




Figure 553 - 802.11ac VHT80 Minimum 26 dB EBW




Figure 554 - 802.11ac VHT80 Maximum 26 dB EBW




Figure 555 - 802.11ac VHT160 Minimum 26 dB EBW











Figure 556 - 802.11ac VHT160 Maximum 26 dB EBW







| Protocol         | 6 dB Bandwidth (MHz) |         |
|------------------|----------------------|---------|
|                  | Minimum              | Maximum |
| 802.11a20        | 15.636               | 15.774  |
| 802.11a40        | 35.100               | 35.112  |
| 802.11a80        | 75.086               | 75.130  |
| 802.11n HT20     | 15.684               | 16.968  |
| 802.11n HT40     | 35.030               | 35.080  |
| 802.11ac VHT80   | 71.214               | 74.998  |
| 802.11ax HE20 SU | 17.766               | 18.432  |
| 802.11ax HE40 SU | 35.988               | 37.848  |
| 802.11ax HE80 SU | 73.788               | 75.372  |

Table 1265 - 6 dB Bandwidth Summary Results - MIMO CDD




Figure 565 - 802.11a20 Minimum 6 dB EBW




Figure 566 - 802.11a20 Maximum 6 dB EBW




Figure 567 - 802.11a40 Minimum 6 dB EBW




Figure 568 - 802.11a40 Maximum 6 dB EBW




Figure 569 - 802.11a80 Minimum 6 dB EBW




Figure 570 - 802.11a80 Maximum 6 dB EBW




Figure 571 - 802.11n HT20 Minimum 6 dB EBW




Figure 572 - 802.11n HT20 Maximum 6 dB EBW




Figure 573 - 802.11n HT40 Minimum 6 dB EBW










Figure 574 - 802.11n HT40 Maximum 6 dB EBW






**Figure 582 - 802.11ax HE80 SU Maximum 6 dB  
EBW**



| Protocol          | 99% Bandwidth (MHz) |         |
|-------------------|---------------------|---------|
|                   | Minimum             | Maximum |
| 802.11a20         | 16.362              | 17.022  |
| 802.11a40         | 36.190              | 38.184  |
| 802.11a80         | 75.482              | 75.878  |
| 802.11a160        | 154.434             | 154.434 |
| 802.11n HT20      | 17.526              | 17.922  |
| 802.11n HT40      | 36.120              | 36.672  |
| 802.11ac VHT80    | 75.042              | 75.108  |
| 802.11ac VHT160   | 153.846             | 153.846 |
| 802.11ax HE20 SU  | 18.774              | 19.218  |
| 802.11ax HE40 SU  | 37.584              | 38.016  |
| 802.11ax HE80 SU  | 76.670              | 76.736  |
| 802.11ax HE160 SU | 155.442             | 155.526 |

Table 1266 - 99% Bandwidth Summary Results - MIMO CDD




Figure 583 - 802.11a20 Minimum 99% OBW




Figure 584 - 802.11a20 Maximum 99% OBW




Figure 585 - 802.11a40 Minimum 99% OBW




Figure 586 - 802.11a40 Maximum 99% OBW




Figure 587 - 802.11a80 Minimum 99% OBW




Figure 588 - 802.11a80 Maximum 99% OBW




Figure 589 - 802.11a160 Minimum 99% OBW




Figure 590 - 802.11a160 Maximum 99% OBW




Figure 591 - 802.11n HT20 Minimum 99% OBW




Figure 592 - 802.11n HT20 Maximum 99% OBW




Figure 593 - 802.11n HT40 Minimum 99% OBW




Figure 594 - 802.11n HT40 Maximum 99% OBW




Figure 595 - 802.11ac VHT80 Minimum 99% OBW




Figure 596 - 802.11ac VHT80 Maximum 99% OBW




Figure 597 - 802.11ac VHT160 Minimum 99% OBW




Figure 598 - 802.11ac VHT160 Maximum 99% OBW




Figure 599 - 802.11ax HE20 SU Minimum 99% OBW




Figure 600 - 802.11ax HE20 SU Maximum 99% OBW




Figure 601 - 802.11ax HE40 SU Minimum 99% OBW




Figure 602 - 802.11ax HE40 SU Maximum 99% OBW




Figure 603 - 802.11ax HE80 SU Minimum 99% OBW






Figure 604 - 802.11ax HE80 SU Maximum 99% OBW





| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a20             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5180                 | 20.184                | 20.340 | - | - | -           |
| 5200                 | 20.406                | 19.914 | - | - | -           |
| 5240                 | 19.884                | 20.538 | - | - | -           |

**Table 1267 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5180                 | 16.482              | 16.482 | - | - | -           |
| 5200                 | 16.362              | 16.494 | - | - | -           |
| 5240                 | 16.362              | 16.500 | - | - | -           |

**Table 1268 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a40             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5190                 | 41.670                | 41.950 | - | - | -           |
| 5230                 | 55.310                | 61.750 | - | - | -           |

**Table 1269 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5190                 | 36.200              | 36.216 | - | - | -           |
| 5230                 | 36.190              | 36.220 | - | - | -           |

**Table 1270 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a80             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5210                 | 91.014                | 90.904 | - | - | -           |

**Table 1271 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5210                 | 75.504              | 75.526 | - | - | -           |

**Table 1272 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a160            | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 81.690                | 81.648 | - | - | -           |

**Table 1273 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 77.196              | 77.196 | - | - | -           |

**Table 1274 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5180                 | 21.072                | 20.898 | - | - | -           |
| 5200                 | 21.276                | 21.168 | - | - | -           |
| 5240                 | 21.060                | 20.904 | - | - | -           |

**Table 1275 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5180                 | 17.610              | 17.610 | - | - | -           |
| 5200                 | 17.610              | 17.610 | - | - | -           |
| 5240                 | 17.610              | 17.610 | - | - | -           |

**Table 1276 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5190                 | 41.960                | 41.250 | - | - | -           |
| 5230                 | 41.630                | 41.470 | - | - | -           |

**Table 1277 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5190                 | 36.130              | 36.120 | - | - | -           |
| 5230                 | 36.130              | 36.120 | - | - | -           |

**Table 1278 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5210                 | 80.476                | 80.542 | - | - | -           |

**Table 1279 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5210                 | 75.108              | 75.108 | - | - | -           |

**Table 1280 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT160       | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 81.606                | 81.354 | - | - | -           |

**Table 1281 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 76.944              | 76.902 | - | - | -           |

**Table 1282 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5180                 | 21.564                | 21.744 | - | - | -           |
| 5200                 | 21.570                | 21.366 | - | - | -           |
| 5240                 | 21.144                | 21.450 | - | - | -           |

**Table 1283 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5180                 | 18.804              | 18.798 | - | - | -           |
| 5200                 | 18.804              | 18.798 | - | - | -           |
| 5240                 | 18.798              | 18.804 | - | - | -           |

**Table 1284 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5190                 | 42.624                | 42.504 | - | - | -           |
| 5230                 | 42.288                | 42.588 | - | - | -           |

**Table 1285 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5190                 | 37.608              | 37.596 | - | - | -           |
| 5230                 | 37.608              | 37.596 | - | - | -           |

**Table 1286 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5210                 | 81.752                | 81.818 | - | - | -           |

**Table 1287 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5210                 | 76.670              | 76.670 | - | - | -           |

**Table 1288 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE160 SU     | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 82.110                | 81.900 | - | - | -           |

**Table 1289 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 77.742              | 77.700 | - | - | -           |

**Table 1290 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a20             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5260                 | 19.722                | 20.328 | - | - | -           |
| 5280                 | 19.998                | 20.766 | - | - | -           |
| 5320                 | 19.752                | 20.556 | - | - | -           |

**Table 1291 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5260                 | 16.362              | 16.494 | - | - | -           |
| 5280                 | 16.362              | 16.500 | - | - | -           |
| 5320                 | 16.362              | 16.500 | - | - | -           |

**Table 1292 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a40             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5270                 | 57.348                | 60.960 | - | - | -           |
| 5310                 | 41.660                | 42.010 | - | - | -           |

**Table 1293 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5270                 | 37.308              | 37.308 | - | - | -           |
| 5310                 | 36.220              | 36.250 | - | - | -           |

**Table 1294 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a80             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5290                 | 95.348                | 96.580 | - | - | -           |

**Table 1295 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5290                 | 75.570              | 75.614 | - | - | -           |

**Table 1296 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a160            | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 82.068                | 81.984 | - | - | -           |

**Table 1297 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 77.238              | 77.238 | - | - | -           |

**Table 1298 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5260                 | 21.162                | 21.450 | - | - | -           |
| 5280                 | 21.192                | 20.760 | - | - | -           |
| 5300                 | 21.954                | 21.288 | - | - | -           |
| 5320                 | 21.396                | 21.174 | - | - | -           |

**Table 1299 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5260                 | 17.610              | 17.604 | - | - | -           |
| 5280                 | 17.610              | 17.622 | - | - | -           |
| 5300                 | 17.742              | 17.670 | - | - | -           |
| 5320                 | 17.610              | 17.616 | - | - | -           |

**Table 1300 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5270                 | 41.730                | 42.024 | - | - | -           |
| 5310                 | 41.450                | 41.860 | - | - | -           |

**Table 1301 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5270                 | 36.160              | 36.144 | - | - | -           |
| 5310                 | 36.150              | 36.150 | - | - | -           |

**Table 1302 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5290                 | 80.542                | 80.344 | - | - | -           |

**Table 1303 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5290                 | 75.108              | 75.086 | - | - | -           |

**Table 1304 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT160       | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 81.438                | 81.606 | - | - | -           |

**Table 1305 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 76.944              | 76.944 | - | - | -           |

**Table 1306 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5260                 | 21.450                | 21.246 | - | - | -           |
| 5280                 | 21.486                | 21.852 | - | - | -           |
| 5320                 | 21.576                | 21.414 | - | - | -           |

**Table 1307 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5260                 | 18.792              | 18.786 | - | - | -           |
| 5280                 | 18.798              | 18.786 | - | - | -           |
| 5320                 | 18.798              | 18.780 | - | - | -           |

**Table 1308 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5270                 | 42.084                | 42.180 | - | - | -           |
| 5310                 | 42.336                | 42.744 | - | - | -           |

**Table 1309 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5270                 | 37.632              | 37.608 | - | - | -           |
| 5310                 | 37.584              | 37.584 | - | - | -           |

**Table 1310 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5290                 | 81.818                | 81.840 | - | - | -           |

**Table 1311 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5290                 | 76.692              | 76.692 | - | - | -           |

**Table 1312 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE160 SU     | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 82.320                | 82.026 | - | - | -           |

**Table 1313 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 77.784              | 77.784 | - | - | -           |

**Table 1314 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a20             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5500                 | 20.358                | 20.418 | - | - | -           |
| 5600                 | 21.876                | 21.798 | - | - | -           |
| 5620                 | 23.010                | 21.822 | - | - | -           |
| 5700                 | 20.460                | 20.634 | - | - | -           |
| 5720                 | 15.068                | 15.014 | - | - | -           |

**Table 1315 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5500                 | 16.488              | 16.506 | - | - | -           |
| 5600                 | 16.776              | 16.800 | - | - | -           |
| 5620                 | 17.022              | 16.866 | - | - | -           |
| 5700                 | 16.494              | 16.512 | - | - | -           |
| 5720                 | 13.100              | 13.106 | - | - | -           |

**Table 1316 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a40             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5510                 | 41.420                | 42.170 | - | - | -           |
| 5590                 | 63.996                | 66.708 | - | - | -           |
| 5670                 | 48.468                | 43.440 | - | - | -           |
| 5710                 | 40.812                | 38.980 | - | - | -           |

**Table 1317 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5510                 | 36.200              | 36.240 | - | - | -           |
| 5590                 | 37.980              | 38.184 | - | - | -           |
| 5670                 | 36.372              | 36.360 | - | - | -           |
| 5710                 | 32.928              | 32.910 | - | - | -           |

**Table 1318 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a80             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5530                 | 88.792                | 89.562 | - | - | -           |
| 5610                 | 95.788                | 95.282 | - | - | -           |
| 5690                 | 91.738                | 91.144 | - | - | -           |

**Table 1319 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5530                 | 75.482              | 75.548 | - | - | -           |
| 5610                 | 75.680              | 75.724 | - | - | -           |
| 5690                 | 72.444              | 72.444 | - | - | -           |

**Table 1320 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a160            | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|-----------------------|---------|---|---|-------------|
|                      | A                     | B       | C | D |             |
| 5570                 | 162.960               | 163.338 | - | - | -           |

**Table 1321 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|---------------------|---------|---|---|-------------|
|                      | A                   | B       | C | D |             |
| 5570                 | 154.434             | 154.434 | - | - | -           |

**Table 1322 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5500                 | 21.048                | 21.036 | - | - | -           |
| 5600                 | 22.530                | 22.812 | - | - | -           |
| 5700                 | 21.060                | 21.078 | - | - | -           |
| 5720                 | 15.392                | 15.578 | - | - | -           |

**Table 1323 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5500                 | 17.616              | 17.610 | - | - | -           |
| 5600                 | 17.916              | 17.922 | - | - | -           |
| 5700                 | 17.622              | 17.610 | - | - | -           |
| 5720                 | 13.682              | 13.706 | - | - | -           |

**Table 1324 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5510                 | 41.980                | 41.860 | - | - | -           |
| 5590                 | 44.184                | 44.580 | - | - | -           |
| 5670                 | 42.000                | 41.920 | - | - | -           |
| 5710                 | 36.010                | 35.780 | - | - | -           |

**Table 1325 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5510                 | 36.140              | 36.150 | - | - | -           |
| 5590                 | 36.672              | 36.648 | - | - | -           |
| 5670                 | 36.170              | 36.150 | - | - | -           |
| 5710                 | 32.780              | 32.800 | - | - | -           |

**Table 1326 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5530                 | 80.564                | 80.520 | - | - | -           |
| 5610                 | 80.476                | 80.212 | - | - | -           |
| 5690                 | 75.260                | 75.348 | - | - | -           |

**Table 1327 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5530                 | 75.064              | 75.042 | - | - | -           |
| 5610                 | 75.086              | 75.064 | - | - | -           |
| 5690                 | 71.938              | 71.916 | - | - | -           |

**Table 1328 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT160       | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|-----------------------|---------|---|---|-------------|
|                      | A                     | B       | C | D |             |
| 5570                 | 162.792               | 163.002 | - | - | -           |

**Table 1329 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|---------------------|---------|---|---|-------------|
|                      | A                   | B       | C | D |             |
| 5570                 | 153.846             | 153.846 | - | - | -           |

**Table 1330 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5500                 | 21.714                | 21.606 | - | - | -           |
| 5580                 | 24.306                | 23.526 | - | - | -           |
| 5600                 | 23.244                | 23.184 | - | - | -           |
| 5700                 | 21.612                | 21.666 | - | - | -           |
| 5720                 | 15.842                | 15.974 | - | - | -           |

**Table 1331 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5500                 | 18.798              | 18.774 | - | - | -           |
| 5580                 | 19.218              | 19.152 | - | - | -           |
| 5600                 | 19.068              | 19.050 | - | - | -           |
| 5700                 | 18.798              | 18.780 | - | - | -           |
| 5720                 | 14.300              | 14.294 | - | - | -           |

**Table 1332 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5510                 | 42.648                | 42.672 | - | - | -           |
| 5590                 | 44.724                | 44.904 | - | - | -           |
| 5670                 | 42.312                | 42.108 | - | - | -           |
| 5710                 | 36.156                | 36.396 | - | - | -           |

**Table 1333 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5510                 | 37.608              | 37.596 | - | - | -           |
| 5590                 | 37.992              | 38.016 | - | - | -           |
| 5670                 | 37.644              | 37.608 | - | - | -           |
| 5710                 | 33.552              | 33.552 | - | - | -           |

**Table 1334 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5530                 | 81.554                | 81.664 | - | - | -           |
| 5610                 | 81.620                | 81.972 | - | - | -           |
| 5690                 | 75.986                | 75.986 | - | - | -           |

**Table 1335 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5530                 | 76.714              | 76.714 | - | - | -           |
| 5610                 | 76.692              | 76.692 | - | - | -           |
| 5690                 | 72.774              | 72.818 | - | - | -           |

**Table 1336 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                     |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE160 SU     | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|-----------------------|---------|---|---|-------------|
|                      | A                     | B       | C | D |             |
| 5570                 | 164.010               | 164.136 | - | - | -           |

**Table 1337 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|---------------------|---------|---|---|-------------|
|                      | A                   | B       | C | D |             |
| 5570                 | 155.526             | 155.442 | - | - | -           |

**Table 1338 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a20             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5720                 | 3.172                | 3.178  | - | - | ≥500.0      |
| 5745                 | 15.636               | 15.768 | - | - | ≥500.0      |
| 5785                 | 15.654               | 15.774 | - | - | ≥500.0      |
| 5825                 | 15.744               | 15.750 | - | - | ≥500.0      |

**Table 1339 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5720                 | 3.256               | 3.250  | - | - | -           |
| 5745                 | 16.374              | 16.380 | - | - | -           |
| 5785                 | 16.368              | 16.380 | - | - | -           |
| 5825                 | 16.380              | 16.374 | - | - | -           |

**Table 1340 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a40             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5710                 | 3.180                | 3.180  | - | - | ≥500.0      |
| 5755                 | 35.100               | 35.110 | - | - | ≥500.0      |
| 5795                 | 35.112               | 35.100 | - | - | ≥500.0      |

**Table 1341 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5710                 | 4.416               | 3.530  | - | - | -           |
| 5755                 | 36.516              | 36.400 | - | - | -           |
| 5795                 | 36.504              | 36.410 | - | - | -           |

**Table 1342 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                       |                          |     |
|------------------------|-----------------------|--------------------------|-----|
| Mode:                  | 802.11a80             | Duty Cycle (%):          | -   |
| Data Rate:             | 12 Mbps               | DCCF (dB):               | -   |
| Antenna Configuration: | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):        | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5690                 | 3.170                | 3.192  | - | - | ≥500.0      |
| 5775                 | 75.130               | 75.086 | - | - | ≥500.0      |

**Table 1343 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5690                 | 3.522               | 3.434  | - | - | -           |
| 5775                 | 75.878              | 75.790 | - | - | -           |

**Table 1344 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5720                 | 3.754                | 3.736  | - | - | ≥500.0      |
| 5745                 | 16.272               | 16.968 | - | - | ≥500.0      |
| 5785                 | 16.014               | 15.684 | - | - | ≥500.0      |
| 5825                 | 16.302               | 15.942 | - | - | ≥500.0      |

**Table 1345 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5720                 | 3.838               | 3.838  | - | - | -           |
| 5745                 | 17.610              | 17.610 | - | - | -           |
| 5785                 | 17.616              | 17.526 | - | - | -           |
| 5825                 | 17.532              | 17.604 | - | - | -           |

**Table 1346 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5710                 | 3.160                | 3.180  | - | - | ≥500.0      |
| 5755                 | 35.070               | 35.030 | - | - | ≥500.0      |
| 5795                 | 35.050               | 35.080 | - | - | ≥500.0      |

**Table 1347 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5710                 | 3.300               | 3.320  | - | - | -           |
| 5755                 | 36.140              | 36.120 | - | - | -           |
| 5795                 | 36.170              | 36.150 | - | - | -           |

**Table 1348 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5690                 | 3.170                | 3.192  | - | - | ≥500.0      |
| 5775                 | 74.998               | 71.214 | - | - | ≥500.0      |

**Table 1349 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5690                 | 3.258               | 3.258  | - | - | -           |
| 5775                 | 75.086              | 75.086 | - | - | -           |

**Table 1350 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5720                 | 4.444                | 4.444  | - | - | ≥500.0      |
| 5745                 | 17.946               | 18.132 | - | - | ≥500.0      |
| 5785                 | 17.904               | 18.432 | - | - | ≥500.0      |
| 5825                 | 17.766               | 17.868 | - | - | ≥500.0      |

**Table 1351 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5720                 | 4.462               | 4.462  | - | - | -           |
| 5745                 | 18.792              | 18.786 | - | - | -           |
| 5785                 | 18.786              | 18.786 | - | - | -           |
| 5825                 | 18.804              | 18.786 | - | - | -           |

**Table 1352 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5710                 | 4.044                | 4.044  | - | - | ≥500.0      |
| 5755                 | 37.848               | 35.988 | - | - | ≥500.0      |
| 5795                 | 36.768               | 37.476 | - | - | ≥500.0      |

**Table 1353 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5710                 | 4.032               | 4.032  | - | - | -           |
| 5755                 | 37.620              | 37.596 | - | - | -           |
| 5795                 | 37.608              | 37.608 | - | - | -           |

**Table 1354 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5690                 | 4.028                | 4.006  | - | - | ≥500.0      |
| 5775                 | 73.788               | 75.372 | - | - | ≥500.0      |

**Table 1355 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5690                 | 4.050               | 4.050  | - | - | -           |
| 5775                 | 76.736              | 76.714 | - | - | -           |

**Table 1356 - 99% Bandwidth Results**



| Protocol          | 26 dB Bandwidth (MHz) |         |
|-------------------|-----------------------|---------|
|                   | Minimum               | Maximum |
| 802.11n HT20      | 20.880                | 22.566  |
| 802.11n HT40      | 41.140                | 44.292  |
| 802.11ac VHT80    | 80.212                | 80.454  |
| 802.11ac VHT160   | 163.044               | 163.128 |
| 802.11ax HE20 SU  | 21.258                | 24.054  |
| 802.11ax HE40 SU  | 42.216                | 44.952  |
| 802.11ax HE80 SU  | 81.554                | 81.994  |
| 802.11ax HE160 SU | 163.800               | 163.926 |

Table 1357 - 26 dB Bandwidth Summary Results - MIMO SDM



Figure 607 - 802.11n HT20 Minimum 26 dB EBW




Figure 608 - 802.11n HT20 Maximum 26 dB EBW




Figure 609 - 802.11n HT40 Minimum 26 dB EBW




Figure 610 - 802.11n HT40 Maximum 26 dB EBW