



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	802.11ax HE20 SU	Duty Cycle (%):	-
Modulation Coding Scheme:	MCS2x1	DCCF (dB):	-
Antenna Configuration:	TxBF	Peak Antenna Gain (dBi):	-
Active Port(s):	A+B (Core 0 + Core 1)	Active Chain(s):	0+1

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5720	4.456	4.456	-	-	≥500.0
5745	18.360	18.324	-	-	≥500.0
5785	17.814	17.862	-	-	≥500.0
5825	18.426	17.484	-	-	≥500.0

Table 1477 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5720	4.462	4.462	-	-	-
5745	18.804	18.792	-	-	-
5785	18.786	18.786	-	-	-
5825	18.792	18.792	-	-	-

Table 1478 - 99% Bandwidth Results



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	802.11ax HE40 SU	Duty Cycle (%):	-
Modulation Coding Scheme:	MCS2x1	DCCF (dB):	-
Antenna Configuration:	TxBF	Peak Antenna Gain (dBi):	-
Active Port(s):	A+B (Core 0 + Core 1)	Active Chain(s):	0+1

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5710	4.020	3.996	-	-	≥500.0
5755	36.828	36.888	-	-	≥500.0
5795	36.972	36.528	-	-	≥500.0

Table 1479 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5710	4.032	4.032	-	-	-
5755	37.608	37.596	-	-	-
5795	37.608	37.608	-	-	-

Table 1480 - 99% Bandwidth Results



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	802.11ax HE80 SU	Duty Cycle (%):	-
Modulation Coding Scheme:	MCS2x1	DCCF (dB):	-
Antenna Configuration:	TxBF	Peak Antenna Gain (dBi):	-
Active Port(s):	A+B (Core 0 + Core 1)	Active Chain(s):	0+1

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5690	4.028	4.028	-	-	≥500.0
5775	75.086	76.516	-	-	≥500.0

Table 1481 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5690	4.050	4.028	-	-	-
5775	76.692	76.714	-	-	-

Table 1482 - 99% Bandwidth Results



FCC Part 15E, Limit Clause 15.407

5150 MHz to 5250 MHz: None specified.
5250 MHz to 5350 MHz: None specified.
5470 MHz to 5725 MHz: None specified.
5725 MHz to 5850 MHz: > 500 kHz.

ISED RSS-247, Limit Clause 7.3.1.2, 7.3.2.2, 7.3.3.2, 7.3.4.2 and 7.3.5.2

5150 MHz to 5250 MHz: None specified.
5250 MHz to 5350 MHz: None specified.
5470 MHz to 5725 MHz: None specified.
5725 MHz to 5850 MHz: The minimum 6 dB bandwidth shall be at least 500 kHz.
5850 MHz to 5895 MHz: The minimum 6 dB bandwidth shall be at least 500 kHz.

2.4.7 Test Location and Test Equipment Used

This test was carried out in RF Laboratory 14 and RF Laboratory 18.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
AC Programmable Power Supply	iTech	IT7324	5225	-	O/P Mon
MXA Signal Analyser	Keysight Technologies	N9020B	5529	24	02-Jan-2027
USB Power Sensor	Boonton	RTP5008	5820	12	16-Mar-2027
USB Power Sensor	Boonton	RTP5008	5821	12	16-Mar-2027
Humidity & Temperature meter	R.S Components	1364	6148	12	28-Aug-2026
MXA Signal Analyzer	Keysight Technologies	N9020B	6416	24	07-May-2027
Signal Conditioning Unit	TUV SUD	SPECTRUM_SCU001	6426	12	16-Mar-2027
Signal Conditioning Unit	TUV SUD	SPECTRUM_SCU001	6518	12	25-Feb-2027
SCU Cable Assembly	TUV SUD	SPECTRUM_SCU_CA	6529	12	25-Feb-2027
SCU Cable Assembly	TUV SUD	SPECTRUM_SCU_CA	6530	12	25-Feb-2027
SCU Cable Assembly	TUV SUD	SPECTRUM_SCU_CA	6531	12	25-Feb-2027
USB Wideband Power Sensor	Boonton	RTP5008	6587	12	25-Feb-2027
USB Wideband Power Sensor	Boonton	RTP5008	6588	12	25-Feb-2027
USB Wideband Power Sensor	Boonton	RTP5008	6589	12	25-Feb-2027



Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
USB Wideband Power Sensor	Boonton	RTP5008	6591	12	16-Mar-2027
AC Programmable Power Supply	iTech	IT7324	6662	-	O/P Mon
Digital Thermometer	R.S Components	RS 5511	6739	12	02-Mar-2027
SCU Cable Assembly	TUV SUD	SPECTRUM_SCU_CA	6752	12	16-Mar-2027
SCU Cable Assembly	TUV SUD	SPECTRUM_SCU_CA	6753	12	16-Mar-2027
SCU Cable Assembly SCU	TUV SUD	SPECTRUM_SCU_CA	6754	0	16-Mar-2027
Humidity & Temperature meter	Fluke	971	7103	12	05-Aug-2026
Multimeter	Fluke	115	7115	12	13-Aug-2026

Table 1483

O/P Mon - Output Monitored using calibrated equipment



2.5 Authorised Band Edges

2.5.1 Specification Reference

FCC 47 CFR Part 15E, Clause 15.407 (b)
ISED RSS-247, Clause 7.3

2.5.2 Equipment Under Test and Modification State

A3545, S/N: M6R91GWKXP - Modification State 0
A3545, S/N: M9TDL77966 - Modification State 0
A3545, S/N: H2XRNPGYL4 - Modification State 0
A3545, S/N: GJM25R72WC - Modification State 0

2.5.3 Date of Test

23-April-2026 to 05-May-2026

2.5.4 Test Method

The test was performed in accordance with ANSI C63.10, clause 6.6.

The -27 dBm/MHz authorized band limit and stepped limit around U-NII-3 were converted from EIRP to field strength at 3 m using the following formula:

$$\text{Field Strength (dB}\mu\text{V/m at 3 m)} = \text{EIRP (dBm)} + 95.2 \text{ dB}$$

Authorised band edge measurements were performed, with the device operating in SISO and MIMO configurations, across the various modes supported by the device.

The measurements displayed within this report, have been limited to those modes which have been shown to be worst case.

Further measurements are held on file by TÜV SÜD and are available if required.

2.5.5 Environmental Conditions

Ambient Temperature	19.6 - 25.8 °C
Relative Humidity	30.2 - 44.8 %



2.5.6 Test Results

5 GHz WLAN

20 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)
802.11a	24 Mbps	-	-	5500	5470	63.27
802.11a	54 Mbps	-	-	5520	5470	55.95
802.11a	54 Mbps	-	-	5540	5470	55.12
802.11n HT20	MCS 4	-	-	5500	5470	63.34
802.11n HT20	MCS 4	-	-	5520	5470	55.89
802.11n HT20	MCS 7	-	-	5540	5470	55.48
802.11ax HE20	MCS 4x1	SU	-	5500	5470	62.52
802.11ax HE20	MCS 11x1	106	53	5500	5470	56.83
802.11ax HE20	MCS 2x1	SU	-	5520	5470	56.19
802.11ax HE20	MCS 11x1	106	53	5520	5470	55.80
802.11ax HE20	MCS 11x1	SU	-	5540	5470	55.19
802.11be EHT20	MCS 9x1	106+26	82	5500	5470	60.93
802.11be EHT20	MCS 9x1	106+26	82	5520	5470	55.40
802.11a	24 Mbps	-	-	5745	5725	55.47
802.11n HT20	MCS 7	-	-	5745	5725	54.79
802.11ax HE20	MCS 4x1	SU	-	5745	5725	55.59
802.11ax HE20	MCS 11x1	52	40	5745	5725	55.46
802.11be EHT20	MCS 9x1	52+26	70	5745	5725	55.35
802.11a	54 Mbps	-	-	5660	5725	54.98
802.11a	12 Mbps	-	-	5680	5725	55.57
802.11a	54 Mbps	-	-	5700	5725	63.32
802.11n HT20	MCS 7	-	-	5660	5725	55.36
802.11n HT20	MCS 2	-	-	5680	5725	56.20
802.11n HT20	MCS 4	-	-	5700	5725	63.61
802.11ax HE20	MCS 11x1	SU	-	5660	5725	55.40
802.11ax HE20	MCS 11x1	SU	-	5680	5725	56.99
802.11ax HE20	MCS 11x1	106	53	5680	5725	55.74
802.11ax HE20	MCS 11x1	SU	-	5700	5725	62.68
802.11ax HE20	MCS 11x1	106	53	5700	5725	61.83
802.11be EHT20	MCS 9x1	106+26	83	5680	5725	55.38
802.11be EHT20	MCS 9x1	106+26	83	5700	5725	62.47
802.11a	54 Mbps	-	-	5720	5850	55.73
802.11a	24 Mbps	-	-	5825	5850	55.73
802.11n HT20	MCS 7	-	-	5720	5850	55.66

802.11n HT20	MCS 4	-	-	5825	5850	54.99
802.11ax HE20	MCS 11x1	SU	-	5720	5850	55.72
802.11ax HE20	MCS 11x1	52	40	5720	5850	56.54
802.11ax HE20	MCS 11x1	SU	-	5825	5850	55.54
802.11ax HE20	MCS 11x1	52	40	5825	5850	55.44
802.11be EHT20	MCS 9x1	106+26	83	5720	5850	56.12
802.11be EHT20	MCS 9x1	52+26	70	5825	5850	55.92

Table 1484 - SISO Authorised Band Edge Results




**Figure 695 - 802.11a, SISO, Core 0 - 5500 MHz
Band Edge Frequency 5470 MHz**




**Figure 696 - 802.11a, SISO, Core 0 - 5520 MHz
Band Edge Frequency 5470 MHz**




**Figure 697 - 802.11a, SISO, Core 0 - 5540 MHz
Band Edge Frequency 5470 MHz**




**Figure 698 - 802.11n HT20, SISO, Core 0 - 5500 MHz
Band Edge Frequency 5470 MHz**




**Figure 699 - 802.11n HT20, SISO, Core 0 - 5520 MHz
Band Edge Frequency 5470 MHz**




**Figure 700 - 802.11n HT20, SISO, Core 0 - 5540 MHz
Band Edge Frequency 5470 MHz**




**Figure 701 - 802.11ax HE20, SU, SISO, Core 0 - 5500 MHz
Band Edge Frequency 5470 MHz**




**Figure 702 - 802.11ax HE20, RU 106-53, SISO, Core 0 - 5500 MHz
Band Edge Frequency 5470 MHz**




Figure 703 - 802.11ax HE20, SU, SISO, Core 0 - 5520 MHz
Band Edge Frequency 5470 MHz




Figure 704 - 802.11ax HE20, RU 106-53, SISO, Core 0 - 5520 MHz
Band Edge Frequency 5470 MHz




**Figure 705 - 802.11ax HE20, SU, SISO, Core 0 - 5540 MHz
Band Edge Frequency 5470 MHz**




**Figure 706 - 802.11be EHT20, RU 106+26-82, SISO, Core 0 - 5500 MHz
Band Edge Frequency 5470 MHz**




Figure 707 - 802.11be EHT20, RU 106+26-82, SISO, Core 0 - 5520 MHz
Band Edge Frequency 5470 MHz




Figure 708 - 802.11a, SISO, Core 0 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 709 - 802.11n HT20, SISO, Core 0 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 710 - 802.11ax HE20, SU, SISO, Core 0 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 711 - 802.11ax HE20, RU 52-40, SISO, Core 0 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 712 - 802.11be EHT20, RU 52+26-70, SISO, Core 0 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 713 - 802.11a, SISO, Core 0 - 5660 MHz
Band Edge Frequency 5725 MHz




Figure 714 - 802.11a, SISO, Core 0 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 715 - 802.11a, SISO, Core 0 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 716 - 802.11n HT20, SISO, Core 0 - 5660 MHz
Band Edge Frequency 5725 MHz




Figure 717 - 802.11n HT20, SISO, Core 0 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 718 - 802.11n HT20, SISO, Core 0 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 719 - 802.11ax HE20, SU, SISO, Core 0 - 5660 MHz
Band Edge Frequency 5725 MHz




Figure 720 - 802.11ax HE20, SU, SISO, Core 0 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 721 - 802.11ax HE20, RU 106-53, SISO, Core 0 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 722 - 802.11ax HE20, SU, SISO, Core 0 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 723 - 802.11ax HE20, RU 106-53, SISO, Core 0 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 724 - 802.11be EHT20, RU 106+26-83, SISO, Core 0 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 725 - 802.11be EHT20, RU 106+26-83, SISO, Core 0 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 726 - 802.11a, SISO, Core 0 - 5720 MHz
Band Edge Frequency 5850 MHz




Figure 727 - 802.11a, SISO, Core 0 - 5825 MHz
Band Edge Frequency 5850 MHz




Figure 728 - 802.11n HT20, SISO, Core 0 - 5720 MHz
Band Edge Frequency 5850 MHz




Figure 729 - 802.11n HT20, SISO, Core 0 - 5825 MHz
Band Edge Frequency 5850 MHz




Figure 730 - 802.11ax HE20, SU, SISO, Core 0 - 5720 MHz
Band Edge Frequency 5850 MHz




Figure 731 - 802.11ax HE20, RU 52-40, SISO, Core 0 - 5720 MHz
Band Edge Frequency 5850 MHz




Figure 732 - 802.11ax HE20, SU, SISO, Core 0 - 5825 MHz
Band Edge Frequency 5850 MHz




Figure 733 - 802.11ax HE20, RU 52-40, SISO, Core 0 - 5825 MHz
Band Edge Frequency 5850 MHz




Figure 734 - 802.11be EHT20, RU 106+26-83, SISO, Core 0 - 5720 MHz
Band Edge Frequency 5850 MHz




**Figure 735 - 802.11be EHT20, RU 52+26-70, SISO, Core 0 - 5825 MHz
Band Edge Frequency 5850 MHz**



20 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)
802.11a	54 Mbps	-	-	5500	5470	63.69
802.11a	24 Mbps	-	-	5520	5470	56.87
802.11a	54 Mbps	-	-	5540	5470	55.86
802.11n HT20	MCS 7	-	-	5500	5470	63.66
802.11n HT20	MCS 2	-	-	5520	5470	56.52
802.11n HT20	MCS 7	-	-	5540	5470	55.70
802.11ax HE20	MCS 11x1	SU	-	5500	5470	63.30
802.11ax HE20	MCS 11x1	106	54	5500	5470	56.54
802.11ax HE20	MCS 4x1	SU	-	5520	5470	56.02
802.11ax HE20	MCS 11x1	106	54	5520	5470	55.97
802.11ax HE20	MCS 11x1	SU	-	5540	5470	55.61
802.11be EHT20	MCS 9x1	106+26	82	5500	5470	58.31
802.11be EHT20	MCS 9x1	106+26	83	5520	5470	55.99
802.11a	54 Mbps	-	-	5745	5725	56.19
802.11n HT20	MCS 4	-	-	5745	5725	56.26
802.11ax HE20	MCS 2x1	SU	-	5745	5725	55.89
802.11ax HE20	MCS 11x1	106	54	5745	5725	56.48
802.11be EHT20	MCS 9x1	106+26	83	5745	5725	55.14
802.11a	54 Mbps	-	-	5660	5725	56.27
802.11a	54 Mbps	-	-	5680	5725	57.47
802.11a	12 Mbps	-	-	5700	5725	63.46
802.11n HT20	MCS 7	-	-	5660	5725	55.25
802.11n HT20	MCS 7	-	-	5680	5725	58.42
802.11n HT20	MCS 4	-	-	5700	5725	63.56
802.11ax HE20	MCS 11x1	SU	-	5660	5725	55.70
802.11ax HE20	MCS 11x1	SU	-	5680	5725	61.41
802.11ax HE20	MCS 11x1	52	37	5680	5725	55.94
802.11ax HE20	MCS 4x1	SU	-	5700	5725	63.16
802.11ax HE20	MCS 11x1	106	54	5700	5725	62.43
802.11be EHT20	MCS 9x1	106+26	83	5680	5725	56.35
802.11be EHT20	MCS 9x1	106+26	82	5700	5725	63.65
802.11a	12 Mbps	-	-	5720	5850	55.58
802.11a	24 Mbps	-	-	5825	5850	56.53
802.11n HT20	MCS 2	-	-	5720	5850	55.40
802.11n HT20	MCS 7	-	-	5825	5850	56.26
802.11ax HE20	MCS 2x1	SU	-	5720	5850	55.45
802.11ax HE20	MCS 11x1	106	53	5720	5850	55.42

802.11ax HE20	MCS 11x1	SU	-	5825	5850	55.48
802.11ax HE20	MCS 11x1	106	54	5825	5850	56.02
802.11be EHT20	MCS 9x1	106+26	82	5720	5850	56.52
802.11be EHT20	MCS 9x1	106+26	83	5825	5850	55.46

Table 1485 - SISO Authorised Band Edge Results




**Figure 736 - 802.11a, SISO, Core 1 - 5500 MHz
Band Edge Frequency 5470 MHz**




**Figure 737 - 802.11a, SISO, Core 1 - 5520 MHz
Band Edge Frequency 5470 MHz**




Figure 738 - 802.11a, SISO, Core 1 - 5540 MHz
Band Edge Frequency 5470 MHz




Figure 739 - 802.11n HT20, SISO, Core 1 - 5500 MHz
Band Edge Frequency 5470 MHz




**Figure 740 - 802.11n HT20, SISO, Core 1 - 5520 MHz
Band Edge Frequency 5470 MHz**




**Figure 741 - 802.11n HT20, SISO, Core 1 - 5540 MHz
Band Edge Frequency 5470 MHz**




**Figure 742 - 802.11ax HE20, SU, SISO, Core 1 - 5500 MHz
Band Edge Frequency 5470 MHz**




**Figure 743 - 802.11ax HE20, RU 106-54, SISO, Core 1 - 5500 MHz
Band Edge Frequency 5470 MHz**




**Figure 744 - 802.11ax HE20, SU, SISO, Core 1 - 5520 MHz
Band Edge Frequency 5470 MHz**




**Figure 745 - 802.11ax HE20, RU 106-54, SISO, Core 1 - 5520 MHz
Band Edge Frequency 5470 MHz**




Figure 746 - 802.11ax HE20, SU, SISO, Core 1 - 5540 MHz
Band Edge Frequency 5470 MHz




Figure 747 - 802.11be EHT20, RU 106+26-82, SISO, Core 1 - 5500 MHz
Band Edge Frequency 5470 MHz




**Figure 748 - 802.11be EHT20, RU 106+26-83, SISO, Core 1 - 5520 MHz
Band Edge Frequency 5470 MHz**




**Figure 749 - 802.11a, SISO, Core 1 - 5745 MHz
Band Edge Frequency 5725 MHz**




Figure 750 - 802.11n HT20, SISO, Core 1 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 751 - 802.11ax HE20, SU, SISO, Core 1 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 752 - 802.11ax HE20, RU 106-54, SISO, Core 1 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 753 - 802.11be EHT20, RU 106+26-83, SISO, Core 1 - 5745 MHz
Band Edge Frequency 5725 MHz




Figure 754 - 802.11a, SISO, Core 1 - 5660 MHz
Band Edge Frequency 5725 MHz




Figure 755 - 802.11a, SISO, Core 1 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 756 - 802.11a, SISO, Core 1 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 757 - 802.11n HT20, SISO, Core 1 - 5660 MHz
Band Edge Frequency 5725 MHz




Figure 758 - 802.11n HT20, SISO, Core 1 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 759 - 802.11n HT20, SISO, Core 1 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 760 - 802.11ax HE20, SU, SISO, Core 1 - 5660 MHz
Band Edge Frequency 5725 MHz




Figure 761 - 802.11ax HE20, SU, SISO, Core 1 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 762 - 802.11ax HE20, RU 52-37, SISO, Core 1 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 763 - 802.11ax HE20, SU, SISO, Core 1 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 764 - 802.11ax HE20, RU 106-54, SISO, Core 1 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 765 - 802.11be EHT20, RU 106+26-83, SISO, Core 1 - 5680 MHz
Band Edge Frequency 5725 MHz




Figure 766 - 802.11be EHT20, RU 106+26-82, SISO, Core 1 - 5700 MHz
Band Edge Frequency 5725 MHz




Figure 767 - 802.11a, SISO, Core 1 - 5720 MHz
Band Edge Frequency 5850 MHz




Figure 768 - 802.11a, SISO, Core 1 - 5825 MHz
Band Edge Frequency 5850 MHz




Figure 769 - 802.11n HT20, SISO, Core 1 - 5720 MHz
Band Edge Frequency 5850 MHz




Figure 770 - 802.11n HT20, SISO, Core 1 - 5825 MHz
Band Edge Frequency 5850 MHz




Figure 771 - 802.11ax HE20, SU, SISO, Core 1 - 5720 MHz
Band Edge Frequency 5850 MHz




Figure 772 - 802.11ax HE20, RU 106-53, SISO, Core 1 - 5720 MHz
Band Edge Frequency 5850 MHz




Figure 773 - 802.11ax HE20, SU, SISO, Core 1 - 5825 MHz
Band Edge Frequency 5850 MHz