




Figure 285 - 802.11a160 SP Minimum 99% OBW




Figure 286 - 802.11a160 SP Maximum 99% OBW




Figure 287 - 802.11a160 LPI Minimum 99% OBW




Figure 288 - 802.11a160 LPI Maximum 99% OBW

Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE20 SU LPI	21.462	23.136
802.11ax HE40 SU LPI	44.160	45.612
802.11ax HE80 SU LPI	82.280	82.896
802.11ax HE160 SU LPI	164.262	164.850
802.11ax HE20 SU SP	21.390	23.280
802.11ax HE40 SU SP	42.096	45.432
802.11ax HE80 SU SP	81.488	82.874
802.11ax HE160 SU SP	163.842	164.388
802.11ax HE20 SU VLP	21.234	23.262
802.11ax HE40 SU VLP	44.088	45.348
802.11ax HE80 SU VLP	82.280	83.006
802.11ax HE160 SU VLP	164.430	164.892

Table 15 - 26 dB Bandwidth Summary Results - MIMO SDM




Figure 289 - 802.11ax HE20 SU LPI Minimum 26 dB EBW




Figure 290 - 802.11ax HE20 SU LPI Maximum 26 dB EBW




Figure 291 - 802.11ax HE40 SU LPI Minimum 26 dB EBW




Figure 292 - 802.11ax HE40 SU LPI Maximum 26 dB EBW




Figure 293 - 802.11ax HE80 SU LPI Minimum 26 dB EBW




Figure 294 - 802.11ax HE80 SU LPI Maximum 26 dB EBW




Figure 295 - 802.11ax HE160 SU LPI Minimum 26 dB EBW




Figure 296 - 802.11ax HE160 SU LPI Maximum 26 dB EBW




Figure 297 - 802.11ax HE20 SU SP Minimum 26 dB EBW




Figure 298 - 802.11ax HE20 SU SP Maximum 26 dB EBW




Figure 299 - 802.11ax HE40 SU SP Minimum 26 dB EBW




Figure 300 - 802.11ax HE40 SU SP Maximum 26 dB EBW




Figure 301 - 802.11ax HE80 SU SP Minimum 26 dB EBW




Figure 302 - 802.11ax HE80 SU SP Maximum 26 dB EBW



Figure 303 - 802.11ax HE160 SU SP Minimum 26 dB EBW




Figure 304 - 802.11ax HE160 SU SP Maximum 26 dB EBW




Figure 305 - 802.11ax HE20 SU VLP Minimum 26 dB EBW




Figure 306 - 802.11ax HE20 SU VLP Maximum 26 dB EBW




Figure 307 - 802.11ax HE40 SU VLP Minimum 26 dB EBW




Figure 308 - 802.11ax HE40 SU VLP Maximum 26 dB EBW




Figure 309 - 802.11ax HE80 SU VLP Minimum 26 dB EBW




Figure 310 - 802.11ax HE80 SU VLP Maximum 26 dB EBW



Protocol	99% Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE20 SU LPI	18.768	19.068
802.11ax HE40 SU LPI	37.968	38.016
802.11ax HE80 SU LPI	77.396	77.484
802.11ax HE160 SU LPI	156.156	156.366
802.11ax HE20 SU SP	18.762	19.050
802.11ax HE40 SU SP	37.584	38.016
802.11ax HE80 SU SP	76.626	77.462
802.11ax HE160 SU SP	155.400	155.778
802.11ax HE20 SU VLP	18.774	19.074
802.11ax HE40 SU VLP	37.992	38.028
802.11ax HE80 SU VLP	77.396	77.484
802.11ax HE160 SU VLP	156.156	156.408

Table 16 - 99% Bandwidth Summary Results - MIMO SDM




Figure 313 - 802.11ax HE20 SU LPI Minimum 99% OBW




Figure 314 - 802.11ax HE20 SU LPI Maximum 99% OBW




Figure 315 - 802.11ax HE40 SU LPI Minimum 99% OBW




Figure 316 - 802.11ax HE40 SU LPI Maximum 99% OBW




Figure 317 - 802.11ax HE80 SU LPI Minimum
99% OBW




Figure 318 - 802.11ax HE80 SU LPI Maximum
99% OBW




Figure 319 - 802.11ax HE160 SU LPI Minimum
99% OBW




Figure 320 - 802.11ax HE160 SU LPI Maximum
99% OBW




Figure 321 - 802.11ax HE20 SU SP Minimum 99%
OBW




Figure 322 - 802.11ax HE20 SU SP Maximum
99% OBW




Figure 323 - 802.11ax HE40 SU SP Minimum 99% OBW




Figure 324 - 802.11ax HE40 SU SP Maximum 99% OBW




Figure 325 - 802.11ax HE80 SU SP Minimum 99% OBW




Figure 326 - 802.11ax HE80 SU SP Maximum 99% OBW




Figure 327 - 802.11ax HE160 SU SP Minimum 99% OBW




Figure 328 - 802.11ax HE160 SU SP Maximum 99% OBW




Figure 329 - 802.11ax HE20 SU VLP Minimum
99% OBW




Figure 330 - 802.11ax HE20 SU VLP Maximum
99% OBW




Figure 331 - 802.11ax HE40 SU VLP Minimum
99% OBW




Figure 332 - 802.11ax HE40 SU VLP Maximum
99% OBW




Figure 333 - 802.11ax HE80 SU VLP Minimum
99% OBW




Figure 334 - 802.11ax HE80 SU VLP Maximum
99% OBW




Figure 335 - 802.11ax HE160 SU VLP Minimum 99% OBW




Figure 336 - 802.11ax HE160 SU VLP Maximum 99% OBW

Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE20 SU LPI	21.588	23.388
802.11ax HE40 SU LPI	44.076	45.444
802.11ax HE80 SU LPI	82.346	82.962
802.11ax HE160 SU LPI	164.430	165.102
802.11ax HE20 SU SP	21.516	23.352
802.11ax HE40 SU SP	42.588	45.264
802.11ax HE80 SU SP	81.510	82.896
802.11ax HE160 SU SP	163.674	164.304
802.11ax HE20 SU VLP	21.654	23.322
802.11ax HE40 SU VLP	43.956	45.492
802.11ax HE80 SU VLP	82.500	83.006
802.11ax HE160 SU VLP	164.430	165.018

Table 17 - 26 dB Bandwidth Summary Results - TxBF




Figure 337 - 802.11ax HE20 SU LPI Minimum 26 dB EBW




Figure 338 - 802.11ax HE20 SU LPI Maximum 26 dB EBW




Figure 339 - 802.11ax HE40 SU LPI Minimum 26 dB EBW




Figure 340 - 802.11ax HE40 SU LPI Maximum 26 dB EBW




Figure 341 - 802.11ax HE80 SU LPI Minimum 26 dB EBW




Figure 342 - 802.11ax HE80 SU LPI Maximum 26 dB EBW




Figure 343 - 802.11ax HE160 SU LPI Minimum 26 dB EBW




Figure 344 - 802.11ax HE160 SU LPI Maximum 26 dB EBW




Figure 345 - 802.11ax HE20 SU SP Minimum 26 dB EBW









Figure 346 - 802.11ax HE20 SU SP Maximum 26 dB EBW






Figure 353 - 802.11ax HE20 SU VLP Minimum 26 dB EBW




Figure 354 - 802.11ax HE20 SU VLP Maximum 26 dB EBW




Figure 355 - 802.11ax HE40 SU VLP Minimum 26 dB EBW



Figure 356 - 802.11ax HE40 SU VLP Maximum 26 dB EBW




Figure 357 - 802.11ax HE80 SU VLP Minimum 26 dB EBW






Figure 358 - 802.11ax HE80 SU VLP Maximum 26 dB EBW



Protocol	99% Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE20 SU LPI	18.798	19.098
802.11ax HE40 SU LPI	37.992	38.040
802.11ax HE80 SU LPI	77.418	77.484
802.11ax HE160 SU LPI	156.198	156.408
802.11ax HE20 SU SP	18.798	19.080
802.11ax HE40 SU SP	37.620	38.028
802.11ax HE80 SU SP	76.692	77.484
802.11ax HE160 SU SP	155.442	155.694
802.11ax HE20 SU VLP	18.786	19.074
802.11ax HE40 SU VLP	37.992	38.064
802.11ax HE80 SU VLP	77.440	77.506
802.11ax HE160 SU VLP	156.240	156.408

Table 18 - 99% Bandwidth Summary Results - TxBF




Figure 361 - 802.11ax HE20 SU LPI Minimum 99% OBW




Figure 362 - 802.11ax HE20 SU LPI Maximum 99% OBW




Figure 363 - 802.11ax HE40 SU LPI Minimum 99% OBW




Figure 364 - 802.11ax HE40 SU LPI Maximum 99% OBW