




**Figure 210 - 802.11be EHT80, RU 484+242-92, SDM, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz**




**Figure 211 - 802.11ac VHT80, SDM, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




Figure 212 - 802.11ax HE80, SU, SDM, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 213 - 802.11ax HE80, RU 52-37, SDM, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz




**Figure 214 - 802.11be EHT80, RU 484+242-92, SDM, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 215 - 802.11ac VHT80, SDM, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 216 - 802.11ax HE80, SU, SDM, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 217 - 802.11ax HE80, RU 52-52, SDM, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 218 - 802.11be EHT80, RU 484+242-92, SDM, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**

80 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 9x1	-	-	5210	5150	69.25	51.50
802.11ax HE80	MCS 2x1	SU	-	5210	5150	62.91	51.42
802.11ac VHT80	MCS 4x1	-	-	5290	5350	63.26	50.73
802.11ax HE80	MCS 11x1	SU	-	5290	5350	68.92	45.19
802.11ac VHT80	MCS 4x1	-	-	5530	5460	63.64	47.78
802.11ax HE80	MCS 11x1	SU	-	5530	5460	61.34	43.79

Table 21 - TxBF Restricted Band Edge Results




**Figure 219 - 802.11ac VHT80, TxBF, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz**




**Figure 220 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz**




**Figure 221 - 802.11ac VHT80, TxBF, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 222 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 223 - 802.11ac VHT80, TxBF, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 224 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBuV/m)
802.11a a160	12 Mbps	-	-	5250	5150	61.60	51.29
802.11ac VHT160	MCS 2x1	-	-	5250	5150	63.15	51.36
802.11ax HE160	MCS 2x1	SU	-	5250	5150	63.08	51.44
802.11ax HE160	MCS 11x1	106	60S	5250	5150	54.29	42.54
802.11be EHT160	MCS 9x1	996+484	94S	5250	5150	63.71	47.72
802.11a a160	54 Mbps	-	-	5250	5350	69.43	47.96
802.11ac VHT160	MCS 9x1	-	-	5250	5350	68.46	45.34
802.11ax HE160	MCS 2x1	SU	-	5250	5350	63.56	49.88
802.11ax HE160	MCS 11x1	106	53P	5250	5350	55.28	43.23
802.11be EHT160	MCS 9x1	996+484	94S	5250	5350	68.39	45.36
802.11a a160	12 Mbps	-	-	5570	5460	62.44	51.03
802.11ac VHT160	MCS 2x1	-	-	5570	5460	63.22	47.21
802.11ax HE160	MCS 2x1	SU	-	5570	5460	62.62	49.27
802.11ax HE160	MCS 11x1	52	52S	5570	5460	55.15	43.30
802.11be EHT160	MCS 9x1	996+484+2 42	97S	5570	5460	63.66	45.63

Table 22 - SISO Restricted Band Edge Results




Figure 225 - 802.11a a160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 226 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 227 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




Figure 228 - 802.11ax HE160, RU 106-60S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz




Figure 229 - 802.11be EHT160, RU 996+484-94S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 230 - 802.11a a160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 231 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 232 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 233 - 802.11ax HE160, RU 106-53P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 234 - 802.11be EHT160, RU 996+484-94S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 235 - 802.11a a160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 236 - 802.11ac VHT160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 237 - 802.11ax HE160, SU, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 238 - 802.11ax HE160, RU 52-52S, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 239 - 802.11be EHT160, RU 996+484+242-97S, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**

160 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBuV/m)
802.11a a160	12 Mbps	-	-	5250	5150	59.51	49.00
802.11ac VHT160	MCS 2x1	-	-	5250	5150	64.88	51.01
802.11ax HE160	MCS 4x1	SU	-	5250	5150	63.98	51.42
802.11ax HE160	MCS 11x1	106	53P	5250	5150	54.88	42.61
802.11be EHT160	MCS 9x1	996+484	94S	5250	5150	62.51	49.42
802.11a a160	54 Mbps	-	-	5250	5350	65.60	47.34
802.11ac VHT160	MCS 2x1	-	-	5250	5350	63.48	49.15
802.11ax HE160	MCS 4x1	SU	-	5250	5350	62.86	49.19
802.11ax HE160	MCS 11x1	106	53P	5250	5350	55.44	43.31
802.11be EHT160	MCS 9x1	996+484+2 42	97S	5250	5350	66.59	45.27
802.11a a160	12 Mbps	-	-	5570	5460	60.00	50.85
802.11ac VHT160	MCS 4x1	-	-	5570	5460	62.72	50.39
802.11ax HE160	MCS 4x1	SU	-	5570	5460	62.53	50.96
802.11ax HE160	MCS 11x1	106	53P	5570	5460	55.88	43.33
802.11be EHT160	MCS 9x1	996+484+2 42	98P	5570	5460	63.63	47.87

Table 23 - SISO Restricted Band Edge Results




Figure 240 - 802.11a a160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 241 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 242 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 243 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 244 - 802.11be EHT160, RU 996+484-94S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 245 - 802.11a a160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 246 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 247 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 248 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 249 - 802.11be EHT160, RU 996+484+242-97S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 250 - 802.11a a160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 251 - 802.11ac VHT160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 252 - 802.11ax HE160, SU, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 253 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 254 - 802.11be EHT160, RU 996+484+242-98P, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**

160 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBuV/m)
802.11a a160	24 Mbps	-	-	5250	5150	61.62	50.90
802.11ac VHT160	MCS 2x1	-	-	5250	5150	62.52	50.99
802.11ax HE160	MCS 2x1	SU	-	5250	5150	62.58	50.90
802.11ax HE160	MCS 11x1	52	52S	5250	5150	54.57	42.64
802.11be EHT160	MCS 9x1	484+242	92P	5250	5150	63.92	50.25
802.11a a160	54 Mbps	-	-	5250	5350	67.39	47.55
802.11ac VHT160	MCS 2x1	-	-	5250	5350	65.85	51.44
802.11ax HE160	MCS 4x1	SU	-	5250	5350	62.00	48.46
802.11ax HE160	MCS 11x1	106	60S	5250	5350	55.49	43.38
802.11be EHT160	MCS 9x1	996+484+242	96S	5250	5350	69.19	45.90
802.11a a160	12 Mbps	-	-	5570	5460	59.30	50.34
802.11ac VHT160	MCS 2x1	-	-	5570	5460	63.41	51.34
802.11ax HE160	MCS 4x1	SU	-	5570	5460	63.39	50.86
802.11ax HE160	MCS 11x1	106	53P	5570	5460	54.68	43.38
802.11be EHT160	MCS 9x1	484+242	93P	5570	5460	63.66	46.99

Table 24 - CDD Restricted Band Edge Results




Figure 255 - 802.11a a160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 256 - 802.11ac VHT160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 257 - 802.11ax HE160, SU, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 258 - 802.11ax HE160, RU 52-52S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 259 - 802.11be EHT160, RU 484+242-92P, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 260 - 802.11a a160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 261 - 802.11ac VHT160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 262 - 802.11ax HE160, SU, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 263 - 802.11ax HE160, RU 106-60S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 264 - 802.11be EHT160, RU 996+484+242-96S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 265 - 802.11a a160, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 266 - 802.11ac VHT160, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 267 - 802.11ax HE160, SU, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 268 - 802.11ax HE160, RU 106-53P, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 269 - 802.11be EHT160, RU 484+242-93P, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**

160 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBuV/m)
802.11ac VHT160	MCS 4x2	-	-	5250	5150	63.77	49.96
802.11ax HE160	MCS 11x2	SU	-	5250	5150	65.91	50.83
802.11ax HE160	MCS 11x2	106	60S	5250	5150	55.07	42.80
802.11be EHT160	MCS 9x2	484+242	92P	5250	5150	62.91	50.60
802.11ac VHT160	MCS 9x2	-	-	5250	5350	65.14	46.33
802.11ax HE160	MCS 4x2	SU	-	5250	5350	62.17	48.21
802.11ax HE160	MCS 11x2	106	60S	5250	5350	55.60	43.44
802.11be EHT160	MCS 9x2	484+242	90S	5250	5350	68.03	44.72
802.11ac VHT160	MCS 2x2	-	-	5570	5460	62.33	50.72
802.11ax HE160	MCS 11x2	SU	-	5570	5460	63.40	50.03
802.11ax HE160	MCS 11x2	52	37P	5570	5460	55.09	43.36
802.11be EHT160	MCS 9x2	996+484+242	98S	5570	5460	61.17	47.80

Table 25 - SDM Restricted Band Edge Results




Figure 270 - 802.11ac VHT160, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 271 - 802.11ax HE160, SU, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 272 - 802.11ax HE160, RU 106-60S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 273 - 802.11be EHT160, RU 484+242-92P, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 274 - 802.11ac VHT160, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 275 - 802.11ax HE160, SU, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 276 - 802.11ax HE160, RU 106-60S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 277 - 802.11be EHT160, RU 484+242-90S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 278 - 802.11ac VHT160, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 279 - 802.11ax HE160, SU, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 280 - 802.11ax HE160, RU 52-37P, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**