



Protocol	99% Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE80 SU LPI	77.418	77.638
802.11ax HE80 SU SP	76.692	77.462
802.11ax HE80 SU VLP	77.396	77.660
802.11a80 SP	75.724	86.320
802.11a80 VLP	81.432	82.704
802.11a80 LPI	79.536	82.488

Table 623 - 99% Bandwidth Summary Results – SISO Core 0



Figure 241- 802.11ax HE80 SU LPI
Minimum 99% OBW




Figure 242- 802.11ax HE80 SU LPI
Maximum 99% OBW




Figure 243- 802.11ax HE80 SU SP
Minimum 99% OBW




Figure 244- 802.11ax HE80 SU SP
Maximum 99% OBW




Figure 245- 802.11ax HE80 SU VLP
Minimum 99% OBW




Figure 246- 802.11ax HE80 SU VLP
Maximum 99% OBW




Figure 247- 802.11a80 SP Minimum 99%
OBW



Figure 248- 802.11a80 SP Maximum
99% OBW




Figure 249- 802.11a80 VLP Minimum
99% OBW




Figure 250- 802.11a80 VLP Maximum
99% OBW




Figure 251- 802.11a80 LPI Minimum
99% OBW



Figure 252- 802.11a80 LPI Maximum
99% OBW



Protocol	99% Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE80 SU LPI	77.396	77.660
802.11ax HE80 SU SP	76.648	77.440
802.11ax HE80 SU VLP	77.418	77.660
802.11a80 LPI	80.520	82.576
802.11a80 VLP	80.856	82.704
802.11a80 SP	75.680	85.306

Table 624 - 99% Bandwidth Summary Results – SISO Core 1




Figure 253- 802.11ax HE80 SU LPI
Minimum 99% OBW




Figure 254- 802.11ax HE80 SU LPI
Maximum 99% OBW




Figure 255- 802.11ax HE80 SU SP
Minimum 99% OBW




Figure 256- 802.11ax HE80 SU SP
Maximum 99% OBW




Figure 257- 802.11ax HE80 SU VLP
Minimum 99% OBW




Figure 258- 802.11ax HE80 SU VLP
Maximum 99% OBW




Figure 259- 802.11a80 LPI Minimum
99% OBW




Figure 260- 802.11a80 LPI Maximum
99% OBW




Figure 261- 802.11a80 VLP Minimum
99% OBW




Figure 262- 802.11a80 VLP Maximum
99% OBW




Figure 263- 802.11a80 SP Minimum 99%
OBW




Figure 264- 802.11a80 SP Maximum
99% OBW



Protocol	99% Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE80 SU LPI	77.374	77.462
802.11ax HE80 SU SP	76.648	77.484
802.11ax HE80 SU VLP	77.396	77.748
802.11a80 VLP	81.696	83.568
802.11a80 LPI	81.336	83.174
802.11a80 SP	75.614	86.034

Table 625 - 99% Bandwidth Summary Results - MIMO CDD




Figure 265- 802.11ax HE80 SU LPI
Minimum 99% OBW




Figure 266- 802.11ax HE80 SU LPI
Maximum 99% OBW




Figure 267- 802.11ax HE80 SU SP
Minimum 99% OBW




Figure 268- 802.11ax HE80 SU SP
Maximum 99% OBW




Figure 269- 802.11ax HE80 SU VLP
Minimum 99% OBW




Figure 270- 802.11ax HE80 SU VLP
Maximum 99% OBW




Figure 271- 802.11a80 VLP Minimum
99% OBW




Figure 272- 802.11a80 VLP Maximum
99% OBW




Figure 273- 802.11a80 LPI Minimum
99% OBW




Figure 274- 802.11a80 LPI Maximum
99% OBW




Figure 275- 802.11a80 SP Minimum 99%
OBW



Figure 276- 802.11a80 SP Maximum
99% OBW



Protocol	99% Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE80 SU LPI	77.374	77.462
802.11ax HE80 SU SP	76.604	77.462
802.11ax HE80 SU VLP	77.374	77.704

Table 626 - 99% Bandwidth Summary Results - MIMO SDM




Figure 277- 802.11ax HE80 SU LPI
Minimum 99% OBW




Figure 278- 802.11ax HE80 SU LPI
Maximum 99% OBW




Figure 279- 802.11ax HE80 SU SP
Minimum 99% OBW




Figure 280- 802.11ax HE80 SU SP
Maximum 99% OBW




Figure 281- 802.11ax HE80 SU VLP
Minimum 99% OBW




Figure 282- 802.11ax HE80 SU VLP
Maximum 99% OBW

Protocol	99% Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE80 SU LPI	77.396	77.484
802.11ax HE80 SU SP	76.648	77.462
802.11ax HE80 SU VLP	77.418	77.704

Table 627 - 99% Bandwidth Summary Results - TxBF




Figure 283- 802.11ax HE80 SU LPI
Minimum 99% OBW




Figure 284- 802.11ax HE80 SU LPI
Maximum 99% OBW




Figure 285- 802.11ax HE80 SU SP
Minimum 99% OBW






Figure 286- 802.11ax HE80 SU SP
Maximum 99% OBW





Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE160 SU LPI	164.304	165.186
802.11ax HE160 SU SP	163.926	164.304
802.11ax HE160 SU VLP	164.136	164.934
802.11a160 SP	164.598	167.706
802.11a160 LPI	163.758	165.690
802.11a160 VLP	163.842	164.934

Table 628 - 26 dB Bandwidth Summary Results – SISO Core 0




Figure 289- 802.11ax HE160 SU LPI
Minimum 26 dB EBW




Figure 290- 802.11ax HE160 SU LPI
Maximum 26 dB EBW




Figure 291- 802.11ax HE160 SU SP
Minimum 26 dB EBW




Figure 292- 802.11ax HE160 SU SP
Maximum 26 dB EBW




Figure 293- 802.11ax HE160 SU VLP
Minimum 26 dB EBW




Figure 294- 802.11ax HE160 SU VLP
Maximum 26 dB EBW




Figure 295- 802.11a160 SP Minimum 26
dB EBW




Figure 296- 802.11a160 SP Maximum 26
dB EBW




Figure 297- 802.11a160 LPI Minimum 26
dB EBW




Figure 298- 802.11a160 LPI Maximum
26 dB EBW




Figure 299- 802.11a160 VLP Minimum
26 dB EBW




Figure 300- 802.11a160 VLP Maximum
26 dB EBW



Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE160 SU LPI	164.598	164.892
802.11ax HE160 SU SP	163.884	164.262
802.11ax HE160 SU VLP	164.514	164.850
802.11a160 LPI	164.472	168.210
802.11a160 SP	164.304	167.244
802.11a160 VLP	163.842	164.808

Table 629 - 26 dB Bandwidth Summary Results – SISO Core 1




Figure 301- 802.11ax HE160 SU LPI
Minimum 26 dB EBW




Figure 302- 802.11ax HE160 SU LPI
Maximum 26 dB EBW




Figure 303- 802.11ax HE160 SU SP
Minimum 26 dB EBW




Figure 304- 802.11ax HE160 SU SP
Maximum 26 dB EBW




Figure 305- 802.11ax HE160 SU VLP
Minimum 26 dB EBW



Figure 306- 802.11ax HE160 SU VLP
Maximum 26 dB EBW




Figure 307- 802.11a160 LPI Minimum 26
dB EBW




Figure 308- 802.11a160 LPI Maximum
26 dB EBW




Figure 309- 802.11a160 SP Minimum 26
dB EBW






Figure 310- 802.11a160 SP Maximum 26
dB EBW





Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE160 SU LPI	164.262	165.312
802.11ax HE160 SU SP	163.716	164.514
802.11ax HE160 SU VLP	164.346	165.018
802.11a160 VLP	163.884	165.102
802.11a160 LPI	164.262	165.144
802.11a160 SP	164.514	238.770

Table 630 - 26 dB Bandwidth Summary Results - MIMO CDD

