




Figure 226 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 227 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 228 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	0.668	-	-	≥500.0
2440	-	0.668	-	-	≥500.0
2480	-	0.668	-	-	≥500.0

Table 37 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.012	-	-	-
2440	-	1.016	-	-	-
2480	-	1.016	-	-	-

Table 38 - 99% Bandwidth Results




Figure 229 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 230 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 231 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth




Figure 232 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 233 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 234 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	0.668	-	≥500.0
2440	-	-	0.668	-	≥500.0
2480	-	-	0.668	-	≥500.0

Table 39 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	1.012	-	-
2440	-	-	1.016	-	-
2480	-	-	1.016	-	-

Table 40 - 99% Bandwidth Results




Figure 235 - Core 2 (C) 2402 MHz (CH37) 99% Bandwidth




Figure 236 - Core 2 (C) 2402 MHz (CH37) 6 dB Bandwidth




Figure 237 - Core 2 (C) 2440 MHz (CH17) 99% Bandwidth




Figure 238 - Core 2 (C) 2440 MHz (CH17) 6 dB Bandwidth




Figure 239 - Core 2 (C) 2480 MHz (CH39) 99% Bandwidth




Figure 240 - Core 2 (C) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LELR125K)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	0.692	-	-	-	≥500.0
2440	0.688	-	-	-	≥500.0
2480	0.692	-	-	-	≥500.0

Table 41 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.040	-	-	-	-
2440	1.040	-	-	-	-
2480	1.040	-	-	-	-

Table 42 - 99% Bandwidth Results






Figure 241 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth






Figure 244 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 245 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 246 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LELR125K)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	0.684	-	-	≥500.0
2440	-	0.688	-	-	≥500.0
2480	-	0.688	-	-	≥500.0

Table 43 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.040	-	-	-
2440	-	1.040	-	-	-
2480	-	1.040	-	-	-

Table 44 - 99% Bandwidth Results




Figure 247 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 248 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 249 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth




Figure 250 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 251 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 252 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LELR125K)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	0.692	-	≥500.0
2440	-	-	0.692	-	≥500.0
2480	-	-	0.692	-	≥500.0

Table 45 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	1.040	-	-
2440	-	-	1.040	-	-
2480	-	-	1.040	-	-

Table 46 - 99% Bandwidth Results




Figure 253 - Core 2 (C) 2402 MHz (CH37) 99% Bandwidth




Figure 254 - Core 2 (C) 2402 MHz (CH37) 6 dB Bandwidth




Figure 255 - Core 2 (C) 2440 MHz (CH17) 99% Bandwidth




Figure 256 - Core 2 (C) 2440 MHz (CH17) 6 dB Bandwidth




Figure 257 - Core 2 (C) 2480 MHz (CH39) 99% Bandwidth




Figure 258 - Core 2 (C) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.076	-	-	-	≥ 500.0
2441	1.076	-	-	-	≥ 500.0
2480	1.076	-	-	-	≥ 500.0

Table 47 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.180	-	-	-	-
2441	1.180	-	-	-	-
2480	1.180	-	-	-	-

Table 48 - 99% Bandwidth Results




Figure 259 - Core 0 (A) 2402 MHz (CH0) 99% Bandwidth




Figure 260 - Core 0 (A) 2402 MHz (CH0) 6 dB Bandwidth




Figure 261 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 262 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 263 - Core 0 (A) 2480 MHz (CH78) 99% Bandwidth




Figure 264 - Core 0 (A) 2480 MHz (CH78) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.072	-	-	≥ 500.0
2441	-	1.076	-	-	≥ 500.0
2480	-	1.072	-	-	≥ 500.0

Table 49 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.180	-	-	-
2441	-	1.180	-	-	-
2480	-	1.180	-	-	-

Table 50 - 99% Bandwidth Results




Figure 265 - Core 1 (B) 2402 MHz (CH0) 99% Bandwidth




Figure 266 - Core 1 (B) 2402 MHz (CH0) 6 dB Bandwidth




Figure 267 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 268 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 269 - Core 1 (B) 2480 MHz (CH78) 99% Bandwidth




Figure 270 - Core 1 (B) 2480 MHz (CH78) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	0.570	-	-	-	≥ 500.0
2440	0.570	-	-	-	≥ 500.0
2476	0.570	-	-	-	≥ 500.0

Table 51 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.605	-	-	-	-
2440	4.620	-	-	-	-
2476	4.620	-	-	-	-

Table 52 - 99% Bandwidth Results




Figure 271 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 272 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 273 - Core 0 (A) 2440 MHz (CH38) 99% Bandwidth




Figure 274 - Core 0 (A) 2440 MHz (CH38) 6 dB Bandwidth




Figure 275 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 276 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	0.570	-	-	≥ 500.0
2440	-	0.570	-	-	≥ 500.0
2476	-	0.570	-	-	≥ 500.0

Table 53 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.605	-	-	-
2440	-	4.620	-	-	-
2476	-	4.620	-	-	-

Table 54 - 99% Bandwidth Results




Figure 277 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 278 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 279 - Core 1 (B) 2440 MHz (CH38) 99% Bandwidth




Figure 280 - Core 1 (B) 2440 MHz (CH38) 6 dB Bandwidth




Figure 281 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 282 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.136	-	-	-	≥500.0
2440	2.136	-	-	-	≥500.0
2476	2.136	-	-	-	≥500.0

Table 55 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.368	-	-	-	-
2440	2.368	-	-	-	-
2476	2.368	-	-	-	-

Table 56 - 99% Bandwidth Results




Figure 283 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 284 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 285 - Core 0 (A) 2440 MHz (CH38) 99% Bandwidth




Figure 286 - Core 0 (A) 2440 MHz (CH38) 6 dB Bandwidth




Figure 287 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 288 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.136	-	-	≥500.0
2440	-	2.144	-	-	≥500.0
2476	-	2.136	-	-	≥500.0

Table 57 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.368	-	-	-
2440	-	2.368	-	-	-
2476	-	2.368	-	-	-

Table 58 - 99% Bandwidth Results




Figure 289 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 290 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 291 - Core 1 (B) 2440 MHz (CH38) 99% Bandwidth




Figure 292 - Core 1 (B) 2440 MHz (CH38) 6 dB Bandwidth




Figure 293 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 294 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.180	-	-	-	≥500.0
2440	4.060	-	-	-	≥500.0
2475	4.060	-	-	-	≥500.0

Table 59 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.700	-	-	-	-
2440	4.700	-	-	-	-
2475	4.700	-	-	-	-

Table 60 - 99% Bandwidth Results




Figure 295 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 296 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 297 - Core 0 (A) 2440 MHz (CH38) 99% Bandwidth




Figure 298 - Core 0 (A) 2440 MHz (CH38) 6 dB Bandwidth




Figure 299 - Core 0 (A) 2475 MHz (CH73) 99% Bandwidth




Figure 300 - Core 0 (A) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.180	-	-	≥500.0
2440	-	4.060	-	-	≥500.0
2475	-	4.060	-	-	≥500.0

Table 61 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.700	-	-	-
2440	-	4.700	-	-	-
2475	-	4.720	-	-	-

Table 62 - 99% Bandwidth Results




Figure 301 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 302 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 303 - Core 1 (B) 2440 MHz (CH38) 99% Bandwidth




Figure 304 - Core 1 (B) 2440 MHz (CH38) 6 dB Bandwidth




Figure 305 - Core 1 (B) 2475 MHz (CH73) 99% Bandwidth




Figure 306 - Core 1 (B) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	0.668	-	-	-	≥500.0
2440	0.664	-	-	-	≥500.0
2480	0.664	-	-	-	≥500.0

Table 63 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.016	-	-	-	-
2440	1.016	-	-	-	-
2480	1.016	-	-	-	-

Table 64 - 99% Bandwidth Results




Figure 307 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 308 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 309 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 310 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 311 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 312 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	0.664	-	-	≥500.0
2440	-	0.668	-	-	≥500.0
2480	-	0.668	-	-	≥500.0

Table 65 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.016	-	-	-
2440	-	1.016	-	-	-
2480	-	1.016	-	-	-

Table 66 - 99% Bandwidth Results




Figure 313 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 314 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 315 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth




Figure 316 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 317 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth