



Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 VLP	-13.51	6162.450
802.11a40 VLP	-8.33	6021.939
802.11a80 VLP	-9.05	6057.000
802.11a160 VLP	-6.98	6339.000
802.11ax HE20 SU VLP	-14.48	6133.950
802.11ax HE40 SU VLP	-9.09	6045.663
802.11ax HE80 SU VLP	-8.32	6087.500
802.11ax HE160 SU VLP	-6.45	6099.000
802.11ax HE20 RU26 VLP	-11.76	6524.000
802.11ax HE20 RU52 VLP	-11.46	7106.000
802.11be EHT20 RU Size 52 + RU Size 26 VLP	-14.41	6524.500
802.11ax HE20 RU106 VLP	-12.31	6523.600
802.11be EHT20 RU Size 106 + RU Size 26 VLP	-12.14	6526.200
802.11be EHT80 RU Size 484 + RU Size 242 VLP	-8.51	6091.500
802.11be EHT160 RU Size 996 + RU Size 484 VLP (Primary)	-7.12	6098.000
802.11be EHT160 RU Size 996 + RU Size 484 VLP (Secondary)	-7.16	6369.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Secondary)	-7.41	6115.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Primary)	-7.10	6147.000

Table 883 - Unwanted Emissions Within the RLAN Band Summary Results SISO (Core 0)




Figure 600 - A(Core 0) 802.11a20 VLP 6535 MHz (CH117)




Figure 601 - A(Core 0) 802.11a40 VLP 6565 MHz (CH123)




Figure 602 - A(Core 0) 802.11a80 VLP 6545 MHz (CH119)




Figure 603 - A(Core 0) 802.11a160 VLP 6665 MHz (CH143)




Figure 604 - A(Core 0) 802.11ax HE20 SU VLP 6695 MHz (CH149)




Figure 605 - A(Core 0) 802.11ax HE40 SU VLP 6565 MHz (CH123)




Figure 606 - A(Core 0) 802.11ax HE80 SU VLP 6545 MHz (CH119)




Figure 607 - A(Core 0) 802.11ax HE160 SU VLP 6825 MHz (CH175)




Figure 608 - A(Core 0) 802.11ax HE20 RU26 VLP 6535 MHz (CH117)




Figure 609 - A(Core 0) 802.11ax HE20 RU52 VLP 7095 MHz (CH229)




Figure 610 - A(Core 0) 802.11be EHT20 RU Size 52 + RU Size 26 VLP 6535 MHz (CH117)




Figure 611 - A(Core 0) 802.11ax HE20 RU106 VLP 6535 MHz (CH117)




Figure 612 - A(Core 0) 802.11be EHT20 RU Size 106 + RU Size 26 VLP 6515 MHz (CH113)




Figure 613 - A(Core 0) 802.11be EHT80 RU Size 484 + RU Size 242 VLP 6545 MHz (CH119)




Figure 614 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 VLP (Primary) 6505 MHz (CH111)




Figure 615 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 VLP (Secondary) 6825 MHz (CH175)




Figure 616 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Secondary) 6825 MHz (CH175)




Figure 617 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Primary) 6665 MHz (CH143)



Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 LPI	-14.32	6526.800
802.11a40 LPI	-7.38	6131.122
802.11a80 LPI	-8.86	6045.500
802.11a160 LPI	-8.31	6094.000
802.11ax HE20 SU LPI	-14.86	6076.200
802.11ax HE40 SU LPI	-8.65	6039.286
802.11ax HE80 SU LPI	-8.34	6986.000
802.11ax HE160 SU LPI	-7.03	6127.000
802.11ax HE20 RU26 LPI	-12.20	5943.800
802.11ax HE20 RU52 LPI	-11.31	6463.900
802.11be EHT20 RU Size 52 + RU Size 26 LPI	-15.25	6885.500
802.11ax HE20 RU106 LPI	-12.75	6526.400
802.11be EHT20 RU Size 106 + RU Size 26 LPI	-12.38	6886.200
802.11be EHT80 RU Size 484 + RU Size 242 LPI	-8.98	6376.000
802.11be EHT160 RU Size 996 + RU Size 484 LPI (Secondary)	-7.41	6105.000
802.11be EHT160 RU Size 996 + RU Size 484 LPI (Primary)	-7.95	6606.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Primary)	-7.41	6105.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Secondary)	-7.33	6126.000

Table 884 - Unwanted Emissions Within the RLAN Band Summary Results SISO (Core 1)




Figure 618 - B(Core 1) 802.11a20 LPI 6515 MHz (CH113)




Figure 619 - B(Core 1) 802.11a40 LPI 6525 MHz (CH115)




Figure 620 - B(Core 1) 802.11a80 LPI 6385 MHz (CH87)




Figure 621 - B(Core 1) 802.11a160 LPI 6345 MHz (CH79)




Figure 622 - B(Core 1) 802.11ax HE20 SU LPI 6875 MHz (CH185)




Figure 623 - B(Core 1) 802.11ax HE40 SU LPI 6485 MHz (CH107)




Figure 624 - B(Core 1) 802.11ax HE80 SU LPI 6945 MHz (CH199)




Figure 625 - B(Core 1) 802.11ax HE160 SU LPI 6665 MHz (CH143)




Figure 626 - B(Core 1) 802.11ax HE20 RU26 LPI
5955 MHz (CH1)




Figure 627 - B(Core 1) 802.11ax HE20 RU52 LPI
6475 MHz (CH105)




Figure 628 - B(Core 1) 802.11be EHT20 RU Size
52 + RU Size 26 LPI 6875 MHz (CH185)




Figure 629 - B(Core 1) 802.11ax HE20 RU106 LPI
6515 MHz (CH113)




Figure 630 - B(Core 1) 802.11be EHT20 RU Size
106 + RU Size 26 LPI 6875 MHz (CH185)




Figure 631 - B(Core 1) 802.11be EHT80 RU Size
484 + RU Size 242 LPI 6545 MHz (CH119)




Figure 632 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 LPI (Secondary) 6185 MHz (CH47)




Figure 633 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 LPI (Primary) 6985 MHz (CH207)




Figure 634 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Primary) 6185 MHz (CH47)




Figure 635 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Secondary) 6985 MHz (CH207)



Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 SP	-13.94	6463.200
802.11a40 SP	-9.67	6083.163
802.11a80 SP	-9.74	6724.500
802.11a160 SP	-4.86	5973.000
802.11ax HE20 SU SP	-16.92	6461.400
802.11ax HE40 SU SP	-9.26	6042.602
802.11ax HE80 SU SP	-9.30	6787.000
802.11ax HE160 SU SP	-8.00	6249.000
802.11ax HE20 RU26 SP	-12.65	6683.900
802.11ax HE20 RU52 SP	-10.65	6683.900
802.11be EHT20 RU Size 52 + RU Size 26 SP	-15.08	6425.600
802.11ax HE20 RU106 SP	-12.68	6423.800
802.11be EHT20 RU Size 106 + RU Size 26 SP	-13.28	6866.100
802.11be EHT80 RU Size 484 + RU Size 242 SP	-9.16	6076.500
802.11be EHT160 RU Size 996 + RU Size 484 SP (Secondary)	-7.77	5935.000
802.11be EHT160 RU Size 996 + RU Size 484 SP (Primary)	-8.08	6110.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Primary)	-7.49	5928.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Secondary)	-8.37	6247.000

Table 885 - Unwanted Emissions Within the RLAN Band Summary Results SISO (Core 1)




Figure 636 - B(Core 1) 802.11a20 SP 6475 MHz (CH105)




Figure 637 - B(Core 1) 802.11a40 SP 6565 MHz (CH123)




Figure 638 - B(Core 1) 802.11a80 SP 6785 MHz (CH167)




Figure 639 - B(Core 1) 802.11a160 SP 6185 MHz (CH47)




Figure 640 - B(Core 1) 802.11ax HE20 SU SP 6475 MHz (CH105)




Figure 641 - B(Core 1) 802.11ax HE40 SU SP 6485 MHz (CH107)




Figure 642 - B(Core 1) 802.11ax HE80 SU SP 6625 MHz (CH135)




Figure 643 - B(Core 1) 802.11ax HE160 SU SP 6505 MHz (CH111)




Figure 644 - B(Core 1) 802.11ax HE20 RU26 SP
6695 MHz (CH149)




Figure 645 - B(Core 1) 802.11ax HE20 RU52 SP
6695 MHz (CH149)




Figure 646 - B(Core 1) 802.11be EHT20 RU Size
52 + RU Size 26 SP 6415 MHz (CH93)




Figure 647 - B(Core 1) 802.11ax HE20 RU106 SP
6435 MHz (CH97)




Figure 648 - B(Core 1) 802.11be EHT20 RU Size
106 + RU Size 26 SP 6855 MHz (CH181)




Figure 649 - B(Core 1) 802.11be EHT80 RU Size
484 + RU Size 242 SP 6545 MHz (CH119)




Figure 650 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 SP (Secondary) 6185 MHz (CH47)




Figure 651 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 SP (Primary) 6665 MHz (CH143)




Figure 652 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Primary) 6185 MHz (CH47)




Figure 653 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Secondary) 6505 MHz (CH111)



Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 VLP	-10.32	6684.000
802.11a40 VLP	-8.81	6017.347
802.11a80 VLP	-9.38	6218.000
802.11a160 VLP	-7.28	6720.000
802.11ax HE20 SU VLP	-15.67	6131.850
802.11ax HE40 SU VLP	-7.92	6108.163
802.11ax HE80 SU VLP	-8.42	5973.500
802.11ax HE160 SU VLP	-6.87	6085.000
802.11ax HE20 RU26 VLP	-12.20	6984.000
802.11ax HE20 RU52 VLP	-11.63	6243.900
802.11be EHT20 RU Size 52 + RU Size 26 VLP	-15.11	6885.500
802.11ax HE20 RU106 VLP	-13.22	6883.700
802.11be EHT20 RU Size 106 + RU Size 26 VLP	-12.98	6526.500
802.11be EHT80 RU Size 484 + RU Size 242 VLP	-9.20	6781.000
802.11be EHT160 RU Size 996 + RU Size 484 VLP (Secondary)	-7.21	6105.000
802.11be EHT160 RU Size 996 + RU Size 484 VLP (Primary)	-6.91	6738.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Secondary)	-7.27	5994.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Primary)	-7.38	6021.000

Table 886 - Unwanted Emissions Within the RLAN Band Summary Results SISO (Core 1)




Figure 654 - B(Core 1) 802.11a20 VLP 6695 MHz (CH149)




Figure 655 - B(Core 1) 802.11a40 VLP 6565 MHz (CH123)




Figure 656 - B(Core 1) 802.11a80 VLP 6545 MHz (CH119)




Figure 657 - B(Core 1) 802.11a160 VLP 6985 MHz (CH207)




Figure 658 - B(Core 1) 802.11ax HE20 SU VLP 6535 MHz (CH117)




Figure 659 - B(Core 1) 802.11ax HE40 SU VLP 6405 MHz (CH91)




Figure 660 - B(Core 1) 802.11ax HE80 SU VLP 6545 MHz (CH119)




Figure 661 - B(Core 1) 802.11ax HE160 SU VLP 6825 MHz (CH175)




Figure 662 - B(Core 1) 802.11ax HE20 RU26 VLP
6995 MHz (CH209)




Figure 663 - B(Core 1) 802.11ax HE20 RU52 VLP
6255 MHz (CH61)




Figure 664 - B(Core 1) 802.11be EHT20 RU Size
52 + RU Size 26 VLP 6875 MHz (CH185)




Figure 665 - B(Core 1) 802.11ax HE20 RU106
VLP 6895 MHz (CH189)




Figure 666 - B(Core 1) 802.11be EHT20 RU Size
106 + RU Size 26 VLP 6515 MHz (CH113)




Figure 667 - B(Core 1) 802.11be EHT80 RU Size
484 + RU Size 242 VLP 7025 MHz (CH215)




Figure 668 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 VLP (Secondary) 6185 MHz (CH47)




Figure 669 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 VLP (Primary) 6985 MHz (CH207)




Figure 670 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Secondary) 6505 MHz (CH111)




Figure 671 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Primary) 6345 MHz (CH79)



Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 LPI	-13.87	5967.000
802.11a40 LPI	-7.31	6066.837
802.11a80 LPI	-8.50	6148.000
802.11a160 LPI	-6.28	6250.000
802.11ax HE20 SU LPI	-13.93	6162.300
802.11ax HE40 SU LPI	-9.07	6036.224
802.11ax HE80 SU LPI	-6.82	6062.000
802.11ax HE160 SU LPI	-6.00	6106.000
802.11ax HE20 RU52 LPI	-11.42	5944.000
802.11be EHT20 RU Size 52 + RU Size 26 LPI	-13.97	7105.400
802.11ax HE20 RU106 LPI	-11.19	6423.700
802.11be EHT20 RU Size 106 + RU Size 26 LPI	-11.71	6866.200
802.11be EHT80 RU Size 484 + RU Size 242 LPI	-8.36	6152.500
802.11be EHT160 RU Size 996 + RU Size 484 LPI (Secondary)	-6.56	6123.000
802.11be EHT160 RU Size 996 + RU Size 484 LPI (Primary)	-6.67	5982.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Primary)	-6.12	6108.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Secondary)	-5.79	6103.000

Table 887 - Unwanted Emissions Within the RLAN Band Summary Results MIMO CDD




Figure 672 - A(Core 0) 802.11a20 LPI 5955 MHz (CH1)




Figure 673 - B(Core 1) 802.11a40 LPI 6445 MHz (CH99)




Figure 674 - B(Core 1) 802.11a80 LPI 6385 MHz (CH87)




Figure 675 - A(Core 0) 802.11a160 LPI 6825 MHz (CH175)




Figure 676 - A(Core 0) 802.11ax HE20 SU LPI 6415 MHz (CH93)




Figure 677 - A(Core 0) 802.11ax HE40 SU LPI 6725 MHz (CH155)




Figure 678 - A(Core 0) 802.11ax HE80 SU LPI 6545 MHz (CH119)




Figure 679 - A(Core 0) 802.11ax HE160 SU LPI 6665 MHz (CH143)




Figure 680 - B(Core 1) 802.11ax HE20 RU52 LPI
5955 MHz (CH1)




Figure 681 - A(Core 0) 802.11be EHT20 RU Size
52 + RU Size 26 LPI 7095 MHz (CH229)




Figure 682 - B(Core 1) 802.11ax HE20 RU106 LPI
6435 MHz (CH97)




Figure 683 - A(Core 0) 802.11be EHT20 RU Size
106 + RU Size 26 LPI 6855 MHz (CH181)




Figure 684 - B(Core 1) 802.11be EHT80 RU Size
484 + RU Size 242 LPI 6545 MHz (CH119)




Figure 685 - A(Core 0) 802.11be EHT160 RU Size
996 + RU Size 484 LPI (Secondary) 6825 MHz
(CH175)




Figure 686 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 LPI (Primary) 6825 MHz (CH175)




Figure 687 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Primary) 6505 MHz (CH111)




Figure 688 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Secondary) 6505 MHz (CH111)



Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 SP	-13.43	6503.100
802.11a40 SP	-8.60	6013.010
802.11a80 SP	-9.80	6107.000
802.11a160 SP	-3.25	6289.000
802.11ax HE20 SU SP	-16.42	6214.950
802.11ax HE40 SU SP	-8.80	6112.500
802.11ax HE80 SU SP	-8.30	6660.500
802.11ax HE160 SU SP	-7.54	6419.000
802.11ax HE20 RU26 SP	-11.55	6423.900
802.11ax HE20 RU52 SP	-11.51	6426.100
802.11be EHT20 RU Size 52 + RU Size 26 SP	-14.53	6425.300
802.11ax HE20 RU106 SP	-11.53	6866.300
802.11be EHT20 RU Size 106 + RU Size 26 SP	-12.62	6526.400
802.11be EHT80 RU Size 484 + RU Size 242 SP	-8.68	6266.500
802.11be EHT160 RU Size 996 + RU Size 484 SP (Secondary)	-7.75	6269.000
802.11be EHT160 RU Size 996 + RU Size 484 SP (Primary)	-7.92	6333.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Secondary)	-7.57	6419.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Primary)	-6.89	5934.000

Table 888 - Unwanted Emissions Within the RLAN Band Summary Results MIMO CDD




Figure 689 - A(Core 0) 802.11a20 SP 6515 MHz (CH113)




Figure 690 - A(Core 0) 802.11a40 SP 6445 MHz (CH99)




Figure 691 - B(Core 1) 802.11a80 SP 6465 MHz (CH103)




Figure 692 - A(Core 0) 802.11a160 SP 6505 MHz (CH111)




Figure 693 - A(Core 0) 802.11ax HE20 SU SP 6855 MHz (CH181)




Figure 694 - A(Core 0) 802.11ax HE40 SU SP 6445 MHz (CH99)




Figure 695 - A(Core 0) 802.11ax HE80 SU SP 6785 MHz (CH167)




Figure 696 - A(Core 0) 802.11ax HE160 SU SP 6665 MHz (CH143)




Figure 697 - A(Core 0) 802.11ax HE20 RU26 SP
6435 MHz (CH97)




Figure 698 - A(Core 0) 802.11ax HE20 RU52 SP
6415 MHz (CH93)




Figure 699 - B(Core 1) 802.11be EHT20 RU Size
52 + RU Size 26 SP 6415 MHz (CH93)




Figure 700 - A(Core 0) 802.11ax HE20 RU106 SP
6855 MHz (CH181)




Figure 701 - B(Core 1) 802.11be EHT20 RU Size
106 + RU Size 26 SP 6515 MHz (CH113)




Figure 702 - B(Core 1) 802.11be EHT80 RU Size
484 + RU Size 242 SP 6545 MHz (CH119)




Figure 703 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 SP (Secondary) 6665 MHz (CH143)




Figure 704 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 SP (Primary) 6665 MHz (CH143)




Figure 705 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Secondary) 6665 MHz (CH143)




Figure 706 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Primary) 6185 MHz (CH47)