




Figure 899 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 VLP (Secondary) 6825 MHz (CH175)




Figure 900 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 VLP (Primary) 6825 MHz (CH175)




Figure 901 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Secondary) 6505 MHz (CH111)




Figure 902 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Primary) 6505 MHz (CH111)

Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 LPI	-14.04	6983.100
802.11a40 LPI	-9.75	6121.429
802.11a80 LPI	-8.85	6002.500
802.11a160 LPI	-6.77	6089.000
802.11ax HE20 SU LPI	-15.11	6337.650
802.11ax HE40 SU LPI	-8.50	6035.459
802.11ax HE80 SU LPI	-8.11	6181.000
802.11ax HE160 SU LPI	-7.53	6585.000
802.11ax HE20 RU26 LPI	-10.93	7105.900
802.11ax HE20 RU52 LPI	-10.99	5943.900
802.11be EHT20 RU Size 52 + RU Size 26 LPI	-15.06	6864.300
802.11ax HE20 RU106 LPI	-12.48	7106.200
802.11be EHT20 RU Size 106 + RU Size 26 LPI	-13.35	7106.600
802.11be EHT80 RU Size 484 + RU Size 242 LPI	-9.04	6174.500
802.11be EHT160 RU Size 996 + RU Size 484 LPI (Primary)	-7.96	6105.000
802.11be EHT160 RU Size 996 + RU Size 484 LPI (Secondary)	-7.67	6745.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Primary)	-8.05	5928.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Secondary)	-7.32	6393.000

Table 603 - Unwanted Emissions Within the RLAN Band Summary Results SISO (Core 1)




Figure 903 - B(Core 1) 802.11a20 LPI 6995 MHz (CH209)




Figure 904 - B(Core 1) 802.11a40 LPI 6405 MHz (CH91)




Figure 905 - B(Core 1) 802.11a80 LPI 6465 MHz (CH103)




Figure 906 - B(Core 1) 802.11a160 LPI 6345 MHz (CH79)




Figure 907 - B(Core 1) 802.11ax HE20 SU LPI 6875 MHz (CH185)




Figure 908 - B(Core 1) 802.11ax HE40 SU LPI 6365 MHz (CH83)




Figure 909 - B(Core 1) 802.11ax HE80 SU LPI 6305 MHz (CH71)




Figure 910 - B(Core 1) 802.11ax HE160 SU LPI 6665 MHz (CH143)




Figure 911 - B(Core 1) 802.11ax HE20 RU26 LPI
7095 MHz (CH229)




Figure 912 - B(Core 1) 802.11ax HE20 RU52 LPI
5955 MHz (CH1)




Figure 913 - B(Core 1) 802.11be EHT20 RU Size
52 + RU Size 26 LPI 6875 MHz (CH185)




Figure 914 - B(Core 1) 802.11ax HE20 RU106 LPI
7095 MHz (CH229)




Figure 915 - B(Core 1) 802.11be EHT20 RU Size
106 + RU Size 26 LPI 7095 MHz (CH229)




Figure 916 - B(Core 1) 802.11be EHT80 RU Size
484 + RU Size 242 LPI 6465 MHz (CH103)




Figure 917 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 LPI (Primary) 6185 MHz (CH47)




Figure 918 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 LPI (Secondary) 6825 MHz (CH175)




Figure 919 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Primary) 6185 MHz (CH47)




Figure 920 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Secondary) 6825 MHz (CH175)



Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 SP	-14.24	6403.050
802.11a40 SP	-9.80	6136.480
802.11a80 SP	-8.83	6406.000
802.11a160 SP	-3.88	5968.000
802.11ax HE20 SU SP	-13.33	6819.900
802.11ax HE40 SU SP	-9.39	6293.112
802.11ax HE80 SU SP	-6.80	6261.500
802.11ax HE160 SU SP	-7.04	6414.000
802.11ax HE20 RU26 SP	-12.43	6163.900
802.11ax HE20 RU52 SP	-10.99	6463.800
802.11be EHT20 RU Size 52 + RU Size 26 SP	-14.18	6525.400
802.11ax HE20 RU106 SP	-13.03	6426.300
802.11be EHT20 RU Size 106 + RU Size 26 SP	-12.72	6526.300
802.11be EHT80 RU Size 484 + RU Size 242 SP	-6.44	6799.500
802.11be EHT160 RU Size 996 + RU Size 484 SP (Secondary)	-6.21	5932.000
802.11be EHT160 RU Size 996 + RU Size 484 SP (Primary)	-7.14	5937.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Primary)	-7.10	5938.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Secondary)	-7.83	6416.000

Table 604 - Unwanted Emissions Within the RLAN Band Summary Results SISO (Core 1)




Figure 921 - B(Core 1) 802.11a20 SP 6415 MHz (CH93)




Figure 922 - B(Core 1) 802.11a40 SP 6485 MHz (CH107)




Figure 923 - B(Core 1) 802.11a80 SP 6465 MHz (CH103)




Figure 924 - B(Core 1) 802.11a160 SP 6185 MHz (CH47)




Figure 925 - B(Core 1) 802.11ax HE20 SU SP 6855 MHz (CH181)




Figure 926 - B(Core 1) 802.11ax HE40 SU SP 6445 MHz (CH99)




Figure 927 - B(Core 1) 802.11ax HE80 SU SP 6385 MHz (CH87)




Figure 928 - B(Core 1) 802.11ax HE160 SU SP 6665 MHz (CH143)




Figure 929 - B(Core 1) 802.11ax HE20 RU26 SP 6175 MHz (CH45)




Figure 930 - B(Core 1) 802.11ax HE20 RU52 SP 6475 MHz (CH105)




Figure 931 - B(Core 1) 802.11be EHT20 RU Size 52 + RU Size 26 SP 6515 MHz (CH113)




Figure 932 - B(Core 1) 802.11ax HE20 RU106 SP 6415 MHz (CH93)




Figure 933 - B(Core 1) 802.11be EHT20 RU Size 106 + RU Size 26 SP 6515 MHz (CH113)




Figure 934 - B(Core 1) 802.11be EHT80 RU Size 484 + RU Size 242 SP 6705 MHz (CH151)




Figure 935 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 SP (Secondary) 6185 MHz (CH47)




Figure 936 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 SP (Primary) 6185 MHz (CH47)




Figure 937 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Primary) 6185 MHz (CH47)




Figure 938 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Secondary) 6665 MHz (CH143)

Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 VLP	-14.10	6266.850
802.11a40 VLP	-8.99	6038.776
802.11a80 VLP	-9.32	6346.500
802.11a160 VLP	-7.75	6362.000
802.11ax HE20 SU VLP	-14.20	6313.200
802.11ax HE40 SU VLP	-8.67	6021.173
802.11ax HE80 SU VLP	-7.88	6820.000
802.11ax HE160 SU VLP	-6.52	6326.000
802.11ax HE20 RU26 VLP	-11.39	6684.000
802.11ax HE20 RU52 VLP	-11.66	6426.000
802.11be EHT20 RU Size 52 + RU Size 26 VLP	-15.06	6884.500
802.11ax HE20 RU106 VLP	-13.29	6886.300
802.11be EHT20 RU Size 106 + RU Size 26 VLP	-11.86	6886.200
802.11be EHT80 RU Size 484 + RU Size 242 VLP	-8.85	6138.500
802.11be EHT160 RU Size 996 + RU Size 484 VLP (Secondary)	-7.11	6186.000
802.11be EHT160 RU Size 996 + RU Size 484 VLP (Primary)	-7.63	6245.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Secondary)	-6.91	6177.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Primary)	-7.14	6222.000

Table 605 - Unwanted Emissions Within the RLAN Band Summary Results SISO (Core 1)




Figure 939 - B(Core 1) 802.11a20 VLP 6255 MHz (CH61)




Figure 940 - B(Core 1) 802.11a40 VLP 6445 MHz (CH99)




Figure 941 - B(Core 1) 802.11a80 VLP 6545 MHz (CH119)




Figure 942 - B(Core 1) 802.11a160 VLP 6825 MHz (CH175)




Figure 943 - B(Core 1) 802.11ax HE20 SU VLP 7095 MHz (CH229)




Figure 944 - B(Core 1) 802.11ax HE40 SU VLP 6445 MHz (CH99)




Figure 945 - B(Core 1) 802.11ax HE80 SU VLP 6945 MHz (CH199)




Figure 946 - B(Core 1) 802.11ax HE160 SU VLP 6665 MHz (CH143)




Figure 947 - B(Core 1) 802.11ax HE20 RU26 VLP 6695 MHz (CH149)




Figure 948 - B(Core 1) 802.11ax HE20 RU52 VLP 6415 MHz (CH93)




Figure 949 - B(Core 1) 802.11be EHT20 RU Size 52 + RU Size 26 VLP 6895 MHz (CH189)




Figure 950 - B(Core 1) 802.11ax HE20 RU106 VLP 6875 MHz (CH185)




Figure 951 - B(Core 1) 802.11be EHT20 RU Size 106 + RU Size 26 VLP 6875 MHz (CH185)




Figure 952 - B(Core 1) 802.11be EHT80 RU Size 484 + RU Size 242 VLP 7025 MHz (CH215)




**Figure 953 - B(Core 1) 802.11be EHT160 RU
Size 996 + RU Size 484 VLP (Secondary) 6505
MHz (CH111)**




**Figure 954 - B(Core 1) 802.11be EHT160 RU
Size 996 + RU Size 484 VLP (Primary) 6505 MHz
(CH111)**




**Figure 955 - B(Core 1) 802.11be EHT160 RU
Size 996 + RU Size 484 + RU Size 242 VLP
(Secondary) 6505 MHz (CH111)**




**Figure 956 - B(Core 1) 802.11be EHT160 RU
Size 996 + RU Size 484 + RU Size 242 VLP
(Primary) 6505 MHz (CH111)**

Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 LPI	-14.08	7104.100
802.11a40 LPI	-8.85	6084.439
802.11a80 LPI	-8.85	6114.000
802.11a160 LPI	-7.76	6397.000
802.11ax HE20 SU LPI	-15.11	6395.850
802.11ax HE40 SU LPI	-9.11	5987.500
802.11ax HE80 SU LPI	-8.32	6438.000
802.11ax HE160 SU LPI	-6.63	6221.000
802.11ax HE20 RU26 LPI	-11.86	6423.800
802.11ax HE20 RU52 LPI	-11.29	6264.000
802.11be EHT20 RU Size 52 + RU Size 26 LPI	-14.36	6864.500
802.11ax HE20 RU106 LPI	-11.97	5943.600
802.11be EHT20 RU Size 106 + RU Size 26 LPI	-11.47	6526.200
802.11be EHT80 RU Size 484 + RU Size 242 LPI	-8.58	6349.000
802.11be EHT160 RU Size 996 + RU Size 484 LPI (Primary)	-6.63	6233.000
802.11be EHT160 RU Size 996 + RU Size 484 LPI (Secondary)	-6.87	6353.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Secondary)	-6.44	6182.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Primary)	-6.38	6234.000

Table 606 - Unwanted Emissions Within the RLAN Band Summary Results MIMO CDD




Figure 957 - B(Core 1) 802.11a20 LPI 7115 MHz (CH233)




Figure 958 - B(Core 1) 802.11a40 LPI 6485 MHz (CH107)




Figure 959 - A(Core 0) 802.11a80 LPI 6705 MHz (CH151)




Figure 960 - B(Core 1) 802.11a160 LPI 6665 MHz (CH143)



Figure 961 - B(Core 1) 802.11ax HE20 SU LPI 6995 MHz (CH209)




Figure 962 - A(Core 0) 802.11ax HE40 SU LPI 6445 MHz (CH99)




Figure 963 - B(Core 1) 802.11ax HE80 SU LPI 6625 MHz (CH135)




Figure 964 - A(Core 0) 802.11ax HE160 SU LPI 6505 MHz (CH111)




Figure 965 - A(Core 0) 802.11ax HE20 RU26 LPI
6435 MHz (CH97)




Figure 966 - A(Core 0) 802.11ax HE20 RU52 LPI
6275 MHz (CH65)




Figure 967 - B(Core 1) 802.11be EHT20 RU Size
52 + RU Size 26 LPI 6875 MHz (CH185)




Figure 968 - B(Core 1) 802.11ax HE20 RU106 LPI
5955 MHz (CH1)




Figure 969 - B(Core 1) 802.11be EHT20 RU Size
106 + RU Size 26 LPI 6515 MHz (CH113)




Figure 970 - B(Core 1) 802.11be EHT80 RU Size
484 + RU Size 242 LPI 6865 MHz (CH183)




Figure 971 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 LPI (Primary) 6505 MHz (CH111)




Figure 972 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 LPI (Secondary) 6665 MHz (CH143)




Figure 973 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Secondary) 6505 MHz (CH111)




Figure 974 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 LPI (Primary) 6505 MHz (CH111)

Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 SP	-13.53	6463.200
802.11a40 SP	-9.16	6046.684
802.11a80 SP	-9.43	6189.000
802.11a160 SP	-3.67	6290.000
802.11ax HE20 SU SP	-12.95	6869.550
802.11ax HE40 SU SP	-9.25	6375.255
802.11ax HE80 SU SP	-6.14	6258.500
802.11ax HE160 SU SP	-6.67	6414.000
802.11ax HE20 RU26 SP	-12.84	6463.800
802.11ax HE20 RU52 SP	-11.95	6463.700
802.11be EHT20 RU Size 52 + RU Size 26 SP	-14.76	6164.600
802.11ax HE20 RU106 SP	-12.08	6426.300
802.11be EHT20 RU Size 106 + RU Size 26 SP	-10.91	6423.800
802.11be EHT80 RU Size 484 + RU Size 242 SP	-4.55	6826.000
802.11be EHT160 RU Size 996 + RU Size 484 SP (Primary)	-6.77	5936.000
802.11be EHT160 RU Size 996 + RU Size 484 SP (Secondary)	-5.64	5936.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Secondary)	-7.31	6417.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Primary)	-5.43	6810.000

Table 607 - Unwanted Emissions Within the RLAN Band Summary Results MIMO CDD




Figure 975 - A(Core 0) 802.11a20 SP 6475 MHz (CH105)




Figure 976 - A(Core 0) 802.11a40 SP 5965 MHz (CH3)




Figure 977 - B(Core 1) 802.11a80 SP 6545 MHz (CH119)




Figure 978 - B(Core 1) 802.11a160 SP 6505 MHz (CH111)




Figure 979 - B(Core 1) 802.11ax HE20 SU SP 6855 MHz (CH181)




Figure 980 - A(Core 0) 802.11ax HE40 SU SP 6445 MHz (CH99)




Figure 981 - A(Core 0) 802.11ax HE80 SU SP 6385 MHz (CH87)




Figure 982 - B(Core 1) 802.11ax HE160 SU SP 6665 MHz (CH143)




Figure 983 - B(Core 1) 802.11ax HE20 RU26 SP
6475 MHz (CH105)




Figure 984 - A(Core 0) 802.11ax HE20 RU52 SP
6475 MHz (CH105)




Figure 985 - B(Core 1) 802.11be EHT20 RU Size
52 + RU Size 26 SP 6175 MHz (CH45)




Figure 986 - B(Core 1) 802.11ax HE20 RU106 SP
6415 MHz (CH93)




Figure 987 - B(Core 1) 802.11be EHT20 RU Size
106 + RU Size 26 SP 6435 MHz (CH97)




Figure 988 - A(Core 0) 802.11be EHT80 RU Size
484 + RU Size 242 SP 6785 MHz (CH167)




Figure 989 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 SP (Primary) 6185 MHz (CH47)




Figure 990 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 SP (Secondary) 6185 MHz (CH47)




Figure 991 - A(Core 0) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Secondary) 6665 MHz (CH143)




Figure 992 - B(Core 1) 802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 SP (Primary) 6665 MHz (CH143)



Protocol	Unwanted Emissions Within the RLAN Band	
	Margin (dB)	Frequency (MHz)
802.11a20 VLP	-13.60	6664.350
802.11a40 VLP	-9.13	6042.347
802.11a80 VLP	-8.06	6262.500
802.11a160 VLP	-6.85	6349.000
802.11ax HE20 SU VLP	-13.32	6352.500
802.11ax HE40 SU VLP	-10.12	6086.220
802.11ax HE80 SU VLP	-7.97	6117.500
802.11ax HE160 SU VLP	-6.06	6340.000
802.11ax HE20 RU52 VLP	-10.45	6464.000
802.11ax HE20 RU106 VLP	-12.01	6103.800
802.11be EHT20 RU Size 52 + RU Size 26 VLP	-14.55	6425.500
802.11be EHT20 RU Size 106 + RU Size 26 VLP	-11.59	6526.200
802.11be EHT80 RU Size 484 + RU Size 242 VLP	-7.44	6067.500
802.11be EHT160 RU Size 996 + RU Size 484 VLP (Secondary)	-6.66	6328.000
802.11be EHT160 RU Size 996 + RU Size 484 VLP (Primary)	-5.60	6334.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Primary)	-4.14	6586.000
802.11be EHT160 RU Size 996 + RU Size 484 + RU Size 242 VLP (Secondary)	-6.69	6349.000

Table 608 - Unwanted Emissions Within the RLAN Band Summary Results MIMO CDD




Figure 993 - B(Core 1) 802.11a20 VLP 6875 MHz (CH185)




Figure 994 - B(Core 1) 802.11a40 VLP 6445 MHz (CH99)




Figure 995 - B(Core 1) 802.11a80 VLP 6785 MHz (CH167)




Figure 996 - B(Core 1) 802.11a160 VLP 6825 MHz (CH175)




Figure 997 - A(Core 0) 802.11ax HE20 SU VLP 6415 MHz (CH93)




Figure 998 - A(Core 0) 802.11ax HE40 SU VLP 6405 MHz (CH91)




Figure 999 - B(Core 1) 802.11ax HE80 SU VLP 6545 MHz (CH119)




Figure 1000 - B(Core 1) 802.11ax HE160 SU VLP 6665 MHz (CH143)