




Figure 85 - 802.11a80 VLP Minimum 26 dB EBW




Figure 86 - 802.11a80 VLP Maximum 26 dB EBW




Figure 87 - 802.11a80 SP Minimum 26 dB EBW




Figure 88 - 802.11a80 SP Maximum 26 dB EBW




Figure 89 - 802.11a160 SP Minimum 26 dB EBW




Figure 90 - 802.11a160 SP Maximum 26 dB EBW




Figure 91 - 802.11a160 VLP Minimum 26 dB EBW




Figure 92 - 802.11a160 VLP Maximum 26 dB EBW




Figure 93 - 802.11a160 LPI Minimum 26 dB EBW




Figure 94 - 802.11a160 LPI Maximum 26 dB EBW

Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE20 SU LPI	22.512	23.430
802.11ax HE40 SU LPI	44.004	45.528
802.11ax HE80 SU LPI	82.390	83.072
802.11ax HE160 SU LPI	164.346	165.102
802.11ax HE20 SU SP	21.504	23.328
802.11ax HE40 SU SP	42.372	45.396
802.11ax HE80 SU SP	81.796	82.984
802.11ax HE160 SU SP	163.716	166.656
802.11ax HE20 SU VLP	22.674	23.436
802.11ax HE40 SU VLP	44.880	45.420
802.11ax HE80 SU VLP	82.500	82.962
802.11ax HE160 SU VLP	164.220	165.018
802.11a20 LPI	19.824	22.344
802.11a20 SP	20.196	22.404
802.11a20 VLP	19.836	22.488
802.11a40 LPI	43.488	44.652
802.11a40 SP	51.288	92.140
802.11a40 VLP	43.464	44.736
802.11a80 LPI	113.568	117.312
802.11a80 VLP	114.456	118.560
802.11a80 SP	97.966	168.840
802.11a160 VLP	163.884	165.144
802.11a160 LPI	163.674	165.186
802.11a160 SP	164.556	294.420

Table 11 - 26 dB Bandwidth Summary Results - MIMO CDD




Figure 95 - 802.11ax HE20 SU LPI Minimum 26 dB EBW




Figure 96 - 802.11ax HE20 SU LPI Maximum 26 dB EBW




Figure 97 - 802.11ax HE40 SU LPI Minimum 26 dB EBW




Figure 98 - 802.11ax HE40 SU LPI Maximum 26 dB EBW




Figure 99 - 802.11ax HE80 SU LPI Minimum 26 dB EBW



Figure 100 - 802.11ax HE80 SU LPI Maximum 26 dB EBW




Figure 101 - 802.11ax HE160 SU LPI Minimum 26 dB EBW




Figure 102 - 802.11ax HE160 SU LPI Maximum 26 dB EBW




Figure 103 - 802.11ax HE20 SU SP Minimum 26 dB EBW




Figure 104 - 802.11ax HE20 SU SP Maximum 26 dB EBW



Figure 105 - 802.11ax HE40 SU SP Minimum 26 dB EBW




Figure 106 - 802.11ax HE40 SU SP Maximum 26 dB EBW




Figure 107 - 802.11ax HE80 SU SP Minimum 26 dB EBW




Figure 108 - 802.11ax HE80 SU SP Maximum 26 dB EBW




Figure 109 - 802.11ax HE160 SU SP Minimum 26 dB EBW




Figure 110 - 802.11ax HE160 SU SP Maximum 26 dB EBW




Figure 111 - 802.11ax HE20 SU VLP Minimum 26 dB EBW




Figure 112 - 802.11ax HE20 SU VLP Maximum 26 dB EBW




Figure 113 - 802.11ax HE40 SU VLP Minimum 26 dB EBW




Figure 114 - 802.11ax HE40 SU VLP Maximum 26 dB EBW




Figure 115 - 802.11ax HE80 SU VLP Minimum 26 dB EBW




Figure 116 - 802.11ax HE80 SU VLP Maximum 26 dB EBW




Figure 117 - 802.11ax HE160 SU VLP Minimum 26 dB EBW




Figure 118 - 802.11ax HE160 SU VLP Maximum 26 dB EBW




Figure 119 - 802.11a20 LPI Minimum 26 dB EBW




Figure 120 - 802.11a20 LPI Maximum 26 dB EBW




Figure 121 - 802.11a20 SP Minimum 26 dB EBW




Figure 122 - 802.11a20 SP Maximum 26 dB EBW



Figure 123 - 802.11a20 VLP Minimum 26 dB EBW



Figure 124 - 802.11a20 VLP Maximum 26 dB EBW




Figure 125 - 802.11a40 LPI Minimum 26 dB EBW



Figure 126 - 802.11a40 LPI Maximum 26 dB EBW




Figure 127 - 802.11a40 SP Minimum 26 dB EBW




Figure 128 - 802.11a40 SP Maximum 26 dB EBW



Figure 129 - 802.11a40 VLP Minimum 26 dB EBW




Figure 130 - 802.11a40 VLP Maximum 26 dB EBW




Figure 131 - 802.11a80 LPI Minimum 26 dB EBW



Figure 132 - 802.11a80 LPI Maximum 26 dB EBW




Figure 133 - 802.11a80 VLP Minimum 26 dB EBW




Figure 134 - 802.11a80 VLP Maximum 26 dB EBW




Figure 135 - 802.11a80 SP Minimum 26 dB EBW




Figure 136 - 802.11a80 SP Maximum 26 dB EBW




Figure 137 - 802.11a160 VLP Minimum 26 dB EBW




Figure 138 - 802.11a160 VLP Maximum 26 dB EBW




Figure 139 - 802.11a160 LPI Minimum 26 dB
EBW




Figure 140 - 802.11a160 LPI Maximum 26 dB
EBW




Figure 141 - 802.11a160 SP Minimum 26 dB EBW




Figure 142 - 802.11a160 SP Maximum 26 dB
EBW

Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE20 SU LPI	22.554	23.130
802.11ax HE40 SU LPI	43.920	44.988
802.11ax HE80 SU LPI	82.324	82.874
802.11ax HE160 SU LPI	164.262	164.892
802.11ax HE20 SU SP	21.408	23.352
802.11ax HE40 SU SP	42.120	45.216
802.11ax HE80 SU SP	81.664	83.072
802.11ax HE160 SU SP	163.884	175.182
802.11ax HE20 SU VLP	22.512	23.250
802.11ax HE40 SU VLP	44.100	45.312
802.11ax HE80 SU VLP	82.258	82.786
802.11ax HE160 SU VLP	164.304	165.018

Table 12 - 26 dB Bandwidth Summary Results - MIMO SDM




Figure 143 - 802.11ax HE20 SU LPI Minimum 26 dB EBW




Figure 144 - 802.11ax HE20 SU LPI Maximum 26 dB EBW




Figure 145 - 802.11ax HE40 SU LPI Minimum 26 dB EBW




Figure 146 - 802.11ax HE40 SU LPI Maximum 26 dB EBW




Figure 147 - 802.11ax HE80 SU LPI Minimum 26 dB EBW



Figure 148 - 802.11ax HE80 SU LPI Maximum 26 dB EBW




Figure 149 - 802.11ax HE160 SU LPI Minimum 26 dB EBW




Figure 150 - 802.11ax HE160 SU LPI Maximum 26 dB EBW




Figure 151 - 802.11ax HE20 SU SP Minimum 26 dB EBW










Figure 152 - 802.11ax HE20 SU SP Maximum 26 dB EBW






Figure 159 - 802.11ax HE20 SU VLP Minimum 26 dB EBW




Figure 160 - 802.11ax HE20 SU VLP Maximum 26 dB EBW




Figure 161 - 802.11ax HE40 SU VLP Minimum 26 dB EBW




Figure 162 - 802.11ax HE40 SU VLP Maximum 26 dB EBW




Figure 163 - 802.11ax HE80 SU VLP Minimum 26 dB EBW




Figure 164 - 802.11ax HE80 SU VLP Maximum 26 dB EBW




Figure 165 - 802.11ax HE160 SU VLP Minimum 26 dB EBW




Figure 166 - 802.11ax HE160 SU VLP Maximum 26 dB EBW

Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ax HE20 SU LPI	22.686	23.400
802.11ax HE40 SU LPI	44.244	45.324
802.11ax HE80 SU LPI	82.390	82.918
802.11ax HE160 SU LPI	164.304	165.018
802.11ax HE20 SU SP	21.504	23.376
802.11ax HE40 SU SP	42.336	45.384
802.11ax HE80 SU SP	81.532	83.116
802.11ax HE160 SU SP	164.136	175.182
802.11ax HE20 SU VLP	22.512	23.370
802.11ax HE40 SU VLP	44.400	45.420
802.11ax HE80 SU VLP	82.412	82.918
802.11ax HE160 SU VLP	164.556	165.144

Table 13 - 26 dB Bandwidth Summary Results - TxBF




Figure 167 - 802.11ax HE20 SU LPI Minimum 26 dB EBW




Figure 168 - 802.11ax HE20 SU LPI Maximum 26 dB EBW




Figure 169 - 802.11ax HE40 SU LPI Minimum 26 dB EBW




Figure 170 - 802.11ax HE40 SU LPI Maximum 26 dB EBW