




**Figure 570 - Bluetooth LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 571 - Bluetooth HDT3, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 572 - Bluetooth HDT4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 573 - Bluetooth HDT6, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**




Figure 574 - Bluetooth HDRPS2, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 575 - Bluetooth HDRPM12, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 576 - Bluetooth XHDRPM8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 577 - Bluetooth CS1LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 578 - Bluetooth CS1LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz

ePA - Core 0 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-61.33
Static	3DH5	2402	2400	-62.13
Static	HDR4	2404	2400	-62.33
Static	HDR8	2404	2400	-49.72
Static	LE1M	2402	2400	-65.82
Static	LE2M	2404	2400	-66.81
Static	HDT3	2404	2400	-57.62
Static	HDT4	2404	2400	-57.39
Static	HDT6	2404	2400	-53.31
Static	HDRPS2	2404	2400	-64.19
Static	HDRPM12	2404	2400	-46.73
Static	XHDRPM8	2404	2400	-46.27
Static	CS1LE1M	2402	2400	-42.12
Static	CS1LE2M	2404	2400	-41.74

Table 234 - SISO Authorised Band Edge Results




Figure 579 - Bluetooth 2DH5, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 580 - Bluetooth 3DH5, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 581 - Bluetooth HDR4, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 582 - Bluetooth HDR8, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 583 - Bluetooth LE1M, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 584 - Bluetooth LE2M, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 585 - Bluetooth HDT3, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 586 - Bluetooth HDT4, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 587 - Bluetooth HDT6, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 588 - Bluetooth HDRPS2, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 589 - Bluetooth HDRPM12, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 590 - Bluetooth XHDRPM8, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 591 - Bluetooth CS1LE1M, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




**Figure 592 - Bluetooth CS1LE2M, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz**



ePA - Core 1 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-64.89
Static	3DH5	2402	2400	-62.40
Static	HDR4	2404	2400	-68.11
Static	HDR8	2404	2400	-50.90
Static	LE1M	2402	2400	-66.39
Static	LE2M	2404	2400	-66.86
Static	HDT3	2404	2400	-62.36
Static	HDT4	2404	2400	-62.40
Static	HDT6	2404	2400	-54.34
Static	HDRPS2	2404	2400	-64.65
Static	HDRPM12	2404	2400	-46.17
Static	XHDRPM8	2404	2400	-46.27
Static	CS1LE1M	2402	2400	-41.78
Static	CS1LE2M	2404	2400	-41.52

Table 235 - SISO Authorised Band Edge Results




Figure 593 - Bluetooth 2DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz






Figure 596 - Bluetooth HDR8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 597 - Bluetooth LE1M, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz






Figure 600 - Bluetooth HDT4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 601 - Bluetooth HDT6, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 602 - Bluetooth HDRPS2, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 603 - Bluetooth HDRPM12, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz






Figure 606 - Bluetooth CS1LE2M, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz

ePA - Core 0-1 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-66.20
Static	3DH5	2402	2400	-65.33
Static	HDR4	2404	2400	-70.44
Static	HDR8	2404	2400	-49.83
Static	LE1M	2402	2400	-67.06
Static	LE2M	2404	2400	-67.25
Static	HDT3	2404	2400	-64.74
Static	HDT4	2404	2400	-64.03
Static	HDT6	2404	2400	-53.46
Static	HDRPS2	2404	2400	-65.17
Static	HDRPM12	2404	2400	-47.33
Static	XHDRPM8	2404	2400	-47.12
Static	CS1LE1M	2402	2400	-42.28
Static	CS1LE2M	2404	2400	-41.59

Table 236 - MIMO Authorised Band Edge Results




Figure 607 - Bluetooth 2DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 608 - Bluetooth 3DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 609 - Bluetooth HDR4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 610 - Bluetooth HDR8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 611 - Bluetooth LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 612 - Bluetooth LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 613 - Bluetooth HDT3, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 614 - Bluetooth HDT4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 615 - Bluetooth HDT6, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**




Figure 616 - Bluetooth HDRPS2, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 617 - Bluetooth HDRPM12, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 618 - Bluetooth XHDRPM8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 619 - Bluetooth CS1LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




**Figure 620 - Bluetooth CS1LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**

FCC 47 CFR Part 15, Limit Clause 15.247 (d)

20 dB below the fundamental measured in a 100 kHz bandwidth using a peak detector. If the transmitter complies with the conducted power limits, based on the use of RMS averaging over a time interval, the attenuation required shall be 30 dB below the fundamental instead of 20 dB.

ISED RSS-247, Limit Clause 6.6

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the RF power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided that the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.



2.5.7 Test Location and Test Equipment Used

This test was carried out in RF Chamber 17 and RF Chamber 18.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Emissions Software	TUV SUD	EmX V3.6.3 V.	5125	-	O/P Mon
EMI Test Receiver	Rohde & Schwarz	ESW44	5911	12	29-Oct-2026
Mast & Turntable Controller	Maturo Gmbh	FCU3.0	5960	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	5961	-	TU
Digital Multimeter	Fluke	115	6145	12	02-Jun-2027
Humidity & Temperature meter	R.S Components	1364	6149	12	28-Aug-2026
EMI Test Receiver	Rohde & Schwarz	ESW44	6294	12	23-Mar-2027
USB Spectrum Analyser	Signal Hound	SA124B	6295	-	TU
Cable (SMA to SMA 1m)	Junkosha	MWX221/B	6305	12	19-May-2027
SAC Switch Unit	TUV SUD	TUV_SSU_004 PLC	6349	12	18-May-2027
USB Spectrum Analyser	Signal Hound	SA124B	6383	-	TU
Horn Antenna (1–10.5 GHz)	Schwarzbeck	BBHA 9120 B	6457	12	14-Sep-2026
3m Semi-Anechoic Chamber	Albatross Projects	Chamber 18	6597	36	08-May-2028
AC Power Supply	iTech	IT7324	6657	-	O/P Mon
3m Semi-Anechoic Chamber	Albatross Projects	RF Chamber 17	6658	36	07-May-2028
Mast and Turntable Controller	Maturo Gmbh	FCU3.0	6659	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	6660	-	TU
Turntable	Maturo Gmbh	TT1.5SI	6661	-	TU
Turntable	Maturo Gmbh	TT1.5SI	6797	-	TU
AC Programmable Power Supply	iTech	IT7324	6812	-	O/P Mon
Broad-Band Horn Antenna 1-10GHz N	Schwarzbeck	BBHA9120B	6825	12	14-Sep-2026
Handheld Hygrometer	Fluke	971	6838	12	16-Sep-2026
1m SMA-Type Cable	Junkosha	MWX221-01000AMSAMS/B	6841	12	23-Sep-2026
8m SMA-Type Cable	Junkosha	MWX221-08000AMSAMS/B	6850	12	23-Oct-2026
8m SMA-Type Cable	Junkosha	MWX221-08000AMSAMS/B	6851	12	06-Nov-2026
SAC Switch Unit	TUV SUD	TUV_SSU_004 PLC	6886	12	02-Dec-2026

Table 237

TU - Traceability Unscheduled
O/P Mon - Output Monitored using calibrated equipment



2.6 Spurious Radiated Emissions

2.6.1 Specification Reference

FCC 47 CFR Part 15C, Clause 15.209 and 15.247 (d)
ISED RSS-247, Clause 2.4 and 6.6
ISED RSS-GEN, Clause 6.13 and 8.9

2.6.2 Equipment Under Test and Modification State

A3593, S/N: HW4095PWM7 - Modification State 0

2.6.3 Date of Test

02-July-2026 to 10-August-2026

2.6.4 Test Method

This test was performed in accordance with ANSI C63.10, clause 6.3, 6.5 and 6.6.

The EUT was placed on the non-conducting platform in a manner typical of a normal installation.

Pre-scans in the 30 MHz to 1 GHz & 18 GHz to 26 GHz range were limited to mid channel (2440 MHz).

The plots shown are the characterisation of the EUT. The limits on the plots represent the most stringent case for restricted bands, (74/54 dB μ V/m) when compared to 20 dBc outside restricted bands. The limits shown have been used as a threshold to determine where further measurements are necessary. Where results are within 10 dB of the limits shown on the plots, further investigation was carried out and reported in results tables.

Ports on the EUT were terminated with loads as described in ANSI C63.4 clause 6.2.4. For EUT's with multiple connectors of the same type, additional interconnecting cables were connected, and pre-scans performed to determine whether the level of the emissions were increased by >2 dB.

The following conversion can be applied to convert from dB μ V/m to μ V/m:
 $10^{(\text{Field Strength in dB}\mu\text{V/m}/20)}$.

Above 18 GHz, the measurement distance was reduced to 1 m. The limit line was increased by $20 \cdot \text{LOG}(3/1) = 9.54$ dB.

Where formal measurements have been necessary, the results have been presented in the emissions table.

A reduced frequency range for testing was employed on some of the test modes within this test section, based on the manufacturers RSE test plan. With any reduction based on their pre-assessment of the device, to determine the ranges and test channels that were most likely to produce emissions.

2.6.5 Example Test Setup Diagram




Figure 621

2.6.6 Environmental Conditions

Ambient Temperature	19.1 - 23.5 °C
Relative Humidity	32.1 - 45.5 %



2.6.7 Test Results

2.4 GHz Bluetooth - DTS

Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 238 - 2402 MHz (CH2402), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz

* No emissions found within 20 dB of the limit.




Figure 622 - 2402 MHz (CH2402), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 623 - 2402 MHz (CH2402), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4879.916	32.84	54.00	-21.16	RMS	357	178	Horizontal

Table 239 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 624 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 625 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 626 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 627 - 2440 MHz (CH2440), LE1M, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4959.756	33.91	54.00	-20.09	RMS	188	233	Horizontal
4960.105	32.98	54.00	-21.02	RMS	354	179	Vertical

Table 240 - 2480 MHz (CH2480), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz

No other emissions found within 20 dB of the limit.




Figure 628 - 2480 MHz (CH2480), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 629 - 2480 MHz (CH2480), LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 241 - 2402 MHz (CH2402), LE1M, iPA, Core 2, 1 GHz to 18 GHz

* No emissions found within 20 dB of the limit.




Figure 630 - 2402 MHz (CH2402), LE1M, iPA, Core 2, 1 GHz to 18 GHz, Horizontal




Figure 631 - 2402 MHz (CH2402), LE1M, iPA, Core 2, 1 GHz to 18 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 242 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 30 MHz to 26 GHz

* No emissions found within 20 dB of the limit.




Figure 632 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 633 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 634 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 635 - 2440 MHz (CH2440), LE1M, iPA, Core 2, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 243 - 2480 MHz (CH2480), LE1M, iPA, Core 2, 1 GHz to 18 GHz

* No emissions found within 20 dB of the limit.




Figure 636 - 2480 MHz (CH2480), LE1M, iPA, Core 2, 1 GHz to 18 GHz, Horizontal




Figure 637 - 2480 MHz (CH2480), LE1M, iPA, Core 2, 1 GHz to 18 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 244 - 2440 MHz (CH2440), HDT4, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

* No emissions found within 20 dB of the limit.




Figure 638 - 2440 MHz (CH2440), HDT4, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 639 - 2440 MHz (CH2440), HDT4, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 640 - 2440 MHz (CH2440), HDT4, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 641 - 2440 MHz (CH2440), HDT4, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 245 - 2440 MHz (CH2440), HDT4, iPA, Core 2, 30 MHz to 26 GHz

* No emissions found within 20 dB of the limit.




Figure 642 - 2440 MHz (CH2440), HDT4, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 643 - 2440 MHz (CH2440), HDT4, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 644 - 2440 MHz (CH2440), HDT4, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 645 - 2440 MHz (CH2440), HDT4, iPA, Core 2, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4879.916	39.06	54.00	-14.94	RMS	218	145	Horizontal
4879.916	37.28	54.00	-16.72	RMS	52	136	Vertical

Table 246 - 2440 MHz (CH2440), HDT4, ePA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 646 - 2440 MHz (CH2440), HDT4, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 647 - 2440 MHz (CH2440), HDT4, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 648 - 2440 MHz (CH2440), HDT4, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 649 - 2440 MHz (CH2440), HDT4, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 247 - 2440 MHz (CH2440), HDR8, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

* No emissions found within 20 dB of the limit.




Figure 650 - 2440 MHz (CH2440), HDR8, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 651 - 2440 MHz (CH2440), HDR8, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 652 - 2440 MHz (CH2440), HDR8, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 653 - 2440 MHz (CH2440), HDR8, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 248 - 2440 MHz (CH2440), HDR8, iPA, Core 2, 30 MHz to 26 GHz

* No emissions found within 20 dB of the limit.




Figure 654 - 2440 MHz (CH2440), HDR8, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 655 - 2440 MHz (CH2440), HDR8, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 656 - 2440 MHz (CH2440), HDR8, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 657 - 2440 MHz (CH2440), HDR8, iPA, Core 2, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
2484.362	32.44	54.00	-21.56	RMS	61	124	Horizontal
4880.160	33.96	54.00	-20.04	RMS	100	386	Vertical
4880.311	36.16	54.00	-17.84	RMS	218	129	Horizontal

Table 249 - 2440 MHz (CH2440), HDR8, ePA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 658 - 2440 MHz (CH2440), HDR8, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 659 - 2440 MHz (CH2440), HDR8, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal