

APPENDIX G: 802.11AX RU SAR EXCLUSION

G.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

G.2 IEEE 802.11ax RU Target Powers

G.2.1 Maximum 802.11ax RU WLAN Output Power

Mode		Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8											
			SISO		SISO		SISO		SISO		SISO		SISO	
			Tones											
			26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)						
2.4 GHz WIFI 20 MHz Bandwidth		1	13.00	12.00	14.50	13.50	14.50	13.50						13.50
		2	13.20	12.20	16.20	15.20	17.00	16.00						16.00
		3	13.20	12.20	16.20	15.20	18.50	17.50						17.50
		4	13.20	12.20	16.20	15.20	19.20	18.20						18.20
		5	13.20	12.20	16.20	15.20	19.20	18.20						18.20
		6	13.20	12.20	16.20	15.20	19.20	18.20						18.20
		7	13.20	12.20	16.20	15.20	19.20	18.20						18.20
		8	13.20	12.20	16.20	15.20	19.20	18.20						18.20
		9	13.20	12.20	16.20	15.20	19.00	18.00						18.00
		10	13.20	12.20	16.20	15.20	17.00	16.00						16.00
		11	13.20	12.20	14.50	13.50	14.50	13.50						13.50
		12	12.50	11.50	13.50	12.50	13.50	12.50						12.50
		13	-3.30	-4.30	-3.30	-4.30	-3.30	-4.30						-4.30

Mode		Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8																	
			MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO SDM		MIMO SDM		MIMO SDM		MIMO SDM	
			Tones																	
			26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)		
2.4 GHz WIFI 20 MHz Bandwidth		1	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	
		2	13.20	12.20	16.20	15.20	16.50	15.50	13.20	12.20	16.20	15.20	16.50	15.50	13.20	12.20	16.20	15.20		
		3	13.20	12.20	16.20	15.20	17.00	16.00	13.20	12.20	16.20	15.20	17.00	16.00	13.20	12.20	16.20	15.20		
		4	13.20	12.20	16.20	15.20	18.50	17.50	13.20	12.20	16.20	15.20	18.50	17.50	13.20	12.20	16.20	15.20		
		5	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20		
		6	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20		
		7	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20		
		8	13.20	12.20	16.20	15.20	19.00	18.00	13.20	12.20	16.20	15.20	19.00	18.00	13.20	12.20	16.20	15.20		
		9	13.20	12.20	16.20	15.20	17.50	16.50	13.20	12.20	16.20	15.20	17.50	16.50	13.20	12.20	16.20	15.20		
		10	13.20	12.20	16.00	15.00	16.00	15.00	13.20	12.20	16.00	15.00	16.00	15.00	13.20	12.20	16.00	15.00		
		11	12.70	11.70	14.00	13.00	14.00	13.00	12.70	11.70	14.00	13.00	14.00	13.00	12.70	11.70	14.00	13.00		
		12	11.30	10.30	13.00	12.00	13.00	12.00	11.30	10.30	13.00	12.00	13.00	12.00	11.30	10.30	13.00	12.00		
		13	-1.30	-2.30	-1.30	-2.30	-1.30	-2.30	-1.30	-2.30	-1.30	-2.30	-1.30	-2.30	-1.30	-2.30	-1.30	-2.30		

Mode		Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7							
			SISO		SISO		SISO		SISO	
			Tones							
			26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)		
2.4 GHz WIFI 20 MHz Bandwidth		1	13.10	12.10	14.50	13.50	14.50	13.50		
		2	13.50	12.50	16.50	15.50	17.00	16.00		
		3	13.50	12.50	16.50	15.50	18.50	17.50		
		4	13.50	12.50	16.50	15.50	19.50	18.50		
		5	13.50	12.50	16.50	15.50	19.50	18.50		
		6	13.50	12.50	16.50	15.50	19.50	18.50		
		7	13.50	12.50	16.50	15.50	19.50	18.50		
		8	13.50	12.50	16.50	15.50	19.50	18.50		
		9	13.50	12.50	16.50	15.50	19.50	18.50		
		10	13.50	12.50	16.50	15.50	17.00	16.00		
		11	13.50	12.50	14.60	13.60	14.60	13.60		
		12	13.00	12.00	13.50	12.50	13.50	12.50		
		13	-1.50	-2.50	-1.50	-2.50	-1.50	-2.50		

FCCID: BCGA3595	RF EXPOSURE REPORT This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Approved by: Technical Manager
DUT Type: Tablet Device			APPENDIX G: Page 1 of 74

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF7													
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	Tones		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WiFi 20 MHz Bandwidth	1	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00
	2	13.20	12.20	16.20	15.20	16.50	15.50	13.20	12.20	16.20	15.20	16.50	15.50	16.50	15.50
	3	13.20	12.20	16.20	15.20	16.00	15.00	13.20	12.20	16.20	15.20	16.00	15.00	16.00	15.00
	4	13.20	12.20	16.20	15.20	18.50	17.50	13.20	12.20	16.20	15.20	18.50	17.50	18.50	17.50
	5	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20	19.20	18.20	19.20	18.20
	6	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20	19.20	18.20	19.20	18.20
	7	13.20	12.20	16.20	15.20	19.20	18.20	13.20	12.20	16.20	15.20	19.20	18.20	19.20	18.20
	8	13.20	12.20	16.20	15.20	19.00	18.00	13.20	12.20	16.20	15.20	19.00	18.00	19.00	18.00
	9	13.20	12.20	16.20	15.20	17.50	16.50	13.20	12.20	16.20	15.20	17.50	16.50	17.50	16.50
	10	13.20	12.20	16.00	15.00	16.00	15.00	13.20	12.20	16.00	15.00	16.00	15.00	16.00	15.00
	11	12.70	11.70	14.00	13.00	14.00	13.00	12.70	11.70	14.00	13.00	14.00	13.00	14.00	13.00
	12	11.20	10.20	13.00	12.00	13.00	12.00	11.20	10.20	13.00	12.00	13.00	12.00	13.00	12.00
	13	-7.50	-8.50	-7.50	-8.50	-7.50	-8.50	-7.50	-8.50	-7.50	-8.50	-7.50	-8.50	-7.50	-8.50
Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF5T													
		SISO		SISO		SISO		SISO		SISO		SISO			
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	106T (Maximum)	106T (Nominal)	106T (Maximum)	106T (Nominal)	106T (Maximum)	106T (Nominal)		
5 GHz WiFi 20 MHz Bandwidth	36	10.50	9.50	14.60	13.60	16.50	15.50								
	40	11.70	10.70	14.70	13.70	17.70	16.70								
	44	11.70	10.70	14.70	13.70	17.70	16.70								
	48	11.70	10.70	14.70	13.70	17.70	16.70								
	52	NS	NS	14.70	13.70	17.70	16.70								
	56	NS	NS	14.70	13.70	17.70	16.70								
	60	NS	NS	14.70	13.70	17.70	16.70								
	64	NS	NS	14.70	13.70	16.50	15.50								
	100	NS	NS	14.70	13.70	15.00	14.00								
	104	NS	NS	14.70	13.70	17.70	16.70								
	108	NS	NS	14.70	13.70	17.70	16.70								
	112	NS	NS	14.70	13.70	17.70	16.70								
	116	NS	NS	14.70	13.70	17.70	16.70								
	120	NS	NS	14.70	13.70	17.70	16.70								
	124	NS	NS	14.70	13.70	17.70	16.70								
	128	NS	NS	14.70	13.70	17.70	16.70								
	132	NS	NS	14.70	13.70	17.70	16.70								
	136	NS	NS	14.70	13.70	17.20	16.20								
	140	NS	NS	14.50	13.50	15.00	14.00								
	144	NS	NS	14.70	13.70	17.70	16.70								
5 GHz WiFi 40 MHz Bandwidth	149	11.70	10.70	14.70	13.70	17.70	16.70								
	153	11.70	10.70	14.70	13.70	17.70	16.70								
	157	11.70	10.70	14.70	13.70	17.70	16.70								
	161	11.70	10.70	14.70	13.70	17.70	16.70								
	165	11.70	10.70	14.70	13.70	17.70	16.70								
	38	10.20	9.20	14.50	13.50	14.50	13.50								
	46	10.50	9.50	14.70	13.70	17.70	16.70								
	54	NS	NS	14.70	13.70	17.70	16.70								
	62	NS	NS	14.50	13.50	15.00	14.00								
	102	NS	NS	14.00	13.00	14.00	13.00								
	110	NS	NS	14.70	13.70	17.70	16.70								
	118	NS	NS	14.70	13.70	17.70	16.70								
	126	NS	NS	14.70	13.70	17.70	16.70								
	134	NS	NS	14.70	13.70	16.00	15.00								
142	NS	NS	14.70	13.70	17.70	16.70									
5 GHz WiFi 80 MHz Bandwidth	151	11.70	10.70	14.70	13.70	17.70	16.70								
	159	11.70	10.70	14.70	13.70	17.70	16.70								
	42	10.20	9.20	13.50	12.50	13.50	12.50								
	58	NS	NS	14.50	13.50	14.50	13.50								
	106	NS	NS	12.50	11.50	12.50	11.50								
	122	NS	NS	14.70	13.70	17.70	16.70								
5GHz WiFi 160 Mhz Bandwidth	138	NS	NS	14.70	13.70	17.70	16.70								
	155	11.70	10.70	14.70	13.70	17.00	16.00								
	50	NS	NS	12.00	11.00	12.00	11.00								
114	NS	NS	11.00	10.00	11.00	10.00									

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.60	7.60	11.10	10.10	13.70	12.70
	40	8.70	7.70	11.40	10.40	14.50	13.50
	44	8.70	7.70	11.30	10.30	14.50	13.50
	48	8.70	7.70	11.40	10.40	14.50	13.50
	52	NS	NS	10.00	9.00	13.10	12.10
	56	NS	NS	10.00	9.00	13.10	12.10
	60	NS	NS	10.10	9.10	13.20	12.20
	64	NS	NS	9.70	8.70	12.20	11.20
	100	NS	NS	10.20	9.20	12.80	11.80
	104	NS	NS	10.70	9.70	13.70	12.70
	108	NS	NS	10.60	9.60	13.50	12.50
	112	NS	NS	10.60	9.60	13.60	12.60
	116	NS	NS	10.50	9.50	13.70	12.70
	120	NS	NS	10.60	9.60	13.60	12.60
	124	NS	NS	10.50	9.50	13.60	12.60
	128	NS	NS	10.50	9.50	13.60	12.60
	132	NS	NS	10.70	9.70	13.80	12.80
	136	NS	NS	10.20	9.20	12.80	11.80
	140	NS	NS	10.20	9.20	12.80	11.80
	144	NS	NS	10.70	9.70	13.60	12.60
	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	8.50	7.50	11.20	10.20	13.70	12.70
	46	8.50	7.50	11.20	10.20	14.50	13.50
	54	NS	NS	10.00	9.00	13.10	12.10
	62	NS	NS	9.70	8.70	12.40	11.40
	102	NS	NS	10.20	9.20	12.80	11.80
	110	NS	NS	10.60	9.60	13.50	12.50
	118	NS	NS	10.50	9.50	13.60	12.60
	126	NS	NS	10.50	9.50	13.60	12.60
	134	NS	NS	10.40	9.40	12.90	11.90
	142	NS	NS	10.70	9.70	13.80	12.80
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	8.70	7.70	10.80	9.80	13.00	12.00
	58	NS	NS	9.90	8.90	12.60	11.60
	106	NS	NS	10.40	9.40	12.50	11.50
	122	NS	NS	10.40	9.40	13.60	12.60
	138	NS	NS	10.60	9.60	13.60	12.60
5GHz WIFI 160 Mhz Bandwidth	155	10.50	9.50	13.50	12.50	16.50	15.50
	50	NS	NS	9.90	8.90	12.00	11.00
	114	NS	NS	10.40	9.40	10.50	9.50

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 3 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5T					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	11.60	10.60	14.30	13.30
	40	9.20	8.20	12.00	11.00	15.10	14.10
	44	9.20	8.20	11.80	10.80	15.10	14.10
	48	9.20	8.20	11.90	10.90	15.10	14.10
	52	NS	NS	11.90	10.90	15.00	14.00
	56	NS	NS	11.90	10.90	14.90	13.90
	60	NS	NS	11.90	10.90	15.00	14.00
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.50	10.50	14.10	13.10
	104	NS	NS	12.00	11.00	15.10	14.10
	108	NS	NS	12.00	11.00	14.80	13.80
	112	NS	NS	11.90	10.90	14.90	13.90
	116	NS	NS	11.90	10.90	15.00	14.00
	120	NS	NS	11.90	10.90	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.90	13.90
	132	NS	NS	12.00	11.00	15.10	14.10
	136	NS	NS	11.50	10.50	14.20	13.20
	140	NS	NS	11.50	10.50	14.20	13.20
	144	NS	NS	12.00	11.00	14.90	13.90
	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.80	10.80	14.00	13.00
	46	9.00	8.00	11.70	10.70	15.10	14.10
	54	NS	NS	11.90	10.90	14.90	13.90
	62	NS	NS	11.50	10.50	13.50	12.50
	102	NS	NS	11.60	10.60	13.70	12.70
	110	NS	NS	11.90	10.90	14.80	13.80
	118	NS	NS	11.90	10.90	14.90	13.90
	126	NS	NS	11.80	10.80	14.90	13.90
	134	NS	NS	11.80	10.80	14.20	13.20
	142	NS	NS	12.00	11.00	15.10	14.10
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.30	10.30	13.00	12.00
	58	NS	NS	11.70	10.70	14.20	13.20
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.70	10.70	14.90	13.90
	138	NS	NS	12.00	11.00	14.90	13.90
	155	10.50	9.50	13.50	12.50	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.70	10.70	12.00	11.00
	114	NS	NS	10.50	9.50	10.50	9.50

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 4 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	10.50	9.50	13.50	12.50	16.50	15.50
	40	10.50	9.50	13.50	12.50	16.50	15.50
	44	10.50	9.50	13.50	12.50	16.50	15.50
	48	10.50	9.50	13.50	12.50	16.50	15.50
	52	NS	NS	13.50	12.50	16.50	15.50
	56	NS	NS	13.50	12.50	16.50	15.50
	60	NS	NS	13.50	12.50	16.50	15.50
	64	NS	NS	13.50	12.50	16.20	15.20
	100	NS	NS	13.50	12.50	15.00	14.00
	104	NS	NS	13.50	12.50	16.50	15.50
	108	NS	NS	13.50	12.50	16.50	15.50
	112	NS	NS	13.50	12.50	16.50	15.50
	116	NS	NS	13.50	12.50	16.50	15.50
	120	NS	NS	13.50	12.50	16.50	15.50
	124	NS	NS	13.50	12.50	16.50	15.50
	128	NS	NS	13.50	12.50	16.50	15.50
	132	NS	NS	13.50	12.50	16.50	15.50
	136	NS	NS	13.50	12.50	16.50	15.50
	140	NS	NS	13.50	12.50	15.20	14.20
	144	NS	NS	13.50	12.50	16.50	15.50
	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	10.20	9.20	13.50	12.50	14.50	13.50
	46	10.50	9.50	13.50	12.50	16.50	15.50
	54	NS	NS	13.50	12.50	16.50	15.50
	62	NS	NS	13.50	12.50	14.50	13.50
	102	NS	NS	13.50	12.50	14.00	13.00
	110	NS	NS	13.50	12.50	16.50	15.50
	118	NS	NS	13.50	12.50	16.50	15.50
	126	NS	NS	13.50	12.50	16.50	15.50
	134	NS	NS	13.50	12.50	16.00	15.00
	142	NS	NS	13.50	12.50	16.50	15.50
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
	42	9.70	8.70	13.50	12.50	13.50	12.50
	58	NS	NS	13.50	12.50	14.50	13.50
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	12.50	11.50	12.50	11.50
	122	NS	NS	13.50	12.50	16.50	15.50
	138	NS	NS	13.50	12.50	16.50	15.50
	155	10.50	9.50	13.50	12.50	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	12.00	11.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 5 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.60	7.60	11.10	10.10	13.70	12.70
	40	8.70	7.70	11.40	10.40	14.50	13.50
	44	8.70	7.70	11.30	10.30	14.50	13.50
	48	8.70	7.70	11.40	10.40	14.50	13.50
	52	NS	NS	10.00	9.00	13.10	12.10
	56	NS	NS	10.00	9.00	13.10	12.10
	60	NS	NS	10.10	9.10	13.20	12.20
	64	NS	NS	9.70	8.70	12.20	11.20
	100	NS	NS	10.20	9.20	12.80	11.80
	104	NS	NS	10.70	9.70	13.70	12.70
	108	NS	NS	10.60	9.60	13.50	12.50
	112	NS	NS	10.60	9.60	13.60	12.60
	116	NS	NS	10.50	9.50	13.70	12.70
	120	NS	NS	10.60	9.60	13.60	12.60
	124	NS	NS	10.50	9.50	13.60	12.60
	128	NS	NS	10.50	9.50	13.60	12.60
	132	NS	NS	10.70	9.70	13.80	12.80
	136	NS	NS	10.20	9.20	12.80	11.80
	140	NS	NS	10.20	9.20	12.80	11.80
	144	NS	NS	10.70	9.70	13.60	12.60
	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	8.50	7.50	11.20	10.20	13.70	12.70
	46	8.50	7.50	11.20	10.20	14.50	13.50
	54	NS	NS	10.00	9.00	13.10	12.10
	62	NS	NS	9.70	8.70	12.40	11.40
	102	NS	NS	10.20	9.20	12.80	11.80
	110	NS	NS	10.60	9.60	13.50	12.50
	118	NS	NS	10.50	9.50	13.60	12.60
	126	NS	NS	10.50	9.50	13.60	12.60
	134	NS	NS	10.40	9.40	12.90	11.90
	142	NS	NS	10.70	9.70	13.80	12.80
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	8.70	7.70	10.80	9.80	13.00	12.00
	58	NS	NS	9.90	8.90	12.60	11.60
	106	NS	NS	10.40	9.40	12.50	11.50
	122	NS	NS	10.40	9.40	13.60	12.60
	138	NS	NS	10.60	9.60	13.60	12.60
5GHz WIFI 160 Mhz Bandwidth	155	10.50	9.50	13.50	12.50	16.50	15.50
	50	NS	NS	9.90	8.90	12.00	11.00
	114	NS	NS	10.40	9.40	10.50	9.50

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 6 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	11.60	10.60	14.30	13.30
	40	9.20	8.20	12.00	11.00	15.10	14.10
	44	9.20	8.20	11.80	10.80	15.10	14.10
	48	9.20	8.20	11.90	10.90	15.10	14.10
	52	NS	NS	11.90	10.90	15.00	14.00
	56	NS	NS	11.90	10.90	14.90	13.90
	60	NS	NS	11.90	10.90	15.00	14.00
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.50	10.50	14.10	13.10
	104	NS	NS	12.00	11.00	15.10	14.10
	108	NS	NS	12.00	11.00	14.80	13.80
	112	NS	NS	11.90	10.90	14.90	13.90
	116	NS	NS	11.90	10.90	15.00	14.00
	120	NS	NS	11.90	10.90	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.90	13.90
	132	NS	NS	12.00	11.00	15.10	14.10
	136	NS	NS	11.50	10.50	14.20	13.20
	140	NS	NS	11.50	10.50	14.20	13.20
	144	NS	NS	12.00	11.00	14.90	13.90
	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.80	10.80	14.00	13.00
	46	9.00	8.00	11.70	10.70	15.10	14.10
	54	NS	NS	11.90	10.90	14.90	13.90
	62	NS	NS	11.50	10.50	13.50	12.50
	102	NS	NS	11.60	10.60	13.70	12.70
	110	NS	NS	11.90	10.90	14.80	13.80
	118	NS	NS	11.90	10.90	14.90	13.90
	126	NS	NS	11.80	10.80	14.90	13.90
	134	NS	NS	11.80	10.80	14.20	13.20
	142	NS	NS	12.00	11.00	15.10	14.10
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.30	10.30	13.00	12.00
	58	NS	NS	11.70	10.70	14.20	13.20
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.70	10.70	14.90	13.90
	138	NS	NS	12.00	11.00	14.90	13.90
	155	10.50	9.50	13.50	12.50	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.70	10.70	12.00	11.00
	114	NS	NS	10.50	9.50	10.50	9.50

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 7 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	10.50	9.50	13.50	12.50	16.50	15.50
	40	10.50	9.50	13.50	12.50	16.50	15.50
	44	10.50	9.50	13.50	12.50	16.50	15.50
	48	10.50	9.50	13.50	12.50	16.50	15.50
	52	NS	NS	13.50	12.50	16.50	15.50
	56	NS	NS	13.50	12.50	16.50	15.50
	60	NS	NS	13.50	12.50	16.50	15.50
	64	NS	NS	13.50	12.50	16.20	15.20
	100	NS	NS	13.50	12.50	15.00	14.00
	104	NS	NS	13.50	12.50	16.50	15.50
	108	NS	NS	13.50	12.50	16.50	15.50
	112	NS	NS	13.50	12.50	16.50	15.50
	116	NS	NS	13.50	12.50	16.50	15.50
	120	NS	NS	13.50	12.50	16.50	15.50
	124	NS	NS	13.50	12.50	16.50	15.50
	128	NS	NS	13.50	12.50	16.50	15.50
	132	NS	NS	13.50	12.50	16.50	15.50
	136	NS	NS	13.50	12.50	16.50	15.50
	140	NS	NS	13.50	12.50	15.20	14.20
	144	NS	NS	13.50	12.50	16.50	15.50
	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	10.20	9.20	13.50	12.50	14.50	13.50
	46	10.50	9.50	13.50	12.50	16.50	15.50
	54	NS	NS	13.50	12.50	16.50	15.50
	62	NS	NS	13.50	12.50	14.50	13.50
	102	NS	NS	13.50	12.50	14.00	13.00
	110	NS	NS	13.50	12.50	16.50	15.50
	118	NS	NS	13.50	12.50	16.50	15.50
	126	NS	NS	13.50	12.50	16.50	15.50
	134	NS	NS	13.50	12.50	16.00	15.00
	142	NS	NS	13.50	12.50	16.50	15.50
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
	42	9.70	8.70	13.50	12.50	13.50	12.50
	58	NS	NS	13.50	12.50	14.50	13.50
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	12.50	11.50	12.50	11.50
	122	NS	NS	13.50	12.50	16.50	15.50
	138	NS	NS	13.50	12.50	16.50	15.50
	155	10.50	9.50	13.50	12.50	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	12.00	11.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 8 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.60	7.60	11.10	10.10	13.70	12.70
	40	8.70	7.70	11.40	10.40	14.50	13.50
	44	8.70	7.70	11.30	10.30	14.50	13.50
	48	8.70	7.70	11.40	10.40	14.50	13.50
	52	NS	NS	10.00	9.00	13.10	12.10
	56	NS	NS	10.00	9.00	13.10	12.10
	60	NS	NS	10.10	9.10	13.20	12.20
	64	NS	NS	9.70	8.70	12.20	11.20
	100	NS	NS	10.20	9.20	12.80	11.80
	104	NS	NS	10.70	9.70	13.70	12.70
	108	NS	NS	10.60	9.60	13.50	12.50
	112	NS	NS	10.60	9.60	13.60	12.60
	116	NS	NS	10.50	9.50	13.70	12.70
	120	NS	NS	10.60	9.60	13.60	12.60
	124	NS	NS	10.50	9.50	13.60	12.60
	128	NS	NS	10.50	9.50	13.60	12.60
	132	NS	NS	10.70	9.70	13.80	12.80
	136	NS	NS	10.20	9.20	12.80	11.80
	140	NS	NS	10.20	9.20	12.80	11.80
	144	NS	NS	10.70	9.70	13.60	12.60
	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	8.50	7.50	11.20	10.20	13.70	12.70
	46	8.50	7.50	11.20	10.20	14.50	13.50
	54	NS	NS	10.00	9.00	13.10	12.10
	62	NS	NS	9.70	8.70	12.40	11.40
	102	NS	NS	10.20	9.20	12.80	11.80
	110	NS	NS	10.60	9.60	13.50	12.50
	118	NS	NS	10.50	9.50	13.60	12.60
	126	NS	NS	10.50	9.50	13.60	12.60
	134	NS	NS	10.40	9.40	12.90	11.90
	142	NS	NS	10.70	9.70	13.80	12.80
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	8.70	7.70	10.80	9.80	13.00	12.00
	58	NS	NS	9.90	8.90	12.60	11.60
	106	NS	NS	10.40	9.40	12.50	11.50
	122	NS	NS	10.40	9.40	13.60	12.60
	138	NS	NS	10.60	9.60	13.60	12.60
5GHz WIFI 160 Mhz Bandwidth	155	10.50	9.50	13.50	12.50	16.50	15.50
	50	NS	NS	9.90	8.90	12.00	11.00
	114	NS	NS	10.40	9.40	10.50	9.50

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 9 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	11.60	10.60	14.30	13.30
	40	9.20	8.20	12.00	11.00	15.10	14.10
	44	9.20	8.20	11.80	10.80	15.10	14.10
	48	9.20	8.20	11.90	10.90	15.10	14.10
	52	NS	NS	11.90	10.90	15.00	14.00
	56	NS	NS	11.90	10.90	14.90	13.90
	60	NS	NS	11.90	10.90	15.00	14.00
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.50	10.50	14.10	13.10
	104	NS	NS	12.00	11.00	15.10	14.10
	108	NS	NS	12.00	11.00	14.80	13.80
	112	NS	NS	11.90	10.90	14.90	13.90
	116	NS	NS	11.90	10.90	15.00	14.00
	120	NS	NS	11.90	10.90	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.90	13.90
	132	NS	NS	12.00	11.00	15.10	14.10
	136	NS	NS	11.50	10.50	14.20	13.20
	140	NS	NS	11.50	10.50	14.20	13.20
	144	NS	NS	12.00	11.00	14.90	13.90
	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.80	10.80	14.00	13.00
	46	9.00	8.00	11.70	10.70	15.10	14.10
	54	NS	NS	11.90	10.90	14.90	13.90
	62	NS	NS	11.50	10.50	13.50	12.50
	102	NS	NS	11.60	10.60	13.70	12.70
	110	NS	NS	11.90	10.90	14.80	13.80
	118	NS	NS	11.90	10.90	14.90	13.90
	126	NS	NS	11.80	10.80	14.90	13.90
	134	NS	NS	11.80	10.80	14.20	13.20
	142	NS	NS	12.00	11.00	15.10	14.10
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.30	10.30	13.00	12.00
	58	NS	NS	11.70	10.70	14.20	13.20
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.70	10.70	14.90	13.90
	138	NS	NS	12.00	11.00	14.90	13.90
	155	10.50	9.50	13.50	12.50	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.70	10.70	12.00	11.00
	114	NS	NS	10.50	9.50	10.50	9.50

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 10 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.60	-4.60	-1.30	-2.30	1.30	0.30
	5	-3.60	-4.60	-0.80	-1.80	2.20	1.20
	9-29	-3.70	-4.70	-1.20	-2.20	2.10	1.10
	33-61	-4.10	-5.10	-1.10	-2.10	1.90	0.90
	65-85	-2.90	-3.90	0.00	-1.00	2.90	1.90
	89	-2.50	-3.50	0.20	-0.80	3.30	2.30
	93	-2.40	-3.40	0.30	-0.70	3.30	2.30
	97-113	-3.10	-4.10	-0.20	-1.20	2.80	1.80
	117-181	-3.70	-4.70	-0.90	-1.90	2.20	1.20
	185	-3.40	-4.40	-0.60	-1.60	2.30	1.30
	189-225	-2.90	-3.90	-0.10	-1.10	3.10	2.10
	229	-2.80	-3.80	0.00	-1.00	3.00	2.00
	233	NS	NS	NS	NS	NS	NS
	3	-3.40	-4.40	-1.20	-2.20	1.40	0.40
6 GHz WIFI (40MHz BW) LP	11	-3.70	-4.70	-0.80	-1.80	2.20	1.20
	19-27	-3.80	-4.80	-1.00	-2.00	2.10	1.10
	35-59	-4.10	-5.10	-1.10	-2.10	1.90	0.90
	67-75	-2.90	-3.90	-0.10	-1.10	2.90	1.90
	83	-2.90	-3.90	-0.10	-1.10	3.10	2.10
	91	-2.50	-3.50	0.20	-0.80	3.30	2.30
	99-107	-3.10	-4.10	-0.20	-1.20	2.80	1.80
	115	-3.70	-4.70	-0.80	-1.80	2.20	1.20
	123-179	-3.80	-4.80	-0.90	-1.90	2.20	1.20
	187	-3.60	-4.60	-0.90	-1.90	2.40	1.40
	195-219	-2.90	-3.90	0.00	-1.00	3.10	2.10
	227	-2.80	-3.80	0.00	-1.00	3.00	2.00
	7	-3.70	-4.70	-1.00	-2.00	1.60	0.60
	23	-3.70	-4.70	-1.00	-2.00	2.10	1.10
	39-55	-4.10	-5.10	-1.10	-2.10	1.90	0.90
6 GHz WIFI (80MHz BW) LP	71	-2.90	-3.90	0.00	-1.00	2.90	1.90
	87	-2.80	-3.80	-0.10	-1.10	3.10	2.10
	103	-3.10	-4.10	-0.20	-1.20	2.80	1.80
	119	-3.60	-4.60	-0.90	-1.90	2.20	1.20
	135-167	-3.80	-4.80	-1.10	-2.10	2.10	1.10
	183	-3.80	-4.80	-0.90	-1.90	2.20	1.20
	199	-2.80	-3.80	-0.20	-1.20	3.10	2.10
	215	-2.90	-3.90	-0.10	-1.10	2.90	1.90
	15	-3.90	-4.90	-1.00	-2.00	1.70	0.70
	47	-3.90	-4.90	-1.10	-2.10	1.90	0.90
6 GHz WIFI (160MHz BW) LP	79	-2.90	-3.90	0.00	-1.00	2.90	1.90
	111	-3.80	-4.80	-0.80	-1.80	2.10	1.10
	143	-3.70	-4.70	-0.90	-1.90	2.20	1.20
	175	-3.70	-4.70	-1.00	-2.00	2.10	1.10
	207	-2.80	-3.80	-0.20	-1.20	3.10	2.10

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 11 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-8.90	-9.90	-6.60	-7.60	-4.00	-5.00
	5	-8.90	-9.90	-6.30	-7.30	-3.20	-4.20
	9-29	-9.00	-10.00	-6.50	-7.50	-3.20	-4.20
	33-61	NS	NS	-6.70	-7.70	-3.60	-4.60
	65-85	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	89	-8.20	-9.20	-5.10	-6.10	-2.00	-3.00
	93	-7.90	-8.90	-5.00	-6.00	-2.20	-3.20
	97-113	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	117-181	NS	NS	-6.80	-7.80	-3.60	-4.60
	185	NS	NS	-6.60	-7.60	-3.60	-4.60
	189-225	-8.00	-9.00	-5.20	-6.20	-2.00	-3.00
	229	-7.90	-8.90	-5.10	-6.10	-2.10	-3.10
	233	NS	NS	NS	NS	NS	NS
	3	-8.90	-9.90	-6.50	-7.50	-3.90	-4.90
6 GHz WIFI (40MHz BW) LP	11	-9.00	-10.00	-6.10	-7.10	-3.20	-4.20
	19-27	NS	NS	-6.30	-7.30	-3.20	-4.20
	35-59	NS	NS	-6.70	-7.70	-3.60	-4.60
	67-75	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	83	-8.20	-9.20	-5.40	-6.40	-2.40	-3.40
	91	-8.20	-9.20	-5.20	-6.20	-2.20	-3.20
	99-107	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	115	NS	NS	-6.60	-7.60	-3.70	-4.70
	123-179	NS	NS	-6.80	-7.80	-3.60	-4.60
	187	NS	NS	-6.70	-7.70	-3.40	-4.40
	195-219	-8.00	-9.00	-5.20	-6.20	-2.00	-3.00
	227	-8.10	-9.10	-5.10	-6.10	-2.20	-3.20
	7	-9.00	-10.00	-6.50	-7.50	-3.70	-4.70
	23	-9.00	-10.00	-6.30	-7.30	-3.20	-4.20
	39-55	NS	NS	-6.70	-7.70	-3.60	-4.60
6 GHz WIFI (80MHz BW) LP	71	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	87	-8.20	-9.20	-5.70	-6.70	-2.40	-3.40
	103	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	119	NS	NS	-6.70	-7.70	-3.70	-4.70
	135-167	NS	NS	-6.90	-7.90	-3.70	-4.70
	183	NS	NS	-6.70	-7.70	-3.60	-4.60
	199	-8.00	-9.00	-5.30	-6.30	-2.20	-3.20
	215	-8.00	-9.00	-5.20	-6.20	-2.20	-3.20
	15	NS	NS	-6.30	-7.30	-3.80	-4.80
	47	NS	NS	-6.70	-7.70	-3.60	-4.60
6 GHz WIFI (160MHz BW) LP	79	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	111	NS	NS	-6.80	-7.80	-3.70	-4.70
	143	NS	NS	-6.80	-7.80	-3.60	-4.60
	175	NS	NS	-6.70	-7.70	-3.70	-4.70
	207	-7.90	-8.90	-5.30	-6.30	-2.00	-3.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 12 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.00	-3.60	-4.60	-1.00	-2.00
	5	-5.90	-6.90	-3.30	-4.30	-0.20	-1.20
	9-29	-6.00	-7.00	-3.50	-4.50	-0.20	-1.20
	33-61	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	65-85	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	89	-5.20	-6.20	-2.10	-3.10	0.90	-0.10
	93	-4.90	-5.90	-2.10	-3.10	0.80	-0.20
	97-113	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	117-181	-6.50	-7.50	-3.80	-4.80	-0.60	-1.60
	185	-6.30	-7.30	-3.60	-4.60	-0.60	-1.60
	189-225	-5.10	-6.10	-2.20	-3.20	1.00	0.00
	229	-4.90	-5.90	-2.20	-3.20	0.90	-0.10
	233	NS	NS	NS	NS	NS	NS
	3	-6.00	-7.00	-3.60	-4.60	-0.90	-1.90
	11	-6.00	-7.00	-3.10	-4.10	-0.20	-1.20
	19-27	-6.10	-7.10	-3.30	-4.30	-0.20	-1.20
6 GHz WIFI (40MHz BW) LP	35-59	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	67-75	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	83	-5.30	-6.30	-2.40	-3.40	0.60	-0.40
	91	-5.20	-6.20	-2.20	-3.20	0.80	-0.20
	99-107	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	115	-6.50	-7.50	-3.60	-4.60	-0.70	-1.70
	123-179	-6.60	-7.60	-3.80	-4.80	-0.60	-1.60
	187	-6.40	-7.40	-3.70	-4.70	-0.40	-1.40
	195-219	-5.10	-6.10	-2.20	-3.20	1.00	0.00
	227	-5.10	-6.10	-2.20	-3.20	0.80	-0.20
	7	-6.00	-7.00	-3.50	-4.50	-0.80	-1.80
	23	-6.00	-7.00	-3.30	-4.30	-0.20	-1.20
	39-55	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	71	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	87	-5.20	-6.20	-2.80	-3.80	0.60	-0.40
	103	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	119	-6.40	-7.40	-3.60	-4.60	-0.70	-1.70
6 GHz WIFI (80MHz BW) LP	135-167	-6.70	-7.70	-3.90	-4.90	-0.60	-1.60
	183	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	199	-5.00	-6.00	-2.30	-3.30	0.80	-0.20
	215	-5.10	-6.10	-2.30	-3.30	0.70	-0.30
	15	-6.20	-7.20	-3.30	-4.30	-0.90	-1.90
	47	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	79	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	111	-6.50	-7.50	-3.80	-4.80	-0.70	-1.70
	143	-6.50	-7.50	-3.80	-4.80	-0.60	-1.60
	175	-6.50	-7.50	-3.70	-4.70	-0.60	-1.60
	207	-5.00	-6.00	-2.40	-3.40	1.00	0.00
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.10	-9.10	-5.10	-6.10	-2.10	-3.10
	65-85	-6.90	-7.90	-4.00	-5.00	-1.10	-2.10
	89	-6.50	-7.50	-3.80	-4.80	-0.70	-1.70
	93	-6.40	-7.40	-3.70	-4.70	-0.70	-1.70
	97-113	-7.10	-8.10	-4.20	-5.20	-1.20	-2.20
	117-181	-7.70	-8.70	-4.90	-5.90	-1.80	-2.80
	185	-7.40	-8.40	-4.60	-5.60	-1.70	-2.70
	189-225	-6.90	-7.90	-4.10	-5.10	-0.90	-1.90
	229	-6.80	-7.80	-4.00	-5.00	-1.00	-2.00
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	35-59	-8.10	-9.10	-5.10	-6.10	-2.10	-3.10
	67-75	-6.90	-7.90	-4.10	-5.10	-1.10	-2.10
	83	-6.90	-7.90	-4.10	-5.10	-0.90	-1.90
	91	-6.50	-7.50	-3.80	-4.80	-0.70	-1.70
	99-107	-7.10	-8.10	-4.20	-5.20	-1.20	-2.20
	115	-7.70	-8.70	-4.80	-5.80	-1.80	-2.80
	123-179	-7.80	-8.80	-4.90	-5.90	-1.80	-2.80
	187	-7.60	-8.60	-4.90	-5.90	-1.60	-2.60
	195-219	-6.90	-7.90	-4.00	-5.00	-0.90	-1.90
	227	-6.80	-7.80	-4.00	-5.00	-1.00	-2.00
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.10	-9.10	-5.10	-6.10	-2.10	-3.10
	71	-6.90	-7.90	-4.00	-5.00	-1.10	-2.10
	87	-6.80	-7.80	-4.10	-5.10	-0.90	-1.90
	103	-7.10	-8.10	-4.20	-5.20	-1.20	-2.20
	119	-7.60	-8.60	-4.90	-5.90	-1.80	-2.80
6 GHz WIFI (80MHz BW) VLP	135-167	-7.80	-8.80	-5.10	-6.10	-1.90	-2.90
	183	-7.80	-8.80	-4.90	-5.90	-1.80	-2.80
	199	-6.80	-7.80	-4.20	-5.20	-0.90	-1.90
	215	-6.90	-7.90	-4.10	-5.10	-1.10	-2.10
	15	NS	NS	NS	NS	NS	NS
	47	-7.90	-8.90	-5.10	-6.10	-2.10	-3.10
	79	-6.90	-7.90	-4.00	-5.00	-1.10	-2.10
	111	-7.80	-8.80	-4.80	-5.80	-1.90	-2.90
	143	-7.70	-8.70	-4.90	-5.90	-1.80	-2.80
	175	-7.70	-8.70	-5.00	-6.00	-1.90	-2.90
	207	-6.80	-7.80	-4.20	-5.20	-0.90	-1.90

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 13 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-7.60	-8.60
	65-85	NS	NS	NS	NS	-6.50	-7.50
	89	NS	NS	NS	NS	-6.00	-7.00
	93	NS	NS	-9.00	-10.00	-6.20	-7.20
	97-113	NS	NS	NS	NS	-6.70	-7.70
	117-181	NS	NS	NS	NS	-7.60	-8.60
	185	NS	NS	NS	NS	-7.60	-8.60
	189-225	NS	NS	NS	NS	-6.00	-7.00
	229	NS	NS	NS	NS	-6.10	-7.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-7.60	-8.60
	67-75	NS	NS	NS	NS	-6.50	-7.50
	83	NS	NS	NS	NS	-6.40	-7.40
	91	NS	NS	NS	NS	-6.20	-7.20
	99-107	NS	NS	NS	NS	-6.70	-7.70
	115	NS	NS	NS	NS	-7.70	-8.70
	123-179	NS	NS	NS	NS	-7.60	-8.60
	187	NS	NS	NS	NS	-7.40	-8.40
	195-219	NS	NS	NS	NS	-6.00	-7.00
	227	NS	NS	NS	NS	-6.20	-7.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-7.60	-8.60
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	-6.50	-7.50
	87	NS	NS	NS	NS	-6.40	-7.40
	103	NS	NS	NS	NS	-6.70	-7.70
	119	NS	NS	NS	NS	-7.70	-8.70
	135-167	NS	NS	NS	NS	-7.70	-8.70
	183	NS	NS	NS	NS	-7.60	-8.60
	199	NS	NS	NS	NS	-6.20	-7.20
	215	NS	NS	NS	NS	-6.20	-7.20
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-7.60	-8.60
	79	NS	NS	NS	NS	-6.50	-7.50
	111	NS	NS	NS	NS	-7.70	-8.70
	143	NS	NS	NS	NS	-7.60	-8.60
	175	NS	NS	NS	NS	-7.70	-8.70
	207	NS	NS	NS	NS	-6.00	-7.00
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.70	-8.70	-4.60	-5.60
	65-85	NS	NS	-6.50	-7.50	-3.50	-4.50
	89	NS	NS	-6.10	-7.10	-3.10	-4.10
	93	-8.90	-9.90	-6.10	-7.10	-3.20	-4.20
	97-113	NS	NS	-6.80	-7.80	-3.70	-4.70
	117-181	NS	NS	-7.80	-8.80	-4.60	-5.60
	185	NS	NS	-7.60	-8.60	-4.60	-5.60
	189-225	NS	NS	-6.20	-7.20	-3.00	-4.00
	229	-8.90	-9.90	-6.20	-7.20	-3.10	-4.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.70	-8.70	-4.60	-5.60
	67-75	NS	NS	-6.50	-7.50	-3.50	-4.50
	83	NS	NS	-6.40	-7.40	-3.40	-4.40
	91	NS	NS	-6.20	-7.20	-3.20	-4.20
	99-107	NS	NS	-6.80	-7.80	-3.70	-4.70
	115	NS	NS	-7.60	-8.60	-4.70	-5.70
	123-179	NS	NS	-7.80	-8.80	-4.60	-5.60
	187	NS	NS	-7.70	-8.70	-4.40	-5.40
	195-219	NS	NS	-6.20	-7.20	-3.00	-4.00
	227	NS	NS	-6.20	-7.20	-3.20	-4.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.70	-8.70	-4.60	-5.60
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	-6.50	-7.50	-3.50	-4.50
	87	NS	NS	-6.80	-7.80	-3.40	-4.40
	103	NS	NS	-6.80	-7.80	-3.70	-4.70
	119	NS	NS	-7.60	-8.60	-4.70	-5.70
	135-167	NS	NS	-7.90	-8.90	-4.60	-5.60
	183	NS	NS	-7.70	-8.70	-4.60	-5.60
	199	-9.00	-10.00	-6.30	-7.30	-3.20	-4.20
	215	NS	NS	-6.30	-7.30	-3.30	-4.30
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.70	-8.70	-4.60	-5.60
	79	NS	NS	-6.50	-7.50	-3.50	-4.50
	111	NS	NS	-7.80	-8.80	-4.70	-5.70
	143	NS	NS	-7.80	-8.80	-4.60	-5.60
	175	NS	NS	-7.70	-8.70	-4.60	-5.60
	207	-9.00	-10.00	-6.40	-7.40	-3.00	-4.00
6 GHz WIFI (160MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.70	-8.70	-4.60	-5.60
	65-85	NS	NS	-6.50	-7.50	-3.50	-4.50
	89	NS	NS	-6.10	-7.10	-3.10	-4.10
	93	-8.90	-9.90	-6.10	-7.10	-3.20	-4.20
	97-113	NS	NS	-6.80	-7.80	-3.70	-4.70
	117-181	NS	NS	-7.80	-8.80	-4.60	-5.60
	185	NS	NS	-7.60	-8.60	-4.60	-5.60
	189-225	NS	NS	-6.20	-7.20	-3.00	-4.00
	229	-8.90	-9.90	-6.20	-7.20	-3.10	-4.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 14 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.70	9.70	13.70	12.70	14.25	13.25
	5	10.70	9.70	13.70	12.70	14.25	13.25
	9-29	10.70	9.70	13.70	12.70	14.25	13.25
	33-61	10.70	9.70	13.70	12.70	13.75	12.75
	65-85	10.70	9.70	13.70	12.70	13.75	12.75
	89	10.70	9.70	13.70	12.70	13.75	12.75
	93	10.70	9.70	13.70	12.70	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	10.70	9.70	13.25	12.25	13.25	12.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.70	9.70	13.70	12.70	14.25	13.25
	11	10.70	9.70	13.70	12.70	14.25	13.25
	19-27	10.70	9.70	13.70	12.70	14.25	13.25
	35-59	10.70	9.70	13.70	12.70	13.75	12.75
6 GHz WIFI (40MHz BW) SP	67-75	10.70	9.70	13.70	12.70	13.75	12.75
	83	10.70	9.70	13.70	12.70	13.75	12.75
	91	10.70	9.70	13.70	12.70	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	10.70	9.70	13.25	12.25	13.25	12.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.70	9.70	13.70	12.70	14.25	13.25
	23	10.70	9.70	13.70	12.70	14.25	13.25
	39-55	10.70	9.70	13.70	12.70	13.75	12.75
	71	10.70	9.70	13.70	12.70	13.75	12.75
	87	10.70	9.70	13.70	12.70	13.75	12.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	10.70	9.70	13.25	12.25	13.25	12.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	215	NS	NS	NS	NS	NS	NS
	15	10.70	9.70	13.70	12.70	14.25	13.25
	47	10.70	9.70	13.70	12.70	13.75	12.75
	79	10.70	9.70	13.70	12.70	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
	143	10.70	9.70	13.25	12.25	13.25	12.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WFST					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.10	8.10	11.40	10.40	14.00	13.00
	5	9.10	8.10	11.70	10.70	14.25	13.25
	9-29	9.00	8.00	11.50	10.50	14.25	13.25
	33-61	8.40	7.40	11.30	10.30	13.75	12.75
	65-85	9.20	8.20	12.20	11.20	13.75	12.75
	89	9.20	8.20	12.20	11.20	13.75	12.75
	93	9.20	8.20	12.20	11.20	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.20	10.20	13.25	12.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.10	8.10	11.50	10.50	14.10	13.10
	11	9.00	8.00	11.90	10.90	14.25	13.25
	19-27	8.90	7.90	11.70	10.70	14.25	13.25
	35-59	8.40	7.40	11.30	10.30	13.75	12.75
6 GHz WIFI (40MHz BW) SP	67-75	9.20	8.20	12.20	11.20	13.75	12.75
	83	9.20	8.20	12.20	11.20	13.75	12.75
	91	9.20	8.20	12.20	11.20	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.40	7.40	11.20	10.20	13.25	12.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	11.50	10.50	14.25	13.25
	23	9.00	8.00	11.70	10.70	14.25	13.25
	39-55	8.40	7.40	11.30	10.30	13.75	12.75
	71	9.20	8.20	12.20	11.20	13.75	12.75
	87	9.20	8.20	12.20	11.20	13.75	12.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.30	7.30	11.10	10.10	13.25	12.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	215	NS	NS	NS	NS	NS	NS
	15	8.90	7.90	11.60	10.60	14.25	13.25
	47	8.40	7.40	11.10	10.10	13.75	12.75
	79	9.20	8.20	12.20	11.20	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
	143	8.40	7.40	11.20	10.20	13.25	12.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 15 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFS1						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.20	8.20	12.20	11.20	14.25	13.25
	5	9.20	8.20	12.20	11.20	14.25	13.25
	9-29	9.20	8.20	12.20	11.20	14.25	13.25
	33-61	9.20	8.20	12.20	11.20	13.75	12.75
	65-95	9.20	8.20	12.20	11.20	13.75	12.75
	89	9.20	8.20	12.20	11.20	13.75	12.75
	93	9.20	8.20	12.20	11.20	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.20	8.20	12.20	11.20	13.25	12.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	9.20	8.20	12.20	11.20	14.25	13.25
	11	9.20	8.20	12.20	11.20	14.25	13.25
	19-27	9.20	8.20	12.20	11.20	14.25	13.25
	35-59	9.20	8.20	12.20	11.20	13.75	12.75
	67-75	9.20	8.20	12.20	11.20	13.75	12.75
	83	9.20	8.20	12.20	11.20	13.75	12.75
	91	9.20	8.20	12.20	11.20	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.20	8.20	12.20	11.20	13.25	12.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	9.20	8.20	12.20	11.20	14.25	13.25
	23	9.20	8.20	12.20	11.20	14.25	13.25
	39-55	9.20	8.20	12.20	11.20	13.75	12.75
	71	9.20	8.20	12.20	11.20	13.75	12.75
	87	9.20	8.20	12.20	11.20	13.75	12.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.20	8.20	12.20	11.20	13.25	12.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	215	NS	NS	NS	NS	NS	NS
	15	9.20	8.20	12.20	11.20	14.25	13.25
	47	9.20	8.20	12.20	11.20	13.75	12.75
	79	9.20	8.20	12.20	11.20	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
	143	9.20	8.20	12.20	11.20	13.25	12.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 16 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-2.10	-3.10	0.40	-0.60	2.90	1.90
	5	-2.10	-3.10	0.50	-0.50	3.60	2.60
	9-29	-2.20	-3.20	0.60	-0.40	3.60	2.60
	33-61	-3.00	-4.00	-0.10	-1.10	3.00	2.00
	65-85	-1.40	-2.40	1.30	0.30	4.40	3.40
	89	-1.50	-2.50	1.60	0.60	4.70	3.70
	93	-1.10	-2.10	1.70	0.70	4.60	3.60
	97-113	-1.80	-2.80	0.80	-0.20	3.90	2.90
	117-181	-3.10	-4.10	-0.50	-1.50	2.70	1.70
	185	-3.00	-4.00	-0.40	-1.40	2.60	1.60
	189-225	-1.00	-2.00	1.80	0.80	5.00	4.00
	229	-0.80	-1.80	1.90	0.90	5.10	4.10
	233	NS	NS	NS	NS	NS	NS
	3	-2.10	-3.10	0.40	-0.60	3.00	2.00
6 GHz WIFI (40MHz BW) LP	11	-2.20	-3.20	0.70	-0.30	3.60	2.60
	19-27	-2.20	-3.20	0.50	-0.50	3.60	2.60
	35-59	-3.00	-4.00	-0.20	-1.20	3.00	2.00
	67-75	-1.50	-2.50	1.30	0.30	4.40	3.40
	83	-1.50	-2.50	1.40	0.40	4.40	3.40
	91	-1.50	-2.50	1.60	0.60	4.60	3.60
	99-107	-1.80	-2.80	0.80	-0.20	4.00	3.00
	115	-3.10	-4.10	-0.30	-1.30	2.60	1.60
	123-179	-3.30	-4.30	-0.50	-1.50	2.70	1.70
	187	-3.10	-4.10	-0.40	-1.40	2.80	1.80
	195-219	-1.00	-2.00	1.80	0.80	5.00	4.00
	227	-1.00	-2.00	1.90	0.90	4.90	3.90
	7	-2.10	-3.10	0.30	-0.70	3.00	2.00
	23	-2.20	-3.20	0.50	-0.50	3.60	2.60
	39-55	-3.00	-4.00	-0.10	-1.10	3.00	2.00
6 GHz WIFI (80MHz BW) LP	71	-1.40	-2.40	1.30	0.30	4.40	3.40
	87	-1.50	-2.50	1.00	0.00	4.40	3.40
	103	-1.80	-2.80	0.80	-0.20	4.00	3.00
	119	-3.10	-4.10	-0.40	-1.40	2.60	1.60
	135-167	-3.40	-4.40	-0.50	-1.50	2.60	1.60
	183	-3.20	-4.20	-0.40	-1.40	2.70	1.70
	199	-0.90	-1.90	1.80	0.80	4.80	3.80
	215	-1.00	-2.00	1.90	0.90	4.80	3.80
	15	-2.40	-3.40	0.70	-0.30	3.00	2.00
	47	-3.00	-4.00	-0.10	-1.10	3.00	2.00
6 GHz WIFI (160MHz BW) LP	79	-1.50	-2.50	1.30	0.30	4.30	3.30
	111	-3.10	-4.10	-0.50	-1.50	2.60	1.60
	143	-3.20	-4.20	-0.60	-1.60	2.70	1.70
	175	-3.20	-4.20	-0.40	-1.40	2.70	1.70
	207	-0.90	-1.90	1.80	0.80	5.00	4.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 17 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-8.90	-9.90	-6.60	-7.60	-4.00	-5.00
	5	-8.90	-9.90	-6.30	-7.30	-3.20	-4.20
	9-29	-9.00	-10.00	-6.50	-7.50	-3.20	-4.20
	33-61	NS	NS	-6.70	-7.70	-3.60	-4.60
	65-85	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	89	-8.20	-9.20	-5.10	-6.10	-2.00	-3.00
	93	-7.90	-8.90	-5.00	-6.00	-2.20	-3.20
	97-113	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	117-181	NS	NS	-6.80	-7.80	-3.60	-4.60
	185	NS	NS	-6.60	-7.60	-3.60	-4.60
	189-225	-8.00	-9.00	-5.20	-6.20	-2.00	-3.00
	229	-7.90	-8.90	-5.10	-6.10	-2.10	-3.10
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-8.90	-9.90	-6.50	-7.50	-3.90	-4.90
	11	-9.00	-10.00	-6.10	-7.10	-3.20	-4.20
	19-27	NS	NS	-6.30	-7.30	-3.20	-4.20
	35-59	NS	NS	-6.70	-7.70	-3.60	-4.60
	67-75	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	83	-8.20	-9.20	-5.40	-6.40	-2.40	-3.40
	91	-8.20	-9.20	-5.20	-6.20	-2.20	-3.20
	99-107	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	115	NS	NS	-6.60	-7.60	-3.70	-4.70
	123-179	NS	NS	-6.80	-7.80	-3.60	-4.60
	187	NS	NS	-6.70	-7.70	-3.40	-4.40
	195-219	-8.00	-9.00	-5.20	-6.20	-2.00	-3.00
	227	-8.10	-9.10	-5.10	-6.10	-2.20	-3.20
	231	-9.00	-10.00	-6.50	-7.50	-3.70	-4.70
6 GHz WIFI (80MHz BW) LP	7	-9.00	-10.00	-6.50	-7.50	-3.70	-4.70
	23	-9.00	-10.00	-6.30	-7.30	-3.20	-4.20
	39-55	NS	NS	-6.70	-7.70	-3.60	-4.60
	71	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	87	-8.20	-9.20	-5.70	-6.70	-2.40	-3.40
	103	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	119	NS	NS	-6.70	-7.70	-3.70	-4.70
	135-167	NS	NS	-6.90	-7.90	-3.70	-4.70
	183	NS	NS	-6.70	-7.70	-3.60	-4.60
	199	-8.00	-9.00	-5.30	-6.30	-2.20	-3.20
6 GHz WIFI (160MHz BW) LP	215	-8.00	-9.00	-5.20	-6.20	-2.20	-3.20
	15	NS	NS	-6.30	-7.30	-3.80	-4.80
	47	NS	NS	-6.70	-7.70	-3.60	-4.60
	79	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	111	NS	NS	-6.80	-7.80	-3.70	-4.70
	143	NS	NS	-6.80	-7.80	-3.60	-4.60
	175	NS	NS	-6.70	-7.70	-3.70	-4.70
	207	-7.90	-8.90	-5.30	-6.30	-2.00	-3.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 18 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.00	-3.60	-4.60	-1.00	-2.00
	5	-5.90	-6.90	-3.30	-4.30	-0.20	-1.20
	9-29	-6.00	-7.00	-3.50	-4.50	-0.20	-1.20
	33-61	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	65-85	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	89	-5.20	-6.20	-2.10	-3.10	0.90	-0.10
	93	-4.90	-5.90	-2.10	-3.10	0.80	-0.20
	97-113	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	117-181	-6.50	-7.50	-3.80	-4.80	-0.60	-1.60
	185	-6.30	-7.30	-3.60	-4.60	-0.60	-1.60
	189-225	-5.10	-6.10	-2.20	-3.20	1.00	0.00
	229	-4.90	-5.90	-2.20	-3.20	0.90	-0.10
	233	NS	NS	NS	NS	NS	NS
	3	-6.00	-7.00	-3.60	-4.60	-0.90	-1.90
	11	-6.00	-7.00	-3.10	-4.10	-0.20	-1.20
	19-27	-6.10	-7.10	-3.30	-4.30	-0.20	-1.20
	35-59	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
6 GHz WIFI (40MHz BW) LP	67-75	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	83	-5.30	-6.30	-2.40	-3.40	0.60	-0.40
	91	-5.20	-6.20	-2.20	-3.20	0.80	-0.20
	99-107	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	115	-6.50	-7.50	-3.60	-4.60	-0.70	-1.70
	123-179	-6.60	-7.60	-3.80	-4.80	-0.60	-1.60
	187	-6.40	-7.40	-3.70	-4.70	-0.40	-1.40
	195-219	-5.10	-6.10	-2.20	-3.20	1.00	0.00
	227	-5.10	-6.10	-2.20	-3.20	0.80	-0.20
	7	-6.00	-7.00	-3.50	-4.50	-0.80	-1.80
	23	-6.00	-7.00	-3.30	-4.30	-0.20	-1.20
	39-55	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	71	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	87	-5.20	-6.20	-2.80	-3.80	0.60	-0.40
	103	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	119	-6.40	-7.40	-3.60	-4.60	-0.70	-1.70
	135-167	-6.70	-7.70	-3.90	-4.90	-0.60	-1.60
	183	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	199	-5.00	-6.00	-2.30	-3.30	0.80	-0.20
6 GHz WIFI (80MHz BW) LP	215	-5.10	-6.10	-2.30	-3.30	0.70	-0.30
	15	-6.20	-7.20	-3.30	-4.30	-0.90	-1.90
	47	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	79	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	111	-6.50	-7.50	-3.80	-4.80	-0.70	-1.70
	143	-6.50	-7.50	-3.80	-4.80	-0.60	-1.60
	175	-6.50	-7.50	-3.70	-4.70	-0.60	-1.60
	207	-5.00	-6.00	-2.40	-3.40	1.00	0.00
	7	-6.00	-7.00	-3.50	-4.50	-0.80	-1.80
	23	-6.00	-7.00	-3.30	-4.30	-0.20	-1.20
	39-55	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	71	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	87	-5.20	-6.20	-2.80	-3.80	0.60	-0.40
	103	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	119	-6.40	-7.40	-3.60	-4.60	-0.70	-1.70
	135-167	-6.70	-7.70	-3.90	-4.90	-0.60	-1.60
	183	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	199	-5.00	-6.00	-2.30	-3.30	0.80	-0.20
	215	-5.10	-6.10	-2.30	-3.30	0.70	-0.30
6 GHz WIFI (160MHz BW) LP	15	-6.20	-7.20	-3.30	-4.30	-0.90	-1.90
	47	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	79	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	111	-6.50	-7.50	-3.80	-4.80	-0.70	-1.70
	143	-6.50	-7.50	-3.80	-4.80	-0.60	-1.60
	175	-6.50	-7.50	-3.70	-4.70	-0.60	-1.60
	207	-5.00	-6.00	-2.40	-3.40	1.00	0.00
	7	-6.00	-7.00	-3.50	-4.50	-0.80	-1.80
	23	-6.00	-7.00	-3.30	-4.30	-0.20	-1.20
	39-55	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	71	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	87	-5.20	-6.20	-2.80	-3.80	0.60	-0.40
	103	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	119	-6.40	-7.40	-3.60	-4.60	-0.70	-1.70
	135-167	-6.70	-7.70	-3.90	-4.90	-0.60	-1.60
	183	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	199	-5.00	-6.00	-2.30	-3.30	0.80	-0.20
	215	-5.10	-6.10	-2.30	-3.30	0.70	-0.30
	15	-6.20	-7.20	-3.30	-4.30	-0.90	-1.90
	47	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	79	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	111	-6.50	-7.50	-3.80	-4.80	-0.70	-1.70
	143	-6.50	-7.50	-3.80	-4.80	-0.60	-1.60
	175	-6.50	-7.50	-3.70	-4.70	-0.60	-1.60
	207	-5.00	-6.00	-2.40	-3.40	1.00	0.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	65-85	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	89	-5.50	-6.50	-2.40	-3.40	0.70	-0.30
	93	-5.10	-6.10	-2.30	-3.30	0.60	-0.40
	97-113	-5.80	-6.80	-3.20	-4.20	-0.10	-1.10
	117-181	-7.10	-8.10	-4.50	-5.50	-1.30	-2.30
	185	-7.00	-8.00	-4.40	-5.40	-1.40	-2.40
	189-225	-5.00	-6.00	-2.20	-3.20	1.00	0.00
	229	-4.80	-5.80	-2.10	-3.10	1.10	0.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.00	-8.00	-4.20	-5.20	-1.00	-2.00
6 GHz WIFI (40MHz BW) VLP	67-75	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	83	-5.50	-6.50	-2.60	-3.60	0.40	-0.60
	91	-5.50	-6.50	-2.40	-3.40	0.60	-0.40
	99-107	-5.80	-6.80	-3.20	-4.20	0.00	-1.00
	115	-7.10	-8.10	-4.30	-5.30	-1.40	-2.40
	123-179	-7.30	-8.30	-4.50	-5.50	-1.30	-2.30
	187	-7.10	-8.10	-4.40	-5.40	-1.20	-2.20
	195-219	-5.00	-6.00	-2.20	-3.20	1.00	0.00
	227	-5.00	-6.00	-2.10	-3.10	0.90	-0.10
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	71	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	87	-5.50	-6.50	-3.00	-4.00	0.40	-0.60
	103	-5.80	-6.80	-3.20	-4.20	0.00	-1.00
	119	-7.10	-8.10	-4.40	-5.40	-1.40	-2.40
	135-167	-7.40	-8.40	-4.50	-5.50	-1.40	-2.40
	183	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	199	-4.90	-5.90	-2.20	-3.20	0.80	-0.20
6 GHz WIFI (80MHz BW) VLP	215	-5.00	-6.00	-2.10	-3.10	0.80	-0.20
	15	NS	NS	NS	NS	NS	NS
	47	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	79	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	111	-7.10	-8.10	-4.50	-5.50	-1.40	-2.40
	143	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	175	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	207	-4.90	-5.90	-2.20	-3.20	1.00	0.00
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	71	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	87	-5.50	-6.50	-3.00	-4.00	0.40	-0.60
	103	-5.80	-6.80	-3.20	-4.20	0.00	-1.00
	119	-7.10	-8.10	-4.40	-5.40	-1.40	-2.40
	135-167	-7.40	-8.40	-4.50	-5.50	-1.40	-2.40
	183	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	199	-4.90	-5.90	-2.20	-3.20	0.80	-0.20
	215	-5.00	-6.00	-2.10	-3.10	0.80	-0.20
	15	NS	NS	NS	NS	NS	NS
	47	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	79	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	111	-7.10	-8.10	-4.50	-5.50	-1.40	-2.40
	143	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	175	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	207	-4.90	-5.90	-2.20	-3.20	1.00	0.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 19 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-7.60	-8.60
	65-85	NS	NS	NS	NS	-6.50	-7.50
	89	NS	NS	NS	NS	-6.00	-7.00
	93	NS	NS	-9.00	-10.00	-6.20	-7.20
	97-113	NS	NS	NS	NS	-6.70	-7.70
	117-181	NS	NS	NS	NS	-7.60	-8.60
	185	NS	NS	NS	NS	-7.60	-8.60
	189-225	NS	NS	NS	NS	-6.00	-7.00
	229	NS	NS	NS	NS	-6.10	-7.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-7.60	-8.60
	67-75	NS	NS	NS	NS	-6.50	-7.50
	83	NS	NS	NS	NS	-6.40	-7.40
	91	NS	NS	NS	NS	-6.20	-7.20
	99-107	NS	NS	NS	NS	-6.70	-7.70
	115	NS	NS	NS	NS	-7.70	-8.70
	123-179	NS	NS	NS	NS	-7.60	-8.60
	187	NS	NS	NS	NS	-7.40	-8.40
	195-219	NS	NS	NS	NS	-6.00	-7.00
	227	NS	NS	NS	NS	-6.20	-7.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-7.60	-8.60
	71	NS	NS	NS	NS	-6.50	-7.50
6 GHz WIFI (80MHz BW) VLP	87	NS	NS	NS	NS	-6.40	-7.40
	103	NS	NS	NS	NS	-6.70	-7.70
	119	NS	NS	NS	NS	-7.70	-8.70
	135-167	NS	NS	NS	NS	-7.70	-8.70
	183	NS	NS	NS	NS	-7.60	-8.60
	199	NS	NS	NS	NS	-6.20	-7.20
	215	NS	NS	NS	NS	-6.20	-7.20
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-7.60	-8.60
	79	NS	NS	NS	NS	-6.50	-7.50
	111	NS	NS	NS	NS	-7.70	-8.70
	143	NS	NS	NS	NS	-7.60	-8.60
	175	NS	NS	NS	NS	-7.70	-8.70
	207	NS	NS	NS	NS	-6.00	-7.00
	207	NS	NS	NS	NS	-6.00	-7.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.70	-8.70	-4.60	-5.60
	65-85	NS	NS	-6.50	-7.50	-3.50	-4.50
	89	NS	NS	-6.10	-7.10	-3.10	-4.10
	93	-8.90	-9.90	-6.10	-7.10	-3.20	-4.20
	97-113	NS	NS	-6.80	-7.80	-3.70	-4.70
	117-181	NS	NS	-7.80	-8.80	-4.60	-5.60
	185	NS	NS	-7.60	-8.60	-4.60	-5.60
	189-225	NS	NS	-6.20	-7.20	-3.00	-4.00
	229	-8.90	-9.90	-6.20	-7.20	-3.10	-4.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.70	-8.70	-4.60	-5.60
	67-75	NS	NS	-6.50	-7.50	-3.50	-4.50
	83	NS	NS	-6.40	-7.40	-3.40	-4.40
	91	NS	NS	-6.20	-7.20	-3.20	-4.20
	99-107	NS	NS	-6.80	-7.80	-3.70	-4.70
	115	NS	NS	-7.60	-8.60	-4.70	-5.70
	123-179	NS	NS	-7.80	-8.80	-4.60	-5.60
	187	NS	NS	-7.70	-8.70	-4.40	-5.40
	195-219	NS	NS	-6.20	-7.20	-3.00	-4.00
	227	NS	NS	-6.20	-7.20	-3.20	-4.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.70	-8.70	-4.60	-5.60
	71	NS	NS	-6.50	-7.50	-3.50	-4.50
6 GHz WIFI (80MHz BW) VLP	87	NS	NS	-6.80	-7.80	-3.40	-4.40
	103	NS	NS	-6.80	-7.80	-3.70	-4.70
	119	NS	NS	-7.60	-8.60	-4.70	-5.70
	135-167	NS	NS	-7.90	-8.90	-4.60	-5.60
	183	NS	NS	-7.70	-8.70	-4.60	-5.60
	199	-9.00	-10.00	-6.30	-7.30	-3.20	-4.20
	215	NS	NS	-6.30	-7.30	-3.30	-4.30
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.70	-8.70	-4.60	-5.60
	79	NS	NS	-6.50	-7.50	-3.50	-4.50
	111	NS	NS	-7.80	-8.80	-4.70	-5.70
	143	NS	NS	-7.80	-8.80	-4.60	-5.60
	175	NS	NS	-7.70	-8.70	-4.60	-5.60
	207	-9.00	-10.00	-6.40	-7.40	-3.00	-4.00
	207	-9.00	-10.00	-6.40	-7.40	-3.00	-4.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 20 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.20	8.20	12.20	11.20	14.25	13.25
	5	9.20	8.20	12.20	11.20	14.25	13.25
	9-29	9.20	8.20	12.20	11.20	14.25	13.25
	33-61	9.20	8.20	12.20	11.20	13.25	12.25
	65-85	9.20	8.20	12.20	11.20	13.25	12.25
	89	9.20	8.20	12.20	11.20	13.25	12.25
	93	9.20	8.20	12.20	11.20	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.20	8.20	12.20	11.20	12.75	11.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.20	8.20	12.20	11.20	14.25	13.25
6 GHz WIFI (40MHz BW) SP	11	9.20	8.20	12.20	11.20	14.25	13.25
	19-27	9.20	8.20	12.20	11.20	14.25	13.25
	35-59	9.20	8.20	12.20	11.20	13.25	12.25
	67-75	9.20	8.20	12.20	11.20	13.25	12.25
	83	9.20	8.20	12.20	11.20	13.25	12.25
	91	9.20	8.20	12.20	11.20	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.20	8.20	12.20	11.20	12.75	11.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.20	8.20	12.20	11.20	14.25	13.25
	23	9.20	8.20	12.20	11.20	14.25	13.25
	39-55	9.20	8.20	12.20	11.20	13.25	12.25
	71	9.20	8.20	12.20	11.20	13.25	12.25
6 GHz WIFI (80MHz BW) SP	87	9.20	8.20	12.20	11.20	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.20	8.20	12.20	11.20	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.20	8.20	12.20	11.20	14.25	13.25
	47	9.20	8.20	12.20	11.20	13.25	12.25
	79	9.20	8.20	12.20	11.20	13.25	12.25
6 GHz WIFI (160MHz BW) SP	111	NS	NS	NS	NS	NS	NS
	143	9.20	8.20	12.20	11.20	13.00	12.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	11.50	10.50	14.25	13.25
	23	9.00	8.00	11.70	10.70	14.25	13.25
6 GHz WIFI (20MHz BW) SP	39-55	8.40	7.40	11.30	10.30	13.25	12.25
	71	9.20	8.20	12.20	11.20	13.25	12.25
	87	9.20	8.20	12.20	11.20	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.30	7.30	11.10	10.10	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.90	7.90	11.60	10.60	14.25	13.25
	47	8.40	7.40	11.10	10.10	13.25	12.25
	79	9.20	8.20	12.20	11.20	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	8.40	7.40	11.20	10.20	13.00	12.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 21 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.20	8.20	12.20	11.20	14.25	13.25
	5	9.20	8.20	12.20	11.20	14.25	13.25
	9-29	9.20	8.20	12.20	11.20	14.25	13.25
	33-61	9.20	8.20	12.20	11.20	13.25	12.25
	65-95	9.20	8.20	12.20	11.20	13.25	12.25
	89	9.20	8.20	12.20	11.20	13.25	12.25
	93	9.20	8.20	12.20	11.20	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.20	8.20	12.20	11.20	12.75	11.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	9.20	8.20	12.20	11.20	14.25	13.25
	11	9.20	8.20	12.20	11.20	14.25	13.25
	19-27	9.20	8.20	12.20	11.20	14.25	13.25
	35-59	9.20	8.20	12.20	11.20	13.25	12.25
	67-75	9.20	8.20	12.20	11.20	13.25	12.25
	83	9.20	8.20	12.20	11.20	13.25	12.25
	91	9.20	8.20	12.20	11.20	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.20	8.20	12.20	11.20	12.75	11.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	9.20	8.20	12.20	11.20	14.25	13.25
	23	9.20	8.20	12.20	11.20	14.25	13.25
	39-55	9.20	8.20	12.20	11.20	13.25	12.25
	71	9.20	8.20	12.20	11.20	13.25	12.25
	87	9.20	8.20	12.20	11.20	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.20	8.20	12.20	11.20	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	215	NS	NS	NS	NS	NS	NS
	15	9.20	8.20	12.20	11.20	14.25	13.25
	47	9.20	8.20	12.20	11.20	13.25	12.25
	79	9.20	8.20	12.20	11.20	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	9.20	8.20	12.20	11.20	13.00	12.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 22 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-2.10	-3.10	0.40	-0.60	2.90	1.90
	5	-2.10	-3.10	0.50	-0.50	3.60	2.60
	9-29	-2.20	-3.20	0.60	-0.40	3.60	2.60
	33-61	-3.00	-4.00	-0.10	-1.10	3.00	2.00
	65-85	-1.40	-2.40	1.30	0.30	4.40	3.40
	89	-1.50	-2.50	1.60	0.60	4.70	3.70
	93	-1.10	-2.10	1.70	0.70	4.60	3.60
	97-113	-1.80	-2.80	0.80	-0.20	3.90	2.90
	117-181	-3.10	-4.10	-0.50	-1.50	2.70	1.70
	185	-3.00	-4.00	-0.40	-1.40	2.60	1.60
	189-225	-1.00	-2.00	1.80	0.80	5.00	4.00
	229	-0.80	-1.80	1.90	0.90	5.10	4.10
	233	NS	NS	NS	NS	NS	NS
	3	-2.10	-3.10	0.40	-0.60	3.00	2.00
6 GHz WIFI (40MHz BW) LP	11	-2.20	-3.20	0.70	-0.30	3.60	2.60
	19-27	-2.20	-3.20	0.50	-0.50	3.60	2.60
	35-59	-3.00	-4.00	-0.20	-1.20	3.00	2.00
	67-75	-1.50	-2.50	1.30	0.30	4.40	3.40
	83	-1.50	-2.50	1.40	0.40	4.40	3.40
	91	-1.50	-2.50	1.60	0.60	4.60	3.60
	99-107	-1.80	-2.80	0.80	-0.20	4.00	3.00
	115	-3.10	-4.10	-0.30	-1.30	2.60	1.60
	123-179	-3.30	-4.30	-0.50	-1.50	2.70	1.70
	187	-3.10	-4.10	-0.40	-1.40	2.80	1.80
	195-219	-1.00	-2.00	1.80	0.80	5.00	4.00
	227	-1.00	-2.00	1.90	0.90	4.90	3.90
	7	-2.10	-3.10	0.30	-0.70	3.00	2.00
	23	-2.20	-3.20	0.50	-0.50	3.60	2.60
	39-55	-3.00	-4.00	-0.10	-1.10	3.00	2.00
6 GHz WIFI (80MHz BW) LP	71	-1.40	-2.40	1.30	0.30	4.40	3.40
	87	-1.50	-2.50	1.00	0.00	4.40	3.40
	103	-1.80	-2.80	0.80	-0.20	4.00	3.00
	119	-3.10	-4.10	-0.40	-1.40	2.60	1.60
	135-167	-3.40	-4.40	-0.50	-1.50	2.60	1.60
	183	-3.20	-4.20	-0.40	-1.40	2.70	1.70
	199	-0.90	-1.90	1.80	0.80	4.80	3.80
	215	-1.00	-2.00	1.90	0.90	4.80	3.80
	15	-2.40	-3.40	0.70	-0.30	3.00	2.00
	47	-3.00	-4.00	-0.10	-1.10	3.00	2.00
6 GHz WIFI (160MHz BW) LP	79	-1.50	-2.50	1.30	0.30	4.30	3.30
	111	-3.10	-4.10	-0.50	-1.50	2.60	1.60
	143	-3.20	-4.20	-0.60	-1.60	2.70	1.70
	175	-3.20	-4.20	-0.40	-1.40	2.70	1.70
	207	-0.90	-1.90	1.80	0.80	5.00	4.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 23 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-8.90	-9.90	-6.60	-7.60	-4.00	-5.00
	5	-8.90	-9.90	-6.30	-7.30	-3.20	-4.20
	9-29	-9.00	-10.00	-6.50	-7.50	-3.20	-4.20
	33-61	NS	NS	-6.70	-7.70	-3.60	-4.60
	65-85	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	89	-8.20	-9.20	-5.10	-6.10	-2.00	-3.00
	93	-7.90	-8.90	-5.00	-6.00	-2.20	-3.20
	97-113	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	117-181	NS	NS	-6.80	-7.80	-3.60	-4.60
	185	NS	NS	-6.60	-7.60	-3.60	-4.60
	189-225	-8.00	-9.00	-5.20	-6.20	-2.00	-3.00
	229	-7.90	-8.90	-5.10	-6.10	-2.10	-3.10
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-8.90	-9.90	-6.50	-7.50	-3.90	-4.90
	11	-9.00	-10.00	-6.10	-7.10	-3.20	-4.20
	19-27	NS	NS	-6.30	-7.30	-3.20	-4.20
	35-59	NS	NS	-6.70	-7.70	-3.60	-4.60
	67-75	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	83	-8.20	-9.20	-5.40	-6.40	-2.40	-3.40
	91	-8.20	-9.20	-5.20	-6.20	-2.20	-3.20
	99-107	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	115	NS	NS	-6.60	-7.60	-3.70	-4.70
	123-179	NS	NS	-6.80	-7.80	-3.60	-4.60
	187	NS	NS	-6.70	-7.70	-3.40	-4.40
	195-219	-8.00	-9.00	-5.20	-6.20	-2.00	-3.00
	227	-8.10	-9.10	-5.10	-6.10	-2.20	-3.20
	231	-9.00	-10.00	-6.50	-7.50	-3.70	-4.70
6 GHz WIFI (80MHz BW) LP	7	-9.00	-10.00	-6.50	-7.50	-3.70	-4.70
	23	-9.00	-10.00	-6.30	-7.30	-3.20	-4.20
	39-55	NS	NS	-6.70	-7.70	-3.60	-4.60
	71	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	87	-8.20	-9.20	-5.70	-6.70	-2.40	-3.40
	103	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	119	NS	NS	-6.70	-7.70	-3.70	-4.70
	135-167	NS	NS	-6.90	-7.90	-3.70	-4.70
	183	NS	NS	-6.70	-7.70	-3.60	-4.60
	199	-8.00	-9.00	-5.30	-6.30	-2.20	-3.20
6 GHz WIFI (160MHz BW) LP	215	-8.00	-9.00	-5.20	-6.20	-2.20	-3.20
	15	NS	NS	-6.30	-7.30	-3.80	-4.80
	47	NS	NS	-6.70	-7.70	-3.60	-4.60
	79	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	111	NS	NS	-6.80	-7.80	-3.70	-4.70
	143	NS	NS	-6.80	-7.80	-3.60	-4.60
	175	NS	NS	-6.70	-7.70	-3.70	-4.70
	207	-7.90	-8.90	-5.30	-6.30	-2.00	-3.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 24 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.00	-3.60	-4.60	-1.00	-2.00
	5	-5.90	-6.90	-3.30	-4.30	-0.20	-1.20
	9-29	-6.00	-7.00	-3.50	-4.50	-0.20	-1.20
	33-61	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	65-85	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	89	-5.20	-6.20	-2.10	-3.10	0.90	-0.10
	93	-4.90	-5.90	-2.10	-3.10	0.80	-0.20
	97-113	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	117-181	-6.50	-7.50	-3.80	-4.80	-0.60	-1.60
	185	-6.30	-7.30	-3.60	-4.60	-0.60	-1.60
	189-225	-5.10	-6.10	-2.20	-3.20	1.00	0.00
	229	-4.90	-5.90	-2.20	-3.20	0.90	-0.10
	233	NS	NS	NS	NS	NS	NS
	3	-6.00	-7.00	-3.60	-4.60	-0.90	-1.90
	11	-6.00	-7.00	-3.10	-4.10	-0.20	-1.20
	19-27	-6.10	-7.10	-3.30	-4.30	-0.20	-1.20
	35-59	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
6 GHz WiFi (40MHz BW) LP	67-75	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	83	-5.30	-6.30	-2.40	-3.40	0.60	-0.40
	91	-5.20	-6.20	-2.20	-3.20	0.80	-0.20
	99-107	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	115	-6.50	-7.50	-3.60	-4.60	-0.70	-1.70
	123-179	-6.60	-7.60	-3.80	-4.80	-0.60	-1.60
	187	-6.40	-7.40	-3.70	-4.70	-0.40	-1.40
	195-219	-5.10	-6.10	-2.20	-3.20	1.00	0.00
	227	-5.10	-6.10	-2.20	-3.20	0.80	-0.20
	7	-6.00	-7.00	-3.50	-4.50	-0.80	-1.80
	23	-6.00	-7.00	-3.30	-4.30	-0.20	-1.20
	39-55	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	71	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	87	-5.20	-6.20	-2.80	-3.80	0.60	-0.40
	103	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	119	-6.40	-7.40	-3.60	-4.60	-0.70	-1.70
	135-167	-6.70	-7.70	-3.90	-4.90	-0.60	-1.60
	183	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
6 GHz WiFi (80MHz BW) LP	199	-5.00	-6.00	-2.30	-3.30	0.80	-0.20
	215	-5.10	-6.10	-2.30	-3.30	0.70	-0.30
	15	-6.20	-7.20	-3.30	-4.30	-0.90	-1.90
	47	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	79	-5.30	-6.30	-2.50	-3.50	0.50	-0.50
	111	-6.50	-7.50	-3.80	-4.80	-0.70	-1.70
	143	-6.50	-7.50	-3.80	-4.80	-0.60	-1.60
	175	-6.50	-7.50	-3.70	-4.70	-0.60	-1.60
	207	-5.00	-6.00	-2.40	-3.40	1.00	0.00
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	65-85	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	89	-5.50	-6.50	-2.40	-3.40	0.70	-0.30
	93	-5.10	-6.10	-2.30	-3.30	0.60	-0.40
	97-113	-5.80	-6.80	-3.20	-4.20	-0.10	-1.10
	117-181	-7.10	-8.10	-4.50	-5.50	-1.30	-2.30
	185	-7.00	-8.00	-4.40	-5.40	-1.40	-2.40
	189-225	-5.00	-6.00	-2.20	-3.20	1.00	0.00
	229	-4.80	-5.80	-2.10	-3.10	1.10	0.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.00	-8.00	-4.20	-5.20	-1.00	-2.00
6 GHz WiFi (40MHz BW) VLP	67-75	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	83	-5.50	-6.50	-2.60	-3.60	0.40	-0.60
	91	-5.50	-6.50	-2.40	-3.40	0.60	-0.40
	99-107	-5.80	-6.80	-3.20	-4.20	0.00	-1.00
	115	-7.10	-8.10	-4.30	-5.30	-1.40	-2.40
	123-179	-7.30	-8.30	-4.50	-5.50	-1.30	-2.30
	187	-7.10	-8.10	-4.40	-5.40	-1.20	-2.20
	195-219	-5.00	-6.00	-2.20	-3.20	1.00	0.00
	227	-5.00	-6.00	-2.10	-3.10	0.90	-0.10
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	71	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	87	-5.50	-6.50	-3.00	-4.00	0.40	-0.60
	103	-5.80	-6.80	-3.20	-4.20	0.00	-1.00
	119	-7.10	-8.10	-4.40	-5.40	-1.40	-2.40
	135-167	-7.40	-8.40	-4.50	-5.50	-1.40	-2.40
	183	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
6 GHz WiFi (80MHz BW) VLP	199	-4.90	-5.90	-2.20	-3.20	0.80	-0.20
	215	-5.00	-6.00	-2.10	-3.10	0.80	-0.20
	15	NS	NS	NS	NS	NS	NS
	47	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	79	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	111	-7.10	-8.10	-4.50	-5.50	-1.40	-2.40
	143	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	175	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	207	-4.90	-5.90	-2.20	-3.20	1.00	0.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 25 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W78					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-7.60	-8.60
	65-85	NS	NS	NS	NS	-6.50	-7.50
	89	NS	NS	NS	NS	-6.00	-7.00
	93	NS	NS	-9.00	-10.00	-6.20	-7.20
	97-113	NS	NS	NS	NS	-6.70	-7.70
	117-181	NS	NS	NS	NS	-7.60	-8.60
	185	NS	NS	NS	NS	-7.60	-8.60
	189-225	NS	NS	NS	NS	-6.00	-7.00
	229	NS	NS	NS	NS	-6.10	-7.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-7.60	-8.60
	67-75	NS	NS	NS	NS	-6.50	-7.50
	83	NS	NS	NS	NS	-6.40	-7.40
	91	NS	NS	NS	NS	-6.20	-7.20
	99-107	NS	NS	NS	NS	-6.70	-7.70
	115	NS	NS	NS	NS	-7.70	-8.70
	123-179	NS	NS	NS	NS	-7.60	-8.60
	187	NS	NS	NS	NS	-7.40	-8.40
	195-219	NS	NS	NS	NS	-6.00	-7.00
	227	NS	NS	NS	NS	-6.20	-7.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-7.60	-8.60
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	NS	NS	-6.50	-7.50
	87	NS	NS	NS	NS	-6.40	-7.40
	103	NS	NS	NS	NS	-6.70	-7.70
	119	NS	NS	NS	NS	-7.70	-8.70
	135-167	NS	NS	NS	NS	-7.70	-8.70
	183	NS	NS	NS	NS	-7.60	-8.60
	199	NS	NS	NS	NS	-6.20	-7.20
	215	NS	NS	NS	NS	-6.20	-7.20
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-7.60	-8.60
	79	NS	NS	NS	NS	-6.50	-7.50
	111	NS	NS	NS	NS	-7.70	-8.70
	143	NS	NS	NS	NS	-7.60	-8.60
	175	NS	NS	NS	NS	-7.70	-8.70
	207	NS	NS	NS	NS	-6.00	-7.00
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W78					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.70	-8.70	-4.60	-5.60
	65-85	NS	NS	-6.50	-7.50	-3.50	-4.50
	89	NS	NS	-6.10	-7.10	-3.10	-4.10
	93	-8.90	-9.90	-6.10	-7.10	-3.20	-4.20
	97-113	NS	NS	-6.80	-7.80	-3.70	-4.70
	117-181	NS	NS	-7.80	-8.80	-4.60	-5.60
	185	NS	NS	-7.60	-8.60	-4.60	-5.60
	189-225	NS	NS	-6.20	-7.20	-3.00	-4.00
	229	-8.90	-9.90	-6.20	-7.20	-3.10	-4.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.70	-8.70	-4.60	-5.60
	67-75	NS	NS	-6.50	-7.50	-3.50	-4.50
	83	NS	NS	-6.40	-7.40	-3.40	-4.40
	91	NS	NS	-6.20	-7.20	-3.20	-4.20
	99-107	NS	NS	-6.80	-7.80	-3.70	-4.70
	115	NS	NS	-7.60	-8.60	-4.70	-5.70
	123-179	NS	NS	-7.80	-8.80	-4.60	-5.60
	187	NS	NS	-7.70	-8.70	-4.40	-5.40
	195-219	NS	NS	-6.20	-7.20	-3.00	-4.00
	227	NS	NS	-6.20	-7.20	-3.20	-4.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.70	-8.70	-4.60	-5.60
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	-6.50	-7.50	-3.50	-4.50
	87	NS	NS	-6.80	-7.80	-3.40	-4.40
	103	NS	NS	-6.80	-7.80	-3.70	-4.70
	119	NS	NS	-7.60	-8.60	-4.70	-5.70
	135-167	NS	NS	-7.90	-8.90	-4.60	-5.60
	183	NS	NS	-7.70	-8.70	-4.60	-5.60
	199	-9.00	-10.00	-6.30	-7.30	-3.20	-4.20
	215	NS	NS	-6.30	-7.30	-3.30	-4.30
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.70	-8.70	-4.60	-5.60
	79	NS	NS	-6.50	-7.50	-3.50	-4.50
	111	NS	NS	-7.80	-8.80	-4.70	-5.70
	143	NS	NS	-7.80	-8.80	-4.60	-5.60
	175	NS	NS	-7.70	-8.70	-4.60	-5.60
	207	-9.00	-10.00	-6.40	-7.40	-3.00	-4.00

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 26 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.20	8.20	12.20	11.20	15.20	14.20
	5	9.20	8.20	12.20	11.20	15.20	14.20
	9-29	9.20	8.20	12.20	11.20	15.20	14.20
	33-61	9.20	8.20	12.20	11.20	15.20	14.20
	65-85	9.20	8.20	12.20	11.20	15.20	14.20
	89	9.20	8.20	12.20	11.20	15.20	14.20
	93	9.20	8.20	12.20	11.20	15.20	14.20
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.20	8.20	12.20	11.20	15.20	14.20
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.20	8.20	12.20	11.20	15.20	14.20
	11	9.20	8.20	12.20	11.20	15.20	14.20
	19-27	9.20	8.20	12.20	11.20	15.20	14.20
	35-59	9.20	8.20	12.20	11.20	15.20	14.20
6 GHz WIFI (40MHz BW) SP	67-75	9.20	8.20	12.20	11.20	15.20	14.20
	83	9.20	8.20	12.20	11.20	15.20	14.20
	91	9.20	8.20	12.20	11.20	15.20	14.20
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.20	8.20	12.20	11.20	15.20	14.20
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.20	8.20	12.20	11.20	15.20	14.20
	23	9.20	8.20	12.20	11.20	15.20	14.20
	39-55	9.20	8.20	12.20	11.20	15.20	14.20
	71	9.20	8.20	12.20	11.20	15.20	14.20
	87	9.20	8.20	12.20	11.20	15.20	14.20
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.20	8.20	12.20	11.20	15.20	14.20
	183	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.20	8.20	12.20	11.20	15.20	14.20
	47	9.20	8.20	12.20	11.20	15.20	14.20
	79	9.20	8.20	12.20	11.20	15.20	14.20
	111	NS	NS	NS	NS	NS	NS
	143	9.20	8.20	12.20	11.20	15.20	14.20
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS
	1	9.10	8.10	11.40	10.40	14.00	13.00
	5	9.10	8.10	11.70	10.70	14.80	13.80
	9-29	9.00	8.00	11.50	10.50	14.80	13.80
	33-61	8.40	7.40	11.30	10.30	14.40	13.40
	65-85	9.20	8.20	12.20	11.20	15.20	14.20
	89	9.20	8.20	12.20	11.20	15.20	14.20
	93	9.20	8.20	12.20	11.20	15.20	14.20
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.20	10.20	14.40	13.40
	185	NS	NS	NS	NS	NS	NS
6 GHz WIFI (20MHz BW) SP	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.10	8.10	11.50	10.50	14.10	13.10
	11	9.00	8.00	11.90	10.90	14.80	13.80
	19-27	8.90	7.90	11.70	10.70	14.80	13.80
	35-59	8.40	7.40	11.30	10.30	14.40	13.40
	67-75	9.20	8.20	12.20	11.20	15.20	14.20
	83	9.20	8.20	12.20	11.20	15.20	14.20
	91	9.20	8.20	12.20	11.20	15.20	14.20
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.40	7.40	11.20	10.20	14.40	13.40
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	11.50	10.50	14.30	13.30
	23	9.00	8.00	11.70	10.70	14.80	13.80
	39-55	8.40	7.40	11.30	10.30	14.40	13.40
6 GHz WIFI (40MHz BW) SP	71	9.20	8.20	12.20	11.20	15.20	14.20
	87	9.20	8.20	12.20	11.20	15.20	14.20
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.30	7.30	11.10	10.10	14.30	13.30
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.90	7.90	11.60	10.60	14.80	13.80
	47	8.40	7.40	11.10	10.10	14.40	13.40
	79	9.20	8.20	12.20	11.20	15.20	14.20
	111	NS	NS	NS	NS	NS	NS
	143	8.40	7.40	11.20	10.20	14.20	13.20
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS
	1	9.10	8.10	11.40	10.40	14.00	13.00
	5	9.10	8.10	11.70	10.70	14.80	13.80
	9-29	9.00	8.00	11.50	10.50	14.80	13.80
	33-61	8.40	7.40	11.30	10.30	14.40	13.40
	65-85	9.20	8.20	12.20	11.20	15.20	14.20
	89	9.20	8.20	12.20	11.20	15.20	14.20
	93	9.20	8.20	12.20	11.20	15.20	14.20
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.20	10.20	14.40	13.40
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.10	8.10	11.50	10.50	14.10	13.10
	11	9.00	8.00	11.90	10.90	14.80	13.80
	19-27	8.90	7.90	11.70	10.70	14.80	13.80
	35-59	8.40	7.40	11.30	10.30	14.40	13.40
	67-75	9.20	8.20	12.20	11.20	15.20	14.20
	83	9.20	8.20	12.20	11.20	15.20	14.20
	91	9.20	8.20	12.20	11.20	15.20	14.20
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.40	7.40	11.20	10.20	14.40	13.40
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	11.50	10.50	14.30	13.30
	23	9.00	8.00	11.70	10.70	14.80	13.80
	39-55	8.40	7.40	11.30	10.30	14.40	13.40
	71	9.20	8.20	12.20	11.20	15.20	14.20
	87	9.20	8.20	12.20	11.20	15.20	14.20
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.30	7.30	11.10	10.10	14.30	13.30
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.90	7.90	11.60	10.60	14.80	13.80
	47	8.40	7.40	11.10	10.10	14.40	13.40
	79	9.20	8.20	12.20	11.20	15.20	14.20
	111	NS	NS	NS	NS	NS	NS
	143	8.40	7.40	11.20	10.20	14.20	13.20
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 27 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.20	8.20	12.20	11.20	15.20	14.20
	5	9.20	8.20	12.20	11.20	15.20	14.20
	9-29	9.20	8.20	12.20	11.20	15.20	14.20
	33-61	9.20	8.20	12.20	11.20	15.20	14.20
	65-85	9.20	8.20	12.20	11.20	15.20	14.20
	89	9.20	8.20	12.20	11.20	15.20	14.20
	93	9.20	8.20	12.20	11.20	15.20	14.20
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.20	8.20	12.20	11.20	15.20	14.20
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.20	8.20	12.20	11.20	15.20	14.20
6 GHz WIFI (40MHz BW) SP	11	9.20	8.20	12.20	11.20	15.20	14.20
	19-27	9.20	8.20	12.20	11.20	15.20	14.20
	35-59	9.20	8.20	12.20	11.20	15.20	14.20
	67-75	9.20	8.20	12.20	11.20	15.20	14.20
	83	9.20	8.20	12.20	11.20	15.20	14.20
	91	9.20	8.20	12.20	11.20	15.20	14.20
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.20	8.20	12.20	11.20	15.20	14.20
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.20	8.20	12.20	11.20	15.20	14.20
	23	9.20	8.20	12.20	11.20	15.20	14.20
	39-55	9.20	8.20	12.20	11.20	15.20	14.20
	71	9.20	8.20	12.20	11.20	15.20	14.20
6 GHz WIFI (80MHz BW) SP	87	9.20	8.20	12.20	11.20	15.20	14.20
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.20	8.20	12.20	11.20	15.20	14.20
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.20	8.20	12.20	11.20	15.20	14.20
	47	9.20	8.20	12.20	11.20	15.20	14.20
	79	9.20	8.20	12.20	11.20	15.20	14.20
6 GHz WIFI (160MHz BW) SP	111	NS	NS	NS	NS	NS	NS
	143	9.20	8.20	12.20	11.20	15.20	14.20
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

G.2.2 Maximum 802.11be MRU WLAN Output Power

		BSS M01 L2 (Discontinued) in BSS - Reference WFT																			
	Channel	SSD		SSD		MSD		SSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD	
		SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)	SL_2AT (Power)	SL_2PT (Power)
4 Gbps WRT 21 MHz bandwidth	1	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	2	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	3	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	4	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	5	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	6	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	7	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	8	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
4 Gbps WRT 21 MHz bandwidth	9	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	10	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	11	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	12	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	13	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	14	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	15	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	16	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
4 Gbps WRT 21 MHz bandwidth	17	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	18	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	19	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	20	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	21	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	22	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	23	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	24	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
4 Gbps WRT 21 MHz bandwidth	25	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	26	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	27	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	28	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	29	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	30	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	31	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	32	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
4 Gbps WRT 21 MHz bandwidth	33	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	34	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	35	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	36	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	37	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	38	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	39	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	40	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
4 Gbps WRT 21 MHz bandwidth	41	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	42	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	43	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	44	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	45	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	46	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	47	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	48	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
4 Gbps WRT 21 MHz bandwidth	49	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	50	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	51	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	52	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	53	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	54	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	55	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	56	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
4 Gbps WRT 21 MHz bandwidth	57	17.00	17.00																		

[illegible]

[illegible]

Mode	Channel	E11 B01.11 (Measurement) in dBm - Antenna WP72				SSD				SSD				SSD			
		SSD				SSD				SSD				SSD			
		SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD
6 GHz WP71 (Maximum SAR) IP	Channel	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD
	1	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	2	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	3	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	4	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	5	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	6	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	7	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	8	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	9	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	10	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	11	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	12	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	13	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	14	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
6 GHz WP71 (Maximum SAR) IP	Channel	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD
	15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	16	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	17	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	18	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	19	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	20	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	21	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	22	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	23	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	24	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	25	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	26	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	27	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	28	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
6 GHz WP71 (Maximum SAR) IP	Channel	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD
	29	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	30	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	31	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	32	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	33	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	34	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	35	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	36	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	37	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	38	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	39	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	40	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	41	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	42	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
	43	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15

[illegible]

Module	Channel	E1E B0.1.1 (Measurement in dBm) - Antenna WTR				E1E B0.1.1 (Measurement in dBm) - Antenna WTR				E1E B0.1.1 (Measurement in dBm) - Antenna WTR				E1E B0.1.1 (Measurement in dBm) - Antenna WTR			
		MIMO DDM				MIMO DDM				MIMO DDM				MIMO DDM			
		SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)	SA_ZF (Measurement)
6 GHz WTR (Antenna WTR) SP	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WTR (Antenna WTR) SP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	16	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	17	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	19	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WTR (Antenna WTR) SP	21	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	24	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	25	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	26	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WTR (Antenna WTR) SP	31	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	32	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	33	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	34	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	35	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	36	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	37	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	38	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WTR (Antenna WTR) SP	41	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	42	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	43	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	44	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	46	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	48	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	49	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	50	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Mode	Channel	EIRP 802.11 (Maximum) in dBm - Reference WIRE									
		SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO
		SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO
6 GHz WIRE (Reference WIRE) LP	Channel	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO
	1	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	2	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	3	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	4	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	5	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	6	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	7	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	8	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	9	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	10	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	11	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	12	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	13	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	14	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	15	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
6 GHz WIRE (Reference WIRE) LP	Channel	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO
	1	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	2	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	3	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	4	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	5	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	6	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	7	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	8	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	9	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	10	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	11	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	12	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	13	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	14	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	15	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
6 GHz WIRE (Reference WIRE) LP	Channel	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO
	1	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	2	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	3	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	4	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	5	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	6	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	7	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	8	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	9	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	10	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	11	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	12	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	13	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	14	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	15	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
6 GHz WIRE (Reference WIRE) LP	Channel	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO	SSO
	1	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	2	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	3	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	4	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	5	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	6	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	7	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	8	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	9	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	10	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	11	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	12	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	13	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	14	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	15	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00

[illegible]

Model	Channel	IEEE 802.11 (Maximum) in dBm - Reference WTR					IEEE 802.11 (Maximum) in dBm - Reference WTR				
		MINI 52	MINI 52	MINI 52	MINI 52	MINI 52	MINI 52	MINI 52	MINI 52	MINI 52	MINI 52
4 GHz WTR (Maximum WTR) SP	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)	52_247 (Maximum)
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
4 GHz WTR (Maximum WTR) SP	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
4 GHz WTR (Maximum WTR) SP	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
4 GHz WTR (Maximum WTR) SP	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52
	52	52	52	52	52	52	52	52	52	52	52

G.3 IEEE 802.11ax RU Target Powers

Table G-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.23	12.62	12.80
2437	6	26T	12.93	12.59	11.67
2462	11	26T	12.65	12.47	12.13
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	12.90	13.48	14.39
2437	6	52T	15.90	15.71	14.70
2462	11	52T	13.27	14.22	12.82
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	13.19	14.33	
2437	6	106T	18.70	17.78	
2462	11	106T	13.75	13.44	

Table G-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF7

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	12.84	12.68	12.18
2437	6	26T	13.19	12.69	11.79
2462	11	26T	12.62	13.00	12.80
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	12.53	13.26	13.52
2437	6	52T	16.10	15.83	14.91
2462	11	52T	13.31	14.28	13.21
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	12.89	13.51	
2437	6	106T	18.89	17.89	
2462	11	106T	13.82	13.07	

Table G-3
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.98	8.93	9.09
		5200	40	26T	10.15	11.26	10.37
		5220	44	26T	10.06	11.14	10.33
		5240	48	26T	10.23	11.15	10.37
	3	5745	149	26T	10.26	11.13	10.11
		5785	157	26T	10.10	10.94	10.03
		5825	165	26T	10.11	10.93	9.99
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	13.51	14.02	13.68
		5200	40	52T	13.86	14.26	13.92
		5220	44	52T	13.68	14.17	13.86
		5240	48	52T	13.74	14.29	13.86
	2A	5260	52	52T	13.84	14.24	13.94
		5280	56	52T	13.89	14.27	13.86
		5300	60	52T	13.76	14.16	13.85
		5320	64	52T	13.85	14.22	13.84
	2C	5500	100	52T	13.80	14.16	13.83
		5600	120	52T	13.81	14.28	13.74
		5580	124	52T	13.79	14.06	13.59
		5720	144	52T	13.63	14.11	13.71
	3	5745	149	52T	13.76	13.99	13.66
		5785	157	52T	13.60	13.93	13.51
		5825	165	52T	13.51	13.82	13.52
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	15.55	15.68	
		5200	40	106T	16.90	16.96	
		5220	44	106T	16.70	16.90	
		5240	48	106T	16.86	16.97	
	2A	5260	52	106T	16.97	16.96	
		5280	56	106T	16.88	16.95	
		5300	60	106T	16.76	16.86	
		5320	64	106T	15.58	15.66	
	2C	5500	100	106T	14.13	14.22	
		5600	120	106T	16.89	16.76	
		5620	124	106T	16.60	16.73	
		5720	144	106T	16.71	16.63	
	3	5745	149	106T	16.68	16.68	
		5785	157	106T	16.56	16.58	
		5825	165	106T	16.53	16.50	

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 41 of 74

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	9.02	9.31	9.14
		5230	46	26T	9.10	9.42	9.98
	3	5755	151	26T	9.49	9.60	10.02
		5795	159	26T	9.61	9.51	10.10
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	13.18	14.23	13.35
		5230	46	52T	13.18	13.55	14.00
	2A	5270	54	52T	13.13	14.03	14.38
		5310	62	52T	13.60	13.87	13.51
	2C	5550	110	52T	13.38	14.03	13.05
		5590	118	52T	14.27	14.01	14.20
		5630	126	52T	12.86	13.89	13.54
		5710	142	52T	14.06	13.08	13.85
	3	5755	151	52T	12.78	14.36	13.27
		5795	159	52T	13.28	13.02	12.74
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	1	5190	38	106T	13.35	14.00	13.86
		5230	46	106T	17.10	16.94	16.69
	2A	5270	54	106T	17.04	16.34	16.31
		5310	62	106T	13.92	14.34	13.83
	2C	5550	110	106T	17.36	17.52	17.27
		5590	118	106T	16.43	16.33	15.97
		5630	126	106T	16.08	16.43	17.44
		5710	142	106T	16.95	17.49	17.53
	3	5755	151	106T	16.63	16.50	16.02
		5795	159	106T	17.49	16.21	16.86
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	9.93	10.12	10.14
	3	5775	155	26T	11.12	11.22	11.23
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	12.92	13.22	12.74
	2A	5290	58	52T	13.34	12.84	13.36
	2C	5530	106	52T	12.11	11.94	11.73
		5610	122	52T	13.49	12.71	13.45
		5690	138	52T	12.82	12.97	13.40
	3	5775	155	52T	13.28	13.30	12.78

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 42 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	13.13	13.41	13.26
160MHz BW	2A	5290	58	106T	13.10	13.13	13.20
	2C	5530	106	106T	11.88	11.32	11.01
		5610	122	106T	17.01	17.45	16.22
		5690	138	106T	16.66	16.30	16.49
160MHz BW	3	5775	155	106T	15.99	16.40	16.23
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	11.92	11.31	10.93
160MHz BW	2C	5570	114	52T	10.21	10.52	10.10
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5250	50	106T	11.08	11.17	11.34
160MHz BW	2C	5570	114	106T	10.03	9.92	9.81

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 43 of 74

Table G-4
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.94	9.53	9.14
		5200	40	26T	9.58	9.22	9.33
		5220	44	26T	9.65	9.03	9.98
		5240	48	26T	9.98	9.80	9.77
	3	5745	149	26T	9.76	9.14	9.62
		5785	157	26T	9.66	9.26	9.84
		5825	165	26T	9.22	9.59	9.84
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	12.94	12.96	12.69
		5200	40	52T	12.46	12.04	12.77
		5220	44	52T	12.29	12.81	12.57
		5240	48	52T	12.62	12.30	12.01
	2A	5260	52	52T	12.54	12.20	12.19
		5280	56	52T	12.79	12.53	12.90
		5300	60	52T	12.69	12.87	13.00
		5320	64	52T	12.50	12.55	12.69
	2C	5500	100	52T	12.79	12.33	12.59
		5600	120	52T	12.55	12.80	12.29
		5580	124	52T	12.49	12.84	12.74
		5720	144	52T	12.17	12.10	12.06
	3	5745	149	52T	12.54	12.94	12.33
		5785	157	52T	12.10	13.00	12.80
		5825	165	52T	12.56	12.69	12.32
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	15.84	15.47	
		5200	40	106T	15.96	15.93	
		5220	44	106T	15.87	15.99	
		5240	48	106T	15.44	15.88	
	2A	5260	52	106T	15.36	15.01	
		5280	56	106T	15.23	15.01	
		5300	60	106T	15.04	15.74	
		5320	64	106T	15.19	14.95	
	2C	5500	100	106T	13.53	14.01	
		5600	120	106T	15.45	15.39	
		5620	124	106T	15.53	15.25	
		5720	144	106T	15.08	15.40	
	3	5745	149	106T	15.09	15.65	
		5785	157	106T	15.97	15.79	
		5825	165	106T	15.87	15.08	

FCCID: BCGA3595	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 44 of 74

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	9.02	9.67	9.35
		5230	46	26T	9.06	9.98	9.69
	3	5755	151	26T	9.25	9.67	9.82
		5795	159	26T	9.70	9.41	9.84
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	12.59	12.68	12.45
		5230	46	52T	12.99	12.32	12.71
	2A	5270	54	52T	12.06	12.12	12.29
		5310	62	52T	12.09	12.87	12.82
	2C	5550	110	52T	12.75	12.33	12.58
		5590	118	52T	12.96	12.20	12.68
		5630	126	52T	12.61	12.27	12.40
		5710	142	52T	12.73	12.31	12.12
	3	5755	151	52T	12.99	12.20	12.61
		5795	159	52T	12.00	12.55	12.90
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	1	5190	38	106T	13.33	13.93	13.09
		5230	46	106T	15.53	15.33	15.73
	2A	5270	54	106T	15.93	15.34	15.58
		5310	62	106T	13.48	13.81	13.56
	2C	5550	110	106T	15.77	15.98	15.13
		5590	118	106T	15.70	15.47	15.19
		5630	126	106T	15.07	15.07	15.95
		5710	142	106T	15.17	15.77	15.93
	3	5755	151	106T	15.05	15.83	15.82
		5795	159	106T	15.33	15.96	15.43
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	9.18	8.49	8.96
	2A	5290	58	26T	9.45	9.23	9.85
	2C	5530	106	26T	8.80	8.79	8.63
		5610	122	26T	9.43	9.24	9.09
		5690	138	26T	8.98	9.03	9.12
	3	5775	155	26T	9.86	9.49	9.09

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 45 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	12.39	12.08	12.48
	2A	5290	58	52T	12.50	12.86	12.91
	2C	5530	106	52T	11.02	11.92	11.65
		5610	122	52T	12.01	12.45	12.82
		5690	138	52T	12.12	12.87	12.20
	3	5775	155	52T	12.65	12.19	12.41
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	12.37	12.60	12.63
	2A	5290	58	106T	13.57	13.52	13.54
	2C	5530	106	106T	11.28	11.24	11.30
		5610	122	106T	15.83	15.44	15.08
		5690	138	106T	15.28	15.25	15.36
	3	5775	155	106T	15.58	15.32	15.63
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	10.80	11.02	10.51
	2C	5570	114	52T	10.11	9.58	10.33
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5250	50	106T	11.00	11.44	10.87
	2C	5570	114	106T	10.49	9.62	9.57

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 46 of 74

Table G-5
Maximum 5 GHz 802.11ax RU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.66	9.31	9.73
		5200	40	26T	9.84	9.54	9.94
		5220	44	26T	9.69	9.92	9.39
		5240	48	26T	9.88	9.45	9.15
	3	5745	149	26T	9.44	9.73	9.90
		5785	157	26T	9.64	9.44	9.69
		5825	165	26T	9.51	9.07	9.91
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	12.97	12.64	12.49
		5200	40	52T	12.28	12.75	12.16
		5220	44	52T	12.82	12.76	12.23
		5240	48	52T	13.00	12.27	12.44
	2A	5260	52	52T	12.87	12.15	12.57
		5280	56	52T	12.31	12.78	12.04
		5300	60	52T	12.01	12.80	12.64
		5320	64	52T	12.22	12.52	12.42
	2C	5500	100	52T	12.95	12.96	12.11
		5600	120	52T	12.03	12.74	12.30
		5580	124	52T	12.03	12.56	12.17
		5720	144	52T	12.28	12.97	12.09
	3	5745	149	52T	12.80	12.41	12.16
		5785	157	52T	12.64	12.84	12.23
		5825	165	52T	12.53	12.05	12.61
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	15.76	15.63	
		5200	40	106T	15.20	15.74	
		5220	44	106T	15.38	15.79	
		5240	48	106T	15.71	15.74	
	2A	5260	52	106T	15.65	15.69	
		5280	56	106T	15.25	15.98	
		5300	60	106T	15.64	15.88	
		5320	64	106T	15.63	14.88	
	2C	5500	100	106T	13.64	14.27	
		5600	120	106T	15.05	15.15	
		5620	124	106T	15.03	15.71	
		5720	144	106T	15.68	15.17	
	3	5745	149	106T	15.88	15.41	
		5785	157	106T	15.07	15.54	
		5825	165	106T	15.46	15.79	

FCCID: BCGA3595	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 47 of 74

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	9.07	9.29	9.14
		5230	46	26T	9.47	9.37	9.43
	3	5755	151	26T	9.41	9.39	9.25
		5795	159	26T	9.27	9.38	9.73
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	12.46	12.46	12.26
		5230	46	52T	12.95	12.95	12.27
	2A	5270	54	52T	12.65	12.65	12.24
		5310	62	52T	12.87	12.87	12.05
	2C	5550	110	52T	12.53	12.53	12.04
		5590	118	52T	12.53	12.53	12.85
		5630	126	52T	12.29	12.29	12.87
		5710	142	52T	12.16	12.16	12.89
	3	5755	151	52T	12.60	12.60	12.45
		5795	159	52T	12.34	12.34	12.69
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	1	5190	38	106T	13.94	13.66	13.15
		5230	46	106T	15.19	15.37	15.84
	2A	5270	54	106T	15.34	15.89	15.32
		5310	62	106T	13.88	13.28	13.61
	2C	5550	110	106T	15.82	15.96	15.01
		5590	118	106T	15.27	15.69	15.91
		5630	126	106T	15.70	15.66	15.06
		5710	142	106T	15.24	15.34	15.78
	3	5755	151	106T	15.62	15.96	15.40
		5795	159	106T	15.03	15.92	15.76
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	8.24	9.19	9.19
	3	5775	155	26T	9.31	9.31	9.93
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	12.10	12.73	12.30
	2A	5290	58	52T	12.65	12.81	12.92
	2C	5530	106	52T	11.92	11.84	11.62
		5610	122	52T	12.58	12.18	12.25
		5690	138	52T	12.11	12.19	12.20
	3	5775	155	52T	12.96	12.10	12.24

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 48 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	12.63	12.23	12.36
160MHz BW	2A	5290	58	106T	13.13	13.08	13.38
	2C	5530	106	106T	11.95	11.51	11.67
		5610	122	106T	15.36	15.74	15.36
		5690	138	106T	15.09	15.04	15.34
160MHz BW	3	5775	155	106T	15.36	15.81	15.67
	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
160MHz BW	1	5250	50	52T	11.22	10.53	11.39
	2C	5570	114	52T	10.16	10.50	9.76
	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
160MHz BW	1	5250	50	106T	11.09	10.59	10.55
	2C	5570	114	106T	10.28	10.01	9.99

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 49 of 74

Table G-6
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	9.23	10.16	9.31
		6175	45	26T	9.25	10.14	9.28
		6195	49	26T	9.29	10.22	9.34
		6415	93	26T	9.52	10.52	9.55
	6	6435	97	26T	-4.34	-3.45	-4.31
		6475	105	26T	-4.25	-3.32	-4.19
		6515	113	26T	-4.40	-3.42	-4.35
	7	6535	117	26T	9.55	10.42	9.35
		6695	149	26T	9.06	9.84	8.86
		6875	185	26T	-4.20	-3.77	-4.22
	8	6895	189	26T	-3.88	-2.96	-3.86
		6995	209	26T	-4.22	-3.31	-4.27
20MHz BW	5	5955	1	52T	12.32	12.68	12.31
		6195	49	52T	12.33	12.73	12.33
		6415	93	52T	12.62	12.95	12.67
	6	6435	97	52T	-1.40	-1.14	-1.51
		6475	105	52T	-1.39	-1.04	-1.40
		6515	113	52T	-1.49	-1.11	-1.51
	7	6535	117	52T	12.16	12.39	12.06
		6695	149	52T	11.68	11.86	11.52
		6875	185	52T	-2.33	-2.05	-2.33
	8	6895	189	52T	-2.06	-1.69	-2.03
		6995	209	52T	-1.07	-0.70	-1.10
		7015	213	52T	-1.00	-0.70	-1.06
20MHz BW	5	5955	1	106T	13.02	13.10	
		6175	45	106T	13.13	13.13	
		6195	49	106T	13.11	13.16	
		6415	93	106T	12.93	12.96	
	6	6435	97	106T	1.36	1.35	
		6475	105	106T	1.26	1.31	
		6515	113	106T	1.28	1.37	
	7	6535	117	106T	12.52	12.31	
		6695	149	106T	11.98	11.84	
		6875	185	106T	1.42	1.42	
	8	6895	189	106T	2.00	2.04	
		6995	209	106T	1.79	1.82	
		7015	213	106T	1.83	1.82	
		7115	233	106T	NS	NS	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	5	5965	3	26T	9.13	9.49	9.46
		6165	43	26T	10.30	10.30	10.44
		6205	51	26T	10.00	10.38	10.05
		6405	91	26T	10.25	10.19	10.20
	6	6445	99	26T	-4.44	-4.35	-3.38
		6485	107	26T	-4.21	-3.91	-3.26
		6525	115	26T	-4.44	-4.99	-4.32
	7	6565	123	26T	9.98	9.35	9.59
		6685	147	26T	9.36	9.85	9.71
		6725	155	26T	9.35	9.69	9.24
		6845	179	26T	9.67	9.81	9.60
	8	6885	187	26T	-4.01	-4.64	-4.14
		6965	203	26T	-3.18	-4.86	-3.92
		7005	211	26T	-3.52	-4.16	-4.07
		7085	227	26T	-4.35	-4.31	-3.91
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	5	5965	3	52T	12.61	12.55	12.96
		6165	43	52T	12.68	12.74	12.31
		6205	51	52T	12.71	12.81	13.08
		6405	91	52T	12.56	12.05	12.66
	6	6445	99	52T	-1.32	-2.17	-1.82
		6485	107	52T	-1.85	-1.80	-1.02
		6525	115	52T	-1.08	-2.16	-2.57
	7	6565	123	52T	11.28	11.40	11.63
		6685	147	52T	12.92	11.81	12.22
		6725	155	52T	12.41	12.93	12.97
		6845	179	52T	12.33	12.37	12.40
	8	6885	187	52T	-2.65	-2.59	-1.62
		6965	203	52T	-0.32	-1.51	-1.37
		7005	211	52T	-2.00	-0.59	-0.83
		7085	227	52T	-0.91	-1.20	-0.95
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	14.22	14.24	13.47
		6165	43	106T	13.67	12.85	11.77
		6205	51	106T	12.02	12.33	13.63
		6405	91	106T	11.93	12.49	12.59
	6	6445	99	106T	1.56	1.39	1.30
		6485	107	106T	1.30	2.54	2.78
		6525	115	106T	0.56	2.03	1.51
	7	6565	123	106T	11.43	11.34	13.19
		6685	147	106T	11.88	12.83	12.75
		6725	155	106T	11.25	11.65	11.31
		6845	179	106T	12.71	12.12	12.21
	8	6885	187	106T	2.10	1.47	1.67
		6965	203	106T	2.42	1.86	1.10
		7005	211	106T	1.75	1.48	2.43
		7085	227	106T	2.05	1.65	1.02

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 51 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
5		5985	7	26T	9.19	9.41	9.36
		6145	39	26T	9.04	10.10	10.36
		6225	55	26T	10.25	9.84	10.36
		6385	87	26T	10.21	9.39	10.25
6		6465	103	26T	-3.11	-3.76	-5.03
7		6545	119	26T	-4.26	-4.76	-5.44
		6705	151	26T	9.96	10.63	9.56
		6865	183	26T	-5.53	-4.00	-4.06
8		6945	199	26T	-3.18	-2.97	-4.40
		7025	215	26T	-4.22	-3.81	-4.50
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
5		5985	7	52T	12.38	13.53	12.29
		6145	39	52T	13.16	13.67	13.07
		6225	55	52T	13.36	12.12	11.94
		6385	87	52T	11.72	13.08	12.00
6		6465	103	52T	-1.98	-1.10	-1.53
7		6545	119	52T	-1.66	-1.49	-1.52
		6705	151	52T	13.04	11.47	11.36
		6865	183	52T	-2.75	-2.53	-2.54
8		6945	199	52T	-0.29	-0.88	-0.51
		7025	215	52T	-0.86	-1.44	-2.00
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
5		5985	7	106T	13.65	13.29	13.44
		6145	39	106T	12.82	11.83	12.45
		6225	55	106T	12.64	12.15	12.90
		6385	87	106T	12.88	12.69	12.14
6		6465	103	106T	2.66	2.29	1.42
7		6545	119	106T	0.42	0.59	0.87
		6705	151	106T	13.24	12.53	13.03
		6865	183	106T	0.85	0.29	2.01
8		6945	199	106T	1.87	1.84	2.70
		7025	215	106T	1.88	1.06	1.69
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
5		6025	15	26T	10.04	9.62	10.00
		6185	47	26T	8.76	10.55	8.87
		6345	79	26T	9.12	9.55	10.50
6		6505	111	26T	-5.74	-4.40	-4.25
7		6665	143	26T	9.06	10.05	9.53
		6825	175	26T	-5.03	-5.61	-3.98
8		6985	207	26T	-4.78	-4.56	-4.15

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
160MHz BW	5	6025	15	52T	13.08	12.74	13.03
		6185	47	52T	12.13	13.36	13.61
		6345	79	52T	13.44	12.24	13.14
	6	6505	111	52T	-0.97	-1.40	-1.86
	7	6665	143	52T	11.73	12.81	13.04
		6825	175	52T	-1.17	-2.91	-1.46
	8	6985	207	52T	-1.85	-1.95	-2.04
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
160MHz BW	5	6025	15	106T	13.74	13.39	13.23
		6185	47	106T	13.43	12.25	13.20
		6345	79	106T	12.01	13.71	12.18
	6	6505	111	106T	0.81	0.42	1.33
	7	6665	143	106T	12.44	11.77	12.75
		6825	175	106T	0.61	0.34	0.73
	8	6985	207	106T	2.33	2.09	2.56

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 53 of 74

Table G-7
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	7.98	7.41	7.85
		6175	45	26T	8.05	7.43	8.29
		6195	49	26T	8.15	7.42	8.04
		6415	93	26T	7.85	7.60	7.91
	6	6435	97	26T	-3.37	-2.67	-3.61
		6475	105	26T	-3.45	-2.59	-3.53
		6515	113	26T	-3.71	-2.85	-3.74
	7	6535	117	26T	8.28	8.64	8.30
		6695	149	26T	8.67	8.01	7.84
		6875	185	26T	-4.60	-3.77	-4.71
	8	6895	189	26T	-2.85	-1.95	-2.87
		6995	209	26T	-2.73	-1.72	-2.64
20MHz BW	5	5955	1	52T	11.37	10.88	10.89
		6195	49	52T	10.81	11.27	10.96
		6415	93	52T	11.34	11.61	10.74
	6	6435	97	52T	-0.73	-0.46	-0.86
		6475	105	52T	-0.68	-0.36	-0.73
		6515	113	52T	-0.92	-0.62	-0.97
	7	6535	117	52T	10.95	10.91	10.87
		6695	149	52T	11.55	11.21	11.38
		6875	185	52T	-2.00	-1.69	-2.02
	8	6895	189	52T	0.12	0.47	0.09
		6995	209	52T	0.29	0.59	0.21
		7015	213	52T	0.17	0.59	0.22
20MHz BW	5	5955	1	106T	13.27	13.33	
		6175	45	106T	12.56	12.60	
		6195	49	106T	11.93	12.12	
		6415	93	106T	12.04	12.35	
	6	6435	97	106T	2.74	2.44	
		6475	105	106T	2.51	2.55	
		6515	113	106T	3.01	3.16	
	7	6535	117	106T	11.54	11.52	
		6695	149	106T	11.83	11.30	
		6875	185	106T	1.70	1.51	
	8	6895	189	106T	3.88	4.37	
		6995	209	106T	4.12	4.32	
		7015	213	106T	3.72	4.49	
		7115	233	106T	NS	NS	

FCCID: BCGA3595	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 54 of 74

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	5	5965	3	26T	7.76	8.43	7.94
		6165	43	26T	7.82	8.19	8.66
		6205	51	26T	8.52	8.07	7.81
		6405	91	26T	7.92	7.70	8.65
	6	6445	99	26T	-3.14	-2.74	-2.79
		6485	107	26T	-2.80	-3.18	-2.87
		6525	115	26T	-4.13	-4.19	-4.43
	7	6565	123	26T	8.68	8.68	8.61
		6685	147	26T	8.10	8.22	8.31
		6725	155	26T	8.46	8.43	7.99
	8	6845	179	26T	7.85	7.89	8.35
		6885	187	26T	-4.58	-3.92	-4.01
		6965	203	26T	-1.78	-1.73	-2.17
		7005	211	26T	-2.35	-2.00	-1.76
		7085	227	26T	-2.00	-1.68	-1.73
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	5	5965	3	52T	10.86	11.08	11.03
		6165	43	52T	11.09	11.46	11.69
		6205	51	52T	11.49	11.26	11.31
		6405	91	52T	11.41	11.49	10.81
	6	6445	99	52T	-2.51	-2.69	-2.96
		6485	107	52T	-2.71	-2.32	-2.79
		6525	115	52T	-2.76	-3.22	-2.39
	7	6565	123	52T	11.51	11.62	11.19
		6685	147	52T	11.33	10.85	10.91
		6725	155	52T	11.47	11.57	11.65
	8	6845	179	52T	11.30	11.32	10.97
		6885	187	52T	-4.47	-3.81	-4.41
		6965	203	52T	-1.89	-2.01	-2.34
		7005	211	52T	-2.41	-1.61	-2.38
		7085	227	52T	-2.23	-2.13	-1.79
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	13.07	13.00	12.99
		6165	43	106T	13.11	12.78	13.45
		6205	51	106T	13.44	12.97	13.61
		6405	91	106T	13.46	13.53	12.87
	6	6445	99	106T	0.21	-0.32	-0.16
		6485	107	106T	-0.17	-0.10	-0.70
		6525	115	106T	-0.27	0.04	0.30
	7	6565	123	106T	12.00	11.57	12.10
		6685	147	106T	11.35	11.36	11.29
		6725	155	106T	11.87	11.60	11.76
	8	6845	179	106T	11.50	11.52	11.96
		6885	187	106T	-1.65	-1.10	-1.34
		6965	203	106T	0.30	1.03	0.54
		7005	211	106T	0.40	0.49	0.47
		7085	227	106T	1.20	0.55	0.63

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 55 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	5985	7	26T	7.84	8.62	8.01
		6145	39	26T	8.67	7.75	8.27
		6225	55	26T	7.97	7.79	7.91
		6385	87	26T	8.57	8.68	7.73
	6	6465	103	26T	-2.79	-3.16	-2.42
	7	6545	119	26T	-4.27	-3.64	-4.23
		6705	151	26T	8.55	8.05	8.55
		6865	183	26T	-3.80	-4.03	-4.11
	8	6945	199	26T	-1.67	-1.41	-1.59
		7025	215	26T	-2.48	-1.58	-2.39
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	11.68	10.83	10.82
		6145	39	52T	11.05	11.61	10.87
		6225	55	52T	11.57	11.07	11.30
		6385	87	52T	10.85	11.15	10.99
	6	6465	103	52T	-0.57	-0.64	-0.18
	7	6545	119	52T	-1.73	-1.85	-1.22
		6705	151	52T	11.04	11.29	11.07
		6865	183	52T	-1.75	-1.54	-1.12
	8	6945	199	52T	0.42	0.91	0.44
		7025	215	52T	1.11	0.45	0.49
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	13.13	12.90	13.61
		6145	39	106T	13.39	13.44	13.05
		6225	55	106T	13.38	13.61	13.58
		6385	87	106T	13.19	13.28	13.16
	6	6465	103	106T	2.83	2.83	3.01
	7	6545	119	106T	1.29	1.93	1.94
		6705	151	106T	11.88	12.25	12.39
		6865	183	106T	1.30	1.95	1.69
	8	6945	199	106T	3.40	3.81	3.55
		7025	215	106T	4.15	3.58	3.54
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	8.56	8.69	8.06
		6185	47	26T	8.70	8.70	8.11
		6345	79	26T	8.00	7.74	7.74
	6	6505	111	26T	-4.52	-4.09	-4.51
	7	6665	143	26T	8.09	8.15	8.33
		6825	175	26T	-4.45	-4.12	-3.91
	8	6985	207	26T	-2.19	-1.59	-2.34

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 56 of 74

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
160MHz BW	5	6025	15	52T	11.14	11.68	11.07
		6185	47	52T	11.02	11.27	11.07
		6345	79	52T	11.32	11.01	11.56
	6	6505	111	52T	-1.08	-1.73	-1.42
	7	6665	143	52T	11.09	11.65	11.49
		6825	175	52T	-1.18	-1.35	-1.42
	8	6985	207	52T	0.30	0.77	0.31
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
160MHz BW	5	6025	15	106T	12.91	12.88	12.76
		6185	47	106T	12.48	12.37	12.61
		6345	79	106T	12.27	12.22	12.38
	6	6505	111	106T	1.16	1.44	1.74
	7	6665	143	106T	11.79	11.97	12.08
		6825	175	106T	1.80	1.28	2.14
	8	6985	207	106T	3.94	3.81	3.63

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 57 of 74

Table G-8
Maximum 6 GHz 802.11ax RU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	7.75	8.15	8.10
		6175	45	26T	7.82	8.47	8.26
		6195	49	26T	8.63	7.81	8.03
		6415	93	26T	8.18	8.43	8.02
	6	6435	97	26T	-3.17	-2.32	-2.77
		6475	105	26T	-2.74	-2.74	-2.75
		6515	113	26T	-3.16	-2.96	-2.43
7	6535	117	26T	7.91	8.68	7.73	
	6695	149	26T	8.04	8.42	8.10	
	6875	185	26T	-4.47	-4.12	-3.66	
8	6895	189	26T	-1.81	-1.69	-1.60	
	6995	209	26T	-2.42	-2.18	-2.03	
	7015	213	26T	-2.43	-2.38	-1.86	
	7115	233	26T	NS	NS	NS	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	10.73	11.21	11.22
		6195	49	52T	11.41	11.31	11.43
		6415	93	52T	11.39	11.22	10.93
	6	6435	97	52T	-0.04	0.10	-0.36
		6475	105	52T	-0.45	-0.58	0.00
		6515	113	52T	0.28	0.18	-0.13
	7	6535	117	52T	11.24	11.28	10.72
6695		149	52T	10.91	11.15	11.56	
6875		185	52T	-1.83	-1.47	-1.64	
8	6895	189	52T	0.69	0.58	0.82	
	6995	209	52T	1.00	1.07	1.21	
	7015	213	52T	0.85	0.93	0.66	
	7115	233	52T	NS	NS	NS	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	14.00	14.52	
		6175	45	106T	13.82	14.32	
		6195	49	106T	14.31	14.22	
		6415	93	106T	14.53	14.61	
	6	6435	97	106T	2.66	2.57	
		6475	105	106T	3.09	3.21	
		6515	113	106T	3.13	3.00	
	7	6535	117	106T	13.72	14.69	
		6695	149	106T	14.54	13.87	
		6875	185	106T	1.33	1.45	
	8	6895	189	106T	4.34	4.24	
6995		209	106T	3.78	4.39		
7015		213	106T	3.63	3.84		
7115		233	106T	NS	NS		

FCCID: BCGA3595	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 58 of 74

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	5	5965	3	26T	7.97	8.25	8.36
		6165	43	26T	8.14	8.70	8.40
		6205	51	26T	8.61	8.24	8.13
		6405	91	26T	8.50	8.21	8.15
	6	6445	99	26T	-2.97	-3.05	-3.30
		6485	107	26T	-2.81	-2.47	-2.73
		6525	115	26T	-4.45	-3.63	-3.89
	7	6565	123	26T	8.11	8.15	8.29
		6685	147	26T	7.91	8.35	8.70
		6725	155	26T	8.51	7.78	8.47
	8	6845	179	26T	8.19	7.82	8.52
		6885	187	26T	-4.32	-3.71	-4.15
		6965	203	26T	-1.68	-1.77	-2.43
		7005	211	26T	-2.49	-1.57	-1.87
		7085	227	26T	-1.94	-2.49	-1.59
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	5	5965	3	52T	11.45	10.78	11.39
		6165	43	52T	11.30	11.09	11.43
		6205	51	52T	10.91	11.32	10.88
		6405	91	52T	11.21	10.89	11.00
	6	6445	99	52T	-0.66	-0.66	0.14
		6485	107	52T	0.02	0.20	0.05
		6525	115	52T	-1.46	-1.67	-1.33
	7	6565	123	52T	11.06	11.34	11.17
		6685	147	52T	11.21	11.44	11.18
		6725	155	52T	11.49	11.24	11.14
	8	6845	179	52T	11.47	10.82	11.23
		6885	187	52T	-1.39	-1.06	-1.18
		6965	203	52T	0.41	0.69	0.97
		7005	211	52T	1.02	1.28	1.17
		7085	227	52T	1.20	0.50	1.05
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	13.97	14.00	14.66
		6165	43	106T	13.95	13.87	14.04
		6205	51	106T	14.51	14.64	13.84
		6405	91	106T	13.77	13.74	13.71
	6	6445	99	106T	2.79	2.62	2.88
		6485	107	106T	2.69	3.41	3.05
		6525	115	106T	1.59	1.64	1.40
	7	6565	123	106T	14.01	14.56	13.90
		6685	147	106T	14.31	13.86	13.75
		6725	155	106T	13.82	14.26	14.34
	8	6845	179	106T	14.46	14.14	13.98
		6885	187	106T	1.34	1.68	1.68
		6965	203	106T	4.16	4.11	4.11
		7005	211	106T	3.80	3.80	4.10
		7085	227	106T	3.43	4.09	3.53

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 59 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	5985	7	26T	7.95	8.59	7.78
		6145	39	26T	8.46	8.42	7.72
		6225	55	26T	8.65	8.61	8.12
		6385	87	26T	7.93	8.43	8.22
	6	6465	103	26T	-3.15	-2.70	-3.28
		6545	119	26T	-4.22	-4.11	-4.55
	7	6705	151	26T	7.78	7.99	8.52
		6865	183	26T	-4.20	-4.24	-4.12
		6945	199	26T	-1.48	-1.41	-1.83
	8	7025	215	26T	-2.17	-1.96	-2.16
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	11.45	11.39	10.92
		6145	39	52T	11.60	11.21	10.91
		6225	55	52T	11.59	11.44	11.69
		6385	87	52T	11.29	11.13	11.41
	6	6465	103	52T	-0.54	0.11	0.12
		6545	119	52T	-1.15	-1.68	-1.04
	7	6705	151	52T	10.96	11.14	11.51
		6865	183	52T	-1.56	-1.58	-1.78
		6945	199	52T	1.01	0.81	0.65
	8	7025	215	52T	0.58	1.11	0.54
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	14.51	13.95	13.86
		6145	39	106T	13.82	13.81	14.70
		6225	55	106T	14.26	14.58	14.43
		6385	87	106T	14.57	14.52	14.52
	6	6465	103	106T	3.09	2.96	3.15
		6545	119	106T	1.89	1.58	1.37
	7	6705	151	106T	14.54	14.07	14.36
		6865	183	106T	2.07	1.38	1.40
		6945	199	106T	3.65	4.04	3.99
	8	7025	215	106T	3.32	3.51	4.27
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	7.91	7.72	8.47
		6185	47	26T	8.54	7.89	8.42
		6345	79	26T	8.12	8.36	8.41
	6	6505	111	26T	-4.46	-4.32	-4.10
		6665	143	26T	8.55	7.79	7.86
	7	6825	175	26T	-4.10	-3.72	-4.35
		6985	207	26T	-2.40	-2.37	-1.41

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 60 of 74

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
160MHz BW	5	6025	15	52T	11.03	11.57	11.50
		6185	47	52T	11.28	11.23	10.97
		6345	79	52T	11.02	10.86	11.33
	6	6505	111	52T	-1.30	-1.94	-1.73
	7	6665	143	52T	10.96	10.84	11.31
		6825	175	52T	-1.19	-1.05	-0.95
	8	6985	207	52T	1.00	0.91	0.55
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
160MHz BW	5	6025	15	106T	13.98	13.80	14.24
		6185	47	106T	14.32	14.57	14.35
		6345	79	106T	14.11	14.53	13.88
	6	6505	111	106T	1.80	1.95	1.28
	7	6665	143	106T	14.64	14.08	13.90
		6825	175	106T	1.68	1.46	1.41
	8	6985	207	106T	3.89	4.20	4.08

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 61 of 74

G.4 IEEE 802.11be MRU Target Powers

Table G-9
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.64	14.19	
2437	6	52T + 26T	17.08	16.49	
2462	11	52T + 26T	14.42	13.56	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.30		
2437	6	106T + 26T	19.16		
2462	11	106T + 26T	14.07		

Table G-10
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF7

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.49	13.71	
2437	6	52T + 26T	17.13	16.54	
2462	11	52T + 26T	14.35	13.38	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.14		
2437	6	106T + 26T	19.25		
2462	11	106T + 26T	13.91		

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 62 of 74

Table G-11
Maximum 5 GHz 802.11be MRU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	15.02	15.12	
		5200	40	52T + 26T	15.17	15.11	
		5220	44	52T + 26T	15.23	15.13	
		5240	48	52T + 26T	15.20	15.01	
	2A	5260	52	52T + 26T	15.44	15.36	
		5280	56	52T + 26T	15.46	15.35	
		5300	60	52T + 26T	15.48	15.36	
		5320	64	52T + 26T	15.54	15.42	
	2C	5500	100	52T + 26T	14.17	14.14	
		5600	120	52T + 26T	15.46	15.30	
		5620	124	52T + 26T	15.37	15.26	
		5720	144	52T + 26T	15.36	15.23	
	3	5745	149	52T + 26T	15.26	15.22	
		5785	157	52T + 26T	15.26	15.05	
		5825	165	52T + 26T	15.07	14.99	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.42		
		5200	40	106T + 26T	17.07		
		5220	44	106T + 26T	16.99		
		5240	48	106T + 26T	16.99		
	2A	5260	52	106T + 26T	17.29		
		5280	56	106T + 26T	17.23		
		5300	60	106T + 26T	17.36		
		5320	64	106T + 26T	15.54		
	2C	5500	100	106T + 26T	14.01		
		5600	120	106T + 26T	17.39		
		5620	124	106T + 26T	17.39		
		5720	144	106T + 26T	17.29		
	3	5745	149	106T + 26T	17.03		
		5785	157	106T + 26T	16.96		
		5825	165	106T + 26T	16.90		

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 63 of 74

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	74	
	1	5190	38	52T + 26T	13.23	13.60	13.41	
		5230	46	52T + 26T	15.25	15.24	15.06	
	2A	5270	54	52T + 26T	14.80	15.61	15.23	
		5310	62	52T + 26T	13.75	13.76	13.82	
	2C	5550	110	52T + 26T	14.96	14.71	15.66	
		5590	118	52T + 26T	14.92	15.69	15.21	
		5630	126	52T + 26T	14.74	15.24	14.91	
		5710	142	52T + 26T	15.36	14.85	14.97	
	3	5755	151	52T + 26T	15.69	15.67	15.38	
		5795	159	52T + 26T	15.22	15.21	14.72	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	85	N/A	
	1	5190	38	106T + 26T	13.24	13.36		
		5230	46	106T + 26T	17.36	17.41		
	2A	5270	54	106T + 26T	17.01	17.30		
		5310	62	106T + 26T	13.97	13.56		
	2C	5550	110	106T + 26T	17.09	17.22		
		5590	118	106T + 26T	17.56	17.04		
		5630	126	106T + 26T	17.59	17.07		
		5710	142	106T + 26T	16.73	16.86		
	3	5755	151	106T + 26T	17.32	17.18		
		5795	159	106T + 26T	17.20	17.04		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	74	80	N/A
	1	5210	42	52T + 26T	12.90	12.30	12.55	
	2A	5290	58	52T + 26T	13.84	13.27	13.71	
	2C	5530	106	52T + 26T	11.52	11.35	11.91	
		5610	122	52T + 26T	15.05	15.23	15.68	
		5690	138	52T + 26T	15.40	15.62	14.98	
	3	5775	155	52T + 26T	15.40	15.49	14.83	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	85	89	N/A
	1	5210	42	106T + 26T	12.03	12.75	12.80	
	2A	5290	58	106T + 26T	13.99	13.31	13.85	
	2C	5530	106	106T + 26T	11.54	11.77	11.81	
		5610	122	106T + 26T	17.25	17.33	16.98	
		5690	138	106T + 26T	16.97	17.44	16.85	
	3	5775	155	106T + 26T	15.55	15.84	15.78	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	13.00	12.02	12.92	12.38
	2A	5290	58	484T + 242T	12.89	12.95	13.05	13.64
	2C	5530	106	484T + 242T	11.10	11.01	11.18	11.52
		5610	122	484T + 242T	17.30	17.32	17.02	16.87
		5690	138	484T + 242T	17.89	17.75	17.82	18.62
	3	5775	155	484T + 242T	15.74	15.85	15.89	16.57
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	10.87	10.70	11.05	11.20
	2C	5570	114	996T + 484T + 242T	10.21	10.00	10.16	10.39

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 65 of 74

Table G-12
Maximum 5 GHz 802.11be MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	13.91	14.16	
		5200	40	52T + 26T	13.53	13.54	
		5220	44	52T + 26T	13.79	14.08	
		5240	48	52T + 26T	14.09	13.79	
	2A	5260	52	52T + 26T	14.43	13.55	
		5280	56	52T + 26T	14.43	13.60	
		5300	60	52T + 26T	14.15	14.34	
		5320	64	52T + 26T	13.70	13.74	
	2C	5500	100	52T + 26T	14.28	14.06	
		5600	120	52T + 26T	14.05	14.40	
		5620	124	52T + 26T	13.50	14.02	
		5720	144	52T + 26T	14.44	13.63	
	3	5745	149	52T + 26T	14.35	14.03	
		5785	157	52T + 26T	14.35	14.12	
		5825	165	52T + 26T	14.27	13.99	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.01		
		5200	40	106T + 26T	16.37		
		5220	44	106T + 26T	16.43		
		5240	48	106T + 26T	16.02		
	2A	5260	52	106T + 26T	16.43		
		5280	56	106T + 26T	16.42		
		5300	60	106T + 26T	15.82		
		5320	64	106T + 26T	15.66		
	2C	5500	100	106T + 26T	14.40		
		5600	120	106T + 26T	16.14		
		5620	124	106T + 26T	15.86		
		5720	144	106T + 26T	16.17		
	3	5745	149	106T + 26T	15.51		
		5785	157	106T + 26T	16.25		
		5825	165	106T + 26T	16.43		

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 66 of 74

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	74	
	1	5190	38	52T + 26T	13.86	13.32	13.29	
		5230	46	52T + 26T	14.42	13.86	13.88	
	2A	5270	54	52T + 26T	13.52	14.35	13.89	
		5310	62	52T + 26T	13.74	13.89	13.57	
	2C	5550	110	52T + 26T	14.01	14.11	14.33	
		5590	118	52T + 26T	13.52	13.94	14.05	
		5630	126	52T + 26T	14.38	14.04	13.89	
		5710	142	52T + 26T	13.51	13.56	14.42	
	3	5755	151	52T + 26T	13.83	14.15	14.46	
		5795	159	52T + 26T	14.16	14.14	13.59	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	85	N/A	
	1	5190	38	106T + 26T	13.29	13.44		
		5230	46	106T + 26T	15.56	15.67		
	2A	5270	54	106T + 26T	15.57	16.32		
		5310	62	106T + 26T	13.88	13.19		
	2C	5550	110	106T + 26T	15.68	16.16		
		5590	118	106T + 26T	15.64	16.23		
		5630	126	106T + 26T	16.34	16.19		
		5710	142	106T + 26T	15.97	16.40		
	3	5755	151	106T + 26T	15.92	16.39		
		5795	159	106T + 26T	16.23	15.97		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	74	80	N/A
	1	5210	42	52T + 26T	12.95	12.81	12.03	
	2A	5290	58	52T + 26T	13.93	13.97	13.14	
	2C	5530	106	52T + 26T	11.37	11.03	11.90	
		5610	122	52T + 26T	13.59	13.94	13.88	
		5690	138	52T + 26T	13.95	13.93	14.25	
	3	5775	155	52T + 26T	14.33	13.73	14.17	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	85	89	N/A
	1	5210	42	106T + 26T	12.92	12.07	12.53	
	2A	5290	58	106T + 26T	13.91	13.40	13.32	
	2C	5530	106	106T + 26T	11.51	11.98	11.99	
		5610	122	106T + 26T	16.00	16.38	16.10	
		5690	138	106T + 26T	15.98	16.41	15.68	
	3	5775	155	106T + 26T	16.26	16.48	15.71	

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 67 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.07	12.77	12.51	12.14
	2A	5290	58	484T + 242T	13.36	13.22	13.52	13.12
	2C	5530	106	484T + 242T	11.52	11.59	11.76	11.87
		5610	122	484T + 242T	16.59	17.10	17.11	16.88
		5690	138	484T + 242T	18.43	18.50	18.93	18.45
	3	5775	155	484T + 242T	16.11	15.99	15.76	16.48
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	11.22	11.32	10.58	10.90
	2C	5570	114	996T + 484T + 242T	10.27	10.19	10.48	9.64

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 68 of 74

Table G-13
Maximum 5 GHz 802.11be MRU Output Power – Ant WF8

	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	13.96	14.23	
		5200	40	52T + 26T	13.94	13.67	
		5220	44	52T + 26T	13.97	13.72	
		5240	48	52T + 26T	14.33	14.32	
	2A	5260	52	52T + 26T	13.63	13.91	
		5280	56	52T + 26T	13.96	14.20	
		5300	60	52T + 26T	13.86	13.82	
		5320	64	52T + 26T	13.61	13.96	
	2C	5500	100	52T + 26T	14.28	13.95	
		5600	120	52T + 26T	13.68	14.07	
		5620	124	52T + 26T	14.07	14.09	
		5720	144	52T + 26T	14.28	13.61	
	3	5745	149	52T + 26T	14.23	13.59	
		5785	157	52T + 26T	14.02	13.55	
		5825	165	52T + 26T	14.43	13.98	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.94		
		5200	40	106T + 26T	15.74		
		5220	44	106T + 26T	15.56		
		5240	48	106T + 26T	16.38		
	2A	5260	52	106T + 26T	16.32		
		5280	56	106T + 26T	15.97		
		5300	60	106T + 26T	16.48		
		5320	64	106T + 26T	14.80		
	2C	5500	100	106T + 26T	14.09		
		5600	120	106T + 26T	16.33		
		5620	124	106T + 26T	15.60		
		5720	144	106T + 26T	15.69		
	3	5745	149	106T + 26T	16.21		
		5785	157	106T + 26T	15.52		
		5825	165	106T + 26T	16.36		

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 69 of 74

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	74
	1	5190	38	52T + 26T	13.06	13.17	13.99
		5230	46	52T + 26T	13.90	13.62	14.19
	2A	5270	54	52T + 26T	13.61	14.37	13.92
		5310	62	52T + 26T	13.16	13.65	13.76
	2C	5550	110	52T + 26T	13.59	14.31	14.06
		5590	118	52T + 26T	14.31	13.97	14.30
		5630	126	52T + 26T	14.41	14.13	14.05
5710		142	52T + 26T	13.88	13.51	14.31	
3	5755	151	52T + 26T	14.31	14.25	13.98	
	5795	159	52T + 26T	14.11	13.91	14.09	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	85	N/A
	1	5190	38	106T + 26T	13.75	13.39	
		5230	46	106T + 26T	15.96	15.74	
	2A	5270	54	106T + 26T	16.32	15.60	
		5310	62	106T + 26T	13.27	13.84	
	2C	5550	110	106T + 26T	15.79	16.37	
		5590	118	106T + 26T	16.49	16.04	
		5630	126	106T + 26T	16.28	15.90	
5710		142	106T + 26T	15.62	16.29		
3	5755	151	106T + 26T	15.57	15.65		
	5795	159	106T + 26T	16.20	15.87		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	74	80	N/A
	1	5210	42	52T + 26T	12.86	12.06	12.89	
	2A	5290	58	52T + 26T	13.98	13.35	13.87	
	2C	5530	106	52T + 26T	11.41	11.68	11.84	
		5610	122	52T + 26T	14.16	13.78	14.05	
5690		138	52T + 26T	13.88	14.17	14.16		
3	5775	155	52T + 26T	13.56	13.72	14.46		

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 70 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	85	89	N/A
	1	5210	42	106T + 26T	12.32	12.02	12.25	
	2A	5290	58	106T + 26T	13.38	13.55	13.03	
	2C	5530	106	106T + 26T	11.36	11.32	11.98	
		5610	122	106T + 26T	16.16	16.22	16.21	
		5690	138	106T + 26T	16.22	16.30	15.74	
	3	5775	155	106T + 26T	16.39	16.10	16.34	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.04	12.03	12.79	12.29
	2A	5290	58	484T + 242T	13.82	13.36	13.58	13.82
	2C	5530	106	484T + 242T	11.68	11.98	11.77	11.06
		5610	122	484T + 242T	17.01	17.35	16.74	17.12
		5690	138	484T + 242T	18.49	18.67	18.88	18.96
	3	5775	155	484T + 242T	15.73	15.62	16.44	16.39
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	11.21	10.58	11.17	11.21
	2C	5570	114	996T + 484T + 242T	10.13	10.33	9.88	9.57

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 71 of 74

Table G-14
Maximum 6 GHz 802.11be MRU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	N/A	
	6	6435	97	52T + 26T	0.91	0.62		
6475		105	52T + 26T	0.75	0.19			
8	6515	113	52T + 26T	0.61	0.16			
	6895	189	52T + 26T	1.21	0.62			
	6995	209	52T + 26T	0.98	1.18			
	7015	213	52T + 26T	0.35	0.71			
7115	233	52T + 26T	NS	NS				
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	N/A	N/A	
	6	6435	97	106T + 26T	2.86			
6475		105	106T + 26T	2.30				
8	6515	113	106T + 26T	3.03				
	6895	189	106T + 26T	2.97				
	6995	209	106T + 26T	3.30				
	7015	213	106T + 26T	3.37				
7115	233	106T + 26T	NS					
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	6	6465	103	484T + 242T	9.60	10.15	9.83	10.07
7	6545	119	484T + 242T	9.21	9.57	9.31	8.84	
	6865	183	484T + 242T	9.12	8.99	9.28	9.47	
8	6945	199	484T + 242T	10.14	10.16	10.31	9.58	
	7025	215	484T + 242T	10.38	9.94	9.54	9.65	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	7	6825	175	996T + 484T + 242T	12.25	12.37	12.42	12.43
8	6985	207	996T + 484T + 242T	13.95	13.10	13.29	13.41	

FCCID: BCGA3595	RF EXPOSURE REPORT			Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		APPENDIX G: Page 72 of 74

Table G-15
Maximum 6 GHz 802.11be MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	N/A	
	5	5955	1	52T + 26T	13.02	13.10		
6	6435	97	52T + 26T	2.08	1.90			
	6475	105	52T + 26T	1.46	1.45			
	6515	113	52T + 26T	1.63	1.63			
	7	6875	185	52T + 26T	0.73	0.58		
	8	6895	189	52T + 26T	2.71	2.64		
6995		209	52T + 26T	2.75	2.43			
7015		213	52T + 26T	2.48	3.11			
7115	233	52T + 26T	NS	NS				
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	N/A	N/A	
	6	6435	97	106T + 26T	3.28			
		6475	105	106T + 26T	3.54			
		6515	113	106T + 26T	3.51			
	7	6875	185	106T + 26T	2.94			
	8	6895	189	106T + 26T	4.98			
		6995	209	106T + 26T	4.98			
7015		213	106T + 26T	4.80				
7115		233	106T + 26T	NS				
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	6	6465	103	484T + 242T	10.44	10.98	10.94	10.46
	7	6545	119	484T + 242T	9.93	9.22	9.32	9.31
		6865	183	484T + 242T	9.44	9.72	9.79	9.75
8	6945	199	484T + 242T	11.99	11.67	12.01	12.19	
	7025	215	484T + 242T	12.25	11.69	11.90	11.40	
160MHz z BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
7	6825	175	996T + 484T + 242T	13.27	12.77	13.12	12.65	

FCCID: BCGA3595	RF EXPOSURE REPORT			Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		APPENDIX G: Page 73 of 74

Table G-16
Maximum 6 GHz 802.11be MRU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	12.25	12.84	
		6175	45	52T + 26T	12.47	12.34	
		6195	49	52T + 26T	12.75	12.76	
		6415	93	52T + 26T	12.60	12.96	
	6	6435	97	52T + 26T	1.33	1.48	
		6475	105	52T + 26T	2.18	2.17	
		6515	113	52T + 26T	2.02	2.20	
7	6535	117	52T + 26T	12.48	12.62		
	6695	149	52T + 26T	12.65	13.02		
	6875	185	52T + 26T	0.80	-0.08		
8	6895	189	52T + 26T	2.47	3.21		
	6995	209	52T + 26T	2.74	2.77		
	7015	213	52T + 26T	3.14	2.82		
	7115	233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	14.72		
		6175	45	106T + 26T	14.39		
		6195	49	106T + 26T	14.24		
		6415	93	106T + 26T	14.24		
	6	6435	97	106T + 26T	3.44		
		6475	105	106T + 26T	3.35		
		6515	113	106T + 26T	3.32		
7	6535	117	106T + 26T	15.14			
	6695	149	106T + 26T	14.68			
	6875	185	106T + 26T	2.47			
8	6895	189	106T + 26T	4.95			
	6995	209	106T + 26T	4.44			
	7015	213	106T + 26T	4.76			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	6145	39	484T + 242T	16.91	17.13	17.45	17.44
		6225	55	484T + 242T	16.86	16.98	17.66	17.10
		6385	87	484T + 242T	16.76	17.66	17.21	17.32
	6	6465	103	484T + 242T	10.95	11.25	11.29	10.59
		6545	119	484T + 242T	10.20	10.09	9.54	9.56
	7	6705	151	484T + 242T	17.55	17.40	16.77	17.44
		6865	183	484T + 242T	9.52	9.49	9.75	9.09
8	6945	199	484T + 242T	12.16	11.40	11.82	12.04	
	7025	215	484T + 242T	12.06	11.97	11.81	12.02	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6185	47	996T + 484T + 242T	17.38	17.35	17.27	17.28
		6345	79	996T + 484T + 242T	17.17	17.35	17.69	17.65
	6	6505	111	996T + 484T + 242T	13.10	13.61	13.44	13.56
	7	6665	143	996T + 484T + 242T	16.76	16.97	16.85	17.00
		6825	175	996T + 484T + 242T	12.52	13.40	12.77	12.81
	8	6985	207	996T + 484T + 242T	14.88	15.40	14.63	14.85

FCCID: BCGA3595	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX G: Page 74 of 74