







Plot 7-133. Power Spectral Density Plot Tx BF Antenna WF8 (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 1)




Plot 7-136. Power Spectral Density Plot Tx BF Antenna WF7 (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 38)




Plot 7-134. Power Spectral Density Plot Tx BF Antenna WF7 (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 1)



Plot 7-137. Power Spectral Density Plot Tx BF Antenna WF8 (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 73)




Plot 7-135. Power Spectral Density Plot Tx BF Antenna WF8 (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 38)




Plot 7-138. Power Spectral Density Plot Tx BF Antenna WF7 (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 73)


FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 59 of 108




Plot 7-139. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDR8), 8 Mbps, iPA - Ch. 1)




Plot 7-142. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDR8), 8 Mbps, iPA - Ch. 38)




Plot 7-140. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDR8), 8 Mbps, iPA - Ch. 1)



Plot 7-143. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDR8), 8 Mbps, iPA - Ch. 73)




Plot 7-141. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDR8), 8 Mbps, iPA - Ch. 38)




Plot 7-144. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDR8), 8 Mbps, iPA - Ch. 73)


FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 60 of 108




Plot 7-145. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 1)




Plot 7-148. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 38)




Plot 7-146. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 1)



Plot 7-149. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 73)




Plot 7-147. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 38)




Plot 7-150. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 73)


FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 61 of 108




Plot 7-151. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, iPA - Ch. 1)




Plot 7-154. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPS2), 2 Mbps, iPA - Ch. 38)




Plot 7-152. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPS2), 2 Mbps, iPA - Ch. 1)



Plot 7-155. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, iPA - Ch. 73)




Plot 7-153. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, iPA - Ch. 38)




Plot 7-156. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPS2), 2 Mbps, iPA - Ch. 73)


FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 62 of 108




Plot 7-157. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (XHDRPM6), 6 Mbps, ePA - Ch. 1)




Plot 7-160. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (XHDRPM6), 6 Mbps, ePA - Ch. 38)




Plot 7-158. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (XHDRPM6), 6 Mbps, ePA - Ch. 1)



Plot 7-161. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (XHDRPM6), 6 Mbps, ePA - Ch. 73)



Plot 7-159. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (XHDRPM6), 6 Mbps, ePA - Ch. 38)




Plot 7-162. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (XHDRPM6), 6 Mbps, ePA - Ch. 73)


FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 63 of 108




Plot 7-163. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (XHDRPM6), 6 Mbps, iPA – Ch. 1)




Plot 7-166. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (XHDRPM6), 6 Mbps, iPA – Ch. 38)




Plot 7-164. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (XHDRPM6), 6 Mbps, iPA – Ch. 1)



Plot 7-167. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (XHDRPM6), 6 Mbps, iPA – Ch. 73)




Plot 7-165. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (XHDRPM6), 6 Mbps, iPA – Ch. 38)




Plot 7-168. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (XHDRPM6), 6 Mbps, iPA – Ch. 73)


FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 64 of 108




Plot 7-169. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPM16), 16 Mbps, ePA - Ch. 1)




Plot 7-172. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPM16), 16 Mbps, ePA - Ch. 38)




Plot 7-170. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPM16), 16 Mbps, ePA - Ch. 1)



Plot 7-173. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPM16), 16 Mbps, ePA - Ch. 73)




Plot 7-171. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPM16), 16 Mbps, ePA - Ch. 38)




Plot 7-174. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPM16), 16 Mbps, ePA - Ch. 73)


FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 65 of 108




Plot 7-175. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPM16), 16 Mbps, iPA - Ch. 1)




Plot 7-178. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPM16), 16 Mbps, iPA - Ch. 38)




Plot 7-176. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPM16), 16 Mbps, iPA - Ch. 1)



Plot 7-179. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPM16), 16 Mbps, iPA - Ch. 73)



Plot 7-177. Power Spectral Density Plot TxBF Antenna WF8 (Bluetooth (HDRPM16), 16 Mbps, iPA - Ch. 38)



Plot 7-180. Power Spectral Density Plot TxBF Antenna WF7 (Bluetooth (HDRPM16), 16 Mbps, iPA - Ch. 73)

FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 66 of 108

Note:

Per ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 Subclause 14.6.3, the directional gain is calculated using the following formula, where G_N is the gain of the nth antenna and N_{ANT} , the total number of antennas used.

$$\text{Directional gain} = 10 \log [(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{ANT}] \text{ dBi}$$

Per ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 Subclause 14.5.2.2 and KDB 662911 D01 v02r01 Section E)2), the power spectral density at Antenna WF8 and Antenna WF7 were first measured separately as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Sample TxBF PSD Calculation:

At 2404 MHz the average conducted power spectral density was measured to be -0.50 dBm for Antenna WF8 and -0.39 dBm for Antenna WF7.

$$\text{Antenna WF8} + \text{Antenna WF7} = \text{TxBF}$$

$$(-0.50 \text{ dBm} + -0.39 \text{ dBm}) = (0.891 \text{ mW} + 0.914 \text{ mW}) = 1.803 \text{ mW} = 2.56 \text{ dBm}$$

FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 67 of 108

7.6 Conducted Authorized Band Edge

Test Overview and Limit

For the following out of band conducted spurious emissions plots at the band edge, the EUT was set to transmit at maximum power with the largest packet size available. These settings produced the worst-case emissions.

The limit for out-of-band spurious emissions at the band edge is 20 dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100 kHz bandwidth.

Test Procedure Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 – Subclause 11.11.3
KDB 558074 D01 v05r02 – Section 8.7.2

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW = 100 kHz
4. VBW $\geq 3 \times$ RBW
5. Detector = Peak
6. Number of sweep points $\geq 2 \times$ Span/RBW
7. Trace mode = max hold
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.










Figure 7-5. Test Instrument & Measurement Setup

Test Notes


All supported modulation, antenna (including TxBF mode) and power schemes have been tested on the unit and only worst case configuration is reported.

FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 68 of 108


7.6.1 Antenna WF8




FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 69 of 108




Plot 7-187. Band Edge Plot Antenna WF8 (Bluetooth (XHDRPM6), 6 Mbps, ePA – Ch. 1)



Plot 7-189. Band Edge Plot Antenna WF8 (Bluetooth (HDRPM16), 16 Mbps, ePA – Ch. 1)









Plot 7-188. Band Edge Plot Antenna WF8 (Bluetooth (XHDRPM6), 6 Mbps, ePA – Ch. 73)




Plot 7-190. Band Edge Plot Antenna WF8 (Bluetooth (HDRPM16), 16 Mbps, ePA – Ch. 73)

FCC ID: BCGA3595 IC: 579C-A3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 70 of 108


7.6.2 Antenna WF7




FCC ID: BCGA3595 IC: 579C-A3595		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Page 71 of 108




Plot 7-197. Band Edge Plot Antenna WF7 (Bluetooth (XDRPM6), 6 Mbps, ePA – Ch. 1)



Plot 7-199. Band Edge Plot Antenna WF7 (Bluetooth (HDRPM16), 16 Mbps, ePA – Ch. 1)



Plot 7-198. Band Edge Plot Antenna WF7 (Bluetooth (XDRPM6), 6 Mbps, ePA – Ch. 73)



Plot 7-200. Band Edge Plot Antenna WF7 (Bluetooth (HDRPM16), 16 Mbps, ePA – Ch. 73)

FCC ID: BCGA3595 IC: 579C-A3595	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Page 72 of 108

7.7 Conducted Spurious Emissions

Test Overview and Limit

For the following out of band conducted spurious emissions plots, the EUT was set to transmit at maximum power with the largest packet size available. The worst case spurious emissions were found in this configuration.

The limit for out-of-band spurious emissions at the band edge is 20 dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100 kHz bandwidth per the procedure in Section 8.5 of KDB 558074 D01 v05r02 and Subclause 11.11 of ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024.

Test Procedure Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 – Subclause 11.11.3
KDB 558074 D01 v05r02 – Section 8.5
ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 – Subclause 14.5.3
KDB 662911 D01 v02r01 – Section E)3)b)

Test Settings

1. Start frequency was set to 30 MHz and stop frequency was set to 25 GHz
2. RBW = 100 kHz
3. VBW = $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-6. Test Instrument & Measurement Setup

FCC ID: BCGA3595 IC: 579C-A3595		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Page 73 of 108

Test Notes


1. All supported modulation, antenna (including TxBF mode) and power schemes have been tested on the unit and only worst case configuration is reported.

FCC ID: BCGA3595 IC: 579C-A3595		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Page 74 of 108


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.7.1 Antenna WF8




Plot 7-201. Conducted Spurious Plot Antenna WF8 (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 1)




Plot 7-204. Conducted Spurious Plot Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 1)




Plot 7-202. Conducted Spurious Plot Antenna WF8 (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 38)



Plot 7-205. Conducted Spurious Plot Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 38)



Plot 7-203. Conducted Spurious Plot Antenna WF8 (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 73)



Plot 7-206. Conducted Spurious Plot Antenna WF8 (Bluetooth (HDRPS2), 2 Mbps, ePA – Ch. 73)

FCC ID: BCGA3595 IC: 579C-A3595		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2604030025-03-R2.BCG	Test Dates: 4/23/2026 - 7/10/2026	EUT Type: Tablet Device	Page 75 of 108