





Plot 7-240. PSD Antenna WF8 (NB UNII HDRPL32, ePA – 5203 MHz)



Plot 7-241. PSD Antenna WF8 (NB UNII HDRPL32, iPA – 5203 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 174 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-242. PSD Antenna WF8 (NB UNII HDT2, ePA – 5203 MHz)




Plot 7-243. PSD Antenna WF8 (NB UNII HDT2, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 175 of 441




Plot 7-244. PSD Antenna WF8 (NB UNII HDT4, ePA – 5203 MHz)




Plot 7-245. PSD Antenna WF8 (NB UNII HDT4, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 176 of 441



Plot 7-246. PSD Antenna WF8 (NB UNII HDT6, ePA - 5203 MHz)



Plot 7-247. PSD Antenna WF8 (NB UNII HDT6, iPA - 5203 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 177 of 441

7.5.6 Antenna WF8 Power Spectral Density Measurements (U-NII-3)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
5733	1.0	NB UNII BDR	ePA	16.95	30.00	-13.05
5788	1.0	NB UNII BDR	ePA	16.97	30.00	-13.03
5844	1.0	NB UNII BDR	ePA	17.08	30.00	-12.92
5733	1.0	NB UNII BDR	iPA	0.95	30.00	-29.05
5788	1.0	NB UNII BDR	iPA	2.01	30.00	-27.99
5844	1.0	NB UNII BDR	iPA	3.91	30.00	-26.09
5733	1.0	NB UNII LE1M	ePA	16.44	30.00	-13.56
5788	1.0	NB UNII LE1M	ePA	16.42	30.00	-13.58
5844	1.0	NB UNII LE1M	ePA	16.78	30.00	-13.23
5733	1.0	NB UNII LE1M	iPA	0.52	30.00	-29.48
5788	1.0	NB UNII LE1M	iPA	1.49	30.00	-28.51
5844	1.0	NB UNII LE1M	iPA	3.22	30.00	-26.78
5733	2.0	NB UNII LE2M	ePA	14.43	30.00	-15.57
5788	2.0	NB UNII LE2M	ePA	14.46	30.00	-15.54
5844	2.0	NB UNII LE2M	ePA	14.73	30.00	-15.27
5733	2.0	NB UNII LE2M	iPA	-1.52	30.00	-31.52
5788	2.0	NB UNII LE2M	iPA	-0.43	30.00	-30.43
5844	2.0	NB UNII LE2M	iPA	1.28	30.00	-28.72
5733	4.0	NB UNII HDR4	ePA	8.04	30.00	-21.96
5788	4.0	NB UNII HDR4	ePA	7.89	30.00	-22.11
5844	4.0	NB UNII HDR4	ePA	7.82	30.00	-22.18
5733	4.0	NB UNII HDR4	iPA	-6.97	30.00	-36.97
5788	4.0	NB UNII HDR4	iPA	-5.83	30.00	-35.83
5844	4.0	NB UNII HDR4	iPA	-4.30	30.00	-34.30
5733	8.0	NB UNII HDR8	ePA	5.27	30.00	-24.73
5788	8.0	NB UNII HDR8	ePA	5.56	30.00	-24.44
5844	8.0	NB UNII HDR8	ePA	5.71	30.00	-24.29
5733	8.0	NB UNII HDR8	iPA	-9.44	30.00	-39.44
5788	8.0	NB UNII HDR8	iPA	-8.29	30.00	-38.29
5844	8.0	NB UNII HDR8	iPA	-6.68	30.00	-36.68
5733	2.0	NB UNII HDRPS2	ePA	7.64	30.00	-22.36
5788	2.0	NB UNII HDRPS2	ePA	7.54	30.00	-22.46
5844	2.0	NB UNII HDRPS2	ePA	7.69	30.00	-22.31
5733	2.0	NB UNII HDRPS2	iPA	-1.35	30.00	-31.35
5788	2.0	NB UNII HDRPS2	iPA	-1.96	30.00	-31.96
5844	2.0	NB UNII HDRPS2	iPA	-4.05	30.00	-34.05
5733	6.0	NB UNII XHDRPM6	ePA	4.74	30.00	-25.26
5788	6.0	NB UNII XHDRPM6	ePA	4.48	30.00	-25.52
5844	6.0	NB UNII XHDRPM6	ePA	4.72	30.00	-25.28
5733	6.0	NB UNII XHDRPM6	iPA	-4.30	30.00	-34.30
5788	6.0	NB UNII XHDRPM6	iPA	-5.61	30.00	-35.61
5844	6.0	NB UNII XHDRPM6	iPA	-7.08	30.00	-37.08
5733	16.0	NB UNII HDRPM16	ePA	2.52	30.00	-27.49
5788	16.0	NB UNII HDRPM16	ePA	2.91	30.00	-27.09
5844	16.0	NB UNII HDRPM16	ePA	2.61	30.00	-27.39
5733	16.0	NB UNII HDRPM16	iPA	-7.20	30.00	-37.20
5788	16.0	NB UNII HDRPM16	iPA	-8.73	30.00	-38.73
5844	16.0	NB UNII HDRPM16	iPA	-10.20	30.00	-40.20
5733	12.0	NB UNII HDRPL12	ePA	1.54	30.00	-28.46
5788	12.0	NB UNII HDRPL12	ePA	1.30	30.00	-28.70
5844	12.0	NB UNII HDRPL12	ePA	1.44	30.00	-28.56
5733	12.0	NB UNII HDRPL12	iPA	-7.40	30.00	-37.40
5788	12.0	NB UNII HDRPL12	iPA	-8.27	30.00	-38.27
5844	12.0	NB UNII HDRPL12	iPA	-10.29	30.00	-40.29
5733	32.0	NB UNII HDRPL32	ePA	0.13	30.00	-29.87
5788	32.0	NB UNII HDRPL32	ePA	-0.02	30.00	-30.02
5844	32.0	NB UNII HDRPL32	ePA	0.08	30.00	-29.93
5733	32.0	NB UNII HDRPL32	iPA	-10.08	30.00	-40.08
5788	32.0	NB UNII HDRPL32	iPA	-11.07	30.00	-41.07
5844	32.0	NB UNII HDRPL32	iPA	-13.13	30.00	-43.13
5733	2.0	NB UNII HDT2	ePA	7.35	30.00	-22.66
5788	2.0	NB UNII HDT2	ePA	7.44	30.00	-22.56
5844	2.0	NB UNII HDT2	ePA	7.54	30.00	-22.46
5733	2.0	NB UNII HDT2	iPA	-1.48	30.00	-31.48
5788	2.0	NB UNII HDT2	iPA	-2.73	30.00	-32.73
5844	2.0	NB UNII HDT2	iPA	-4.23	30.00	-34.23
5733	4.0	NB UNII HDT4	ePA	7.70	30.00	-22.30
5788	4.0	NB UNII HDT4	ePA	7.71	30.00	-22.29
5844	4.0	NB UNII HDT4	ePA	7.86	30.00	-22.14
5733	4.0	NB UNII HDT4	iPA	-1.50	30.00	-31.50
5788	4.0	NB UNII HDT4	iPA	-2.75	30.00	-32.75
5844	4.0	NB UNII HDT4	iPA	-4.27	30.00	-34.27
5733	6.0	NB UNII HDT6	ePA	5.63	30.00	-24.38
5788	6.0	NB UNII HDT6	ePA	5.68	30.00	-24.33
5844	6.0	NB UNII HDT6	ePA	5.82	30.00	-24.18
5733	6.0	NB UNII HDT6	iPA	-5.99	30.00	-35.99
5788	6.0	NB UNII HDT6	iPA	-5.76	30.00	-35.76
5844	6.0	NB UNII HDT6	iPA	-5.76	30.00	-35.76

Table 7-26. Power Spectral Density Measurements Antenna WF8

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 178 of 441




Plot 7-248. PSD Antenna WF8 (NB UNII BDR, ePA – 5788 MHz)



Plot 7-249. PSD Antenna WF8 (NB UNII BDR, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 179 of 441



Plot 7-250. PSD Antenna WF8 (NB UNII LE1M, ePA – 5788 MHz)




Plot 7-251. PSD Antenna WF8 (NB UNII LE1M, iPA – 5788 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 180 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-252. PSD Antenna WF8 (NB UNII LE2M, ePA – 5788 MHz)




Plot 7-253. PSD Antenna WF8 (NB UNII LE2M, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 181 of 441




Plot 7-254. PSD Antenna WF8 (NB UNII HDR4, ePA – 5788 MHz)




Plot 7-255. PSD Antenna WF8 (NB UNII HDR4, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 182 of 441



Plot 7-256. PSD Antenna WF8 (NB UNII HDR8, ePA – 5788 MHz)




Plot 7-257. PSD Antenna WF8 (NB UNII HDR8, iPA – 5788 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 183 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-258. PSD Antenna WF8 (NB UNII HDRPS2, ePA – 5788 MHz)




Plot 7-259. PSD Antenna WF8 (NB UNII HDRPS2, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 184 of 441




Plot 7-260. PSD Antenna WF8 (NB UNII XHDRPM6, ePA – 5788 MHz)




Plot 7-261. PSD Antenna WF8 (NB UNII XHDRPM6, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 185 of 441



Plot 7-262. PSD Antenna WF8 (NB UNII HDRPM16, ePA – 5788 MHz)




Plot 7-263. PSD Antenna WF8 (NB UNII HDRPM16, iPA – 5788 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 186 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-264. PSD Antenna WF8 (NB UNII HDRPL12, ePA – 5788 MHz)




Plot 7-265. PSD Antenna WF8 (NB UNII HDRPL12, iPA – 5788 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 187 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-266. PSD Antenna WF8 (NB UNII HDRPL32, ePA – 5788 MHz)




Plot 7-267. PSD Antenna WF8 (NB UNII HDRPL32, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 188 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-268. PSD Antenna WF8 (NB UNII HDT2, ePA – 5788 MHz)




Plot 7-269. PSD Antenna WF8 (NB UNII HDT2, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 189 of 441



Plot 7-270. PSD Antenna WF8 (NB UNII HDT4, ePA – 5788 MHz)




Plot 7-271. PSD Antenna WF8 (NB UNII HDT4, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 190 of 441



Plot 7-272. PSD Antenna WF8 (NB UNII HDT6, ePA – 5788 MHz)



Plot 7-273. PSD Antenna WF8 (NB UNII HDT6, iPA – 5788 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 191 of 441

7.5.7 TxBF Primary Power Spectral Density Measurements (U-NII-1)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Antenna WF5T Power Density [dBm/MHz]	Antenna WF5B Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
5162	1.0	NB UNII BDR	ePA	5.73	6.14	8.95	11.00	-2.05
5203	1.0	NB UNII BDR	ePA	5.62	6.15	8.90	11.00	-2.10
5245	1.0	NB UNII BDR	ePA	5.78	6.24	9.02	11.00	-1.98
5162	1.0	NB UNII BDR	iPA	5.89	6.37	9.15	11.00	-1.85
5203	1.0	NB UNII BDR	iPA	5.93	6.07	9.01	11.00	-1.99
5245	1.0	NB UNII BDR	iPA	5.95	6.31	9.14	11.00	-1.86
5162	1.0	NB UNII LE1M	ePA	5.57	5.88	8.74	11.00	-2.26
5203	1.0	NB UNII LE1M	ePA	5.60	5.78	8.70	11.00	-2.30
5245	1.0	NB UNII LE1M	ePA	5.61	5.73	8.68	11.00	-2.32
5162	1.0	NB UNII LE1M	iPA	6.22	6.00	9.12	11.00	-1.88
5203	1.0	NB UNII LE1M	iPA	6.09	6.16	9.13	11.00	-1.87
5245	1.0	NB UNII LE1M	iPA	5.62	6.06	8.85	11.00	-2.15
5162	2.0	NB UNII LE2M	ePA	5.77	6.06	8.92	11.00	-2.08
5203	2.0	NB UNII LE2M	ePA	5.61	6.31	8.98	11.00	-2.02
5245	2.0	NB UNII LE2M	ePA	5.61	6.18	8.91	11.00	-2.09
5162	2.0	NB UNII LE2M	iPA	4.81	5.23	8.03	11.00	-2.97
5203	2.0	NB UNII LE2M	iPA	4.70	4.98	7.85	11.00	-3.15
5245	2.0	NB UNII LE2M	iPA	4.73	4.54	7.65	11.00	-3.35
5162	4.0	NB UNII HDR4	ePA	5.80	5.78	8.80	11.00	-2.20
5203	4.0	NB UNII HDR4	ePA	5.59	6.12	8.87	11.00	-2.13
5245	4.0	NB UNII HDR4	ePA	5.76	5.57	8.67	11.00	-2.33
5162	4.0	NB UNII HDR4	iPA	1.04	0.83	3.94	11.00	-7.06
5203	4.0	NB UNII HDR4	iPA	1.14	0.69	3.93	11.00	-7.07
5245	4.0	NB UNII HDR4	iPA	0.72	0.82	3.78	11.00	-7.22
5162	8.0	NB UNII HDR8	ePA	5.24	5.22	8.24	11.00	-2.76
5203	8.0	NB UNII HDR8	ePA	5.15	5.02	8.09	11.00	-2.91
5245	8.0	NB UNII HDR8	ePA	5.34	5.72	8.54	11.00	-2.46
5162	8.0	NB UNII HDR8	iPA	-1.53	-1.62	1.43	11.00	-9.57
5203	8.0	NB UNII HDR8	iPA	-1.59	-1.98	1.23	11.00	-9.77
5245	8.0	NB UNII HDR8	iPA	-1.38	-1.71	1.47	11.00	-9.53
5162	2.0	NB UNII HDRPS2	ePA	5.78	6.18	9.00	11.00	-2.00
5203	2.0	NB UNII HDRPS2	ePA	5.69	5.94	8.83	11.00	-2.17
5245	2.0	NB UNII HDRPS2	ePA	5.62	5.93	8.79	11.00	-2.21
5162	2.0	NB UNII HDRPS2	iPA	0.60	0.05	3.34	11.00	-7.66
5203	2.0	NB UNII HDRPS2	iPA	0.76	0.16	3.48	11.00	-7.52
5245	2.0	NB UNII HDRPS2	iPA	0.02	0.35	3.20	11.00	-7.80
5162	6.0	NB UNII XHDRPM6	ePA	5.33	7.78	9.74	11.00	-1.26
5203	6.0	NB UNII XHDRPM6	ePA	5.28	7.88	9.78	11.00	-1.22
5245	6.0	NB UNII XHDRPM6	ePA	5.20	7.79	9.70	11.00	-1.30
5162	6.0	NB UNII XHDRPM6	iPA	-2.35	-2.92	0.39	11.00	-10.61
5203	6.0	NB UNII XHDRPM6	iPA	-2.17	-2.70	0.58	11.00	-10.42
5245	6.0	NB UNII XHDRPM6	iPA	-2.66	-2.52	0.42	11.00	-10.58
5162	16.0	NB UNII HDRPM16	ePA	5.65	6.15	8.92	11.00	-2.08
5203	16.0	NB UNII HDRPM16	ePA	5.47	6.16	8.84	11.00	-2.16
5245	16.0	NB UNII HDRPM16	ePA	5.38	6.18	8.81	11.00	-2.19
5162	16.0	NB UNII HDRPM16	iPA	-5.33	-5.92	-2.60	11.00	-13.60
5203	16.0	NB UNII HDRPM16	iPA	-5.23	-5.62	-2.41	11.00	-13.41
5245	16.0	NB UNII HDRPM16	iPA	-5.86	-5.53	-2.68	11.00	-13.68
5162	12.0	NB UNII HDRPL12	ePA	5.05	4.67	7.87	11.00	-3.13
5203	12.0	NB UNII HDRPL12	ePA	4.94	4.53	7.75	11.00	-3.25
5245	12.0	NB UNII HDRPL12	ePA	5.10	4.65	7.89	11.00	-3.11
5162	12.0	NB UNII HDRPL12	iPA	-5.39	-5.76	-2.56	11.00	-13.56
5203	12.0	NB UNII HDRPL12	iPA	-5.28	-5.72	-2.49	11.00	-13.49
5245	12.0	NB UNII HDRPL12	iPA	-5.20	-5.62	-2.39	11.00	-13.39
5162	32.0	NB UNII HDRPL32	ePA	3.29	2.95	6.14	11.00	-4.86
5203	32.0	NB UNII HDRPL32	ePA	3.23	2.70	5.98	11.00	-5.02
5245	32.0	NB UNII HDRPL32	ePA	3.21	2.88	6.06	11.00	-4.94
5162	32.0	NB UNII HDRPL32	iPA	-8.21	-8.57	-5.38	11.00	-16.38
5203	32.0	NB UNII HDRPL32	iPA	-8.23	-8.56	-5.38	11.00	-16.38
5245	32.0	NB UNII HDRPL32	iPA	-8.08	-8.43	-5.24	11.00	-16.24
5162	2.0	NB UNII HDT2	ePA	5.97	5.85	8.92	11.00	-2.08
5203	2.0	NB UNII HDT2	ePA	5.84	5.68	8.77	11.00	-2.23
5245	2.0	NB UNII HDT2	ePA	5.87	5.64	8.77	11.00	-2.23
5162	2.0	NB UNII HDT2	iPA	0.33	0.31	3.33	11.00	-7.67
5203	2.0	NB UNII HDT2	iPA	0.46	0.02	3.26	11.00	-7.74
5245	2.0	NB UNII HDT2	iPA	-0.15	0.13	3.00	11.00	-8.00
5162	4.0	NB UNII HDT4	ePA	5.85	5.75	8.81	11.00	-2.19
5203	4.0	NB UNII HDT4	ePA	5.79	5.65	8.73	11.00	-2.27
5245	4.0	NB UNII HDT4	ePA	5.86	5.68	8.79	11.00	-2.21
5162	4.0	NB UNII HDT4	iPA	0.31	0.29	3.31	11.00	-7.69
5203	4.0	NB UNII HDT4	iPA	0.44	0.00	3.24	11.00	-7.76
5245	4.0	NB UNII HDT4	iPA	-0.18	0.09	2.97	11.00	-8.03
5162	6.0	NB UNII HDT6	ePA	5.25	5.25	8.26	11.00	-2.74
5203	6.0	NB UNII HDT6	ePA	5.21	5.13	8.18	11.00	-2.82
5245	6.0	NB UNII HDT6	ePA	5.31	5.23	8.28	11.00	-2.72
5162	6.0	NB UNII HDT6	iPA	0.32	0.30	3.32	11.00	-7.68
5203	6.0	NB UNII HDT6	iPA	0.46	0.00	3.24	11.00	-7.76
5245	6.0	NB UNII HDT6	iPA	-0.17	0.12	2.99	11.00	-8.01

Table 7-27. Power Spectral Density Measurements TxBF Primary

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 192 of 441



Plot 7-274. PSD TxBF Primary Antenna WF5T (NB UNII BDR, ePA – 5203 MHz)




Plot 7-275. PSD TxBF Primary Antenna WF5B (NB UNII BDR, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 193 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-276. PSD TxBF Primary Antenna WF5T (NB UNII BDR, iPA – 5203 MHz)




Plot 7-277. PSD TxBF Primary Antenna WF5B (NB UNII BDR, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 194 of 441




Plot 7-278. PSD TxBF Primary Antenna WF5T (NB UNII LE1M, ePA – 5203 MHz)




Plot 7-279. PSD TxBF Primary Antenna WF5B (NB UNII LE1M, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 195 of 441




Plot 7-280. PSD TxBF Primary Antenna WF5T (NB UNII LE1M, iPA – 5203 MHz)




Plot 7-281. PSD TxBF Primary Antenna WF5B (NB UNII LE1M, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 196 of 441




Plot 7-282. PSD TxBF Primary Antenna WF5T (NB UNII LE2M, ePA – 5203 MHz)




Plot 7-283. PSD TxBF Primary Antenna WF5B (NB UNII LE2M, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 197 of 441




Plot 7-284. PSD TxBF Primary Antenna WF5T (NB UNII LE2M, iPA – 5203 MHz)




Plot 7-285. PSD TxBF Primary Antenna WF5B (NB UNII LE2M, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 198 of 441




Plot 7-286. PSD TxBF Primary Antenna WF5T (NB UNII HDR4, ePA – 5203 MHz)




Plot 7-287. PSD TxBF Primary Antenna WF5B (NB UNII HDR4, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 199 of 441




Plot 7-288. PSD TxBF Primary Antenna WF5T (NB UNII HDR4, iPA - 5203 MHz)




Plot 7-289. PSD TxBF Primary Antenna WF5B (NB UNII HDR4, iPA - 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 200 of 441




Plot 7-290. PSD TxBF Primary Antenna WF5T (NB UNII HDR8, ePA – 5203 MHz)




Plot 7-291. PSD TxBF Primary Antenna WF5B (NB UNII HDR8, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 201 of 441




Plot 7-292. PSD TxBF Primary Antenna WF5T (NB UNII HDR8, iPA – 5203 MHz)




Plot 7-293. PSD TxBF Primary Antenna WF5B (NB UNII HDR8, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 202 of 441



Plot 7-294. PSD TxBF Primary Antenna WF5T (NB UNII HDRPS2, ePA – 5203 MHz)




Plot 7-295. PSD TxBF Primary Antenna WF5B (NB UNII HDRPS2, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 203 of 441




Plot 7-296. PSD Tx BF Primary Antenna WF5T (NB UNII HDRPS2, iPA – 5203 MHz)




Plot 7-297. PSD Tx BF Primary Antenna WF5B (NB UNII HDRPS2, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 204 of 441




Plot 7-298. PSD TxBF Primary Antenna WF5T (NB UNII XHDRPM6, ePA – 5203 MHz)




Plot 7-299. PSD TxBF Primary Antenna WF5B (NB UNII XHDRPM6, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 205 of 441




Plot 7-300. PSD TxBF Primary Antenna WF5T (NB UNII XHDRPM6, iPA – 5203 MHz)




Plot 7-301. PSD TxBF Primary Antenna WF5B (NB UNII XHDRPM6, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 206 of 441





Plot 7-302. PSD TxBF Primary Antenna WF5T (NB UNII HDRPM16, ePA – 5203 MHz)




Plot 7-303. PSD TxBF Primary Antenna WF5B (NB UNII HDRPM16, ePA – 5203 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 207 of 441



FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 208 of 441




Plot 7-306. PSD TxBF Primary Antenna WF5T (NB UNII HDRPL12, ePA – 5203 MHz)




Plot 7-307. PSD TxBF Primary Antenna WF5B (NB UNII HDRPL12, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 209 of 441




Plot 7-308. PSD TxBF Primary Antenna WF5T (NB UNII HDRPL12, iPA – 5203 MHz)




Plot 7-309. PSD TxBF Primary Antenna WF5B (NB UNII HDRPL12, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 210 of 441




Plot 7-310. PSD TxBF Primary Antenna WF5T (NB UNII HDRPL32, ePA – 5203 MHz)




Plot 7-311. PSD TxBF Primary Antenna WF5B (NB UNII HDRPL32, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 211 of 441




Plot 7-312. PSD TxBF Primary Antenna WF5T (NB UNII HDRPL32, iPA – 5203 MHz)




Plot 7-313. PSD TxBF Primary Antenna WF5B (NB UNII HDRPL32, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 212 of 441



Plot 7-314. PSD TxBF Primary Antenna WF5T (NB UNII HDT2, ePA – 5203 MHz)



Plot 7-315. PSD TxBF Primary Antenna WF5B (NB UNII HDT2, ePA – 5203 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 213 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-316. PSD TxBF Primary Antenna WF5T (NB UNII HDT2, iPA – 5203 MHz)




Plot 7-317. PSD TxBF Primary Antenna WF5B (NB UNII HDT2, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 214 of 441




Plot 7-318. PSD TxBF Primary Antenna WF5T (NB UNII HDT4, ePA – 5203 MHz)




Plot 7-319. PSD TxBF Primary Antenna WF5B (NB UNII HDT4, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 215 of 441




Plot 7-320. PSD Tx BF Primary Antenna WF5T (NB UNII HDT4, iPA – 5203 MHz)




Plot 7-321. PSD Tx BF Primary Antenna WF5B (NB UNII HDT4, iPA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 216 of 441



Plot 7-322. PSD TxBF Primary Antenna WF5T (NB UNII HDT6, ePA – 5203 MHz)




Plot 7-323. PSD TxBF Primary Antenna WF5B (NB UNII HDT6, ePA – 5203 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 217 of 441



Plot 7-324. PSD Tx BF Primary Antenna WF5T (NB UNII HDT6, iPA – 5203 MHz)



Plot 7-325. PSD Tx BF Primary Antenna WF5B (NB UNII HDT6, iPA – 5203 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 218 of 441

7.5.8 TxBF Primary Power Spectral Density Measurements (U-NII-3)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Antenna WF5T Power Density [dBm/500kHz]	Antenna WF5B Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
5733	1.0	NB UNII BDR	ePA	17.85	17.90	20.89	30.00	-9.11
5788	1.0	NB UNII BDR	ePA	17.86	17.90	20.89	30.00	-9.11
5844	1.0	NB UNII BDR	ePA	18.19	18.00	21.11	30.00	-8.89
5733	1.0	NB UNII BDR	iPA	5.68	5.97	8.84	30.00	-21.16
5788	1.0	NB UNII BDR	iPA	5.55	6.33	8.96	30.00	-21.04
5844	1.0	NB UNII BDR	iPA	5.49	5.52	8.51	30.00	-21.49
5733	1.0	NB UNII LE1M	ePA	17.49	17.55	20.53	30.00	-9.47
5788	1.0	NB UNII LE1M	ePA	17.37	17.49	20.44	30.00	-9.56
5844	1.0	NB UNII LE1M	ePA	17.60	17.51	20.57	30.00	-9.43
5733	1.0	NB UNII LE1M	iPA	4.99	5.27	8.14	30.00	-21.86
5788	1.0	NB UNII LE1M	iPA	4.98	5.22	8.11	30.00	-21.89
5844	1.0	NB UNII LE1M	iPA	5.34	5.39	8.37	30.00	-21.63
5733	2.0	NB UNII LE2M	ePA	15.36	15.52	18.45	30.00	-11.55
5788	2.0	NB UNII LE2M	ePA	15.32	15.48	18.41	30.00	-11.59
5844	2.0	NB UNII LE2M	ePA	15.62	15.51	18.57	30.00	-11.43
5733	2.0	NB UNII LE2M	iPA	3.29	3.74	6.53	30.00	-23.47
5788	2.0	NB UNII LE2M	iPA	3.14	3.43	6.29	30.00	-23.71
5844	2.0	NB UNII LE2M	iPA	3.71	3.07	6.41	30.00	-23.59
5733	4.0	NB UNII HDR4	ePA	8.34	8.99	11.69	30.00	-18.31
5788	4.0	NB UNII HDR4	ePA	8.45	8.90	11.69	30.00	-18.31
5844	4.0	NB UNII HDR4	ePA	9.26	9.02	12.15	30.00	-17.85
5733	4.0	NB UNII HDR4	iPA	-1.75	-1.30	1.49	30.00	-28.51
5788	4.0	NB UNII HDR4	iPA	-1.23	-1.38	1.71	30.00	-28.29
5844	4.0	NB UNII HDR4	iPA	-1.36	-1.77	1.45	30.00	-28.55
5733	8.0	NB UNII HDR8	ePA	6.37	6.41	9.40	30.00	-20.60
5788	8.0	NB UNII HDR8	ePA	6.35	6.36	9.37	30.00	-20.63
5844	8.0	NB UNII HDR8	ePA	6.79	6.59	9.70	30.00	-20.30
5733	8.0	NB UNII HDR8	iPA	-4.29	-3.90	-1.08	30.00	-31.08
5788	8.0	NB UNII HDR8	iPA	-3.78	-3.99	-0.87	30.00	-30.87
5844	8.0	NB UNII HDR8	iPA	-3.97	-3.73	-0.84	30.00	-30.84
5733	2.0	NB UNII HDRPS2	ePA	8.00	8.06	11.04	30.00	-18.96
5788	2.0	NB UNII HDRPS2	ePA	7.59	7.47	10.54	30.00	-19.46
5844	2.0	NB UNII HDRPS2	ePA	7.59	7.81	10.71	30.00	-19.29
5733	2.0	NB UNII HDRPS2	iPA	-2.38	-2.45	0.59	30.00	-29.41
5788	2.0	NB UNII HDRPS2	iPA	-2.02	-2.77	0.63	30.00	-29.37
5844	2.0	NB UNII HDRPS2	iPA	-2.25	-2.20	0.79	30.00	-29.21
5733	6.0	NB UNII XHDRPM6	ePA	5.40	4.64	8.05	30.00	-21.95
5788	6.0	NB UNII XHDRPM6	ePA	5.05	4.63	7.85	30.00	-22.15
5844	6.0	NB UNII XHDRPM6	ePA	5.14	4.91	8.04	30.00	-21.96
5733	6.0	NB UNII XHDRPM6	iPA	-5.41	-5.48	-2.43	30.00	-32.43
5788	6.0	NB UNII XHDRPM6	iPA	-4.95	-5.18	-2.05	30.00	-32.05
5844	6.0	NB UNII XHDRPM6	iPA	-5.25	-5.23	-2.23	30.00	-32.23
5733	16.0	NB UNII HDRPM16	ePA	2.90	3.08	6.00	30.00	-24.00
5788	16.0	NB UNII HDRPM16	ePA	2.95	3.02	5.99	30.00	-24.01
5844	16.0	NB UNII HDRPM16	ePA	3.03	3.35	6.20	30.00	-23.80
5733	16.0	NB UNII HDRPM16	iPA	-8.47	-8.55	-5.50	30.00	-35.50
5788	16.0	NB UNII HDRPM16	iPA	-8.04	-8.21	-5.11	30.00	-35.11
5844	16.0	NB UNII HDRPM16	iPA	-8.24	-8.23	-5.22	30.00	-35.22
5733	12.0	NB UNII HDRPL12	ePA	1.95	1.80	4.89	30.00	-25.11
5788	12.0	NB UNII HDRPL12	ePA	1.89	1.63	4.77	30.00	-25.23
5844	12.0	NB UNII HDRPL12	ePA	2.42	1.38	4.94	30.00	-25.06
5733	12.0	NB UNII HDRPL12	iPA	-8.24	-8.44	-5.32	30.00	-35.32
5788	12.0	NB UNII HDRPL12	iPA	-7.87	-8.46	-5.14	30.00	-35.14
5844	12.0	NB UNII HDRPL12	iPA	-7.99	-8.55	-5.25	30.00	-35.25
5733	32.0	NB UNII HDRPL32	ePA	0.69	0.24	3.48	30.00	-26.52
5788	32.0	NB UNII HDRPL32	ePA	0.66	-0.05	3.33	30.00	-26.67
5844	32.0	NB UNII HDRPL32	ePA	0.66	0.10	3.40	30.00	-26.60
5733	32.0	NB UNII HDRPL32	iPA	-11.04	-11.76	-8.38	30.00	-38.38
5788	32.0	NB UNII HDRPL32	iPA	-10.73	-11.78	-8.21	30.00	-38.21
5844	32.0	NB UNII HDRPL32	iPA	-10.86	-11.37	-8.10	30.00	-38.10
5733	2.0	NB UNII HDT2	ePA	7.97	7.85	10.92	30.00	-19.08
5788	2.0	NB UNII HDT2	ePA	7.76	7.87	10.82	30.00	-19.18
5844	2.0	NB UNII HDT2	ePA	7.76	8.14	10.97	30.00	-19.03
5733	2.0	NB UNII HDT2	iPA	-2.63	-2.69	0.35	30.00	-29.65
5788	2.0	NB UNII HDT2	iPA	-2.21	-2.89	0.47	30.00	-29.53
5844	2.0	NB UNII HDT2	iPA	-2.40	-2.40	0.61	30.00	-29.39
5733	4.0	NB UNII HDT4	ePA	7.81	7.68	10.76	30.00	-19.24
5788	4.0	NB UNII HDT4	ePA	8.15	7.70	10.94	30.00	-19.06
5844	4.0	NB UNII HDT4	ePA	8.17	7.97	11.08	30.00	-18.92
5733	4.0	NB UNII HDT4	iPA	-2.69	-2.71	0.31	30.00	-29.69
5788	4.0	NB UNII HDT4	iPA	-2.25	-2.91	0.44	30.00	-29.56
5844	4.0	NB UNII HDT4	iPA	-2.45	-2.41	0.58	30.00	-29.42
5733	6.0	NB UNII HDT6	ePA	7.78	7.66	10.73	30.00	-19.27
5788	6.0	NB UNII HDT6	ePA	8.12	7.67	10.91	30.00	-19.09
5844	6.0	NB UNII HDT6	ePA	8.16	7.96	11.07	30.00	-18.93
5733	6.0	NB UNII HDT6	iPA	-2.62	-2.67	0.36	30.00	-29.64
5788	6.0	NB UNII HDT6	iPA	-2.23	-2.86	0.47	30.00	-29.53
5844	6.0	NB UNII HDT6	iPA	-2.41	-2.39	0.61	30.00	-29.39

Table 7-28. Power Spectral Density Measurements TxBF

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 219 of 441




Plot 7-326. PSD TxBF Primary Antenna WF5T (NB UNII BDR, ePA – 5788 MHz)




Plot 7-327. PSD TxBF Primary Antenna WF5B (NB UNII BDR, ePA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 220 of 441

V 12.0 03/03/2026




Plot 7-328. PSD TxBF Primary Antenna WF5T (NB UNII BDR, iPA – 5788 MHz)




Plot 7-329. PSD TxBF Primary Antenna WF5B (NB UNII BDR, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 221 of 441




Plot 7-330. PSD TxBF Primary Antenna WF5T (NB UNII LE1M, ePA – 5788 MHz)




Plot 7-331. PSD TxBF Primary Antenna WF5B (NB UNII LE1M, ePA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 222 of 441




Plot 7-332. PSD TxBF Primary Antenna WF5T (NB UNII LE1M, iPA – 5788 MHz)




Plot 7-333. PSD TxBF Primary Antenna WF5B (NB UNII LE1M, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 223 of 441




Plot 7-334. PSD TxBF Primary Antenna WF5T (NB UNII LE2M, ePA – 5788 MHz)




Plot 7-335. PSD TxBF Primary Antenna WF5B (NB UNII LE2M, ePA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 224 of 441




Plot 7-336. PSD TxBF Primary Antenna WF5T (NB UNII LE2M, iPA - 5788 MHz)




Plot 7-337. PSD TxBF Primary Antenna WF5B (NB UNII LE2M, iPA - 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 225 of 441





Plot 7-338. PSD TxBF Primary Antenna WF5T (NB UNII HDR4, ePA – 5788 MHz)




Plot 7-339. PSD TxBF Primary Antenna WF5B (NB UNII HDR4, ePA – 5788 MHz)


FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 226 of 441



FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 227 of 441




Plot 7-342. PSD TxBF Primary Antenna WF5T (NB UNII HDR8, ePA – 5788 MHz)




Plot 7-343. PSD TxBF Primary Antenna WF5B (NB UNII HDR8, ePA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 228 of 441




Plot 7-344. PSD TxBF Primary Antenna WF5T (NB UNII HDR8, iPA – 5788 MHz)




Plot 7-345. PSD TxBF Primary Antenna WF5B (NB UNII HDR8, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 229 of 441




Plot 7-346. PSD Tx BF Primary Antenna WF5T (NB UNII HDRPS2, ePA – 5788 MHz)




Plot 7-347. PSD Tx BF Primary Antenna WF5B (NB UNII HDRPS2, ePA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 230 of 441



Plot 7-348. PSD Tx BF Primary Antenna WF5T (NB UNII HDRPS2, iPA – 5788 MHz)



Plot 7-349. PSD Tx BF Primary Antenna WF5B (NB UNII HDRPS2, iPA – 5788 MHz)

FCC ID: BCGA3595	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 04/23/2026 - 07/02/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-06-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 231 of 441