







Plot 7-317 PSD SDM Primary Antenna WF5T (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-320 PSD SDM Primary Antenna WF5B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-318 PSD SDM Primary Antenna WF5T (80 MHz BW 802.11be(RU) RU484+242 Index90 - Ch.151)



Plot 7-321 PSD SDM Primary Antenna WF5B (80 MHz BW 802.11be(RU) RU484+242 Index90 - Ch.151)




Plot 7-319 PSD SDM Primary Antenna WF5T (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.175)




Plot 7-322 PSD SDM Primary Antenna WF5B (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.175)


FCC ID: BCGA3595 IC: 579C-A3595	element	Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 147 of 469




Plot 7-323 PSD SDM Primary Antenna WF5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.185)




Plot 7-327 PSD SDM Primary Antenna WF5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.185)




Plot 7-324 PSD SDM Primary Antenna WF5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.155)




Plot 7-328 PSD SDM Primary Antenna WF5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.155)




Plot 7-325 PSD SDM Primary Antenna WF5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.183)



Plot 7-329 PSD SDM Primary Antenna WF5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.183)



Plot 7-326 PSD SDM Primary Antenna WF5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.175)



Plot 7-330 PSD SDM Primary Antenna WF5B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.175)


FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 148 of 469




Plot 7-331 PSD SDM Primary Antenna WF5T (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.189)




Plot 7-335 PSD SDM Primary Antenna WF5B (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.189)




Plot 7-332 PSD SDM Primary Antenna WF5T (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.211)




Plot 7-336 PSD SDM Primary Antenna WF5B (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.211)




Plot 7-333 PSD SDM Primary Antenna WF5T (80 MHz BW 802.11be(RU) RU26 Index0 - Ch.199)



Plot 7-337 PSD SDM Primary Antenna WF5B (80 MHz BW 802.11be(RU) RU26 Index0 - Ch.199)




Plot 7-334 PSD SDM Primary Antenna WF5T (160 MHz BW 802.11be(RU) RU26 Index0 - Ch.207)




Plot 7-338 PSD SDM Primary Antenna WF5B (160 MHz BW 802.11be(RU) RU26 Index0 - Ch.207)


FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		




Plot 7-339 PSD SDM Primary Antenna WF5T (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.229)




Plot 7-342 PSD SDM Primary Antenna WF5B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.229)




Plot 7-340 PSD SDM Primary Antenna WF5T (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.199)



Plot 7-343 PSD SDM Primary Antenna WF5B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.199)




Plot 7-341 PSD SDM Primary Antenna WF5T (160 MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.207)




Plot 7-344 PSD SDM Primary Antenna WF5B (160 MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.207)


FCC ID: BCGA3595 IC: 579C-A3595	element	Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 150 of 469




Plot 7-345 PSD SDM Primary Antenna WF5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.189)




Plot 7-349 PSD SDM Primary Antenna WF5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.189)




Plot 7-346 PSD SDM Primary Antenna WF5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.227)




Plot 7-350 PSD SDM Primary Antenna WF5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.227)




Plot 7-347 PSD SDM Primary Antenna WF5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-351 PSD SDM Primary Antenna WF5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-348 PSD SDM Primary Antenna WF5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)



Plot 7-352 PSD SDM Primary Antenna WF5B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

7.4.5 SDM Diversity Power Spectral Density Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF5T Measured Power Density [dBm/MHz]	Antenna WF8 Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	52	40	SDM	MCSS	-13.23	-13.72	-10.45	2.00	-8.45	-5.00	-3.45
	6255	61	be (20 MHz)	52	37	SDM	MCSS	-13.38	-13.50	-10.43	2.00	-8.42	-5.00	-3.42
	6415	93	be (20 MHz)	26	0	SDM	MCSS	-11.65	-11.76	-8.69	1.26	-7.44	-5.00	-2.44
	6125	35	be (40 MHz)	52	40	SDM	MCSS	-13.26	-14.10	-10.65	2.00	-8.64	-5.00	-3.64
	6245	59	be (40 MHz)	52	40	SDM	MCSS	-13.56	-13.98	-10.75	2.00	-8.75	-5.00	-3.75
	6405	91	be (40 MHz)	52	37	SDM	MCSS	-11.85	-12.23	-9.03	1.26	-7.77	-5.00	-2.77
	6145	39	be (80 MHz)	52	44	SDM	MCSS	-13.28	-13.94	-10.59	2.00	-8.58	-5.00	-3.58
	6225	55	be (80 MHz)	52	37	SDM	MCSS	-13.52	-13.95	-10.72	2.00	-8.71	-5.00	-3.71
	6385	87	be (80 MHz)	52	37	SDM	MCSS	-12.37	-12.93	-9.63	1.26	-8.37	-5.00	-3.37
	6185	47	be (160 MHz)	52	37-L	SDM	MCSS	-13.40	-13.80	-10.58	2.00	-8.58	-5.00	-3.58
Band 6	6345	79	be (160 MHz)	52	37-L	SDM	MCSS	-12.24	-12.68	-9.45	1.26	-8.19	-5.00	-3.19
	6435	97	be (20 MHz)	52	37	SDM	MCSS	-12.14	-12.55	-9.33	1.48	-7.85	-5.00	-2.85
	6475	105	be (20 MHz)	52	40	SDM	MCSS	-12.18	-12.86	-9.49	1.48	-8.01	-5.00	-3.01
	6515	113	be (20 MHz)	52	37	SDM	MCSS	-12.37	-12.80	-9.57	1.48	-8.09	-5.00	-3.09
	6445	99	be (40 MHz)	52	40	SDM	MCSS	-12.46	-13.03	-9.72	1.48	-8.24	-5.00	-3.24
	6485	107	be (40 MHz)	52	40	SDM	MCSS	-12.43	-13.13	-9.75	1.48	-8.27	-5.00	-3.27
	6525	115	be (40 MHz)	52	40	SDM	MCSS	-13.15	-13.84	-10.47	1.48	-8.99	-5.00	-3.99
	6465	103	be (80 MHz)	52	44	SDM	MCSS	-12.41	-13.30	-9.82	1.48	-8.34	-5.00	-3.34
	6505	111	be (160 MHz)	52	52-H	SDM	MCSS	-13.31	-13.98	-10.62	1.48	-9.14	-5.00	-4.14
	6535	117	be (20 MHz)	52	37	SDM	MCSS	-13.06	-13.35	-10.19	2.59	-7.60	-5.00	-2.60
Band 7	6695	149	be (20 MHz)	52	37	SDM	MCSS	-13.04	-13.42	-10.22	2.59	-7.63	-5.00	-2.63
	6875	185	be (20 MHz)	52	40	SDM	MCSS	-13.13	-13.32	-10.22	2.59	-7.63	-5.00	-2.63
	6565	123	be (40 MHz)	52	40	SDM	MCSS	-13.39	-14.18	-10.76	2.59	-8.17	-5.00	-3.17
	6725	155	be (40 MHz)	52	44	SDM	MCSS	-13.27	-14.09	-10.65	2.59	-8.06	-5.00	-3.06
	6845	179	be (40 MHz)	52	40	SDM	MCSS	-13.47	-14.08	-10.75	2.59	-8.16	-5.00	-3.16
	6545	119	be (80 MHz)	52	44	SDM	MCSS	-13.38	-13.77	-10.56	2.59	-7.97	-5.00	-2.97
	6705	151	be (80 MHz)	52	44	SDM	MCSS	-13.58	-14.08	-10.81	2.59	-8.22	-5.00	-3.22
	6865	183	be (80 MHz)	52	44	SDM	MCSS	-13.11	-14.02	-10.53	2.59	-7.94	-5.00	-2.94
	6665	143	be (160 MHz)	52	37-L	SDM	MCSS	-13.55	-14.14	-10.82	2.59	-8.24	-5.00	-3.24
	6825	175	be (160 MHz)	52	52-L	SDM	MCSS	-13.12	-13.98	-10.52	2.59	-7.93	-5.00	-2.93
Band 8	6895	189	be (20 MHz)	52	37	SDM	MCSS	-11.34	-11.64	-8.48	2.04	-6.44	-5.00	-1.44
	6995	209	be (20 MHz)	52	37	SDM	MCSS	-12.25	-11.91	-9.07	2.04	-7.03	-5.00	-2.03
	7095	229	be (20 MHz)	26	0	SDM	MCSS	-11.84	-11.85	-8.83	2.04	-6.80	-5.00	-1.80
	6885	187	be (40 MHz)	52	44	SDM	MCSS	-13.48	-13.85	-10.65	2.04	-8.61	-5.00	-3.61
	7005	211	be (40 MHz)	52	44	SDM	MCSS	-11.98	-12.33	-9.14	2.04	-7.10	-5.00	-2.10
	7085	227	be (40 MHz)	52	40	SDM	MCSS	-11.83	-12.36	-9.08	2.04	-7.04	-5.00	-2.04
	6945	199	be (80 MHz)	26	0	SDM	MCSS	-11.80	-12.10	-8.94	2.04	-6.90	-5.00	-1.90
	7025	215	be (80 MHz)	52	44	SDM	MCSS	-12.09	-12.77	-9.41	2.04	-7.37	-5.00	-2.37
	6985	207	be (160 MHz)	26	36-L	SDM	MCSS	-11.75	-11.87	-8.80	2.04	-6.76	-5.00	-1.76

Table 7-83. Power Spectral Density Measurements SDM Diversity (RU26/52)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF5T Measured Power Density [dBm/MHz]	Antenna WF8 Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	106+26	82	SDM	MCSS	-13.18	-13.30	-10.23	2.00	-8.2234	-5.00	-3.22
	6255	61	be (20 MHz)	106+26	82	SDM	MCSS	-14.00	-13.86	-10.92	2.00	-8.9143	-5.00	-3.91
	6415	93	be (20 MHz)	106+26	82	SDM	MCSS	-12.03	-11.81	-8.91	1.26	-7.6512	-5.00	-2.65
	6145	39	be (80 MHz)	484+242	92	SDM	MCSS	-13.88	-14.41	-11.13	2.00	-9.1233	-5.00	-4.12
	6225	55	be (80 MHz)	484+242	91	SDM	MCSS	-13.76	-14.31	-11.02	2.00	-9.0130	-5.00	-4.01
	6385	87	be (80 MHz)	484+242	92	SDM	MCSS	-12.27	-12.73	-9.49	1.26	-8.2281	-5.00	-3.23
	6185	47	be (160 MHz)	996+484+242	97-L	SDM	MCSS	-13.97	-14.73	-11.32	2.00	-9.3197	-5.00	-4.32
	6345	79	be (160 MHz)	996+484+242	96-L	SDM	MCSS	-12.76	-13.28	-10.00	1.26	-8.7463	-5.00	-3.75
	6435	97	be (20 MHz)	106+26	82	SDM	MCSS	-12.93	-12.77	-9.84	1.48	-8.3545	-5.00	-3.35
	6475	105	be (20 MHz)	106+26	82	SDM	MCSS	-12.87	-12.80	-9.83	1.48	-8.3435	-5.00	-3.34
Band 6	6515	113	be (20 MHz)	106+26	82	SDM	MCSS	-12.83	-12.84	-9.82	1.48	-8.3412	-5.00	-3.34
	6465	103	be (80 MHz)	484+242	92	SDM	MCSS	-12.68	-13.53	-10.07	1.48	-8.5909	-5.00	-3.59
	6505	111	be (160 MHz)	996+484+242	97-L	SDM	MCSS	-14.08	-14.49	-11.27	1.48	-9.7898	-5.00	-4.79
	6535	117	be (20 MHz)	106+26	83	SDM	MCSS	-13.64	-13.57	-10.59	2.59	-8.0049	-5.00	-3.00
	6695	149	be (20 MHz)	106+26	83	SDM	MCSS	-13.57	-13.69	-10.62	2.59	-8.0281	-5.00	-3.03
	6875	185	be (20 MHz)	106+26	82	SDM	MCSS	-12.99	-13.03	-10.00	2.59	-7.4130	-5.00	-2.41
	6545	119	be (80 MHz)	484+242	92	SDM	MCSS	-13.77	-14.26	-11.00	2.59	-8.4122	-5.00	-3.41
	6705	151	be (80 MHz)	484+242	90	SDM	MCSS	-13.59	-14.55	-11.03	2.59	-8.4415	-5.00	-3.44
	6865	183	be (80 MHz)	484+242	90	SDM	MCSS	-13.54	-14.59	-11.02	2.59	-8.4337	-5.00	-3.43
	6665	143	be (160 MHz)	996+484+242	99-L	SDM	MCSS	-13.69	-14.62	-11.12	2.59	-8.5283	-5.00	-3.53
Band 7	6825	175	be (160 MHz)	996+484+242	97-L	SDM	MCSS	-13.71	-14.58	-11.12	2.59	-8.5278	-5.00	-3.53
	6895	189	be (20 MHz)	106+26	83	SDM	MCSS	-11.97	-12.09	-9.01	2.04	-6.9769	-5.00	-1.98
	6995	209	be (20 MHz)	106+26	82	SDM	MCSS	-11.88	-12.03	-8.94	2.04	-6.9012	-5.00	-1.90
	7095	229	be (20 MHz)	106+26	82	SDM	MCSS	-12.04	-11.81	-8.91	2.04	-6.8733	-5.00	-1.87
	6945	199	be (80 MHz)	484+242	92	SDM	MCSS	-12.24	-12.99	-9.59	2.04	-7.5510	-5.00	-2.55
	7025	215	be (80 MHz)	484+242	91	SDM	MCSS	-12.32	-12.68	-9.48	2.04	-7.4456	-5.00	-2.45
	6985	207	be (160 MHz)	996+484+242	99-L	SDM	MCSS	-12.63	-12.82	-9.71	2.04	-7.6749	-5.00	-2.67


Table 7-84. Power Spectral Density Measurements SDM Diversity (MRU)

FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 152 of 469


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF5T Measured Power Density [dBm/MHz]	Antenna WF8 Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	242	61	SDM	MCSS	-13.58	-13.08	-10.31	2.00	-8.31	-5.00	-3.31
	6255	61	be (20 MHz)	242	61	SDM	MCSS	-13.90	-13.47	-10.67	2.00	-8.66	-5.00	-3.66
	6415	93	be (20 MHz)	242	61	SDM	MCSS	-11.85	-11.74	-8.78	1.26	-7.52	-5.00	-2.52
	6125	35	be (40 MHz)	484	65	SDM	MCSS	-13.02	-13.52	-10.25	2.00	-8.25	-5.00	-3.25
	6245	59	be (40 MHz)	484	65	SDM	MCSS	-13.50	-14.00	-10.73	2.00	-8.73	-5.00	-3.73
	6405	91	be (40 MHz)	484	65	SDM	MCSS	-12.10	-12.47	-9.27	1.26	-8.02	-5.00	-3.02
	6145	39	be (80 MHz)	996	67	SDM	MCSS	-13.75	-13.69	-10.71	2.00	-8.70	-5.00	-3.70
	6225	55	be (80 MHz)	996	67	SDM	MCSS	-14.13	-14.28	-11.19	2.00	-9.19	-5.00	-4.19
	6385	87	be (80 MHz)	996	67	SDM	MCSS	-12.19	-12.47	-9.32	1.26	-8.06	-5.00	-3.06
	6185	47	be (160 MHz)	996x2	68	SDM	MCSS	-14.92	-15.20	-12.05	2.00	-10.04	-5.00	-5.04
Band 6	6345	79	be (160 MHz)	996x2	68	SDM	MCSS	-13.46	-13.57	-10.50	1.26	-9.25	-5.00	-4.25
	6435	97	be (20 MHz)	242	61	SDM	MCSS	-12.27	-12.39	-9.32	1.48	-7.84	-5.00	-2.84
	6475	105	be (20 MHz)	242	61	SDM	MCSS	-12.49	-12.68	-9.58	1.48	-8.09	-5.00	-3.09
	6515	113	be (20 MHz)	242	61	SDM	MCSS	-12.58	-12.70	-9.63	1.48	-8.15	-5.00	-3.15
	6445	99	be (40 MHz)	484	65	SDM	MCSS	-12.79	-13.34	-10.05	1.48	-8.56	-5.00	-3.56
	6485	107	be (40 MHz)	484	65	SDM	MCSS	-13.02	-13.27	-10.13	1.48	-8.65	-5.00	-3.65
	6525	115	be (40 MHz)	484	65	SDM	MCSS	-13.80	-13.94	-10.86	1.48	-9.38	-5.00	-4.38
	6465	103	be (80 MHz)	996	67	SDM	MCSS	-13.04	-13.39	-10.20	1.48	-8.72	-5.00	-3.72
	6505	111	be (160 MHz)	996x2	68	SDM	MCSS	-15.15	-14.95	-12.04	1.48	-10.56	-5.00	-5.56
	6535	117	be (20 MHz)	242	61	SDM	MCSS	-13.47	-13.06	-10.25	2.59	-7.66	-5.00	-2.66
Band 7	6695	149	be (20 MHz)	242	61	SDM	MCSS	-13.64	-13.51	-10.56	2.59	-7.97	-5.00	-2.97
	6875	185	be (20 MHz)	242	61	SDM	MCSS	-13.28	-12.99	-10.12	2.59	-7.53	-5.00	-2.53
	6565	123	be (40 MHz)	484	65	SDM	MCSS	-13.48	-14.03	-10.74	2.59	-8.15	-5.00	-3.15
	6725	155	be (40 MHz)	484	65	SDM	MCSS	-13.97	-13.82	-10.88	2.59	-8.29	-5.00	-3.29
	6845	179	be (40 MHz)	484	65	SDM	MCSS	-14.95	-13.49	-11.15	2.59	-8.56	-5.00	-3.56
	6545	119	be (80 MHz)	996	67	SDM	MCSS	-14.28	-14.39	-11.33	2.59	-8.74	-5.00	-3.74
	6705	151	be (80 MHz)	996	67	SDM	MCSS	-13.77	-14.04	-10.89	2.59	-8.30	-5.00	-3.30
	6865	183	be (80 MHz)	996	67	SDM	MCSS	-13.56	-14.22	-10.87	2.59	-8.28	-5.00	-3.28
	6665	143	be (160 MHz)	996x2	68	SDM	MCSS	-15.01	-14.83	-11.91	2.59	-9.32	-5.00	-4.32
	6825	175	be (160 MHz)	996x2	68	SDM	MCSS	-14.65	-14.68	-11.65	2.59	-9.07	-5.00	-4.07
Band 8	6895	189	be (20 MHz)	242	61	SDM	MCSS	-11.36	-11.92	-8.62	2.04	-6.59	-5.00	-1.59
	6995	209	be (20 MHz)	242	61	SDM	MCSS	-11.77	-11.73	-8.74	2.04	-6.70	-5.00	-1.70
	7115	233	be (20 MHz)	242	61	SDM	MCSS	-12.80	-12.74	-9.76	2.04	-7.72	-5.00	-2.72
	6885	187	be (40 MHz)	484	65	SDM	MCSS	-13.60	-13.52	-10.55	2.04	-8.51	-5.00	-3.51
	7005	211	be (40 MHz)	484	65	SDM	MCSS	-12.81	-12.52	-9.65	2.04	-7.61	-5.00	-2.61
	7085	227	be (40 MHz)	484	65	SDM	MCSS	-12.12	-12.50	-9.29	2.04	-7.26	-5.00	-2.26
	6945	199	be (80 MHz)	996	67	SDM	MCSS	-12.09	-12.69	-9.37	2.04	-7.33	-5.00	-2.33
	7025	215	be (80 MHz)	996	67	SDM	MCSS	-12.56	-12.35	-9.44	2.04	-7.40	-5.00	-2.40
	6985	207	be (160 MHz)	996x2	68	SDM	MCSS	-13.37	-13.49	-10.42	2.04	-8.38	-5.00	-3.38

Table 7-85. Power Spectral Density Measurements SDM Diversity (Fully – Loaded RU)


FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 153 of 469



Plot 7-353 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU26 Index0 - Ch.93)



Plot 7-357 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU26 Index0 - Ch.93)




Plot 7-354 PSD SDM Diversity Antenna WF5T (40 MHz BW 802.11be(RU) RU52 Index37 - Ch.91)




Plot 7-358 PSD SDM Diversity Antenna WF8 (40 MHz BW 802.11be(RU) RU52 Index37 - Ch.91)




Plot 7-355 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.87)



Plot 7-359 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.87)




Plot 7-356 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU52 Index37 - Ch.79)




Plot 7-360 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU52 Index37 - Ch.79)


FCC ID: BCGA3595 IC: 579C-A3595	element	Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		




Plot 7-361 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.93)




Plot 7-364 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.93)




Plot 7-362 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.87)



Plot 7-365 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.87)




Plot 7-363 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.79)




Plot 7-366 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.79)


FCC ID: BCGA3595 IC: 579C-A3595	element	Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 155 of 469




Plot 7-367 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.93)




Plot 7-371 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.93)




Plot 7-368 PSD SDM Diversity Antenna WF5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.91)




Plot 7-372 PSD SDM Diversity Antenna WF8 (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.91)




Plot 7-369 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.87)



Plot 7-373 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.87)



Plot 7-370 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.79)



Plot 7-374 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.79)


FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 156 of 469




Plot 7-375 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.97)




Plot 7-379 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.97)




Plot 7-376 PSD SDM Diversity Antenna WF5T (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.99)




Plot 7-380 PSD SDM Diversity Antenna WF8 (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.99)




Plot 7-377 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU52 Index44 - Ch.103)



Plot 7-381 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU52 Index44 - Ch.103)




Plot 7-378 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.111)




Plot 7-382 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.111)


FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 157 of 469




Plot 7-383 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.113)




Plot 7-386 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.113)




Plot 7-384 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.103)



Plot 7-387 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.103)




Plot 7-385 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.111)




Plot 7-388 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.111)


FCC ID: BCGA3595 IC: 579C-A3595	element	Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 158 of 469




Plot 7-389 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.97)




Plot 7-393 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.97)




Plot 7-390 PSD SDM Diversity Antenna WF5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.99)




Plot 7-394 PSD SDM Diversity Antenna WF8 (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.99)




Plot 7-391 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-395 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-392 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)



Plot 7-396 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 159 of 469




Plot 7-397 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.117)




Plot 7-401 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.117)




Plot 7-398 PSD SDM Diversity Antenna WF5T (40 MHz BW 802.11be(RU) RU52 Index44 - Ch.155)




Plot 7-402 PSD SDM Diversity Antenna WF8 (40 MHz BW 802.11be(RU) RU52 Index44 - Ch.155)




Plot 7-399 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU52 Index44 - Ch.183)



Plot 7-403 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU52 Index44 - Ch.183)




Plot 7-400 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU52 Index44 - Ch.175)




Plot 7-404 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU52 Index44 - Ch.175)


FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 160 of 469




Plot 7-405 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-408 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-406 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.119)



Plot 7-409 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.119)




Plot 7-407 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.175)




Plot 7-410 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.175)


FCC ID: BCGA3595 IC: 579C-A3595	element	Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 161 of 469




Plot 7-411 PSD SDM Diversity Antenna WF5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.185)




Plot 7-415 PSD SDM Diversity Antenna WF8 (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.185)




Plot 7-412 PSD SDM Diversity Antenna WF5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.123)




Plot 7-416 PSD SDM Diversity Antenna WF8 (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.123)




Plot 7-413 PSD SDM Diversity Antenna WF5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.183)



Plot 7-417 PSD SDM Diversity Antenna WF8 (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.183)



Plot 7-414 PSD SDM Diversity Antenna WF5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.175)



Plot 7-418 PSD SDM Diversity Antenna WF8 (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.175)

FCC ID: BCGA3595 IC: 579C-A3595		Test Dates: 5/12/2026 - 7/15/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030025-14-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		