

APPENDIX J: 802.11AX RU RF EXPOSURE EXCLUSION

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 1 of 66

J.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

J.2 IEEE 802.11ax RU Target Powers

J.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	12.20	11.20	15.00	14.00	15.00	14.00
	2	12.20	11.20	15.20	14.20	18.00	17.00
	3	12.20	11.20	15.20	14.20	18.20	17.20
	4	12.20	11.20	15.20	14.20	18.20	17.20
	5	12.20	11.20	15.20	14.20	18.20	17.20
	6	12.20	11.20	15.20	14.20	18.20	17.20
	7	12.20	11.20	15.20	14.20	18.20	17.20
	8	12.20	11.20	15.20	14.20	18.20	17.20
	9	12.20	11.20	15.20	14.20	18.20	17.20
	10	12.20	11.20	15.20	14.20	17.00	16.00
	11	12.20	11.20	15.20	14.20	15.60	14.60
	12	12.20	11.20	12.70	11.70	12.70	11.70
	13	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones											
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	12.00	11.00	14.20	13.20	14.20	13.20	12.00	11.00	14.20	13.20	14.20	13.20
	2	12.00	11.00	15.00	14.00	17.00	16.00	12.00	11.00	15.00	14.00	17.00	16.00
	3	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	4	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	5	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	6	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	7	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	8	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	9	12.00	11.00	15.00	14.00	17.80	16.80	12.00	11.00	15.00	14.00	17.80	16.80
	10	12.00	11.00	15.00	14.00	16.00	15.00	12.00	11.00	15.00	14.00	16.00	15.00
	11	12.00	11.00	14.60	13.60	14.60	13.60	12.00	11.00	14.60	13.60	14.60	13.60
	12	12.00	11.00	12.20	11.20	12.20	11.20	12.00	11.00	12.20	11.20	12.20	11.20
	13	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 2 of 66

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	12.00	11.00	15.00	14.00	15.50	14.50
	2	12.00	11.00	15.00	14.00	18.00	17.00
	3	12.00	11.00	15.00	14.00	18.00	17.00
	4	12.00	11.00	15.00	14.00	18.00	17.00
	5	12.00	11.00	15.00	14.00	18.00	17.00
	6	12.00	11.00	15.00	14.00	18.00	17.00
	7	12.00	11.00	15.00	14.00	18.00	17.00
	8	12.00	11.00	15.00	14.00	18.00	17.00
	9	12.00	11.00	15.00	14.00	18.00	17.00
	10	12.00	11.00	15.00	14.00	17.00	16.00
	11	12.00	11.00	15.00	14.00	15.60	14.60
	12	12.00	11.00	12.50	11.50	12.50	11.50
	13	-2.80	-3.80	-2.80	-3.80	-2.80	-3.80

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1a											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones											
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	12.00	11.00	14.20	13.20	14.20	13.20	12.00	11.00	14.20	13.20	14.20	13.20
	2	12.00	11.00	15.00	14.00	17.00	16.00	12.00	11.00	15.00	14.00	17.00	16.00
	3	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	4	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	5	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	6	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	7	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	8	12.00	11.00	15.00	14.00	18.00	17.00	12.00	11.00	15.00	14.00	18.00	17.00
	9	12.00	11.00	15.00	14.00	17.80	16.80	12.00	11.00	15.00	14.00	17.80	16.80
	10	12.00	11.00	15.00	14.00	16.00	15.00	12.00	11.00	15.00	14.00	16.00	15.00
	11	12.00	11.00	14.60	13.60	14.60	13.60	12.00	11.00	14.60	13.60	14.60	13.60
	12	12.00	11.00	12.20	11.20	12.20	11.20	12.00	11.00	12.20	11.20	12.20	11.20
	13	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50	-3.50	-4.50

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	10.50	9.50	13.50	12.50	16.50	15.50
	40	10.50	9.50	13.50	12.50	16.50	15.50
	44	10.50	9.50	13.50	12.50	16.50	15.50
	48	10.50	9.50	13.50	12.50	16.50	15.50
	52	NS	NS	13.50	12.50	16.50	15.50
	56	NS	NS	13.50	12.50	16.50	15.50
	60	NS	NS	13.50	12.50	16.50	15.50
	64	NS	NS	13.50	12.50	16.50	15.50
	100	NS	NS	13.50	12.50	15.00	14.00
	104	NS	NS	13.50	12.50	16.50	15.50
	108	NS	NS	13.50	12.50	16.50	15.50
	112	NS	NS	13.50	12.50	16.50	15.50
	116	NS	NS	13.50	12.50	16.50	15.50
	120	NS	NS	13.50	12.50	16.50	15.50
	124	NS	NS	13.50	12.50	16.50	15.50
	128	NS	NS	13.50	12.50	16.50	15.50
	132	NS	NS	13.50	12.50	16.50	15.50
	136	NS	NS	13.50	12.50	16.50	15.50
	140	NS	NS	13.50	12.50	14.40	13.40
	144	NS	NS	13.50	12.50	16.50	15.50
	149	10.50	9.50	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
	38	10.50	9.50	13.50	12.50	14.00	13.00
	46	10.50	9.50	13.50	12.50	16.50	15.50
	54	NS	NS	13.50	12.50	16.50	15.50
	62	NS	NS	13.50	12.50	14.20	13.20
	102	NS	NS	13.50	12.50	13.50	12.50
	110	NS	NS	13.50	12.50	16.50	15.50
	118	NS	NS	13.50	12.50	16.50	15.50
	126	NS	NS	13.50	12.50	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	134	NS	NS	13.50	12.50	16.20	15.20
	142	NS	NS	13.50	12.50	16.50	15.50
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
	42	10.50	9.50	13.50	12.50	14.00	13.00
	58	NS	NS	13.50	12.50	14.50	13.50
5GHz WIFI 160 MHz Bandwidth	106	NS	NS	13.50	12.50	13.70	12.70
	122	NS	NS	13.50	12.50	16.50	15.50
	138	NS	NS	13.50	12.50	16.50	15.50
	155	10.50	9.50	13.50	12.50	16.50	15.50
	50	NS	NS	13.00	12.00	13.00	12.00
	114	NS	NS	13.00	12.00	13.00	12.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 4 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.30	7.30	10.80	9.80	13.20	12.20
	40	8.40	7.40	11.10	10.10	14.20	13.20
	44	8.40	7.40	11.10	10.10	14.10	13.10
	48	8.40	7.40	11.10	10.10	14.10	13.10
	52	NS	NS	10.30	9.30	13.30	12.30
	56	NS	NS	10.20	9.20	13.30	12.30
	60	NS	NS	10.10	9.10	13.40	12.40
	64	NS	NS	9.80	8.80	12.50	11.50
	100	NS	NS	10.70	9.70	13.30	12.30
	104	NS	NS	11.10	10.10	14.10	13.10
	108	NS	NS	11.00	10.00	14.20	13.20
	112	NS	NS	11.10	10.10	14.20	13.20
	116	NS	NS	11.10	10.10	14.10	13.10
	120	NS	NS	11.10	10.10	14.20	13.20
	124	NS	NS	11.10	10.10	14.10	13.10
	128	NS	NS	11.10	10.10	14.10	13.10
	132	NS	NS	11.20	10.20	14.20	13.20
	136	NS	NS	10.60	9.60	13.20	12.20
	140	NS	NS	10.60	9.60	13.10	12.10
	144	NS	NS	11.10	10.10	14.20	13.20
5 GHz WIFI 40 MHz Bandwidth	149	9.20	8.20	12.20	11.20	15.20	14.20
	153	9.20	8.20	12.20	11.20	15.20	14.20
	157	9.20	8.20	12.20	11.20	15.20	14.20
	161	9.20	8.20	12.20	11.20	15.20	14.20
	165	9.20	8.20	12.20	11.20	15.20	14.20
	38	8.30	7.30	10.90	9.90	13.00	12.00
	46	8.30	7.30	11.00	10.00	14.10	13.10
	54	NS	NS	10.20	9.20	13.30	12.30
	62	NS	NS	9.90	8.90	12.70	11.70
	102	NS	NS	10.90	9.90	12.50	11.50
	110	NS	NS	11.00	10.00	14.20	13.20
	118	NS	NS	11.10	10.10	14.10	13.10
5 GHz WIFI 80 MHz Bandwidth	126	NS	NS	11.00	10.00	14.10	13.10
	134	NS	NS	10.80	9.80	13.40	12.40
	142	NS	NS	11.10	10.10	14.20	13.20
	151	9.20	8.20	12.20	11.20	15.20	14.20
	159	9.20	8.20	12.20	11.20	15.00	14.00
	42	8.30	7.30	10.80	9.80	13.00	12.00
5GHz WIFI 160 MHz Bandwidth	58	NS	NS	10.00	9.00	12.50	11.50
	106	NS	NS	10.80	9.80	13.00	12.00
	122	NS	NS	10.90	9.90	14.10	13.10
	138	NS	NS	11.00	10.00	14.30	13.30
	155	9.20	8.20	12.20	11.20	14.70	13.70
	50	NS	NS	9.60	8.60	12.00	11.00
	114	NS	NS	11.00	10.00	12.00	11.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 5 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.60	10.60	14.00	13.00
	40	9.20	8.20	12.00	11.00	15.00	14.00
	44	9.20	8.20	12.00	11.00	14.90	13.90
	48	9.20	8.20	11.90	10.90	14.90	13.90
	52	NS	NS	12.00	11.00	15.00	14.00
	56	NS	NS	11.80	10.80	15.00	14.00
	60	NS	NS	11.80	10.80	15.10	14.10
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.50	10.50	14.00	13.00
	104	NS	NS	11.90	10.90	14.90	13.90
	108	NS	NS	11.80	10.80	15.00	14.00
	112	NS	NS	11.90	10.90	15.00	14.00
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.90	10.90	15.00	14.00
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.90	10.90	14.90	13.90
	132	NS	NS	12.00	11.00	15.00	14.00
	136	NS	NS	11.50	10.50	14.10	13.10
	140	NS	NS	11.50	10.50	13.20	12.20
	144	NS	NS	11.90	10.90	15.00	14.00
5 GHz WIFI 40 MHz Bandwidth	149	9.20	8.20	12.20	11.20	15.20	14.20
	153	9.20	8.20	12.20	11.20	15.20	14.20
	157	9.20	8.20	12.20	11.20	15.20	14.20
	161	9.20	8.20	12.20	11.20	15.20	14.20
	165	9.20	8.20	12.20	11.20	15.20	14.20
	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.10	8.10	11.80	10.80	14.90	13.90
	54	NS	NS	11.80	10.80	15.00	14.00
	62	NS	NS	11.60	10.60	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	11.80	10.80	15.00	14.00
	118	NS	NS	11.90	10.90	14.90	13.90
	126	NS	NS	11.80	10.80	14.90	13.90
	134	NS	NS	11.60	10.60	14.20	13.20
	142	NS	NS	11.90	10.90	15.00	14.00
5GHz WIFI 160 MHz Bandwidth	151	9.20	8.20	12.20	11.20	15.20	14.20
	159	9.20	8.20	12.20	11.20	15.00	14.00
5 GHz WIFI 80 MHz Bandwidth	42	9.10	8.10	11.60	10.60	13.00	12.00
	58	NS	NS	11.70	10.70	13.50	12.50
	106	NS	NS	11.60	10.60	13.00	12.00
	122	NS	NS	11.70	10.70	14.90	13.90
	138	NS	NS	11.80	10.80	15.10	14.10
5GHz WIFI 160 MHz Bandwidth	155	9.20	8.20	12.20	11.20	14.70	13.70
	50	NS	NS	11.30	10.30	12.00	11.00
	114	NS	NS	11.80	10.80	12.00	11.00

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.20	11.20	15.20	14.20
	40	9.20	8.20	12.20	11.20	15.20	14.20
	44	9.20	8.20	12.20	11.20	15.20	14.20
	48	9.20	8.20	12.20	11.20	15.20	14.20
	52	NS	NS	12.20	11.20	15.20	14.20
	56	NS	NS	12.20	11.20	15.20	14.20
	60	NS	NS	12.20	11.20	15.20	14.20
	64	NS	NS	12.20	11.20	15.20	14.20
	100	NS	NS	12.20	11.20	15.00	14.00
	104	NS	NS	12.20	11.20	15.20	14.20
	108	NS	NS	12.20	11.20	15.20	14.20
	112	NS	NS	12.20	11.20	15.20	14.20
	116	NS	NS	12.20	11.20	15.20	14.20
	120	NS	NS	12.20	11.20	15.20	14.20
	124	NS	NS	12.20	11.20	15.20	14.20
	128	NS	NS	12.20	11.20	15.20	14.20
	132	NS	NS	12.20	11.20	15.20	14.20
	136	NS	NS	12.20	11.20	15.20	14.20
	140	NS	NS	12.20	11.20	14.20	13.20
	144	NS	NS	12.20	11.20	15.20	14.20
	149	9.20	8.20	12.20	11.20	15.20	14.20
5 GHz WIFI 40 MHz Bandwidth	153	9.20	8.20	12.20	11.20	15.20	14.20
	157	9.20	8.20	12.20	11.20	15.20	14.20
	161	9.20	8.20	12.20	11.20	15.20	14.20
	165	9.20	8.20	12.20	11.20	15.20	14.20
	38	9.20	8.20	12.20	11.20	14.00	13.00
	46	9.20	8.20	12.20	11.20	15.20	14.20
	54	NS	NS	12.20	11.20	15.20	14.20
	62	NS	NS	12.20	11.20	14.00	13.00
	102	NS	NS	12.20	11.20	13.50	12.50
	110	NS	NS	12.20	11.20	15.20	14.20
5 GHz WIFI 80 MHz Bandwidth	118	NS	NS	12.20	11.20	15.20	14.20
	126	NS	NS	12.20	11.20	15.20	14.20
	134	NS	NS	12.20	11.20	14.20	13.20
	142	NS	NS	12.20	11.20	15.20	14.20
	151	9.20	8.20	12.20	11.20	15.20	14.20
	159	9.20	8.20	12.20	11.20	15.20	14.20
	42	9.20	8.20	12.20	11.20	14.00	13.00
	58	NS	NS	12.20	11.20	13.70	12.70
	106	NS	NS	12.20	11.20	13.00	12.00
	122	NS	NS	12.20	11.20	15.20	14.20
5GHz WIFI 160 MHz Bandwidth	138	NS	NS	12.20	11.20	15.20	14.20
	155	9.20	8.20	12.20	11.20	15.20	14.20
	50	NS	NS	12.20	11.20	13.00	12.00
	114	NS	NS	12.20	11.20	13.00	12.00

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.30	7.30	10.80	9.80	13.20	12.20
	40	8.40	7.40	11.10	10.10	14.20	13.20
	44	8.40	7.40	11.10	10.10	14.10	13.10
	48	8.40	7.40	11.10	10.10	14.10	13.10
	52	NS	NS	10.30	9.30	13.30	12.30
	56	NS	NS	10.20	9.20	13.30	12.30
	60	NS	NS	10.10	9.10	13.40	12.40
	64	NS	NS	9.80	8.80	12.50	11.50
	100	NS	NS	10.70	9.70	13.30	12.30
	104	NS	NS	11.10	10.10	14.10	13.10
	108	NS	NS	11.00	10.00	14.20	13.20
	112	NS	NS	11.10	10.10	14.20	13.20
	116	NS	NS	11.10	10.10	14.10	13.10
	120	NS	NS	11.10	10.10	14.20	13.20
	124	NS	NS	11.10	10.10	14.10	13.10
	128	NS	NS	11.10	10.10	14.10	13.10
	132	NS	NS	11.20	10.20	14.20	13.20
	136	NS	NS	10.60	9.60	13.20	12.20
	140	NS	NS	10.60	9.60	13.10	12.10
	144	NS	NS	11.10	10.10	14.20	13.20
5 GHz WIFI 40 MHz Bandwidth	149	9.20	8.20	12.20	11.20	15.20	14.20
	153	9.20	8.20	12.20	11.20	15.20	14.20
	157	9.20	8.20	12.20	11.20	15.20	14.20
	161	9.20	8.20	12.20	11.20	15.20	14.20
	165	9.20	8.20	12.20	11.20	15.20	14.20
	38	8.30	7.30	10.90	9.90	13.00	12.00
	46	8.30	7.30	11.00	10.00	14.10	13.10
	54	NS	NS	10.20	9.20	13.30	12.30
	62	NS	NS	9.90	8.90	12.70	11.70
	102	NS	NS	10.90	9.90	12.50	11.50
	110	NS	NS	11.00	10.00	14.20	13.20
	118	NS	NS	11.10	10.10	14.10	13.10
5 GHz WIFI 80 MHz Bandwidth	126	NS	NS	11.00	10.00	14.10	13.10
	134	NS	NS	10.80	9.80	13.40	12.40
	142	NS	NS	11.10	10.10	14.20	13.20
	151	9.20	8.20	12.20	11.20	15.20	14.20
	159	9.20	8.20	12.20	11.20	15.00	14.00
	42	8.30	7.30	10.80	9.80	13.00	12.00
5GHz WIFI 160 MHz Bandwidth	58	NS	NS	10.00	9.00	12.50	11.50
	106	NS	NS	10.80	9.80	13.00	12.00
	122	NS	NS	10.90	9.90	14.10	13.10
	138	NS	NS	11.00	10.00	14.30	13.30
	155	9.20	8.20	12.20	11.20	14.70	13.70
	50	NS	NS	9.60	8.60	12.00	11.00
	114	NS	NS	11.00	10.00	12.00	11.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 8 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.60	10.60	14.00	13.00
	40	9.20	8.20	12.00	11.00	15.00	14.00
	44	9.20	8.20	12.00	11.00	14.90	13.90
	48	9.20	8.20	11.90	10.90	14.90	13.90
	52	NS	NS	12.00	11.00	15.00	14.00
	56	NS	NS	11.80	10.80	15.00	14.00
	60	NS	NS	11.80	10.80	15.10	14.10
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.50	10.50	14.00	13.00
	104	NS	NS	11.90	10.90	14.90	13.90
	108	NS	NS	11.80	10.80	15.00	14.00
	112	NS	NS	11.90	10.90	15.00	14.00
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.90	10.90	15.00	14.00
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.90	10.90	14.90	13.90
	132	NS	NS	12.00	11.00	15.00	14.00
	136	NS	NS	11.50	10.50	14.10	13.10
	140	NS	NS	11.50	10.50	13.20	12.20
	144	NS	NS	11.90	10.90	15.00	14.00
5 GHz WIFI 40 MHz Bandwidth	149	9.20	8.20	12.20	11.20	15.20	14.20
	153	9.20	8.20	12.20	11.20	15.20	14.20
	157	9.20	8.20	12.20	11.20	15.20	14.20
	161	9.20	8.20	12.20	11.20	15.20	14.20
	165	9.20	8.20	12.20	11.20	15.20	14.20
	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.10	8.10	11.80	10.80	14.90	13.90
	54	NS	NS	11.80	10.80	15.00	14.00
	62	NS	NS	11.60	10.60	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	11.80	10.80	15.00	14.00
	118	NS	NS	11.90	10.90	14.90	13.90
	126	NS	NS	11.80	10.80	14.90	13.90
	134	NS	NS	11.60	10.60	14.20	13.20
	142	NS	NS	11.90	10.90	15.00	14.00
5GHz WIFI 160 MHz Bandwidth	151	9.20	8.20	12.20	11.20	15.20	14.20
	159	9.20	8.20	12.20	11.20	15.00	14.00
5 GHz WIFI 80 MHz Bandwidth	42	9.10	8.10	11.60	10.60	13.00	12.00
	58	NS	NS	11.70	10.70	13.50	12.50
	106	NS	NS	11.60	10.60	13.00	12.00
	122	NS	NS	11.70	10.70	14.90	13.90
	138	NS	NS	11.80	10.80	15.10	14.10
5GHz WIFI 160 MHz Bandwidth	155	9.20	8.20	12.20	11.20	14.70	13.70
	50	NS	NS	11.30	10.30	12.00	11.00
	114	NS	NS	11.80	10.80	12.00	11.00

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.20	11.20	15.20	14.20
	40	9.20	8.20	12.20	11.20	15.20	14.20
	44	9.20	8.20	12.20	11.20	15.20	14.20
	48	9.20	8.20	12.20	11.20	15.20	14.20
	52	NS	NS	12.20	11.20	15.20	14.20
	56	NS	NS	12.20	11.20	15.20	14.20
	60	NS	NS	12.20	11.20	15.20	14.20
	64	NS	NS	12.20	11.20	15.20	14.20
	100	NS	NS	12.20	11.20	15.00	14.00
	104	NS	NS	12.20	11.20	15.20	14.20
	108	NS	NS	12.20	11.20	15.20	14.20
	112	NS	NS	12.20	11.20	15.20	14.20
	116	NS	NS	12.20	11.20	15.20	14.20
	120	NS	NS	12.20	11.20	15.20	14.20
	124	NS	NS	12.20	11.20	15.20	14.20
	128	NS	NS	12.20	11.20	15.20	14.20
	132	NS	NS	12.20	11.20	15.20	14.20
	136	NS	NS	12.20	11.20	15.20	14.20
	140	NS	NS	12.20	11.20	14.20	13.20
	144	NS	NS	12.20	11.20	15.20	14.20
	149	9.20	8.20	12.20	11.20	15.20	14.20
5 GHz WIFI 40 MHz Bandwidth	153	9.20	8.20	12.20	11.20	15.20	14.20
	157	9.20	8.20	12.20	11.20	15.20	14.20
	161	9.20	8.20	12.20	11.20	15.20	14.20
	165	9.20	8.20	12.20	11.20	15.20	14.20
	38	9.20	8.20	12.20	11.20	14.00	13.00
	46	9.20	8.20	12.20	11.20	15.20	14.20
	54	NS	NS	12.20	11.20	15.20	14.20
	62	NS	NS	12.20	11.20	14.00	13.00
	102	NS	NS	12.20	11.20	13.50	12.50
	110	NS	NS	12.20	11.20	15.20	14.20
5 GHz WIFI 80 MHz Bandwidth	118	NS	NS	12.20	11.20	15.20	14.20
	126	NS	NS	12.20	11.20	15.20	14.20
	134	NS	NS	12.20	11.20	14.20	13.20
	142	NS	NS	12.20	11.20	15.20	14.20
	151	9.20	8.20	12.20	11.20	15.20	14.20
	159	9.20	8.20	12.20	11.20	15.20	14.20
	42	9.20	8.20	12.20	11.20	14.00	13.00
	58	NS	NS	12.20	11.20	13.70	12.70
	106	NS	NS	12.20	11.20	13.00	12.00
	122	NS	NS	12.20	11.20	15.20	14.20
5GHz WIFI 160 MHz Bandwidth	138	NS	NS	12.20	11.20	15.20	14.20
	155	9.20	8.20	12.20	11.20	15.20	14.20
	50	NS	NS	12.20	11.20	13.00	12.00
	114	NS	NS	12.20	11.20	13.00	12.00

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.30	7.30	10.80	9.80	13.20	12.20
	40	8.40	7.40	11.10	10.10	14.20	13.20
	44	8.40	7.40	11.10	10.10	14.10	13.10
	48	8.40	7.40	11.10	10.10	14.10	13.10
	52	NS	NS	10.30	9.30	13.30	12.30
	56	NS	NS	10.20	9.20	13.30	12.30
	60	NS	NS	10.10	9.10	13.40	12.40
	64	NS	NS	9.80	8.80	12.50	11.50
	100	NS	NS	10.70	9.70	13.30	12.30
	104	NS	NS	11.10	10.10	14.10	13.10
	108	NS	NS	11.00	10.00	14.20	13.20
	112	NS	NS	11.10	10.10	14.20	13.20
	116	NS	NS	11.10	10.10	14.10	13.10
	120	NS	NS	11.10	10.10	14.20	13.20
	124	NS	NS	11.10	10.10	14.10	13.10
	128	NS	NS	11.10	10.10	14.10	13.10
	132	NS	NS	11.20	10.20	14.20	13.20
	136	NS	NS	10.60	9.60	13.20	12.20
	140	NS	NS	10.60	9.60	13.10	12.10
	144	NS	NS	11.10	10.10	14.20	13.20
5 GHz WIFI 40 MHz Bandwidth	149	9.20	8.20	12.20	11.20	15.20	14.20
	153	9.20	8.20	12.20	11.20	15.20	14.20
	157	9.20	8.20	12.20	11.20	15.20	14.20
	161	9.20	8.20	12.20	11.20	15.20	14.20
	165	9.20	8.20	12.20	11.20	15.20	14.20
	38	8.30	7.30	10.90	9.90	13.00	12.00
	46	8.30	7.30	11.00	10.00	14.10	13.10
	54	NS	NS	10.20	9.20	13.30	12.30
	62	NS	NS	9.90	8.90	12.70	11.70
	102	NS	NS	10.90	9.90	12.50	11.50
	110	NS	NS	11.00	10.00	14.20	13.20
	118	NS	NS	11.10	10.10	14.10	13.10
5 GHz WIFI 80 MHz Bandwidth	126	NS	NS	11.00	10.00	14.10	13.10
	134	NS	NS	10.80	9.80	13.40	12.40
	142	NS	NS	11.10	10.10	14.20	13.20
	151	9.20	8.20	12.20	11.20	15.20	14.20
	159	9.20	8.20	12.20	11.20	15.00	14.00
	42	8.30	7.30	10.80	9.80	13.00	12.00
5GHz WIFI 160 MHz Bandwidth	58	NS	NS	10.00	9.00	12.50	11.50
	106	NS	NS	10.80	9.80	13.00	12.00
	122	NS	NS	10.90	9.90	14.10	13.10
	138	NS	NS	11.00	10.00	14.30	13.30
	155	9.20	8.20	12.20	11.20	14.70	13.70
	50	NS	NS	9.60	8.60	12.00	11.00
	114	NS	NS	11.00	10.00	12.00	11.00

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.60	10.60	14.00	13.00
	40	9.20	8.20	12.00	11.00	15.00	14.00
	44	9.20	8.20	12.00	11.00	14.90	13.90
	48	9.20	8.20	11.90	10.90	14.90	13.90
	52	NS	NS	12.00	11.00	15.00	14.00
	56	NS	NS	11.80	10.80	15.00	14.00
	60	NS	NS	11.80	10.80	15.10	14.10
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.50	10.50	14.00	13.00
	104	NS	NS	11.90	10.90	14.90	13.90
	108	NS	NS	11.80	10.80	15.00	14.00
	112	NS	NS	11.90	10.90	15.00	14.00
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.90	10.90	15.00	14.00
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.90	10.90	14.90	13.90
	132	NS	NS	12.00	11.00	15.00	14.00
	136	NS	NS	11.50	10.50	14.10	13.10
	140	NS	NS	11.50	10.50	13.20	12.20
	144	NS	NS	11.90	10.90	15.00	14.00
5 GHz WIFI 40 MHz Bandwidth	149	9.20	8.20	12.20	11.20	15.20	14.20
	153	9.20	8.20	12.20	11.20	15.20	14.20
	157	9.20	8.20	12.20	11.20	15.20	14.20
	161	9.20	8.20	12.20	11.20	15.20	14.20
	165	9.20	8.20	12.20	11.20	15.20	14.20
	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.10	8.10	11.80	10.80	14.90	13.90
	54	NS	NS	11.80	10.80	15.00	14.00
	62	NS	NS	11.60	10.60	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	11.80	10.80	15.00	14.00
	118	NS	NS	11.90	10.90	14.90	13.90
	126	NS	NS	11.80	10.80	14.90	13.90
	134	NS	NS	11.60	10.60	14.20	13.20
	142	NS	NS	11.90	10.90	15.00	14.00
5GHz WIFI 160 MHz Bandwidth	151	9.20	8.20	12.20	11.20	15.20	14.20
	159	9.20	8.20	12.20	11.20	15.00	14.00
5 GHz WIFI 80 MHz Bandwidth	42	9.10	8.10	11.60	10.60	13.00	12.00
	58	NS	NS	11.70	10.70	13.50	12.50
	106	NS	NS	11.60	10.60	13.00	12.00
	122	NS	NS	11.70	10.70	14.90	13.90
	138	NS	NS	11.80	10.80	15.10	14.10
5GHz WIFI 160 MHz Bandwidth	155	9.20	8.20	12.20	11.20	14.70	13.70
	50	NS	NS	11.30	10.30	12.00	11.00
	114	NS	NS	11.80	10.80	12.00	11.00

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.90	-4.90	-1.40	-2.40	1.10	0.10
	5	-4.00	-5.00	-1.10	-2.10	1.90	0.90
	9-29	-3.90	-4.90	-1.20	-2.20	1.80	0.80
	33-61	-3.40	-4.40	-0.50	-1.50	2.40	1.40
	65-85	-3.00	-4.00	-0.40	-1.40	2.50	1.50
	89	-2.80	-3.80	-0.70	-1.70	3.10	2.10
	93	-2.70	-3.70	-0.70	-1.70	3.00	2.00
	97-113	-3.00	-4.00	-0.30	-1.30	2.70	1.70
	117-181	-3.80	-4.80	-1.00	-2.00	2.00	1.00
	185	-3.60	-4.60	-0.80	-1.80	2.10	1.10
	189-225	-3.70	-4.70	-0.60	-1.60	2.40	1.40
	229	-3.30	-4.30	-0.50	-1.50	2.40	1.40
	233	NS	NS	NS	NS	NS	NS
	3	-3.90	-4.90	-1.30	-2.30	1.20	0.20
6 GHz WIFI (40MHz BW) LP	11	-4.00	-5.00	-1.20	-2.20	1.90	0.90
	19-27	-4.00	-5.00	-1.20	-2.20	1.80	0.80
	35-59	-3.40	-4.40	-0.60	-1.60	2.40	1.40
	67-75	-3.10	-4.10	-0.50	-1.50	2.70	1.70
	83	-3.20	-4.20	-0.40	-1.40	2.50	1.50
	91	-2.90	-3.90	-0.60	-1.60	3.00	2.00
	99-107	-3.00	-4.00	-0.30	-1.30	2.60	1.60
	115	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	123-179	-3.80	-4.80	-1.00	-2.00	2.00	1.00
	187	-3.60	-4.60	-0.80	-1.80	2.10	1.10
	195-219	-3.70	-4.70	-0.80	-1.80	2.50	1.50
	227	-3.40	-4.40	-0.70	-1.70	2.40	1.40
	7	-3.80	-4.80	-1.10	-2.10	1.10	0.10
	23	-3.90	-4.90	-1.20	-2.20	1.80	0.80
	39-55	-3.40	-4.40	-0.50	-1.50	2.40	1.40
6 GHz WIFI (80MHz BW) LP	71	-3.20	-4.20	-0.40	-1.40	2.70	1.70
	87	-3.20	-4.20	-0.70	-1.70	2.50	1.50
	103	-3.00	-4.00	-0.30	-1.30	2.60	1.60
	119	-3.60	-4.60	-1.00	-2.00	2.00	1.00
	135-167	-3.80	-4.80	-1.00	-2.00	2.10	1.10
	183	-3.80	-4.80	-1.10	-2.10	2.10	1.10
	199	-3.50	-4.50	-0.80	-1.80	2.40	1.40
	215	-3.70	-4.70	-0.50	-1.50	2.40	1.40
	15	-3.90	-4.90	-1.20	-2.20	1.10	0.10
	47	-3.40	-4.40	-0.70	-1.70	2.40	1.40
6 GHz WIFI (160MHz BW) LP	79	-3.20	-4.20	-0.70	-1.70	2.50	1.50
	111	-3.70	-4.70	-1.00	-2.00	2.10	1.10
	143	-3.80	-4.80	-1.00	-2.00	1.90	0.90
	175	-3.90	-4.90	-1.20	-2.20	1.80	0.80
	207	-3.70	-4.70	-0.60	-1.60	2.20	1.20

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 13 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	-7.40	-8.40	-4.60	-5.60
	5	NS	NS	-6.80	-7.80	-3.80	-4.80
	9-29	NS	NS	-6.90	-7.90	-3.90	-4.90
	33-61	NS	NS	-6.60	-7.60	-3.60	-4.60
	65-85	NS	NS	-6.70	-7.70	-3.80	-4.80
	89	-9.00	-10.00	-6.90	-7.90	-3.20	-4.20
	93	NS	NS	-6.90	-7.90	-3.20	-4.20
	97-113	NS	NS	-6.40	-7.40	-3.50	-4.50
	117-181	NS	NS	-6.60	-7.60	-3.50	-4.50
	185	NS	NS	-6.40	-7.40	-3.40	-4.40
	189-225	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
	229	-8.40	-9.40	-5.70	-6.70	-2.60	-3.60
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	-7.30	-8.30	-4.70	-5.70
6 GHz WIFI (40MHz BW) LP	11	NS	NS	-6.90	-7.90	-3.80	-4.80
	19-27	NS	NS	-6.90	-7.90	-3.90	-4.90
	35-59	NS	NS	-6.60	-7.60	-3.60	-4.60
	67-75	NS	NS	-6.70	-7.70	-3.70	-4.70
	83	NS	NS	-6.80	-7.80	-3.80	-4.80
	91	NS	NS	-6.90	-7.90	-3.20	-4.20
	99-107	NS	NS	-6.40	-7.40	-3.50	-4.50
	115	NS	NS	-6.80	-7.80	-3.60	-4.60
	123-179	NS	NS	-6.60	-7.60	-3.50	-4.50
	187	NS	NS	-6.40	-7.40	-3.40	-4.40
	195-219	-8.80	-9.80	-5.90	-6.90	-2.60	-3.60
	227	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	7	NS	NS	-7.10	-8.10	-4.50	-5.50
	23	NS	NS	-6.90	-7.90	-3.90	-4.90
	39-55	NS	NS	-6.70	-7.70	-3.60	-4.60
6 GHz WIFI (80MHz BW) LP	71	NS	NS	-6.70	-7.70	-3.60	-4.60
	87	NS	NS	-6.90	-7.90	-3.70	-4.70
	103	NS	NS	-6.40	-7.40	-3.60	-4.60
	119	NS	NS	-6.80	-7.80	-3.80	-4.80
	135-167	NS	NS	-6.60	-7.60	-3.50	-4.50
	183	NS	NS	-6.60	-7.60	-3.40	-4.40
	199	-8.60	-9.60	-5.90	-6.90	-2.70	-3.70
	215	-8.80	-9.80	-5.70	-6.70	-2.70	-3.70
	15	NS	NS	-7.10	-8.10	-4.50	-5.50
	47	NS	NS	-7.00	-8.00	-3.60	-4.60
6 GHz WIFI (160MHz BW) LP	79	NS	NS	-6.90	-7.90	-3.80	-4.80
	111	NS	NS	-6.80	-7.80	-3.80	-4.80
	143	NS	NS	-6.70	-7.70	-3.60	-4.60
	175	NS	NS	-6.70	-7.70	-3.70	-4.70
	207	-8.80	-9.80	-6.00	-7.00	-2.90	-3.90

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.50	-7.50	-4.40	-5.40	-1.60	-2.60
	5	-6.60	-7.60	-3.80	-4.80	-0.80	-1.80
	9-29	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
	33-61	-6.40	-7.40	-3.50	-4.50	-0.60	-1.60
	65-85	-6.50	-7.50	-3.70	-4.70	-0.80	-1.80
	89	-6.00	-7.00	-3.90	-4.90	-0.20	-1.20
	93	-6.10	-7.10	-3.90	-4.90	-0.20	-1.20
	97-113	-6.10	-7.10	-3.40	-4.40	-0.50	-1.50
	117-181	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	185	-6.10	-7.10	-3.40	-4.40	-0.40	-1.40
	189-225	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	229	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-6.50	-7.50	-4.30	-5.30	-1.70	-2.70
	11	-6.60	-7.60	-3.90	-4.90	-0.80	-1.80
	19-27	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
	35-59	-6.50	-7.50	-3.60	-4.60	-0.60	-1.60
	67-75	-6.50	-7.50	-3.70	-4.70	-0.70	-1.70
	83	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	91	-6.20	-7.20	-3.90	-4.90	-0.20	-1.20
	99-107	-6.20	-7.20	-3.40	-4.40	-0.50	-1.50
	115	-6.40	-7.40	-3.80	-4.80	-0.60	-1.60
	123-179	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	187	-6.30	-7.30	-3.40	-4.40	-0.40	-1.40
	195-219	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	227	-5.60	-6.60	-2.80	-3.80	0.30	-0.70
6 GHz WIFI (80MHz BW) LP	7	-6.60	-7.60	-4.10	-5.10	-1.50	-2.50
	23	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
	39-55	-6.40	-7.40	-3.70	-4.70	-0.60	-1.60
	71	-6.50	-7.50	-3.70	-4.70	-0.60	-1.60
	87	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	103	-6.10	-7.10	-3.40	-4.40	-0.60	-1.60
	119	-6.40	-7.40	-3.80	-4.80	-0.80	-1.80
	135-167	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	183	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	199	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	215	-5.80	-6.80	-2.70	-3.70	0.20	-0.80
6 GHz WIFI (160MHz BW) LP	15	-6.60	-7.60	-4.10	-5.10	-1.50	-2.50
	47	-6.40	-7.40	-4.00	-5.00	-0.60	-1.60
	79	-6.60	-7.60	-3.90	-4.90	-0.80	-1.80
	111	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	143	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	175	-6.70	-7.70	-3.70	-4.70	-0.70	-1.70
	207	-5.80	-6.80	-3.10	-4.10	0.00	-1.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 15 of 66

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.40	-8.40	-4.50	-5.50	-1.60	-2.60
	65-85	-7.00	-8.00	-4.40	-5.40	-1.50	-2.50
	89	-6.80	-7.80	-4.70	-5.70	-0.90	-1.90
	93	-6.70	-7.70	-4.70	-5.70	-1.00	-2.00
	97-113	-7.00	-8.00	-4.30	-5.30	-1.30	-2.30
	117-181	-7.80	-8.80	-5.00	-6.00	-2.00	-3.00
	185	-7.60	-8.60	-4.80	-5.80	-1.90	-2.90
	189-225	-7.70	-8.70	-4.60	-5.60	-1.60	-2.60
	229	-7.30	-8.30	-4.50	-5.50	-1.60	-2.60
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.40	-8.40	-4.60	-5.60	-1.60	-2.60
	67-75	-7.10	-8.10	-4.50	-5.50	-1.30	-2.30
	83	-7.20	-8.20	-4.40	-5.40	-1.50	-2.50
	91	-6.90	-7.90	-4.60	-5.60	-1.00	-2.00
	99-107	-7.00	-8.00	-4.30	-5.30	-1.40	-2.40
	115	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	123-179	-7.80	-8.80	-5.00	-6.00	-2.00	-3.00
	187	-7.60	-8.60	-4.80	-5.80	-1.90	-2.90
	195-219	-7.70	-8.70	-4.80	-5.80	-1.50	-2.50
	227	-7.40	-8.40	-4.70	-5.70	-1.60	-2.60
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.40	-8.40	-4.50	-5.50	-1.60	-2.60
6 GHz WIFI (80MHz BW) VLP	71	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	87	-7.20	-8.20	-4.70	-5.70	-1.50	-2.50
	103	-7.00	-8.00	-4.30	-5.30	-1.40	-2.40
	119	-7.60	-8.60	-5.00	-6.00	-2.00	-3.00
	135-167	-7.80	-8.80	-5.00	-6.00	-1.90	-2.90
	183	-7.80	-8.80	-5.10	-6.10	-1.90	-2.90
	199	-7.50	-8.50	-4.80	-5.80	-1.60	-2.60
	215	-7.70	-8.70	-4.50	-5.50	-1.60	-2.60
	15	NS	NS	NS	NS	NS	NS
	47	-7.40	-8.40	-4.70	-5.70	-1.60	-2.60
6 GHz WIFI (160MHz BW) VLP	79	-7.20	-8.20	-4.70	-5.70	-1.50	-2.50
	111	-7.70	-8.70	-5.00	-6.00	-1.90	-2.90
	143	-7.80	-8.80	-5.00	-6.00	-2.10	-3.10
	175	-7.90	-8.90	-5.20	-6.20	-2.20	-3.20
	207	-7.70	-8.70	-4.60	-5.60	-1.80	-2.80

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 16 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-7.60	-8.60
	65-85	NS	NS	NS	NS	-7.80	-8.80
	89	NS	NS	NS	NS	-7.20	-8.20
	93	NS	NS	NS	NS	-7.20	-8.20
	97-113	NS	NS	NS	NS	-7.50	-8.50
	117-181	NS	NS	NS	NS	-7.50	-8.50
	185	NS	NS	NS	NS	-7.40	-8.40
	189-225	NS	NS	NS	NS	-6.60	-7.60
	229	NS	NS	NS	NS	-6.60	-7.60
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-7.60	-8.60
	67-75	NS	NS	NS	NS	-7.70	-8.70
	83	NS	NS	NS	NS	-7.80	-8.80
	91	NS	NS	NS	NS	-7.20	-8.20
	99-107	NS	NS	NS	NS	-7.50	-8.50
	115	NS	NS	NS	NS	-7.60	-8.60
	123-179	NS	NS	NS	NS	-7.50	-8.50
	187	NS	NS	NS	NS	-7.40	-8.40
	195-219	NS	NS	NS	NS	-6.60	-7.60
	227	NS	NS	NS	NS	-6.70	-7.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-7.60	-8.60
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	-7.60	-8.60
	87	NS	NS	NS	NS	-7.70	-8.70
	103	NS	NS	NS	NS	-7.60	-8.60
	119	NS	NS	NS	NS	-7.80	-8.80
	135-167	NS	NS	NS	NS	-7.50	-8.50
	183	NS	NS	NS	NS	-7.40	-8.40
	199	NS	NS	NS	NS	-6.70	-7.70
	215	NS	NS	NS	NS	-6.70	-7.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-7.60	-8.60
6 GHz WIFI (160MHz BW) VLP	79	NS	NS	NS	NS	-7.80	-8.80
	111	NS	NS	NS	NS	-7.80	-8.80
	143	NS	NS	NS	NS	-7.60	-8.60
	175	NS	NS	NS	NS	-7.70	-8.70
	207	NS	NS	NS	NS	-6.90	-7.90

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 17 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.50	-8.50	-4.60	-5.60
	65-85	NS	NS	-7.70	-8.70	-4.80	-5.80
	89	NS	NS	-7.90	-8.90	-4.20	-5.20
	93	NS	NS	-7.90	-8.90	-4.20	-5.20
	97-113	NS	NS	-7.40	-8.40	-4.50	-5.50
	117-181	NS	NS	-7.60	-8.60	-4.50	-5.50
	185	NS	NS	-7.40	-8.40	-4.40	-5.40
	189-225	NS	NS	-6.90	-7.90	-3.70	-4.70
	229	NS	NS	-6.70	-7.70	-3.70	-4.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.60	-8.60	-4.60	-5.60
	67-75	NS	NS	-7.70	-8.70	-4.70	-5.70
	83	NS	NS	-7.80	-8.80	-4.80	-5.80
	91	NS	NS	-7.90	-8.90	-4.20	-5.20
	99-107	NS	NS	-7.40	-8.40	-4.50	-5.50
	115	NS	NS	-7.80	-8.80	-4.60	-5.60
	123-179	NS	NS	-7.60	-8.60	-4.50	-5.50
	187	NS	NS	-7.40	-8.40	-4.40	-5.40
	195-219	NS	NS	-6.90	-7.90	-3.70	-4.70
	227	NS	NS	-6.80	-7.80	-3.70	-4.70
6 GHz WIFI (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.70	-8.70	-4.60	-5.60
	71	NS	NS	-7.70	-8.70	-4.60	-5.60
	87	NS	NS	-7.90	-8.90	-4.70	-5.70
	103	NS	NS	-7.40	-8.40	-4.60	-5.60
	119	NS	NS	-7.80	-8.80	-4.80	-5.80
	135-167	NS	NS	-7.60	-8.60	-4.50	-5.50
	183	NS	NS	-7.60	-8.60	-4.40	-5.40
	199	NS	NS	-6.90	-7.90	-3.70	-4.70
6 GHz WIFI (160MHz BW) VLP	215	NS	NS	-6.70	-7.70	-3.80	-4.80
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.00	-9.00	-4.60	-5.60
	79	NS	NS	-7.90	-8.90	-4.80	-5.80
	111	NS	NS	-7.80	-8.80	-4.80	-5.80
	143	NS	NS	-7.70	-8.70	-4.60	-5.60
	175	NS	NS	-7.70	-8.70	-4.70	-5.70
	207	NS	NS	-7.10	-8.10	-4.00	-5.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 18 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.20	9.20	13.20	12.20	14.25	13.25
	5	10.20	9.20	13.20	12.20	14.25	13.25
	9-29	10.20	9.20	13.20	12.20	14.25	13.25
	33-61	10.20	9.20	12.75	11.75	12.75	11.75
	65-85	10.20	9.20	12.75	11.75	12.75	11.75
	89	10.20	9.20	12.75	11.75	12.75	11.75
	93	10.20	9.20	12.75	11.75	12.75	11.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	10.20	9.20	12.75	11.75	12.75	11.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.20	9.20	13.20	12.20	14.25	13.25
	11	10.20	9.20	13.20	12.20	14.25	13.25
6 GHz WIFI (40MHz BW) SP	19-27	10.20	9.20	13.20	12.20	14.25	13.25
	35-59	10.20	9.20	12.75	11.75	12.75	11.75
	67-75	10.20	9.20	12.75	11.75	12.75	11.75
	83	10.20	9.20	12.75	11.75	12.75	11.75
	91	10.20	9.20	12.75	11.75	12.75	11.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	10.20	9.20	12.75	11.75	12.75	11.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.20	9.20	13.20	12.20	14.25	13.25
	23	10.20	9.20	13.20	12.20	14.25	13.25
	39-55	10.20	9.20	12.75	11.75	12.75	11.75
	71	10.20	9.20	12.75	11.75	12.75	11.75
	87	10.20	9.20	12.75	11.75	12.75	11.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	10.20	9.20	12.75	11.75	12.75	11.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.20	9.20	13.20	12.20	14.25	13.25
	47	10.20	9.20	12.75	11.75	12.75	11.75
6 GHz WIFI (160MHz BW) SP	79	10.20	9.20	12.75	11.75	12.75	11.75
	111	NS	NS	NS	NS	NS	NS
	143	10.20	9.20	12.75	11.75	12.75	11.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 19 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.50	7.50	10.60	9.60	13.40	12.40
	5	8.40	7.40	11.20	10.20	14.20	13.20
	9-29	8.20	7.20	11.10	10.10	14.10	13.10
	33-61	8.60	7.60	11.40	10.40	12.75	11.75
	65-85	8.50	7.50	11.30	10.30	12.75	11.75
	89	9.00	8.00	11.10	10.10	12.75	11.75
	93	8.90	7.90	11.10	10.10	12.75	11.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.70	7.70	11.40	10.40	12.75	11.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.50	7.50	10.70	9.70	13.30	12.30
	11	8.40	7.40	11.10	10.10	14.20	13.20
6 GHz WIFI (40MHz BW) SP	19-27	8.20	7.20	11.10	10.10	14.10	13.10
	35-59	8.50	7.50	11.40	10.40	12.75	11.75
	67-75	8.50	7.50	11.30	10.30	12.75	11.75
	83	8.50	7.50	11.20	10.20	12.75	11.75
	91	8.80	7.80	11.10	10.10	12.75	11.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.70	7.70	11.40	10.40	12.75	11.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.40	7.40	10.90	9.90	13.50	12.50
	23	8.20	7.20	11.10	10.10	14.10	13.10
	39-55	8.60	7.60	11.30	10.30	12.75	11.75
	71	8.50	7.50	11.30	10.30	12.75	11.75
	87	8.50	7.50	11.10	10.10	12.75	11.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.70	7.70	11.40	10.40	12.75	11.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.10	7.10	10.50	9.50	13.40	12.40
	47	8.50	7.50	10.90	9.90	12.75	11.75
	79	7.90	6.90	10.70	9.70	12.75	11.75
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.30	10.30	12.75	11.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 20 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.00	8.00	12.00	11.00	14.25	13.25
	5	9.00	8.00	12.00	11.00	14.25	13.25
	9-29	9.00	8.00	12.00	11.00	14.25	13.25
	33-61	9.00	8.00	12.00	11.00	12.75	11.75
	65-85	9.00	8.00	12.00	11.00	12.75	11.75
	89	9.00	8.00	12.00	11.00	12.75	11.75
	93	9.00	8.00	12.00	11.00	12.75	11.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	12.75	11.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.00	8.00	12.00	11.00	14.25	13.25
	11	9.00	8.00	12.00	11.00	14.25	13.25
6 GHz WIFI (40MHz BW) SP	19-27	9.00	8.00	12.00	11.00	14.25	13.25
	35-59	9.00	8.00	12.00	11.00	12.75	11.75
	67-75	9.00	8.00	12.00	11.00	12.75	11.75
	83	9.00	8.00	12.00	11.00	12.75	11.75
	91	9.00	8.00	12.00	11.00	12.75	11.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	12.75	11.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	12.00	11.00	14.25	13.25
	23	9.00	8.00	12.00	11.00	14.25	13.25
	39-55	9.00	8.00	12.00	11.00	12.75	11.75
	71	9.00	8.00	12.00	11.00	12.75	11.75
	87	9.00	8.00	12.00	11.00	12.75	11.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	12.75	11.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.00	8.00	12.00	11.00	14.25	13.25
	47	9.00	8.00	12.00	11.00	12.75	11.75
	79	9.00	8.00	12.00	11.00	12.75	11.75
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	9.00	8.00	12.00	11.00	12.75	11.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 21 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.00	-4.00	-0.90	-1.90	1.90	0.90
	5	-3.00	-4.00	-0.30	-1.30	2.70	1.70
	9-29	-3.40	-4.40	-0.50	-1.50	2.60	1.60
	33-61	-3.20	-4.20	-0.50	-1.50	2.50	1.50
	65-85	-3.80	-4.80	-0.90	-1.90	2.10	1.10
	89	-3.30	-4.30	-1.10	-2.10	2.60	1.60
	93	-3.30	-4.30	-1.10	-2.10	2.60	1.60
	97-113	-3.20	-4.20	-0.40	-1.40	2.50	1.50
	117-181	-2.60	-3.60	0.00	-1.00	3.10	2.10
	185	-2.40	-3.40	0.20	-0.80	3.20	2.20
	189-225	-1.70	-2.70	1.20	0.20	4.40	3.40
	229	-1.30	-2.30	1.40	0.40	4.50	3.50
	233	NS	NS	NS	NS	NS	NS
	3	-3.00	-4.00	-0.90	-1.90	1.80	0.80
6 GHz WIFI (40MHz BW) LP	11	-3.20	-4.20	-0.50	-1.50	2.80	1.80
	19-27	-3.40	-4.40	-0.50	-1.50	2.60	1.60
	35-59	-3.50	-4.50	-0.50	-1.50	2.50	1.50
	67-75	-3.80	-4.80	-0.90	-1.90	2.10	1.10
	83	-3.70	-4.70	-1.00	-2.00	2.10	1.10
	91	-3.30	-4.30	-1.10	-2.10	2.50	1.50
	99-107	-3.20	-4.20	-0.40	-1.40	2.50	1.50
	115	-3.20	-4.20	-0.50	-1.50	2.70	1.70
	123-179	-2.70	-3.70	0.00	-1.00	3.10	2.10
	187	-2.70	-3.70	0.20	-0.80	3.20	2.20
	195-219	-1.70	-2.70	1.20	0.20	4.40	3.40
	227	-1.40	-2.40	1.30	0.30	4.50	3.50
	7	-3.10	-4.10	-0.70	-1.70	2.00	1.00
	23	-3.40	-4.40	-0.50	-1.50	2.60	1.60
	39-55	-3.30	-4.30	-0.60	-1.60	2.50	1.50
6 GHz WIFI (80MHz BW) LP	71	-3.80	-4.80	-0.90	-1.90	2.10	1.10
	87	-3.80	-4.80	-1.10	-2.10	2.10	1.10
	103	-3.20	-4.20	-0.40	-1.40	2.40	1.40
	119	-3.20	-4.20	-0.50	-1.50	2.60	1.60
	135-167	-2.60	-3.60	0.00	-1.00	3.10	2.10
	183	-2.60	-3.60	0.00	-1.00	3.20	2.20
	199	-1.50	-2.50	1.20	0.20	4.40	3.40
	215	-1.70	-2.70	1.40	0.40	4.50	3.50
	15	-3.10	-4.10	-0.70	-1.70	1.70	0.70
	47	-3.30	-4.30	-0.90	-1.90	2.50	1.50
6 GHz WIFI (160MHz BW) LP	79	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	111	-3.20	-4.20	-0.60	-1.60	2.50	1.50
	143	-3.00	-4.00	-0.10	-1.10	3.10	2.10
	175	-3.20	-4.20	0.00	-1.00	3.20	2.20
	207	-1.70	-2.70	1.00	0.00	4.20	3.20

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 22 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	-7.40	-8.40	-4.60	-5.60
	5	NS	NS	-6.80	-7.80	-3.80	-4.80
	9-29	NS	NS	-6.90	-7.90	-3.90	-4.90
	33-61	NS	NS	-6.60	-7.60	-3.60	-4.60
	65-85	NS	NS	-6.70	-7.70	-3.80	-4.80
	89	-9.00	-10.00	-6.90	-7.90	-3.20	-4.20
	93	NS	NS	-6.90	-7.90	-3.20	-4.20
	97-113	NS	NS	-6.40	-7.40	-3.50	-4.50
	117-181	NS	NS	-6.60	-7.60	-3.50	-4.50
	185	NS	NS	-6.40	-7.40	-3.40	-4.40
	189-225	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
	229	-8.40	-9.40	-5.70	-6.70	-2.60	-3.60
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	-7.30	-8.30	-4.70	-5.70
6 GHz WIFI (40MHz BW) LP	11	NS	NS	-6.90	-7.90	-3.80	-4.80
	19-27	NS	NS	-6.90	-7.90	-3.90	-4.90
	35-59	NS	NS	-6.60	-7.60	-3.60	-4.60
	67-75	NS	NS	-6.70	-7.70	-3.70	-4.70
	83	NS	NS	-6.80	-7.80	-3.80	-4.80
	91	NS	NS	-6.90	-7.90	-3.20	-4.20
	99-107	NS	NS	-6.40	-7.40	-3.50	-4.50
	115	NS	NS	-6.80	-7.80	-3.60	-4.60
	123-179	NS	NS	-6.60	-7.60	-3.50	-4.50
	187	NS	NS	-6.40	-7.40	-3.40	-4.40
	195-219	-8.80	-9.80	-5.90	-6.90	-2.60	-3.60
	227	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	7	NS	NS	-7.10	-8.10	-4.50	-5.50
	23	NS	NS	-6.90	-7.90	-3.90	-4.90
	39-55	NS	NS	-6.70	-7.70	-3.60	-4.60
6 GHz WIFI (80MHz BW) LP	71	NS	NS	-6.70	-7.70	-3.60	-4.60
	87	NS	NS	-6.90	-7.90	-3.70	-4.70
	103	NS	NS	-6.40	-7.40	-3.60	-4.60
	119	NS	NS	-6.80	-7.80	-3.80	-4.80
	135-167	NS	NS	-6.60	-7.60	-3.50	-4.50
	183	NS	NS	-6.60	-7.60	-3.40	-4.40
	199	-8.60	-9.60	-5.90	-6.90	-2.70	-3.70
	215	-8.80	-9.80	-5.70	-6.70	-2.70	-3.70
	15	NS	NS	-7.10	-8.10	-4.50	-5.50
	47	NS	NS	-7.00	-8.00	-3.60	-4.60
6 GHz WIFI (160MHz BW) LP	79	NS	NS	-6.90	-7.90	-3.80	-4.80
	111	NS	NS	-6.80	-7.80	-3.80	-4.80
	143	NS	NS	-6.70	-7.70	-3.60	-4.60
	175	NS	NS	-6.70	-7.70	-3.70	-4.70
	207	-8.80	-9.80	-6.00	-7.00	-2.90	-3.90

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.50	-7.50	-4.40	-5.40	-1.60	-2.60
	5	-6.60	-7.60	-3.80	-4.80	-0.80	-1.80
	9-29	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
	33-61	-6.40	-7.40	-3.50	-4.50	-0.60	-1.60
	65-85	-6.50	-7.50	-3.70	-4.70	-0.80	-1.80
	89	-6.00	-7.00	-3.90	-4.90	-0.20	-1.20
	93	-6.10	-7.10	-3.90	-4.90	-0.20	-1.20
	97-113	-6.10	-7.10	-3.40	-4.40	-0.50	-1.50
	117-181	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	185	-6.10	-7.10	-3.40	-4.40	-0.40	-1.40
	189-225	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	229	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-6.50	-7.50	-4.30	-5.30	-1.70	-2.70
	11	-6.60	-7.60	-3.90	-4.90	-0.80	-1.80
	19-27	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
	35-59	-6.50	-7.50	-3.60	-4.60	-0.60	-1.60
	67-75	-6.50	-7.50	-3.70	-4.70	-0.70	-1.70
	83	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	91	-6.20	-7.20	-3.90	-4.90	-0.20	-1.20
	99-107	-6.20	-7.20	-3.40	-4.40	-0.50	-1.50
	115	-6.40	-7.40	-3.80	-4.80	-0.60	-1.60
	123-179	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	187	-6.30	-7.30	-3.40	-4.40	-0.40	-1.40
	195-219	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	227	-5.60	-6.60	-2.80	-3.80	0.30	-0.70
6 GHz WIFI (80MHz BW) LP	7	-6.60	-7.60	-4.10	-5.10	-1.50	-2.50
	23	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
	39-55	-6.40	-7.40	-3.70	-4.70	-0.60	-1.60
	71	-6.50	-7.50	-3.70	-4.70	-0.60	-1.60
	87	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	103	-6.10	-7.10	-3.40	-4.40	-0.60	-1.60
	119	-6.40	-7.40	-3.80	-4.80	-0.80	-1.80
	135-167	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	183	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	199	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	215	-5.80	-6.80	-2.70	-3.70	0.20	-0.80
6 GHz WIFI (160MHz BW) LP	15	-6.60	-7.60	-4.10	-5.10	-1.50	-2.50
	47	-6.40	-7.40	-4.00	-5.00	-0.60	-1.60
	79	-6.60	-7.60	-3.90	-4.90	-0.80	-1.80
	111	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	143	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	175	-6.70	-7.70	-3.70	-4.70	-0.70	-1.70
	207	-5.80	-6.80	-3.10	-4.10	0.00	-1.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 24 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	65-85	-7.80	-8.80	-4.90	-5.90	-1.90	-2.90
	89	-7.30	-8.30	-5.10	-6.10	-1.40	-2.40
	93	-7.30	-8.30	-5.10	-6.10	-1.40	-2.40
	97-113	-7.20	-8.20	-4.40	-5.40	-1.50	-2.50
	117-181	-6.60	-7.60	-4.00	-5.00	-0.90	-1.90
	185	-6.40	-7.40	-3.80	-4.80	-0.80	-1.80
	189-225	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	229	-5.30	-6.30	-2.60	-3.60	0.50	-0.50
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.50	-8.50	-4.50	-5.50	-1.50	-2.50
	67-75	-7.80	-8.80	-4.90	-5.90	-1.90	-2.90
	83	-7.70	-8.70	-5.00	-6.00	-1.90	-2.90
	91	-7.30	-8.30	-5.10	-6.10	-1.50	-2.50
	99-107	-7.20	-8.20	-4.40	-5.40	-1.50	-2.50
	115	-7.20	-8.20	-4.50	-5.50	-1.30	-2.30
	123-179	-6.70	-7.70	-4.00	-5.00	-0.90	-1.90
	187	-6.70	-7.70	-3.80	-4.80	-0.80	-1.80
	195-219	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	227	-5.40	-6.40	-2.70	-3.70	0.50	-0.50
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.30	-8.30	-4.60	-5.60	-1.50	-2.50
6 GHz WIFI (80MHz BW) VLP	71	-7.80	-8.80	-4.90	-5.90	-1.90	-2.90
	87	-7.80	-8.80	-5.10	-6.10	-1.90	-2.90
	103	-7.20	-8.20	-4.40	-5.40	-1.60	-2.60
	119	-7.20	-8.20	-4.50	-5.50	-1.40	-2.40
	135-167	-6.60	-7.60	-4.00	-5.00	-0.90	-1.90
	183	-6.60	-7.60	-4.00	-5.00	-0.80	-1.80
	199	-5.50	-6.50	-2.80	-3.80	0.40	-0.60
	215	-5.70	-6.70	-2.60	-3.60	0.50	-0.50
	15	NS	NS	NS	NS	NS	NS
	47	-7.30	-8.30	-4.90	-5.90	-1.50	-2.50
6 GHz WIFI (160MHz BW) VLP	79	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	111	-7.20	-8.20	-4.60	-5.60	-1.50	-2.50
	143	-7.00	-8.00	-4.10	-5.10	-0.90	-1.90
	175	-7.20	-8.20	-4.00	-5.00	-0.80	-1.80
	207	-5.70	-6.70	-3.00	-4.00	0.20	-0.80

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 25 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-7.60	-8.60
	65-85	NS	NS	NS	NS	-7.80	-8.80
	89	NS	NS	NS	NS	-7.20	-8.20
	93	NS	NS	NS	NS	-7.20	-8.20
	97-113	NS	NS	NS	NS	-7.50	-8.50
	117-181	NS	NS	NS	NS	-7.50	-8.50
	185	NS	NS	NS	NS	-7.40	-8.40
	189-225	NS	NS	NS	NS	-6.60	-7.60
	229	NS	NS	NS	NS	-6.60	-7.60
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-7.60	-8.60
	67-75	NS	NS	NS	NS	-7.70	-8.70
	83	NS	NS	NS	NS	-7.80	-8.80
	91	NS	NS	NS	NS	-7.20	-8.20
	99-107	NS	NS	NS	NS	-7.50	-8.50
	115	NS	NS	NS	NS	-7.60	-8.60
	123-179	NS	NS	NS	NS	-7.50	-8.50
	187	NS	NS	NS	NS	-7.40	-8.40
	195-219	NS	NS	NS	NS	-6.60	-7.60
	227	NS	NS	NS	NS	-6.70	-7.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-7.60	-8.60
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	-7.60	-8.60
	87	NS	NS	NS	NS	-7.70	-8.70
	103	NS	NS	NS	NS	-7.60	-8.60
	119	NS	NS	NS	NS	-7.80	-8.80
	135-167	NS	NS	NS	NS	-7.50	-8.50
	183	NS	NS	NS	NS	-7.40	-8.40
	199	NS	NS	NS	NS	-6.70	-7.70
	215	NS	NS	NS	NS	-6.70	-7.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-7.60	-8.60
6 GHz WIFI (160MHz BW) VLP	79	NS	NS	NS	NS	-7.80	-8.80
	111	NS	NS	NS	NS	-7.80	-8.80
	143	NS	NS	NS	NS	-7.60	-8.60
	175	NS	NS	NS	NS	-7.70	-8.70
	207	NS	NS	NS	NS	-6.90	-7.90

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 26 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.50	-8.50	-4.60	-5.60
	65-85	NS	NS	-7.70	-8.70	-4.80	-5.80
	89	NS	NS	-7.90	-8.90	-4.20	-5.20
	93	NS	NS	-7.90	-8.90	-4.20	-5.20
	97-113	NS	NS	-7.40	-8.40	-4.50	-5.50
	117-181	NS	NS	-7.60	-8.60	-4.50	-5.50
	185	NS	NS	-7.40	-8.40	-4.40	-5.40
	189-225	NS	NS	-6.90	-7.90	-3.70	-4.70
	229	NS	NS	-6.70	-7.70	-3.70	-4.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.60	-8.60	-4.60	-5.60
	67-75	NS	NS	-7.70	-8.70	-4.70	-5.70
	83	NS	NS	-7.80	-8.80	-4.80	-5.80
	91	NS	NS	-7.90	-8.90	-4.20	-5.20
	99-107	NS	NS	-7.40	-8.40	-4.50	-5.50
	115	NS	NS	-7.80	-8.80	-4.60	-5.60
	123-179	NS	NS	-7.60	-8.60	-4.50	-5.50
	187	NS	NS	-7.40	-8.40	-4.40	-5.40
	195-219	NS	NS	-6.90	-7.90	-3.70	-4.70
	227	NS	NS	-6.80	-7.80	-3.70	-4.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.70	-8.70	-4.60	-5.60
	71	NS	NS	-7.70	-8.70	-4.60	-5.60
	87	NS	NS	-7.90	-8.90	-4.70	-5.70
6 GHz WIFI (80MHz BW) VLP	103	NS	NS	-7.40	-8.40	-4.60	-5.60
	119	NS	NS	-7.80	-8.80	-4.80	-5.80
	135-167	NS	NS	-7.60	-8.60	-4.50	-5.50
	183	NS	NS	-7.60	-8.60	-4.40	-5.40
	199	NS	NS	-6.90	-7.90	-3.70	-4.70
	215	NS	NS	-6.70	-7.70	-3.80	-4.80
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.00	-9.00	-4.60	-5.60
	79	NS	NS	-7.90	-8.90	-4.80	-5.80
	111	NS	NS	-7.80	-8.80	-4.80	-5.80
6 GHz WIFI (160MHz BW) VLP	143	NS	NS	-7.70	-8.70	-4.60	-5.60
	175	NS	NS	-7.70	-8.70	-4.70	-5.70
	207	NS	NS	-7.10	-8.10	-4.00	-5.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 27 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.00	8.00	12.00	11.00	14.75	13.75
	5	9.00	8.00	12.00	11.00	14.75	13.75
	9-29	9.00	8.00	12.00	11.00	14.75	13.75
	33-61	9.00	8.00	12.00	11.00	13.75	12.75
	65-85	9.00	8.00	12.00	11.00	13.75	12.75
	89	9.00	8.00	12.00	11.00	13.75	12.75
	93	9.00	8.00	12.00	11.00	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	14.00	13.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.00	8.00	12.00	11.00	14.75	13.75
	11	9.00	8.00	12.00	11.00	14.75	13.75
6 GHz WIFI (40MHz BW) SP	19-27	9.00	8.00	12.00	11.00	14.75	13.75
	35-59	9.00	8.00	12.00	11.00	13.75	12.75
	67-75	9.00	8.00	12.00	11.00	13.75	12.75
	83	9.00	8.00	12.00	11.00	13.75	12.75
	91	9.00	8.00	12.00	11.00	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	14.00	13.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	12.00	11.00	14.75	13.75
	23	9.00	8.00	12.00	11.00	14.75	13.75
	39-55	9.00	8.00	12.00	11.00	13.75	12.75
	71	9.00	8.00	12.00	11.00	13.75	12.75
	87	9.00	8.00	12.00	11.00	13.75	12.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.00	8.00	12.00	11.00	14.75	13.75
	47	9.00	8.00	12.00	11.00	13.75	12.75
6 GHz WIFI (160MHz BW) SP	79	9.00	8.00	12.00	11.00	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
	143	9.00	8.00	12.00	11.00	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 28 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.50	7.50	10.60	9.60	13.40	12.40
	5	8.40	7.40	11.20	10.20	14.20	13.20
	9-29	8.20	7.20	11.10	10.10	14.10	13.10
	33-61	8.60	7.60	11.40	10.40	13.75	12.75
	65-85	8.50	7.50	11.30	10.30	13.75	12.75
	89	9.00	8.00	11.10	10.10	13.75	12.75
	93	8.90	7.90	11.10	10.10	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.70	7.70	11.40	10.40	14.00	13.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.50	7.50	10.70	9.70	13.30	12.30
	11	8.40	7.40	11.10	10.10	14.20	13.20
6 GHz WIFI (40MHz BW) SP	19-27	8.20	7.20	11.10	10.10	14.10	13.10
	35-59	8.50	7.50	11.40	10.40	13.75	12.75
	67-75	8.50	7.50	11.30	10.30	13.75	12.75
	83	8.50	7.50	11.20	10.20	13.75	12.75
	91	8.80	7.80	11.10	10.10	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.70	7.70	11.40	10.40	14.00	13.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.40	7.40	10.90	9.90	13.50	12.50
	23	8.20	7.20	11.10	10.10	14.10	13.10
	39-55	8.60	7.60	11.30	10.30	13.75	12.75
	71	8.50	7.50	11.30	10.30	13.75	12.75
	87	8.50	7.50	11.10	10.10	13.75	12.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.70	7.70	11.40	10.40	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.10	7.10	10.50	9.50	13.40	12.40
	47	8.50	7.50	10.90	9.90	13.75	12.75
	79	7.90	6.90	10.70	9.70	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.30	10.30	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5B						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.00	8.00	12.00	11.00	14.75	13.75
	5	9.00	8.00	12.00	11.00	14.75	13.75
	9-29	9.00	8.00	12.00	11.00	14.75	13.75
	33-61	9.00	8.00	12.00	11.00	13.75	12.75
	65-85	9.00	8.00	12.00	11.00	13.75	12.75
	89	9.00	8.00	12.00	11.00	13.75	12.75
	93	9.00	8.00	12.00	11.00	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	14.00	13.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.00	8.00	12.00	11.00	14.75	13.75
	11	9.00	8.00	12.00	11.00	14.75	13.75
6 GHz WIFI (40MHz BW) SP	19-27	9.00	8.00	12.00	11.00	14.75	13.75
	35-59	9.00	8.00	12.00	11.00	13.75	12.75
	67-75	9.00	8.00	12.00	11.00	13.75	12.75
	83	9.00	8.00	12.00	11.00	13.75	12.75
	91	9.00	8.00	12.00	11.00	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	14.00	13.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	12.00	11.00	14.75	13.75
	23	9.00	8.00	12.00	11.00	14.75	13.75
	39-55	9.00	8.00	12.00	11.00	13.75	12.75
	71	9.00	8.00	12.00	11.00	13.75	12.75
	87	9.00	8.00	12.00	11.00	13.75	12.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.00	8.00	12.00	11.00	14.75	13.75
	47	9.00	8.00	12.00	11.00	13.75	12.75
	79	9.00	8.00	12.00	11.00	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	9.00	8.00	12.00	11.00	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 30 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.00	-4.00	-0.90	-1.90	1.90	0.90
	5	-3.00	-4.00	-0.30	-1.30	2.70	1.70
	9-29	-3.40	-4.40	-0.50	-1.50	2.60	1.60
	33-61	-3.20	-4.20	-0.50	-1.50	2.50	1.50
	65-85	-3.80	-4.80	-0.90	-1.90	2.10	1.10
	89	-3.30	-4.30	-1.10	-2.10	2.60	1.60
	93	-3.30	-4.30	-1.10	-2.10	2.60	1.60
	97-113	-3.20	-4.20	-0.40	-1.40	2.50	1.50
	117-181	-2.60	-3.60	0.00	-1.00	3.10	2.10
	185	-2.40	-3.40	0.20	-0.80	3.20	2.20
	189-225	-1.70	-2.70	1.20	0.20	4.40	3.40
	229	-1.30	-2.30	1.40	0.40	4.50	3.50
	233	NS	NS	NS	NS	NS	NS
	3	-3.00	-4.00	-0.90	-1.90	1.80	0.80
6 GHz WIFI (40MHz BW) LP	11	-3.20	-4.20	-0.50	-1.50	2.80	1.80
	19-27	-3.40	-4.40	-0.50	-1.50	2.60	1.60
	35-59	-3.50	-4.50	-0.50	-1.50	2.50	1.50
	67-75	-3.80	-4.80	-0.90	-1.90	2.10	1.10
	83	-3.70	-4.70	-1.00	-2.00	2.10	1.10
	91	-3.30	-4.30	-1.10	-2.10	2.50	1.50
	99-107	-3.20	-4.20	-0.40	-1.40	2.50	1.50
	115	-3.20	-4.20	-0.50	-1.50	2.70	1.70
	123-179	-2.70	-3.70	0.00	-1.00	3.10	2.10
	187	-2.70	-3.70	0.20	-0.80	3.20	2.20
	195-219	-1.70	-2.70	1.20	0.20	4.40	3.40
	227	-1.40	-2.40	1.30	0.30	4.50	3.50
	7	-3.10	-4.10	-0.70	-1.70	2.00	1.00
	23	-3.40	-4.40	-0.50	-1.50	2.60	1.60
	39-55	-3.30	-4.30	-0.60	-1.60	2.50	1.50
6 GHz WIFI (80MHz BW) LP	71	-3.80	-4.80	-0.90	-1.90	2.10	1.10
	87	-3.80	-4.80	-1.10	-2.10	2.10	1.10
	103	-3.20	-4.20	-0.40	-1.40	2.40	1.40
	119	-3.20	-4.20	-0.50	-1.50	2.60	1.60
	135-167	-2.60	-3.60	0.00	-1.00	3.10	2.10
	183	-2.60	-3.60	0.00	-1.00	3.20	2.20
	199	-1.50	-2.50	1.20	0.20	4.40	3.40
	215	-1.70	-2.70	1.40	0.40	4.50	3.50
	15	-3.10	-4.10	-0.70	-1.70	1.70	0.70
	47	-3.30	-4.30	-0.90	-1.90	2.50	1.50
6 GHz WIFI (160MHz BW) LP	79	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	111	-3.20	-4.20	-0.60	-1.60	2.50	1.50
	143	-3.00	-4.00	-0.10	-1.10	3.10	2.10
	175	-3.20	-4.20	0.00	-1.00	3.20	2.20
	207	-1.70	-2.70	1.00	0.00	4.20	3.20

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 31 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	-7.40	-8.40	-4.60	-5.60
	5	NS	NS	-6.80	-7.80	-3.80	-4.80
	9-29	NS	NS	-6.90	-7.90	-3.90	-4.90
	33-61	NS	NS	-6.60	-7.60	-3.60	-4.60
	65-85	NS	NS	-6.70	-7.70	-3.80	-4.80
	89	-9.00	-10.00	-6.90	-7.90	-3.20	-4.20
	93	NS	NS	-6.90	-7.90	-3.20	-4.20
	97-113	NS	NS	-6.40	-7.40	-3.50	-4.50
	117-181	NS	NS	-6.60	-7.60	-3.50	-4.50
	185	NS	NS	-6.40	-7.40	-3.40	-4.40
	189-225	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
	229	-8.40	-9.40	-5.70	-6.70	-2.60	-3.60
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	-7.30	-8.30	-4.70	-5.70
6 GHz WIFI (40MHz BW) LP	11	NS	NS	-6.90	-7.90	-3.80	-4.80
	19-27	NS	NS	-6.90	-7.90	-3.90	-4.90
	35-59	NS	NS	-6.60	-7.60	-3.60	-4.60
	67-75	NS	NS	-6.70	-7.70	-3.70	-4.70
	83	NS	NS	-6.80	-7.80	-3.80	-4.80
	91	NS	NS	-6.90	-7.90	-3.20	-4.20
	99-107	NS	NS	-6.40	-7.40	-3.50	-4.50
	115	NS	NS	-6.80	-7.80	-3.60	-4.60
	123-179	NS	NS	-6.60	-7.60	-3.50	-4.50
	187	NS	NS	-6.40	-7.40	-3.40	-4.40
	195-219	-8.80	-9.80	-5.90	-6.90	-2.60	-3.60
	227	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	7	NS	NS	-7.10	-8.10	-4.50	-5.50
	23	NS	NS	-6.90	-7.90	-3.90	-4.90
	39-55	NS	NS	-6.70	-7.70	-3.60	-4.60
6 GHz WIFI (80MHz BW) LP	71	NS	NS	-6.70	-7.70	-3.60	-4.60
	87	NS	NS	-6.90	-7.90	-3.70	-4.70
	103	NS	NS	-6.40	-7.40	-3.60	-4.60
	119	NS	NS	-6.80	-7.80	-3.80	-4.80
	135-167	NS	NS	-6.60	-7.60	-3.50	-4.50
	183	NS	NS	-6.60	-7.60	-3.40	-4.40
	199	-8.60	-9.60	-5.90	-6.90	-2.70	-3.70
	215	-8.80	-9.80	-5.70	-6.70	-2.70	-3.70
	15	NS	NS	-7.10	-8.10	-4.50	-5.50
	47	NS	NS	-7.00	-8.00	-3.60	-4.60
6 GHz WIFI (160MHz BW) LP	79	NS	NS	-6.90	-7.90	-3.80	-4.80
	111	NS	NS	-6.80	-7.80	-3.80	-4.80
	143	NS	NS	-6.70	-7.70	-3.60	-4.60
	175	NS	NS	-6.70	-7.70	-3.70	-4.70
	207	-8.80	-9.80	-6.00	-7.00	-2.90	-3.90

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.50	-7.50	-4.40	-5.40	-1.60	-2.60
	5	-6.60	-7.60	-3.80	-4.80	-0.80	-1.80
	9-29	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
	33-61	-6.40	-7.40	-3.50	-4.50	-0.60	-1.60
	65-85	-6.50	-7.50	-3.70	-4.70	-0.80	-1.80
	89	-6.00	-7.00	-3.90	-4.90	-0.20	-1.20
	93	-6.10	-7.10	-3.90	-4.90	-0.20	-1.20
	97-113	-6.10	-7.10	-3.40	-4.40	-0.50	-1.50
	117-181	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	185	-6.10	-7.10	-3.40	-4.40	-0.40	-1.40
	189-225	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	229	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	233	NS	NS	NS	NS	NS	NS
	3	-6.50	-7.50	-4.30	-5.30	-1.70	-2.70
	11	-6.60	-7.60	-3.90	-4.90	-0.80	-1.80
	19-27	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
6 GHz WIFI (40MHz BW) LP	35-59	-6.50	-7.50	-3.60	-4.60	-0.60	-1.60
	67-75	-6.50	-7.50	-3.70	-4.70	-0.70	-1.70
	83	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	91	-6.20	-7.20	-3.90	-4.90	-0.20	-1.20
	99-107	-6.20	-7.20	-3.40	-4.40	-0.50	-1.50
	115	-6.40	-7.40	-3.80	-4.80	-0.60	-1.60
	123-179	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	187	-6.30	-7.30	-3.40	-4.40	-0.40	-1.40
	195-219	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	227	-5.60	-6.60	-2.80	-3.80	0.30	-0.70
	7	-6.60	-7.60	-4.10	-5.10	-1.50	-2.50
	23	-6.80	-7.80	-3.90	-4.90	-0.90	-1.90
	39-55	-6.40	-7.40	-3.70	-4.70	-0.60	-1.60
6 GHz WIFI (80MHz BW) LP	71	-6.50	-7.50	-3.70	-4.70	-0.60	-1.60
	87	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	103	-6.10	-7.10	-3.40	-4.40	-0.60	-1.60
	119	-6.40	-7.40	-3.80	-4.80	-0.80	-1.80
	135-167	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	183	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	199	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	215	-5.80	-6.80	-2.70	-3.70	0.20	-0.80
	15	-6.60	-7.60	-4.10	-5.10	-1.50	-2.50
	47	-6.40	-7.40	-4.00	-5.00	-0.60	-1.60
6 GHz WIFI (160MHz BW) LP	79	-6.60	-7.60	-3.90	-4.90	-0.80	-1.80
	111	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	143	-6.60	-7.60	-3.70	-4.70	-0.60	-1.60
	175	-6.70	-7.70	-3.70	-4.70	-0.70	-1.70
	207	-5.80	-6.80	-3.10	-4.10	0.00	-1.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 33 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	65-85	-7.80	-8.80	-4.90	-5.90	-1.90	-2.90
	89	-7.30	-8.30	-5.10	-6.10	-1.40	-2.40
	93	-7.30	-8.30	-5.10	-6.10	-1.40	-2.40
	97-113	-7.20	-8.20	-4.40	-5.40	-1.50	-2.50
	117-181	-6.60	-7.60	-4.00	-5.00	-0.90	-1.90
	185	-6.40	-7.40	-3.80	-4.80	-0.80	-1.80
	189-225	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	229	-5.30	-6.30	-2.60	-3.60	0.50	-0.50
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.50	-8.50	-4.50	-5.50	-1.50	-2.50
	67-75	-7.80	-8.80	-4.90	-5.90	-1.90	-2.90
	83	-7.70	-8.70	-5.00	-6.00	-1.90	-2.90
	91	-7.30	-8.30	-5.10	-6.10	-1.50	-2.50
	99-107	-7.20	-8.20	-4.40	-5.40	-1.50	-2.50
	115	-7.20	-8.20	-4.50	-5.50	-1.30	-2.30
	123-179	-6.70	-7.70	-4.00	-5.00	-0.90	-1.90
	187	-6.70	-7.70	-3.80	-4.80	-0.80	-1.80
	195-219	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	227	-5.40	-6.40	-2.70	-3.70	0.50	-0.50
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.30	-8.30	-4.60	-5.60	-1.50	-2.50
	71	-7.80	-8.80	-4.90	-5.90	-1.90	-2.90
6 GHz WIFI (80MHz BW) VLP	87	-7.80	-8.80	-5.10	-6.10	-1.90	-2.90
	103	-7.20	-8.20	-4.40	-5.40	-1.60	-2.60
	119	-7.20	-8.20	-4.50	-5.50	-1.40	-2.40
	135-167	-6.60	-7.60	-4.00	-5.00	-0.90	-1.90
	183	-6.60	-7.60	-4.00	-5.00	-0.80	-1.80
	199	-5.50	-6.50	-2.80	-3.80	0.40	-0.60
	215	-5.70	-6.70	-2.60	-3.60	0.50	-0.50
	15	NS	NS	NS	NS	NS	NS
	47	-7.30	-8.30	-4.90	-5.90	-1.50	-2.50
	79	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
6 GHz WIFI (160MHz BW) VLP	111	-7.20	-8.20	-4.60	-5.60	-1.50	-2.50
	143	-7.00	-8.00	-4.10	-5.10	-0.90	-1.90
	175	-7.20	-8.20	-4.00	-5.00	-0.80	-1.80
	207	-5.70	-6.70	-3.00	-4.00	0.20	-0.80

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 34 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-7.60	-8.60
	65-85	NS	NS	NS	NS	-7.80	-8.80
	89	NS	NS	NS	NS	-7.20	-8.20
	93	NS	NS	NS	NS	-7.20	-8.20
	97-113	NS	NS	NS	NS	-7.50	-8.50
	117-181	NS	NS	NS	NS	-7.50	-8.50
	185	NS	NS	NS	NS	-7.40	-8.40
	189-225	NS	NS	NS	NS	-6.60	-7.60
	229	NS	NS	NS	NS	-6.60	-7.60
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-7.60	-8.60
	67-75	NS	NS	NS	NS	-7.70	-8.70
	83	NS	NS	NS	NS	-7.80	-8.80
	91	NS	NS	NS	NS	-7.20	-8.20
	99-107	NS	NS	NS	NS	-7.50	-8.50
	115	NS	NS	NS	NS	-7.60	-8.60
	123-179	NS	NS	NS	NS	-7.50	-8.50
	187	NS	NS	NS	NS	-7.40	-8.40
	195-219	NS	NS	NS	NS	-6.60	-7.60
	227	NS	NS	NS	NS	-6.70	-7.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-7.60	-8.60
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	-7.60	-8.60
	87	NS	NS	NS	NS	-7.70	-8.70
	103	NS	NS	NS	NS	-7.60	-8.60
	119	NS	NS	NS	NS	-7.80	-8.80
	135-167	NS	NS	NS	NS	-7.50	-8.50
	183	NS	NS	NS	NS	-7.40	-8.40
	199	NS	NS	NS	NS	-6.70	-7.70
	215	NS	NS	NS	NS	-6.70	-7.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-7.60	-8.60
6 GHz WIFI (160MHz BW) VLP	79	NS	NS	NS	NS	-7.80	-8.80
	111	NS	NS	NS	NS	-7.80	-8.80
	143	NS	NS	NS	NS	-7.60	-8.60
	175	NS	NS	NS	NS	-7.70	-8.70
	207	NS	NS	NS	NS	-6.90	-7.90

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 35 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.50	-8.50	-4.60	-5.60
	65-85	NS	NS	-7.70	-8.70	-4.80	-5.80
	89	NS	NS	-7.90	-8.90	-4.20	-5.20
	93	NS	NS	-7.90	-8.90	-4.20	-5.20
	97-113	NS	NS	-7.40	-8.40	-4.50	-5.50
	117-181	NS	NS	-7.60	-8.60	-4.50	-5.50
	185	NS	NS	-7.40	-8.40	-4.40	-5.40
	189-225	NS	NS	-6.90	-7.90	-3.70	-4.70
	229	NS	NS	-6.70	-7.70	-3.70	-4.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.60	-8.60	-4.60	-5.60
	67-75	NS	NS	-7.70	-8.70	-4.70	-5.70
	83	NS	NS	-7.80	-8.80	-4.80	-5.80
	91	NS	NS	-7.90	-8.90	-4.20	-5.20
	99-107	NS	NS	-7.40	-8.40	-4.50	-5.50
	115	NS	NS	-7.80	-8.80	-4.60	-5.60
	123-179	NS	NS	-7.60	-8.60	-4.50	-5.50
	187	NS	NS	-7.40	-8.40	-4.40	-5.40
	195-219	NS	NS	-6.90	-7.90	-3.70	-4.70
	227	NS	NS	-6.80	-7.80	-3.70	-4.70
6 GHz WIFI (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.70	-8.70	-4.60	-5.60
	71	NS	NS	-7.70	-8.70	-4.60	-5.60
	87	NS	NS	-7.90	-8.90	-4.70	-5.70
	103	NS	NS	-7.40	-8.40	-4.60	-5.60
	119	NS	NS	-7.80	-8.80	-4.80	-5.80
	135-167	NS	NS	-7.60	-8.60	-4.50	-5.50
	183	NS	NS	-7.60	-8.60	-4.40	-5.40
	199	NS	NS	-6.90	-7.90	-3.70	-4.70
6 GHz WIFI (160MHz BW) VLP	215	NS	NS	-6.70	-7.70	-3.80	-4.80
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.00	-9.00	-4.60	-5.60
	79	NS	NS	-7.90	-8.90	-4.80	-5.80
	111	NS	NS	-7.80	-8.80	-4.80	-5.80
	143	NS	NS	-7.70	-8.70	-4.60	-5.60
	175	NS	NS	-7.70	-8.70	-4.70	-5.70
	207	NS	NS	-7.10	-8.10	-4.00	-5.00

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 36 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.00	8.00	12.00	11.00	12.75	11.75
	5	9.00	8.00	12.00	11.00	12.75	11.75
	9-29	9.00	8.00	12.00	11.00	12.75	11.75
	33-61	9.00	8.00	12.00	11.00	12.25	11.25
	65-85	9.00	8.00	12.00	11.00	12.25	11.25
	89	9.00	8.00	12.00	11.00	12.25	11.25
	93	9.00	8.00	12.00	11.00	12.25	11.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	14.25	13.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.00	8.00	12.00	11.00	12.75	11.75
	11	9.00	8.00	12.00	11.00	12.75	11.75
6 GHz WIFI (40MHz BW) SP	19-27	9.00	8.00	12.00	11.00	12.75	11.75
	35-59	9.00	8.00	12.00	11.00	12.25	11.25
	67-75	9.00	8.00	12.00	11.00	12.25	11.25
	83	9.00	8.00	12.00	11.00	12.25	11.25
	91	9.00	8.00	12.00	11.00	12.25	11.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	14.25	13.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	12.00	11.00	12.75	11.75
	23	9.00	8.00	12.00	11.00	12.75	11.75
	39-55	9.00	8.00	12.00	11.00	12.25	11.25
	71	9.00	8.00	12.00	11.00	12.25	11.25
	87	9.00	8.00	12.00	11.00	12.25	11.25
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	15.00	14.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.00	8.00	12.00	11.00	12.75	11.75
	47	9.00	8.00	12.00	11.00	12.25	11.25
6 GHz WIFI (160MHz BW) SP	79	9.00	8.00	12.00	11.00	12.25	11.25
	111	NS	NS	NS	NS	NS	NS
	143	9.00	8.00	12.00	11.00	15.00	14.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 37 of 66

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.50	7.50	10.60	9.60	12.75	11.75
	5	8.40	7.40	11.20	10.20	12.75	11.75
	9-29	8.20	7.20	11.10	10.10	12.75	11.75
	33-61	8.60	7.60	11.40	10.40	12.25	11.25
	65-85	8.50	7.50	11.30	10.30	12.25	11.25
	89	9.00	8.00	11.10	10.10	12.25	11.25
	93	8.90	7.90	11.10	10.10	12.25	11.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.70	7.70	11.40	10.40	14.25	13.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.50	7.50	10.70	9.70	12.75	11.75
	11	8.40	7.40	11.10	10.10	12.75	11.75
6 GHz WIFI (40MHz BW) SP	19-27	8.20	7.20	11.10	10.10	12.75	11.75
	35-59	8.50	7.50	11.40	10.40	12.25	11.25
	67-75	8.50	7.50	11.30	10.30	12.25	11.25
	83	8.50	7.50	11.20	10.20	12.25	11.25
	91	8.80	7.80	11.10	10.10	12.25	11.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.70	7.70	11.40	10.40	14.25	13.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.40	7.40	10.90	9.90	12.75	11.75
	23	8.20	7.20	11.10	10.10	12.75	11.75
	39-55	8.60	7.60	11.30	10.30	12.25	11.25
	71	8.50	7.50	11.30	10.30	12.25	11.25
	87	8.50	7.50	11.10	10.10	12.25	11.25
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.70	7.70	11.40	10.40	14.50	13.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.10	7.10	10.50	9.50	12.75	11.75
	47	8.50	7.50	10.90	9.90	12.25	11.25
	79	7.90	6.90	10.70	9.70	12.25	11.25
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.30	10.30	14.50	13.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.00	8.00	12.00	11.00	12.75	11.75
	5	9.00	8.00	12.00	11.00	12.75	11.75
	9-29	9.00	8.00	12.00	11.00	12.75	11.75
	33-61	9.00	8.00	12.00	11.00	12.25	11.25
	65-85	9.00	8.00	12.00	11.00	12.25	11.25
	89	9.00	8.00	12.00	11.00	12.25	11.25
	93	9.00	8.00	12.00	11.00	12.25	11.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	14.25	13.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.00	8.00	12.00	11.00	12.75	11.75
	11	9.00	8.00	12.00	11.00	12.75	11.75
6 GHz WIFI (40MHz BW) SP	19-27	9.00	8.00	12.00	11.00	12.75	11.75
	35-59	9.00	8.00	12.00	11.00	12.25	11.25
	67-75	9.00	8.00	12.00	11.00	12.25	11.25
	83	9.00	8.00	12.00	11.00	12.25	11.25
	91	9.00	8.00	12.00	11.00	12.25	11.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	14.25	13.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.00	8.00	12.00	11.00	12.75	11.75
	23	9.00	8.00	12.00	11.00	12.75	11.75
	39-55	9.00	8.00	12.00	11.00	12.25	11.25
	71	9.00	8.00	12.00	11.00	12.25	11.25
	87	9.00	8.00	12.00	11.00	12.25	11.25
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	15.00	14.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.00	8.00	12.00	11.00	12.75	11.75
	47	9.00	8.00	12.00	11.00	12.25	11.25
	79	9.00	8.00	12.00	11.00	12.25	11.25
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	9.00	8.00	12.00	11.00	15.00	14.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 39 of 66

J.2.2 Maximum 802.11be MRU Time-Averaged Output Power

[illegible]

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 40 of 66

Mode	Channel	REX 802.11 (Maximum) (n dBm) - Antenna 17															
		MIMO C20		MIMO C20		MIMO C20		MIMO C20		MIMO C20		MIMO C20		MIMO C20		MIMO C20	
		Txm		Txm		Txm		Txm		Txm		Txm		Txm			
5 GHz WFI 20 MHz bandwidth	36	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	40	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	44	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	48	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	52	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	56	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	60	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	64	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	68	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	72	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	76	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	80	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	84	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	88	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	92	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	96	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	100	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	104	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	108	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	112	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	5 GHz WFI 40 MHz bandwidth	116	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
120		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
124		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
128		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
132		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
136		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
140		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
144		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
148		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
152		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
156		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
160		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
164		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
168		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
172		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
176		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
180		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
184		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
188		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
192		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
5 GHz WFI 80 MHz bandwidth		196	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	200	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	204	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	208	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	212	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	216	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	220	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	224	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	228	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	232	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	236	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	240	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	244	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	248	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	252	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	256	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	260	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	264	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	268	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	272	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	5 GHz WFI 160 MHz bandwidth	276	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
280		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
284		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
288		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
292		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
296		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
300		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
304		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
308		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
312		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
316		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
320		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
324		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
328		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
332		13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00							

Mode	Channel	REX 802.11 (Maximum) (n dBm) - Antenna 18									
		MIMO C20	MIMO C20	MIMO C20	MIMO C20	MIMO C20		MIMO C20	MIMO C20	MIMO C20	MIMO C20
		TxPower									
5 GHz WFI 20 MHz bandwidth	S2_28T (Maximum)	S2_28T (Normale)	S26_28T (Maximum)	S26_28T (Normale)	804T_242T (Maximum)	804T_242T (Normale)	804T_484T (Maximum)	804T_484T (Normale)	804T_484T_242T (Maximum)	804T_484T_242T (Normale)	
	36	13.00	13.00	13.00	13.00	13.00					
	40	13.00	13.00	13.00	13.00	13.00					
	44	13.00	13.00	13.00	13.00	13.00					
	48	13.00	13.00	13.00	13.00	13.00					
	52	13.00	13.00	13.00	13.00	13.00					
	56	13.00	13.00	13.00	13.00	13.00					
	60	13.00	13.00	13.00	13.00	13.00					
	64	13.00	13.00	13.00	13.00	13.00					
	68	13.00	13.00	13.00	13.00	13.00					
	72	13.00	13.00	13.00	13.00	13.00					
	76	13.00	13.00	13.00	13.00	13.00					
	80	13.00	13.00	13.00	13.00	13.00					
	84	13.00	13.00	13.00	13.00	13.00					
	88	13.00	13.00	13.00	13.00	13.00					
	92	13.00	13.00	13.00	13.00	13.00					
	96	13.00	13.00	13.00	13.00	13.00					
	100	13.00	13.00	13.00	13.00	13.00					
	104	13.00	13.00	13.00	13.00	13.00					
	108	13.00	13.00	13.00	13.00	13.00					
	112	13.00	13.00	13.00	13.00	13.00					
	116	13.00	13.00	13.00	13.00	13.00					
	120	13.00	13.00	13.00	13.00	13.00					
	124	13.00	13.00	13.00	13.00	13.00					
	128	13.00	13.00	13.00	13.00	13.00					
	132	13.00	13.00	13.00	13.00	13.00					
	136	13.00	13.00	13.00	13.00	13.00					
	140	13.00	13.00	13.00	13.00	13.00					
5 GHz WFI 40 MHz bandwidth	S2_28T (Maximum)	S2_28T (Normale)	S26_28T (Maximum)	S26_28T (Normale)	804T_242T (Maximum)	804T_242T (Normale)	804T_484T (Maximum)	804T_484T (Normale)	804T_484T_242T (Maximum)	804T_484T_242T (Normale)	
	36	13.00	13.00	13.00	13.00	13.00					
	40	13.00	13.00	13.00	13.00	13.00					
	44	13.00	13.00	13.00	13.00	13.00					
	48	13.00	13.00	13.00	13.00	13.00					
	52	13.00	13.00	13.00	13.00	13.00					
	56	13.00	13.00	13.00	13.00	13.00					
	60	13.00	13.00	13.00	13.00	13.00					
	64	13.00	13.00	13.00	13.00	13.00					
	68	13.00	13.00	13.00	13.00	13.00					
	72	13.00	13.00	13.00	13.00	13.00					
	76	13.00	13.00	13.00	13.00	13.00					
	80	13.00	13.00	13.00	13.00	13.00					
	84	13.00	13.00	13.00	13.00	13.00					
	88	13.00	13.00	13.00	13.00	13.00					
	92	13.00	13.00	13.00	13.00	13.00					
	96	13.00	13.00	13.00	13.00	13.00					
	100	13.00	13.00	13.00	13.00	13.00					
	104	13.00	13.00	13.00	13.00	13.00					
	108	13.00	13.00	13.00	13.00	13.00					
	112	13.00	13.00	13.00	13.00	13.00					
	116	13.00	13.00	13.00	13.00	13.00					
	120	13.00	13.00	13.00	13.00	13.00					
	124	13.00	13.00	13.00	13.00	13.00					
	128	13.00	13.00	13.00	13.00	13.00					
	132	13.00	13.00	13.00	13.00	13.00					
	136	13.00	13.00	13.00	13.00	13.00					
	140	13.00	13.00	13.00	13.00	13.00					
5 GHz WFI 80 MHz bandwidth	S2_28T (Maximum)	S2_28T (Normale)	S26_28T (Maximum)	S26_28T (Normale)	804T_242T (Maximum)	804T_242T (Normale)	804T_484T (Maximum)	804T_484T (Normale)	804T_484T_242T (Maximum)	804T_484T_242T (Normale)	
	36	13.00	13.00	13.00	13.00	13.00					
	40	13.00	13.00	13.00	13.00	13.00					
	44	13.00	13.00	13.00	13.00	13.00					
	48	13.00	13.00	13.00	13.00	13.00					
	52	13.00	13.00	13.00	13.00	13.00					
	56	13.00	13.00	13.00	13.00	13.00					
	60	13.00	13.00	13.00	13.00	13.00					
	64	13.00	13.00	13.00	13.00	13.00					
	68	13.00	13.00	13.00	13.00	13.00					
	72	13.00	13.00	13.00	13.00	13.00					
	76	13.00	13.00	13.00	13.00	13.00					
	80	13.00	13.00	13.00	13.00	13.00					
	84	13.00	13.00	13.00	13.00	13.00					
	88	13.00	13.00	13.00	13.00	13.00					
	92	13.00	13.00	13.00	13.00	13.00					
	96	13.00	13.00	13.00	13.00	13.00					
	100	13.00	13.00	13.00	13.00	13.00					
	104	13.00	13.00	13.00	13.00	13.00					
	108	13.00	13.00	13.00	13.00	13.00					
	112	13.00	13.00	13.00	13.00	13.00					
	116	13.00	13.00	13.00	13.00	13.00					
	120	13.00	13.00	13.00	13.00	13.00					
	124	13.00	13.00	13.00	13.00	13.00					
	128	13.00	13.00	13.00	13.00	13.00					
	132	13.00	13.00	13.00	13.00	13.00					
	136	13.00	13.00	13.00	13.00	13.00					
	140	13.00	13.00	13.00	13.00	13.00					
5 GHz WFI 160 MHz bandwidth	S2_28T (Maximum)	S2_28T (Normale)	S26_28T (Maximum)	S26_28T (Normale)	804T_242T (Maximum)	804T_242T (Normale)	804T_484T (Maximum)	804T_484T (Normale)	804T_484T_242T (Maximum)	804T_484T_242T (Normale)	
	36	13.00	13.00	13.00	13.00	13.00					
	40	13.00	13.00	13.00	13.00	13.00					
	44	13.00	13.00	13.00	13.00	13.00					
	48	13.00	13.00	13.00	13.00	13.00					
	52	13.00	13.00	13.00	13.00	13.00					
	56	13.00	13.00	13.00	13.00	13.00					
	60	13.00	13.00	13.00	13.00	13.00					
	64	13.00	13.00	13.00	13.00	13.00					
	68	13.00	13.00	13.00	13.00	13.00					
	72	13.00	13.00	13.00	13.00	13.00					
	76	13.00	13.00	13.00	13.00	13.00					
	80	13.00	13.00	13.00	13.00	13.00					
	84	13.00	13.00	13.00	13.00	13.00					
	88	13.00	13.00	13.00	13.00	13.00					
	92	13.00	13.00	13.00	13.00	13.00					
	96	13.00	13.00	13.00	13.00	13.00					
	100	13.00	13.00	13.00	13.00	13.00					
	104	13.00	13.00	13.00	13.00	13.00					
	108	13.00	13.00	13.00	13.00	13.00					
	112	13.00	13.00	13.00	13.00	13.00					
	116	13.00	13.00	13.00	13.00	13.00					
	120	13.00	13.00	13.00	13.00	13.00					
	124	13.00	13.00	13.00	13.00	13.00					
	128	13.00	13.00	13.00	13.00	13.00					
	132	13.00	13.00	13.00	13.00	13.00					
	136	13.00	13.00	13.00	13.00	13.00					
	140	13.00	13.00	13.00	13.00	13.00					

[illegible]

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 43 of 66

Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna 1T															
		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD	
		52_28T (Maximum)	52_28T (Nominal)	58_28T (Maximum)	58_28T (Nominal)	648T_248T (Maximum)	648T_248T (Nominal)	648T_488T (Maximum)	648T_488T (Nominal)	984T_488T (Nominal)	984T_488T (Nominal)	984T_488T_242T (Maximum)	984T_488T_242T (Nominal)	984T_488T_242T (Maximum)	984T_488T_242T (Nominal)		
E Giga WiFi (20MHz BW) UP	2	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	3	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	5	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	9-25	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	33-43	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	61-65	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	81	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	93	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	117-121	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	127-131	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	145	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	159-175	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	209	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	213	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	217	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
E Giga WiFi (20MHz BW) UP	13	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	35-39	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	67-71	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	83	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	95	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	119	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	123-129	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	133-139	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	149-155	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	161	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	173	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	207	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	E Giga WiFi (20MHz BW) UP	2	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
		3	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
		5	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
9-25		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
33-43		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
61-65		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
81		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
93		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
117-121		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
127-131		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
145		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
159-175		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
209		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
213		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
217		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
E Giga WiFi (20MHz BW) UP	13	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	35-39	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	67-71	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	83	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	95	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	119	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	123-129	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	133-139	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	149-155	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	161	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	173	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	207	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	E Giga WiFi (20MHz BW) UP	2	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
		3	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
		5	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
9-25		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
33-43		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
61-65		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
81		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
93		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
117-121		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
127-131		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
145		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
159-175		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
209		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
213		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
217		1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
E Giga WiFi (20MHz BW) UP	13	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	35-39	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	67-71	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	83	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	95	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	119	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	123-129	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	133-139	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	149-155	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	161	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	173	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	
	207	1.40</															

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 44 of 66

[illegible]

[illegible]

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 46 of 66

[illegible]

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1B				IEEE 802.11 (Maximum in dBm) - Antenna 1B					
		SISO	SISO	SISO	SISO	Towers		SISO	SISO	SISO	SISO
G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)	500T_484T_24T (Normal)
	2	13.20	13.20	14.75	13.75						
	3	13.20	13.20	14.75	13.75						
	4	13.20	13.20	14.75	13.75						
	5	13.20	13.20	14.75	13.75						
	6	13.20	13.20	14.75	13.75						
	7	13.20	13.20	14.75	13.75						
	8	13.20	13.20	14.75	13.75						
	9	13.20	13.20	14.75	13.75						
	10	13.20	13.20	14.75	13.75						
	11	13.20	13.20	14.75	13.75						
	12	13.20	13.20	14.75	13.75						
	13	13.20	13.20	14.75	13.75						
	14	13.20	13.20	14.75	13.75						
	15	13.20	13.20	14.75	13.75						
G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)	500T_484T_24T (Normal)
	16	13.20	13.20	14.75	13.75						
	17	13.20	13.20	14.75	13.75						
	18	13.20	13.20	14.75	13.75						
	19	13.20	13.20	14.75	13.75						
	20	13.20	13.20	14.75	13.75						
	21	13.20	13.20	14.75	13.75						
	22	13.20	13.20	14.75	13.75						
	23	13.20	13.20	14.75	13.75						
	24	13.20	13.20	14.75	13.75						
	25	13.20	13.20	14.75	13.75						
	26	13.20	13.20	14.75	13.75						
	27	13.20	13.20	14.75	13.75						
	28	13.20	13.20	14.75	13.75						
	29	13.20	13.20	14.75	13.75						
G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)	500T_484T_24T (Normal)
	30	13.20	13.20	14.75	13.75						
	31	13.20	13.20	14.75	13.75						
	32	13.20	13.20	14.75	13.75						
	33	13.20	13.20	14.75	13.75						
	34	13.20	13.20	14.75	13.75						
	35	13.20	13.20	14.75	13.75						
	36	13.20	13.20	14.75	13.75						
	37	13.20	13.20	14.75	13.75						
	38	13.20	13.20	14.75	13.75						
	39	13.20	13.20	14.75	13.75						
	40	13.20	13.20	14.75	13.75						
	41	13.20	13.20	14.75	13.75						
	42	13.20	13.20	14.75	13.75						
	43	13.20	13.20	14.75	13.75						
G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)	500T_484T_24T (Normal)
	44	13.20	13.20	14.75	13.75						
	45	13.20	13.20	14.75	13.75						
	46	13.20	13.20	14.75	13.75						
	47	13.20	13.20	14.75	13.75						
	48	13.20	13.20	14.75	13.75						
	49	13.20	13.20	14.75	13.75						
	50	13.20	13.20	14.75	13.75						
	51	13.20	13.20	14.75	13.75						
	52	13.20	13.20	14.75	13.75						
	53	13.20	13.20	14.75	13.75						
	54	13.20	13.20	14.75	13.75						
	55	13.20	13.20	14.75	13.75						
	56	13.20	13.20	14.75	13.75						
	57	13.20	13.20	14.75	13.75						
G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)	500T_484T_24T (Normal)
	58	13.20	13.20	14.75	13.75						
	59	13.20	13.20	14.75	13.75						
	60	13.20	13.20	14.75	13.75						
	61	13.20	13.20	14.75	13.75						
	62	13.20	13.20	14.75	13.75						
	63	13.20	13.20	14.75	13.75						
	64	13.20	13.20	14.75	13.75						
	65	13.20	13.20	14.75	13.75						
	66	13.20	13.20	14.75	13.75						
	67	13.20	13.20	14.75	13.75						
	68	13.20	13.20	14.75	13.75						
	69	13.20	13.20	14.75	13.75						
	70	13.20	13.20	14.75	13.75						
	G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)
71		13.20	13.20	14.75	13.75						
72		13.20	13.20	14.75	13.75						
73		13.20	13.20	14.75	13.75						
74		13.20	13.20	14.75	13.75						
75		13.20	13.20	14.75	13.75						
76		13.20	13.20	14.75	13.75						
77		13.20	13.20	14.75	13.75						
78		13.20	13.20	14.75	13.75						
79		13.20	13.20	14.75	13.75						
80		13.20	13.20	14.75	13.75						
81		13.20	13.20	14.75	13.75						
82		13.20	13.20	14.75	13.75						
83		13.20	13.20	14.75	13.75						
84		13.20	13.20	14.75	13.75						
G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)	500T_484T_24T (Normal)
	85	13.20	13.20	14.75	13.75						
	86	13.20	13.20	14.75	13.75						
	87	13.20	13.20	14.75	13.75						
	88	13.20	13.20	14.75	13.75						
	89	13.20	13.20	14.75	13.75						
	90	13.20	13.20	14.75	13.75						
	91	13.20	13.20	14.75	13.75						
	92	13.20	13.20	14.75	13.75						
	93	13.20	13.20	14.75	13.75						
	94	13.20	13.20	14.75	13.75						
	95	13.20	13.20	14.75	13.75						
	96	13.20	13.20	14.75	13.75						
	97	13.20	13.20	14.75	13.75						
	98	13.20	13.20	14.75	13.75						
G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)	500T_484T_24T (Normal)
	99	13.20	13.20	14.75	13.75						
	100	13.20	13.20	14.75	13.75						
	101	13.20	13.20	14.75	13.75						
	102	13.20	13.20	14.75	13.75						
	103	13.20	13.20	14.75	13.75						
	104	13.20	13.20	14.75	13.75						
	105	13.20	13.20	14.75	13.75						
	106	13.20	13.20	14.75	13.75						
	107	13.20	13.20	14.75	13.75						
	108	13.20	13.20	14.75	13.75						
	109	13.20	13.20	14.75	13.75						
	110	13.20	13.20	14.75	13.75						
	111	13.20	13.20	14.75	13.75						
	112	13.20	13.20	14.75	13.75						
G Gls WFI (30MHz SW) GP	Channel	S2_26T (Maximum)	S2_26T (Normal)	S10_26T (Maximum)	S10_26T (Normal)	484T_24T (Maximum)	484T_24T (Normal)	500T_484T (Maximum)	500T_484T (Normal)	500T_484T_24T (Maximum)	500T_484T_24T (Normal)
	113	13.20	13.20	14.75	13.75						
	114	13.20	13.20	14.75	13.75						
	115	13.20	13.20	14.75	13.75						
	116	13.20	13.20	14.75	13.75						
	117	13.20	13.20	14.75	13.75						
	118	13.20	13.20	14.75	13.75						
	119	13.20	13.20	14.75	13.75						
	120	13.20	13.20	14.75	13.75						
	121	13.20	13.20	14.75	13.75						
	122	13.20	13.20	14.75	13.75						
	123	13.20	13.20	14.75	13.75						
	124	13.20	13.20	14.75	13.75						
	125	13.20	13.20	14.75	13.75						

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 48 of 66

Mode	Channel	REX 802.11 (Maximum) (n dBm) - Antenna 1b									
		SNO	SNO	SNO	SNO	SNO	SNO	SNO	SNO	SNO	SNO
		52_287 (Maximum)	52_287 (Nominal)	50L_287 (Maximum)	50L_287 (Nominal)	60M7_2471 (Maximum)	60M7_2471 (Nominal)	60M7_4847 (Maximum)	60M7_4847 (Nominal)	60M7_4847_2427 (Maximum)	60M7_4847_2427 (Nominal)
6 GHz WFI (20MHz BW) UP	2	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	3	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	4	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	5	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	6	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	7	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	8	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	9	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	10	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	11	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
6 GHz WFI (20MHz BW) UP	12	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	13	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	14	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	15	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	16	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	17	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	18	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	19	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	20	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	21	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
6 GHz WFI (20MHz BW) UP	22	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	23	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	24	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	25	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	26	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	27	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	28	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	29	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	30	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	31	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
6 GHz WFI (20MHz BW) UP	32	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	33	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	34	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	35	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	36	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	37	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	38	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	39	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	40	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	41	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
6 GHz WFI (20MHz BW) UP	42	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	43	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	44	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	45	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	46	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	47	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	48	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	49	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	50	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	51	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
6 GHz WFI (20MHz BW) UP	52	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	53	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	54	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	55	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	56	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	57	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	58	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	59	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	60	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
	61	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00

[illegible]

Mode	Channel	IEEE 802.11 (Measurement in dBm) - Antenna 1b									
		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD	
		S2_267 (Maximum)	S2_267 (Nominal)	S2_267 (Maximum)	S2_267 (Nominal)	S2_267 (Maximum)	S2_267 (Nominal)	S2_267 (Maximum)	S2_267 (Nominal)	S2_267 (Maximum)	S2_267 (Nominal)
E-GSM WIF (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	4	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	5	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	6	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	7	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	8	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	9	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	10	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	11	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	12	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	13	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	14	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	15	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	16	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
E-GSM WIF (10MHz BW) SP	17	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	18	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	19	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	20	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	21	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	22	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	23	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	24	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	25	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	26	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	27	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	28	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	29	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	30	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	31	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
E-GSM WIF (5MHz BW) SP	32	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	33	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	34	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	35	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	36	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	37	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	38	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	39	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	40	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	41	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	42	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	43	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	44	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	45	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	46	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
E-GSM WIF (10MHz BW) SP	47	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	48	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	49	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	50	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	51	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	52	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	53	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	54	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	55	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	56	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	57	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	58	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	59	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	60	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75
	61	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75	12.75

J.3 IEEE 802.11ax RU Target Powers

Table J-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.23	11.57	11.59
2437	6	26T	11.90	11.71	10.80
2462	11	26T	10.38	12.19	11.08
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.85	13.81	14.58
2437	6	52T	15.02	14.86	13.21
2462	11	52T	13.62	14.52	14.46
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	N/A
2412	1	106T	13.83	14.34	
2437	6	106T	17.74	16.40	
2462	11	106T	14.28	15.02	

Table J-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 1a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	10.61	11.30	11.73
2437	6	26T	12.00	11.07	10.05
2462	11	26T	10.02	11.98	10.11
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.25	13.42	14.99
2437	6	52T	14.92	14.52	13.02
2462	11	52T	13.17	14.31	13.44
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	N/A
2412	1	106T	13.64	15.47	
2437	6	106T	17.74	16.10	
2462	11	106T	14.08	14.56	

Table J-3
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	8.66	9.56	8.56
		5200	40	26T	8.56	9.44	8.58
		5220	44	26T	8.52	9.39	8.59
		5240	48	26T	8.59	9.34	8.55
	3	5745	149	26T	8.52	9.22	8.51
		5785	157	26T	8.69	9.12	8.61
		5825	165	26T	8.65	9.13	8.71
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	11.72	12.09	11.73
		5200	40	52T	11.74	12.14	11.89
		5220	44	52T	11.73	12.15	11.79
		5240	48	52T	11.79	12.03	11.76
	2A	5260	52	52T	11.77	12.17	11.78
		5280	56	52T	11.83	12.19	11.92
		5300	60	52T	11.70	12.03	11.74
		5320	64	52T	11.77	12.24	11.95
	2C	5500	100	52T	11.55	11.95	11.62
		5600	120	52T	11.51	11.82	11.55
		5580	124	52T	11.67	11.76	11.58
		5720	144	52T	11.63	11.76	11.62
	3	5745	149	52T	11.66	11.85	11.50
		5785	157	52T	11.62	11.73	11.58
		5825	165	52T	11.55	11.72	11.51
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	14.88	14.86	
		5200	40	106T	14.82	14.86	
		5220	44	106T	14.84	14.87	
		5240	48	106T	14.84	14.80	
	2A	5260	52	106T	14.86	14.87	
		5280	56	106T	14.84	14.98	
		5300	60	106T	14.83	14.95	
		5320	64	106T	14.98	15.06	
	2C	5500	100	106T	13.11	13.26	
		5600	120	106T	14.60	14.55	
		5620	124	106T	14.65	14.61	
		5720	144	106T	14.57	14.58	
	3	5745	149	106T	14.65	14.51	
		5785	157	106T	14.52	14.70	
		5825	165	106T	14.54	14.67	

Table J-4
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	7.44	7.36	7.23
		5200	40	26T	7.24	7.62	7.21
		5220	44	26T	7.26	7.49	7.22
		5240	48	26T	7.24	7.59	7.24
	3	5745	149	26T	7.23	7.43	7.25
		5785	157	26T	7.21	7.41	7.26
		5825	165	26T	7.26	7.26	7.25
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	12.20	10.23	10.27
		5200	40	52T	10.29	10.35	10.25
		5220	44	52T	10.27	10.30	10.21
		5240	48	52T	10.24	10.23	10.22
	2A	5260	52	52T	10.26	10.36	10.25
		5280	56	52T	10.30	10.32	10.29
		5300	60	52T	10.39	10.42	10.36
		5320	64	52T	10.32	10.42	10.35
	2C	5500	100	52T	10.29	10.51	10.42
		5600	120	52T	10.26	10.36	10.30
		5580	124	52T	10.31	10.39	10.39
		5720	144	52T	10.26	10.30	10.25
	3	5745	149	52T	10.28	10.29	10.23
		5785	157	52T	10.23	10.26	10.28
		5825	165	52T	10.22	10.40	10.22
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	13.25	13.30	
		5200	40	106T	13.23	13.42	
		5220	44	106T	13.38	13.20	
		5240	48	106T	13.43	13.22	
	2A	5260	52	106T	13.27	13.21	
		5280	56	106T	13.44	13.41	
		5300	60	106T	13.23	13.26	
		5320	64	106T	13.27	13.24	
	2C	5500	100	106T	13.06	13.09	
		5600	120	106T	13.32	13.21	
		5620	124	106T	13.20	13.24	
		5720	144	106T	13.32	13.38	
	3	5745	149	106T	13.22	13.24	
		5785	157	106T	13.23	13.24	
		5825	165	106T	13.22	13.25	

Table J-5
Maximum 5 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	7.25	7.57	7.27
		5200	40	26T	7.23	7.66	7.24
		5220	44	26T	7.27	7.45	7.29
		5240	48	26T	7.28	7.41	7.20
	3	5745	149	26T	7.21	7.33	7.28
		5785	157	26T	7.25	7.32	7.23
		5825	165	26T	7.23	7.45	7.26
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	10.25	10.21	10.24
		5200	40	52T	10.26	10.42	10.23
		5220	44	52T	10.21	10.37	10.29
		5240	48	52T	10.22	10.23	10.27
	2A	5260	52	52T	10.21	10.26	10.25
		5280	56	52T	10.32	10.39	10.26
		5300	60	52T	10.25	10.30	10.20
		5320	64	52T	10.23	10.25	10.28
	2C	5500	100	52T	10.24	10.45	10.20
		5600	120	52T	10.22	10.34	10.24
		5580	124	52T	10.21	10.21	10.22
		5720	144	52T	10.27	10.29	10.29
	3	5745	149	52T	10.28	10.24	10.21
		5785	157	52T	10.22	10.32	10.25
		5825	165	52T	10.28	10.26	10.26
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	13.22	13.29	
		5200	40	106T	13.22	13.25	
		5220	44	106T	13.23	13.28	
		5240	48	106T	13.24	13.27	
	2A	5260	52	106T	13.27	13.21	
		5280	56	106T	13.31	13.40	
		5300	60	106T	13.27	13.27	
		5320	64	106T	13.23	13.21	
	2C	5500	100	106T	13.23	13.28	
		5600	120	106T	13.25	13.28	
		5620	124	106T	13.32	13.23	
		5720	144	106T	13.37	13.32	
	3	5745	149	106T	13.32	13.35	
		5785	157	106T	13.27	13.26	
		5825	165	106T	13.32	13.41	

Table J-6
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	8.21	9.08	8.21
		6175	45	26T	8.23	8.85	8.22
		6195	49	26T	8.24	8.77	8.20
		6415	93	26T	8.20	8.63	8.23
	6	6435	97	26T	-4.62	-3.86	-4.80
		6475	105	26T	-4.75	-3.79	-4.84
		6515	113	26T	-4.93	-4.07	-4.99
	7	6535	117	26T	8.20	8.64	8.28
		6695	149	26T	8.29	8.41	8.22
		6875	185	26T	-5.37	-4.40	-5.28
	8	6895	189	26T	-5.50	-4.50	-5.41
		6995	209	26T	-5.42	-4.48	-5.42
		7015	213	26T	-5.68	-4.69	-5.54
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	11.53	11.84	11.54
		6195	49	52T	11.23	11.36	11.34
		6415	93	52T	10.82	10.76	10.77
	6	6435	97	52T	-1.72	-1.37	-1.80
		6475	105	52T	-1.75	-1.43	-1.82
		6515	113	52T	-1.94	-1.63	-2.01
	7	6535	117	52T	10.88	10.78	10.82
		6695	149	52T	10.76	10.76	10.77
		6875	185	52T	-2.21	-1.87	-2.21
	8	6895	189	52T	-1.97	-1.50	-1.86
		6995	209	52T	-1.93	-1.51	-1.92
		7015	213	52T	-2.11	-1.69	-2.01
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	5	5955	1	106T	12.60	12.64	
		6175	45	106T	12.28	12.32	
		6195	49	106T	12.27	12.26	
		6415	93	106T	10.86	10.76	
	6	6435	97	106T	1.40	1.31	
		6475	105	106T	1.32	1.36	
		6515	113	106T	0.98	1.00	
	7	6535	117	106T	10.79	10.78	
		6695	149	106T	10.76	10.78	
		6875	185	106T	0.46	0.54	
	8	6895	189	106T	1.09	1.07	
		6995	209	106T	0.87	0.93	
		7015	213	106T	0.86	0.98	
		7115	233	106T	NS	NS	

Table J-7
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	7.16	7.28	7.02
		6175	45	26T	7.08	7.23	7.03
		6195	49	26T	7.01	7.14	7.06
		6415	93	26T	7.04	7.19	7.13
	6	6435	97	26T	-5.02	-4.18	-5.10
		6475	105	26T	-4.87	-4.06	-4.98
		6515	113	26T	-4.99	-4.40	-5.08
	7	6535	117	26T	7.10	7.11	7.01
		6695	149	26T	7.05	7.06	7.04
		6875	185	26T	-4.33	-3.67	-4.29
	8	6895	189	26T	-3.64	-3.01	-3.59
		6995	209	26T	-3.65	-3.24	-3.68
		7015	213	26T	-3.68	-3.49	-3.65
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	10.09	10.24	10.04
		6195	49	52T	10.03	10.22	10.02
		6415	93	52T	10.04	10.23	10.05
	6	6435	97	52T	-1.99	-1.79	-2.15
		6475	105	52T	-1.97	-1.67	-2.05
		6515	113	52T	-2.31	-2.01	-2.40
	7	6535	117	52T	10.13	10.02	10.04
		6695	149	52T	10.02	10.04	10.02
		6875	185	52T	-1.69	-1.34	-1.68
	8	6895	189	52T	-0.73	-0.38	-0.69
		6995	209	52T	-0.76	-0.52	-0.60
		7015	213	52T	-0.75	-0.76	-0.79
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	12.76	12.77	
		6175	45	106T	12.78	12.76	
		6195	49	106T	12.75	12.79	
		6415	93	106T	11.85	11.76	
	6	6435	97	106T	0.97	0.93	
		6475	105	106T	0.91	0.88	
		6515	113	106T	0.73	0.71	
	7	6535	117	106T	12.28	12.16	
		6695	149	106T	12.02	12.06	
		6875	185	106T	1.24	1.21	
	8	6895	189	106T	2.42	2.41	
		6995	209	106T	2.43	2.49	
		7015	213	106T	2.45	2.42	
		7115	233	106T	NS	NS	

Table J-8
Maximum 6 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	7.15	7.23	7.04
		6175	45	26T	7.12	7.39	7.13
		6195	49	26T	7.08	7.23	7.17
		6415	93	26T	7.17	7.08	7.04
	6	6435	97	26T	-5.16	-4.56	-5.17
		6475	105	26T	-5.06	-4.43	-4.99
		6515	113	26T	-5.17	-4.55	-5.15
	7	6535	117	26T	7.24	7.27	7.28
		6695	149	26T	7.18	7.24	7.24
		6875	185	26T	-4.24	-3.55	-4.16
	8	6895	189	26T	-3.70	-2.80	-3.61
		6995	209	26T	-3.57	-3.40	-3.68
		7015	213	26T	-3.62	-3.36	-3.69
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	10.08	10.07	10.13
		6195	49	52T	10.05	10.19	10.09
		6415	93	52T	10.08	10.14	10.24
	6	6435	97	52T	-2.18	-2.14	-2.24
		6475	105	52T	-2.21	-1.88	-2.25
		6515	113	52T	-2.20	-2.14	-2.24
	7	6535	117	52T	10.07	10.17	10.02
		6695	149	52T	10.02	10.12	10.08
		6875	185	52T	-1.45	-1.07	-1.37
	8	6895	189	52T	-0.57	-0.14	-0.48
		6995	209	52T	-0.80	-0.70	-0.78
		7015	213	52T	-0.66	-0.65	-0.72
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	5	5955	1	106T	10.77	10.76	
		6175	45	106T	10.92	10.90	
		6195	49	106T	10.76	10.85	
		6415	93	106T	10.25	10.28	
	6	6435	97	106T	0.64	0.61	
		6475	105	106T	0.66	0.59	
		6515	113	106T	0.62	0.62	
	7	6535	117	106T	12.32	12.37	
		6695	149	106T	12.33	12.35	
		6875	185	106T	1.39	1.43	
	8	6895	189	106T	2.67	2.45	
		6995	209	106T	2.53	2.48	
		7015	213	106T	2.51	2.54	
		7115	233	106T	NS	NS	

J.4 IEEE 802.11ax MRU Target Powers

Table J-9
Maximum 2.4 GHz 802.11ax MRU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	N/A
2412	1	52T + 26T	14.15	14.10	
2437	6	52T + 26T	16.17	15.09	
2462	11	52T + 26T	14.91	15.17	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	N/A	N/A
2412	1	106T + 26T	13.80		
2437	6	106T + 26T	18.15		
2462	11	106T + 26T	14.47		

Table J-10
Maximum 2.4 GHz 802.11ax MRU Output Power – Ant 1a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	N/A
2412	1	52T + 26T	14.19	15.36	
2437	6	52T + 26T	15.44	14.95	
2462	11	52T + 26T	15.48	13.88	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	N/A	N/A
2412	1	106T + 26T	13.76		
2437	6	106T + 26T	17.64		
2462	11	106T + 26T	15.25		

Table J-11
Maximum 5 GHz 802.11ax MRU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	13.68	13.42	
		5200	40	52T + 26T	13.58	13.41	
		5220	44	52T + 26T	13.60	13.48	
		5240	48	52T + 26T	13.71	13.55	
	2A	5260	52	52T + 26T	13.70	13.58	
		5280	56	52T + 26T	13.75	13.66	
		5300	60	52T + 26T	13.57	13.46	
		5320	64	52T + 26T	13.76	13.61	
	2C	5500	100	52T + 26T	13.54	13.33	
5600		120	52T + 26T	13.32	13.22		
5620		124	52T + 26T	13.23	13.01		
5720		144	52T + 26T	13.27	13.18		
3	5745	149	52T + 26T	13.42	13.26		
	5785	157	52T + 26T	13.24	13.10		
	5825	165	52T + 26T	13.20	13.11		
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	14.86		
		5200	40	106T + 26T	15.31		
		5220	44	106T + 26T	15.33		
		5240	48	106T + 26T	15.43		
	2A	5260	52	106T + 26T	15.38		
		5280	56	106T + 26T	15.39		
		5300	60	106T + 26T	15.35		
		5320	64	106T + 26T	15.29		
	2C	5500	100	106T + 26T	13.24		
		5600	120	106T + 26T	15.09		
		5620	124	106T + 26T	15.01		
		5720	144	106T + 26T	15.04		
	3	5745	149	106T + 26T	15.11		
		5785	157	106T + 26T	15.01		
5825		165	106T + 26T	15.01			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.01	12.03	12.08	12.33
	2A	5290	58	484T + 242T	12.54	12.53	12.55	12.90
	2C	5530	106	484T + 242T	11.99	11.93	12.02	12.05
		5610	122	484T + 242T	15.55	15.83	15.89	16.91
5690		138	484T + 242T	16.80	16.84	16.98	17.02	
3	5775	155	484T + 242T	15.82	15.66	15.78	15.84	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	11.28	11.05	11.41	11.51
	2C	5570	114	996T + 484T + 242T	11.06	11.10	11.13	11.36

FCC ID: BCGA3596	RF EXPOSURE REPORT			Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		APPENDIX J: Page 61 of 66

Table J-12
Maximum 5 GHz 802.11ax MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	11.85	11.74	
		5200	40	52T + 26T	11.95	11.91	
		5220	44	52T + 26T	12.01	11.86	
		5240	48	52T + 26T	11.96	11.92	
	2A	5260	52	52T + 26T	12.00	11.84	
		5280	56	52T + 26T	11.97	11.81	
		5300	60	52T + 26T	12.04	11.90	
5320		64	52T + 26T	12.06	11.89		
2C	5500	100	52T + 26T	12.04	11.96		
	5600	120	52T + 26T	11.98	11.90		
	5620	124	52T + 26T	12.05	12.01		
	5720	144	52T + 26T	11.95	11.87		
3	5745	149	52T + 26T	11.90	11.75		
	5785	157	52T + 26T	11.85	11.74		
	5825	165	52T + 26T	11.77	11.82		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	13.79		
		5200	40	106T + 26T	13.83		
		5220	44	106T + 26T	13.82		
		5240	48	106T + 26T	13.84		
	2A	5260	52	106T + 26T	13.83		
		5280	56	106T + 26T	13.78		
		5300	60	106T + 26T	13.86		
5320		64	106T + 26T	13.91			
2C	5500	100	106T + 26T	13.06			
	5600	120	106T + 26T	13.71			
	5620	124	106T + 26T	13.88			
	5720	144	106T + 26T	13.75			
3	5745	149	106T + 26T	13.89			
	5785	157	106T + 26T	13.72			
	5825	165	106T + 26T	13.71			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.04	12.07	12.06	12.02
	2A	5290	58	484T + 242T	11.75	11.76	11.73	11.89
	2C	5530	106	484T + 242T	11.07	11.02	11.05	11.15
		5610	122	484T + 242T	15.59	15.51	15.52	15.56
5690		138	484T + 242T	16.23	16.25	16.24	16.28	
3	5775	155	484T + 242T	15.23	15.22	15.25	15.36	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
1	5250	50	996T + 484T + 242T	11.11	11.05	11.03	11.23	
2C	5570	114	996T + 484T + 242T	11.18	11.03	11.07	11.35	

FCC ID: BCGA3596	RF EXPOSURE REPORT			Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		
				APPENDIX J: Page 62 of 66

Table J-13
Maximum 5 GHz 802.11ax MRU Output Power – Ant 1b

	20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
						RU Index		
						71	72	N/A
	1	5180	36	52T + 26T	11.81	11.74		
		5200	40	52T + 26T	11.79	11.71		
		5220	44	52T + 26T	11.71	11.87		
		5240	48	52T + 26T	11.88	11.76		
	2A	5260	52	52T + 26T	11.85	11.90		
		5280	56	52T + 26T	11.98	11.88		
		5300	60	52T + 26T	12.05	11.80		
		5320	64	52T + 26T	11.82	11.94		
	2C	5500	100	52T + 26T	11.94	11.94		
		5600	120	52T + 26T	11.93	11.90		
		5620	124	52T + 26T	11.76	11.41		
		5720	144	52T + 26T	11.82	11.76		
3	5745	149	52T + 26T	11.38	11.26			
	5785	157	52T + 26T	11.75	11.31			
	5825	165	52T + 26T	11.35	11.18			
	20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
						RU Index		
						82	N/A	N/A
	1	5180	36	106T + 26T	13.74			
		5200	40	106T + 26T	13.72			
		5220	44	106T + 26T	13.88			
		5240	48	106T + 26T	13.74			
	2A	5260	52	106T + 26T	13.94			
		5280	56	106T + 26T	13.94			
		5300	60	106T + 26T	13.83			
		5320	64	106T + 26T	13.91			
	2C	5500	100	106T + 26T	13.16			
5600		120	106T + 26T	13.74				
5620		124	106T + 26T	13.78				
5720		144	106T + 26T	13.77				
3	5745	149	106T + 26T	13.76				
	5785	157	106T + 26T	13.90				
	5825	165	106T + 26T	13.78				
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
	90	91	92	93				
	1	5210	42	484T + 242T	12.00	12.05	12.15	12.09
	2A	5290	58	484T + 242T	11.81	11.80	11.72	11.75
	2C	5530	106	484T + 242T	11.08	11.06	11.15	11.04
		5610	122	484T + 242T	15.55	15.64	15.55	15.60
	5690	138	484T + 242T	16.09	16.08	16.08	16.17	
	3	5775	155	484T + 242T	14.93	14.95	14.89	15.03
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
	96	97	98	99				
1	5250	50	996T + 484T + 242T	11.08	11.02	11.05	11.05	
2C	5570	114	996T + 484T + 242T	11.09	11.08	11.14	11.10	

Table J-14
Maximum 6 GHz 802.11ax MRU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	12.80	12.71	
		6175	45	52T + 26T	12.63	12.67	
		6195	49	52T + 26T	12.59	12.51	
		6415	93	52T + 26T	10.81	10.76	
	6	6435	97	52T + 26T	0.43	0.22	
		6475	105	52T + 26T	0.24	0.07	
		6515	113	52T + 26T	0.03	-0.14	
7	6535	117	52T + 26T	10.88	10.85		
	6695	149	52T + 26T	10.79	10.89		
	6875	185	52T + 26T	0.18	0.04		
8	6895	189	52T + 26T	0.11	0.01		
	6995	209	52T + 26T	0.04	-0.06		
	7015	213	52T + 26T	-0.11	-0.22		
	7115	233	52T + 26T	NS	NS		
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	12.64		
		6175	45	106T + 26T	12.49		
		6195	49	106T + 26T	12.48		
		6415	93	106T + 26T	10.80		
	6	6435	97	106T + 26T	2.16		
		6475	105	106T + 26T	1.91		
		6515	113	106T + 26T	1.66		
	7	6535	117	106T + 26T	10.84		
		6695	149	106T + 26T	10.82		
		6875	185	106T + 26T	1.94		
	8	6895	189	106T + 26T	1.86		
6995		209	106T + 26T	1.66			
7015		213	106T + 26T	1.66			
7115		233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	12.65	12.68	12.80	12.50
		6145	39	484T + 242T	10.77	10.76	10.85	10.90
		6225	55	484T + 242T	10.89	10.76	10.78	10.76
		6385	87	484T + 242T	10.84	10.77	10.83	10.83
	6	6465	103	484T + 242T	8.88	8.87	8.96	8.77
	7	6545	119	484T + 242T	8.46	8.27	8.42	8.62
		6705	151	484T + 242T	10.77	10.78	10.87	10.80
6865		183	484T + 242T	8.58	8.38	8.42	8.76	
8	6945	199	484T + 242T	8.35	8.35	8.31	8.32	
	7025	215	484T + 242T	8.32	8.40	8.33	8.33	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	12.27	12.25	12.38	12.69
		6185	47	996T + 484T + 242T	10.79	10.88	10.84	11.20
		6345	79	996T + 484T + 242T	10.85	10.78	10.75	10.79
	6	6505	111	996T + 484T + 242T	11.32	11.36	11.49	11.32
	7	6665	143	996T + 484T + 242T	10.78	10.76	10.78	10.76
		6825	175	996T + 484T + 242T	11.32	11.33	11.32	11.41
	8	6985	207	996T + 484T + 242T	11.61	11.68	11.66	11.65

Table J-15
Maximum 6 GHz 802.11ax MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	11.55	11.66	
6175		45	52T + 26T	11.51	11.72		
6195		49	52T + 26T	11.72	11.54		
6415		93	52T + 26T	11.74	11.57		
6	6435	97	52T + 26T	0.42	0.25		
	6475	105	52T + 26T	0.52	0.35		
	6515	113	52T + 26T	0.18	-0.08		
7	6535	117	52T + 26T	11.50	11.52		
	6695	149	52T + 26T	11.58	11.53		
	6875	185	52T + 26T	0.29	0.15		
8	6895	189	52T + 26T	1.23	1.14		
	6995	209	52T + 26T	1.15	1.16		
	7015	213	52T + 26T	1.07	1.14		
	7115	233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	12.87		
6175		45	106T + 26T	12.79			
6195		49	106T + 26T	12.78			
6415		93	106T + 26T	11.81			
6	6435	97	106T + 26T	2.12			
	6475	105	106T + 26T	1.99			
	6515	113	106T + 26T	1.90			
7	6535	117	106T + 26T	12.05			
	6695	149	106T + 26T	12.09			
	6875	185	106T + 26T	2.35			
8	6895	189	106T + 26T	3.25			
	6995	209	106T + 26T	3.22			
	7015	213	106T + 26T	3.28			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	12.82	12.79	12.82	12.88
6145		39	484T + 242T	11.86	11.80	11.85	11.91	
6225		55	484T + 242T	11.79	11.76	11.77	11.83	
6385		87	484T + 242T	11.78	11.81	11.75	11.86	
6	6465	103	484T + 242T	8.79	8.71	8.78	8.73	
7	6545	119	484T + 242T	8.64	8.53	8.58	8.60	
	6705	151	484T + 242T	12.08	12.09	12.03	12.05	
	6865	183	484T + 242T	9.35	9.30	9.34	9.42	
8	6945	199	484T + 242T	10.35	10.32	10.35	10.39	
	7025	215	484T + 242T	10.24	10.23	10.26	10.25	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	12.83	12.82	12.80	12.94
6185		47	996T + 484T + 242T	11.86	11.76	11.78	11.81	
6345		79	996T + 484T + 242T	11.78	11.79	11.78	11.98	
6	6505	111	996T + 484T + 242T	11.86	11.84	11.80	11.86	
7	6665	143	996T + 484T + 242T	12.09	12.10	12.17	12.05	
	6825	175	996T + 484T + 242T	12.48	12.46	12.42	12.46	
8	6985	207	996T + 484T + 242T	12.29	12.28	12.25	12.29	

FCC ID: BCGA3596	RF EXPOSURE REPORT		Approved by: Technical Manager
DUT Type: Tablet Device		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.	APPENDIX J: Page 65 of 66

Table J-16
Maximum 6 GHz 802.11ax MRU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	10.83	10.79	
		6175	45	52T + 26T	10.90	10.76	
		6195	49	52T + 26T	10.99	10.88	
		6415	93	52T + 26T	10.39	10.26	
	6	6435	97	52T + 26T	-0.09	-0.26	
		6475	105	52T + 26T	0.11	-0.05	
		6515	113	52T + 26T	-0.10	-0.36	
	7	6535	117	52T + 26T	11.60	11.54	
		6695	149	52T + 26T	11.64	11.55	
		6875	185	52T + 26T	0.40	0.28	
	8	6895	189	52T + 26T	1.37	1.27	
		6995	209	52T + 26T	1.08	1.22	
7015		213	52T + 26T	1.09	1.05		
7115		233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	10.83		
		6175	45	106T + 26T	10.78		
		6195	49	106T + 26T	10.82		
		6415	93	106T + 26T	10.29		
	6	6435	97	106T + 26T	1.66		
		6475	105	106T + 26T	1.72		
		6515	113	106T + 26T	1.64		
	7	6535	117	106T + 26T	12.29		
		6695	149	106T + 26T	12.26		
		6875	185	106T + 26T	2.25		
	8	6895	189	106T + 26T	3.40		
		6995	209	106T + 26T	3.30		
		7015	213	106T + 26T	3.25		
		7115	233	106T + 26T	NS		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
80MHz BW	5	5985	7	484T + 242T	10.85	11.13	10.78	11.22
		6145	39	484T + 242T	10.47	10.37	10.43	10.69
		6225	55	484T + 242T	10.35	10.27	10.34	10.75
		6385	87	484T + 242T	10.25	10.28	10.34	10.33
	6	6465	103	484T + 242T	9.00	8.83	8.91	8.81
		6545	119	484T + 242T	9.00	8.67	8.69	9.07
		6705	151	484T + 242T	13.71	13.45	13.61	13.76
	7	6865	183	484T + 242T	9.56	9.45	9.59	9.58
		6945	199	484T + 242T	10.39	10.35	10.46	10.41
		7025	215	484T + 242T	10.34	10.29	10.27	10.29
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	11.18	10.97	10.84	10.84
		6185	47	996T + 484T + 242T	10.65	10.50	10.27	10.34
		6345	79	996T + 484T + 242T	10.47	10.68	10.63	10.43
	6	6505	111	996T + 484T + 242T	11.90	11.85	11.93	12.19
		6665	143	996T + 484T + 242T	13.60	13.54	13.40	13.44
	7	6825	175	996T + 484T + 242T	12.62	12.48	12.77	12.47
		6985	207	996T + 484T + 242T	13.60	13.62	13.58	13.53