






Plot 7-352. PSD TxBF Primary Antenna 5T (NB UNII XHDRPM6, iPA – 5788 MHz)




Plot 7-353. PSD TxBF Primary Antenna 5B (NB UNII XHDRPM6, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 233 of 441

V 12.0 03/03/2026




Plot 7-354. PSD TxBF Primary Antenna 5T (NB UNII HDRPM16, ePA – 5788 MHz)




Plot 7-355. PSD TxBF Primary Antenna 5B (NB UNII HDRPM16, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 234 of 441



Plot 7-356. PSD TxBF Primary Antenna 5T (NB UNII HDRPM16, iPA – 5788 MHz)




Plot 7-357. PSD TxBF Primary Antenna 5B (NB UNII HDRPM16, iPA – 5788 MHz)


FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 235 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-358. PSD TxBF Primary Antenna 5T (NB UNII HDRPL12, ePA – 5788 MHz)




Plot 7-359. PSD TxBF Primary Antenna 5B (NB UNII HDRPL12, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 236 of 441




Plot 7-360. PSD TxBF Primary Antenna 5T (NB UNII HDRPL12, iPA – 5788 MHz)




Plot 7-361. PSD TxBF Primary Antenna 5B (NB UNII HDRPL12, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 237 of 441




Plot 7-362. PSD TxBF Primary Antenna 5T (NB UNII HDRPL32, ePA – 5788 MHz)




Plot 7-363. PSD TxBF Primary Antenna 5B (NB UNII HDRPL32, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 238 of 441




Plot 7-364. PSD TxBF Primary Antenna 5T (NB UNII HDRPL32, iPA – 5788 MHz)




Plot 7-365. PSD TxBF Primary Antenna 5B (NB UNII HDRPL32, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 239 of 441



Plot 7-366. PSD TxBF Primary Antenna 5T (NB UNII HDT2, ePA – 5788 MHz)




Plot 7-367. PSD TxBF Primary Antenna 5B (NB UNII HDT2, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 240 of 441




Plot 7-368. PSD TxBF Primary Antenna 5T (NB UNII HDT2, iPA – 5788 MHz)




Plot 7-369. PSD TxBF Primary Antenna 5B (NB UNII HDT2, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 241 of 441



Plot 7-370. PSD TxBF Primary Antenna 5T (NB UNII HDT4, ePA – 5788 MHz)




Plot 7-371. PSD TxBF Primary Antenna 5B (NB UNII HDT4, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 242 of 441




Plot 7-372. PSD TxBF Primary Antenna 5T (NB UNII HDT4, iPA – 5788 MHz)




Plot 7-373. PSD TxBF Primary Antenna 5B (NB UNII HDT4, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 243 of 441



Plot 7-374. PSD TxBF Primary Antenna 5T (NB UNII HDT6, ePA – 5788 MHz)




Plot 7-375. PSD TxBF Primary Antenna 5B (NB UNII HDT6, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 244 of 441



Plot 7-376. PSD TxBF Primary Antenna 5T (NB UNII HDT6, iPA – 5788 MHz)



Plot 7-377. PSD TxBF Primary Antenna 5B (NB UNII HDT6, iPA – 5788 MHz)


FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 245 of 441

7.5.9 TxBF Diversity Power Spectral Density Measurements (U-NII-1)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Antenna 5T Power Density [dBm/MHz]	Antenna 1B Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
5162	1.0	NB UNII BDR	ePA	5.25	6.13	8.72	11.00	-2.28
5203	1.0	NB UNII BDR	ePA	5.39	6.16	8.80	11.00	-2.20
5245	1.0	NB UNII BDR	ePA	5.32	6.07	8.72	11.00	-2.28
5162	1.0	NB UNII BDR	iPA	3.26	2.79	6.04	11.00	-4.96
5203	1.0	NB UNII BDR	iPA	3.20	1.65	5.50	11.00	-5.50
5245	1.0	NB UNII BDR	iPA	3.00	0.02	4.77	11.00	-6.23
5162	1.0	NB UNII LE1M	ePA	5.11	6.44	8.83	11.00	-2.17
5203	1.0	NB UNII LE1M	ePA	5.09	6.38	8.79	11.00	-2.21
5245	1.0	NB UNII LE1M	ePA	5.13	6.33	8.78	11.00	-2.22
5162	1.0	NB UNII LE1M	iPA	3.17	2.93	6.06	11.00	-4.94
5203	1.0	NB UNII LE1M	iPA	2.94	1.34	5.22	11.00	-5.78
5245	1.0	NB UNII LE1M	iPA	2.76	-0.33	4.49	11.00	-6.51
5162	2.0	NB UNII LE2M	ePA	5.06	5.95	8.54	11.00	-2.46
5203	2.0	NB UNII LE2M	ePA	5.32	6.17	8.78	11.00	-2.22
5245	2.0	NB UNII LE2M	ePA	5.22	6.22	8.76	11.00	-2.24
5162	2.0	NB UNII LE2M	iPA	2.03	2.01	5.03	11.00	-5.97
5203	2.0	NB UNII LE2M	iPA	2.14	0.77	4.52	11.00	-6.48
5245	2.0	NB UNII LE2M	iPA	2.29	-0.83	4.02	11.00	-6.98
5162	4.0	NB UNII HDR4	ePA	5.82	6.25	9.05	11.00	-1.95
5203	4.0	NB UNII HDR4	ePA	5.38	6.23	8.83	11.00	-2.17
5245	4.0	NB UNII HDR4	ePA	5.40	6.17	8.81	11.00	-2.19
5162	4.0	NB UNII HDR4	iPA	-1.82	-1.76	1.22	11.00	-9.78
5203	4.0	NB UNII HDR4	iPA	-1.94	-3.65	0.30	11.00	-10.70
5245	4.0	NB UNII HDR4	iPA	-2.19	-5.22	-0.43	11.00	-11.43
5162	8.0	NB UNII HDR8	ePA	4.32	5.17	7.78	11.00	-3.22
5203	8.0	NB UNII HDR8	ePA	4.15	5.04	7.63	11.00	-3.37
5245	8.0	NB UNII HDR8	ePA	4.30	5.21	7.79	11.00	-3.21
5162	8.0	NB UNII HDR8	iPA	-4.43	-5.01	-1.70	11.00	-12.70
5203	8.0	NB UNII HDR8	iPA	-4.81	-6.18	-2.43	11.00	-13.43
5245	8.0	NB UNII HDR8	iPA	-4.73	-7.68	-2.95	11.00	-13.95
5162	2.0	NB UNII HDRPS2	ePA	4.79	5.31	8.06	11.00	-2.94
5203	2.0	NB UNII HDRPS2	ePA	4.73	5.17	7.97	11.00	-3.03
5245	2.0	NB UNII HDRPS2	ePA	5.36	5.49	8.43	11.00	-2.57
5162	2.0	NB UNII HDRPS2	iPA	-2.21	-3.86	0.05	11.00	-10.95
5203	2.0	NB UNII HDRPS2	iPA	-2.30	-2.18	0.77	11.00	-10.23
5245	2.0	NB UNII HDRPS2	iPA	-2.45	-2.72	0.43	11.00	-10.57
5162	6.0	NB UNII XHDRPM6	ePA	4.47	4.87	7.69	11.00	-3.31
5203	6.0	NB UNII XHDRPM6	ePA	3.96	4.73	7.37	11.00	-3.63
5245	6.0	NB UNII XHDRPM6	ePA	4.05	5.20	7.67	11.00	-3.33
5162	6.0	NB UNII XHDRPM6	iPA	-5.09	-6.42	-2.69	11.00	-13.69
5203	6.0	NB UNII XHDRPM6	iPA	-5.22	-5.21	-2.21	11.00	-13.21
5245	6.0	NB UNII XHDRPM6	iPA	-5.32	-5.63	-2.46	11.00	-13.46
5162	16.0	NB UNII HDRPM16	ePA	5.06	3.36	7.30	11.00	-3.70
5203	16.0	NB UNII HDRPM16	ePA	4.92	3.21	7.16	11.00	-3.84
5245	16.0	NB UNII HDRPM16	ePA	5.01	3.57	7.36	11.00	-3.64
5162	16.0	NB UNII HDRPM16	iPA	-8.16	-9.39	-5.72	11.00	-16.72
5203	16.0	NB UNII HDRPM16	iPA	-8.29	-8.19	-5.23	11.00	-16.23
5245	16.0	NB UNII HDRPM16	iPA	-8.37	-8.75	-5.55	11.00	-16.55
5162	12.0	NB UNII HDRPL12	ePA	4.97	2.96	7.09	11.00	-3.91
5203	12.0	NB UNII HDRPL12	ePA	4.88	2.88	7.00	11.00	-4.00
5245	12.0	NB UNII HDRPL12	ePA	5.00	3.00	7.12	11.00	-3.88
5162	12.0	NB UNII HDRPL12	iPA	-8.34	-9.32	-5.79	11.00	-16.79
5203	12.0	NB UNII HDRPL12	iPA	-8.33	-9.26	-5.76	11.00	-16.76
5245	12.0	NB UNII HDRPL12	iPA	-7.95	-9.34	-5.58	11.00	-16.58
5162	32.0	NB UNII HDRPL32	ePA	3.46	1.25	5.51	11.00	-5.49
5203	32.0	NB UNII HDRPL32	ePA	2.98	1.09	5.14	11.00	-5.86
5245	32.0	NB UNII HDRPL32	ePA	3.05	1.23	5.25	11.00	-5.75
5162	32.0	NB UNII HDRPL32	iPA	-11.20	-12.21	-8.67	11.00	-19.67
5203	32.0	NB UNII HDRPL32	iPA	-11.23	-12.04	-8.61	11.00	-19.61
5245	32.0	NB UNII HDRPL32	iPA	-10.84	-12.14	-8.43	11.00	-19.43
5162	2.0	NB UNII HDT2	ePA	5.56	5.35	8.47	11.00	-2.53
5203	2.0	NB UNII HDT2	ePA	5.56	5.63	8.60	11.00	-2.40
5245	2.0	NB UNII HDT2	ePA	5.63	5.90	8.78	11.00	-2.22
5162	2.0	NB UNII HDT2	iPA	-2.44	-3.65	0.01	11.00	-10.99
5203	2.0	NB UNII HDT2	iPA	-2.52	-2.46	0.52	11.00	-10.48
5245	2.0	NB UNII HDT2	iPA	-2.58	-2.95	0.25	11.00	-10.75
5162	4.0	NB UNII HDT4	ePA	5.40	5.86	8.65	11.00	-2.35
5203	4.0	NB UNII HDT4	ePA	5.40	5.63	8.53	11.00	-2.47
5245	4.0	NB UNII HDT4	ePA	5.47	5.93	8.72	11.00	-2.28
5162	4.0	NB UNII HDT4	iPA	-2.43	-3.65	0.01	11.00	-10.99
5203	4.0	NB UNII HDT4	iPA	-2.51	-2.47	0.52	11.00	-10.48
5245	4.0	NB UNII HDT4	iPA	-2.59	-2.97	0.23	11.00	-10.77
5162	6.0	NB UNII HDT6	ePA	5.33	5.40	8.38	11.00	-2.62
5203	6.0	NB UNII HDT6	ePA	5.34	5.19	8.27	11.00	-2.73
5245	6.0	NB UNII HDT6	ePA	5.41	6.00	8.72	11.00	-2.28
5162	6.0	NB UNII HDT6	iPA	-5.48	-6.65	-3.02	11.00	-14.02
5203	6.0	NB UNII HDT6	iPA	-5.59	-5.44	-2.50	11.00	-13.50
5245	6.0	NB UNII HDT6	iPA	-5.66	-5.95	-2.79	11.00	-13.79

Table 7-29. Power Spectral Density Measurements TxBF Diversity

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 246 of 441




Plot 7-378. PSD Tx BF Diversity Antenna 5T (NB UNII BDR, ePA – 5203 MHz)




Plot 7-379. PSD Tx BF Diversity Antenna 1B (NB UNII BDR, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 247 of 441



Plot 7-380. PSD TxBF Diversity Antenna 5T (NB UNII BDR, iPA – 5203 MHz)




Plot 7-381. PSD TxBF Diversity Antenna 1B (NB UNII BDR, iPA – 5203 MHz)


FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 248 of 441

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-382. PSD TxBF Diversity Antenna 5T (NB UNII LE1M, ePA – 5203 MHz)




Plot 7-383. PSD TxBF Diversity Antenna 1B (NB UNII LE1M, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 249 of 441

V 12.0 03/03/2026




Plot 7-384. PSD Tx BF Diversity Antenna 5T (NB UNII LE1M, iPA – 5203 MHz)




Plot 7-385. PSD Tx BF Diversity Antenna 1B (NB UNII LE1M, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 250 of 441





Plot 7-386. PSD TxBF Diversity Antenna 5T (NB UNII LE2M, ePA – 5203 MHz)




Plot 7-387. PSD TxBF Diversity Antenna 1B (NB UNII LE2M, ePA – 5203 MHz)


FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 251 of 441



FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 252 of 441




Plot 7-390. PSD TxBF Diversity Antenna 5T (NB UNII HDR4, ePA – 5203 MHz)




Plot 7-391. PSD TxBF Diversity Antenna 1B (NB UNII HDR4, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 253 of 441

V 12.0 03/03/2026




Plot 7-392. PSD TxBF Diversity Antenna 5T (NB UNII HDR4, iPA – 5203 MHz)




Plot 7-393. PSD TxBF Diversity Antenna 1B (NB UNII HDR4, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 254 of 441




Plot 7-394. PSD TxBF Diversity Antenna 5T (NB UNII HDR8, ePA – 5203 MHz)




Plot 7-395. PSD TxBF Diversity Antenna 1B (NB UNII HDR8, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 255 of 441

V 12.0 03/03/2026




Plot 7-396. PSD TxBF Diversity Antenna 5T (NB UNII HDR8, iPA - 5203 MHz)




Plot 7-397. PSD TxBF Diversity Antenna 1B (NB UNII HDR8, iPA - 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 256 of 441




Plot 7-398. PSD TxBF Diversity Antenna 5T (NB UNII HDRPS2, ePA – 5203 MHz)




Plot 7-399. PSD TxBF Diversity Antenna 1B (NB UNII HDRPS2, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 257 of 441




Plot 7-400. PSD Tx BF Diversity Antenna 5T (NB UNII HDRPS2, iPA – 5203 MHz)




Plot 7-401. PSD Tx BF Diversity Antenna 1B (NB UNII HDRPS2, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 258 of 441




Plot 7-402. PSD TxBF Diversity Antenna 5T (NB UNII XHDRPM6, ePA – 5203 MHz)




Plot 7-403. PSD TxBF Diversity Antenna 1B (NB UNII XHDRPM6, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 259 of 441




Plot 7-404. PSD TxBF Diversity Antenna 5T (NB UNII XHDRPM6, iPA – 5203 MHz)




Plot 7-405. PSD TxBF Diversity Antenna 1B (NB UNII XHDRPM6, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 260 of 441




Plot 7-406. PSD TxBF Diversity Antenna 5T (NB UNII HDRPM16, ePA – 5203 MHz)




Plot 7-407. PSD TxBF Diversity Antenna 1B (NB UNII HDRPM16, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 261 of 441

V 12.0 03/03/2026




Plot 7-408. PSD TxBF Diversity Antenna 5T (NB UNII HDRPM16, iPA – 5203 MHz)




Plot 7-409. PSD TxBF Diversity Antenna 1B (NB UNII HDRPM16, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 262 of 441




Plot 7-410. PSD TxBF Diversity Antenna 5T (NB UNII HDRPL12, ePA – 5203 MHz)




Plot 7-411. PSD TxBF Diversity Antenna 1B (NB UNII HDRPL12, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 263 of 441

V 12.0 03/03/2026




Plot 7-412. PSD TxBF Diversity Antenna 5T (NB UNII HDRPL12, iPA – 5203 MHz)




Plot 7-413. PSD TxBF Diversity Antenna 1B (NB UNII HDRPL12, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 264 of 441

V 12.0 03/03/2026




Plot 7-414. PSD TxBF Diversity Antenna 5T (NB UNII HDRPL32, ePA – 5203 MHz)




Plot 7-415. PSD TxBF Diversity Antenna 1B (NB UNII HDRPL32, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 265 of 441




Plot 7-416. PSD TxBF Diversity Antenna 5T (NB UNII HDRPL32, iPA – 5203 MHz)




Plot 7-417. PSD TxBF Diversity Antenna 1B (NB UNII HDRPL32, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 266 of 441

V 12.0 03/03/2026




Plot 7-418. PSD Tx BF Diversity Antenna 5T (NB UNII HDT2, ePA – 5203 MHz)




Plot 7-419. PSD Tx BF Diversity Antenna 1B (NB UNII HDT2, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 267 of 441




Plot 7-420. PSD TxBF Diversity Antenna 5T (NB UNII HDT2, iPA – 5203 MHz)




Plot 7-421. PSD TxBF Diversity Antenna 1B (NB UNII HDT2, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 268 of 441

V 12.0 03/03/2026




Plot 7-422. PSD Tx BF Diversity Antenna 5T (NB UNII HDT4, ePA – 5203 MHz)




Plot 7-423. PSD Tx BF Diversity Antenna 1B (NB UNII HDT4, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 269 of 441




Plot 7-424. PSD TxBF Diversity Antenna 5T (NB UNII HDT4, iPA – 5203 MHz)




Plot 7-425. PSD TxBF Diversity Antenna 1B (NB UNII HDT4, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 270 of 441




Plot 7-426. PSD TxBF Diversity Antenna 5T (NB UNII HDT6, ePA – 5203 MHz)




Plot 7-427. PSD TxBF Diversity Antenna 1B (NB UNII HDT6, ePA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 271 of 441



Plot 7-428. PSD TxBF Diversity Antenna 5T (NB UNII HDT6, iPA – 5203 MHz)



Plot 7-429. PSD TxBF Diversity Antenna 1B (NB UNII HDT6, iPA – 5203 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 272 of 441


V 12.0 03/03/2026

7.5.10 TxBF Diversity Power Spectral Density Measurements (U-NII-3)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Antenna 5T Power Density [dBm/500kHz]	Antenna 1B Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
5733	1.0	NB UNII BDR	ePA	17.16	15.75	19.52	30.00	-10.48
5788	1.0	NB UNII BDR	ePA	17.22	15.61	19.50	30.00	-10.50
5844	1.0	NB UNII BDR	ePA	17.53	16.12	19.89	30.00	-10.11
5733	1.0	NB UNII BDR	iPA	3.41	3.95	6.70	30.00	-23.30
5788	1.0	NB UNII BDR	iPA	3.53	4.08	6.82	30.00	-23.18
5844	1.0	NB UNII BDR	iPA	3.85	2.90	6.41	30.00	-23.59
5733	1.0	NB UNII LE1M	ePA	16.71	14.45	18.73	30.00	-11.27
5788	1.0	NB UNII LE1M	ePA	16.78	14.80	18.91	30.00	-11.09
5844	1.0	NB UNII LE1M	ePA	17.09	15.22	19.26	30.00	-10.74
5733	1.0	NB UNII LE1M	iPA	2.72	3.22	5.99	30.00	-24.01
5788	1.0	NB UNII LE1M	iPA	3.02	3.25	6.15	30.00	-23.85
5844	1.0	NB UNII LE1M	iPA	3.17	2.15	5.70	30.00	-24.30
5733	2.0	NB UNII LE2M	ePA	14.77	13.56	17.22	30.00	-12.78
5788	2.0	NB UNII LE2M	ePA	15.13	13.54	17.42	30.00	-12.58
5844	2.0	NB UNII LE2M	ePA	15.06	14.34	17.73	30.00	-12.27
5733	2.0	NB UNII LE2M	iPA	0.75	1.36	4.08	30.00	-25.92
5788	2.0	NB UNII LE2M	iPA	0.56	1.78	4.22	30.00	-25.78
5844	2.0	NB UNII LE2M	iPA	1.39	-0.07	3.73	30.00	-26.27
5733	4.0	NB UNII HDR4	ePA	8.30	6.27	10.41	30.00	-19.59
5788	4.0	NB UNII HDR4	ePA	8.40	6.36	10.51	30.00	-19.49
5844	4.0	NB UNII HDR4	ePA	8.29	6.74	10.59	30.00	-19.41
5733	4.0	NB UNII HDR4	iPA	-3.49	-2.67	-0.05	30.00	-30.05
5788	4.0	NB UNII HDR4	iPA	-4.28	-3.72	-0.98	30.00	-30.98
5844	4.0	NB UNII HDR4	iPA	-3.50	-5.07	-1.20	30.00	-31.20
5733	8.0	NB UNII HDR8	ePA	5.81	3.97	8.00	30.00	-22.00
5788	8.0	NB UNII HDR8	ePA	5.96	3.77	8.01	30.00	-21.99
5844	8.0	NB UNII HDR8	ePA	6.31	4.36	8.45	30.00	-21.55
5733	8.0	NB UNII HDR8	iPA	-6.61	-5.40	-2.95	30.00	-32.95
5788	8.0	NB UNII HDR8	iPA	-6.22	-6.18	-3.19	30.00	-33.19
5844	8.0	NB UNII HDR8	iPA	-6.00	-7.59	-3.71	30.00	-33.71
5733	2.0	NB UNII HDRPS2	ePA	7.68	6.41	10.10	30.00	-19.90
5788	2.0	NB UNII HDRPS2	ePA	7.68	5.81	9.86	30.00	-20.14
5844	2.0	NB UNII HDRPS2	ePA	8.01	5.54	9.96	30.00	-20.04
5733	2.0	NB UNII HDRPS2	iPA	-4.54	-4.70	-1.61	30.00	-31.61
5788	2.0	NB UNII HDRPS2	iPA	-4.19	-3.06	-0.58	30.00	-30.58
5844	2.0	NB UNII HDRPS2	iPA	-4.61	-3.09	-0.77	30.00	-30.77
5733	6.0	NB UNII XHDRPM6	ePA	4.62	3.84	7.26	30.00	-22.74
5788	6.0	NB UNII XHDRPM6	ePA	4.72	3.22	7.04	30.00	-22.96
5844	6.0	NB UNII XHDRPM6	ePA	4.98	3.14	7.17	30.00	-22.83
5733	6.0	NB UNII XHDRPM6	iPA	-7.64	-7.70	-4.66	30.00	-34.66
5788	6.0	NB UNII XHDRPM6	iPA	-7.25	-6.21	-3.68	30.00	-33.68
5844	6.0	NB UNII XHDRPM6	iPA	-7.02	-6.09	-3.52	30.00	-33.52
5733	16.0	NB UNII XHDRPM16	ePA	3.14	1.52	5.42	30.00	-24.58
5788	16.0	NB UNII XHDRPM16	ePA	3.17	0.79	5.15	30.00	-24.85
5844	16.0	NB UNII XHDRPM16	ePA	2.94	0.70	4.97	30.00	-25.03
5733	16.0	NB UNII XHDRPM16	iPA	-10.63	-10.59	-7.60	30.00	-37.60
5788	16.0	NB UNII XHDRPM16	iPA	-10.23	-8.79	-6.44	30.00	-36.44
5844	16.0	NB UNII XHDRPM16	iPA	-10.08	-8.69	-6.32	30.00	-36.32
5733	12.0	NB UNII HDRPL12	ePA	1.98	1.17	4.60	30.00	-25.40
5788	12.0	NB UNII HDRPL12	ePA	1.61	0.98	4.32	30.00	-25.68
5844	12.0	NB UNII HDRPL12	ePA	1.87	0.74	4.35	30.00	-25.65
5733	12.0	NB UNII HDRPL12	iPA	-10.26	-10.82	-7.52	30.00	-37.52
5788	12.0	NB UNII HDRPL12	iPA	-10.31	-10.16	-7.22	30.00	-37.22
5844	12.0	NB UNII HDRPL12	iPA	-10.18	-9.98	-7.07	30.00	-37.07
5733	32.0	NB UNII HDRPL32	ePA	0.07	8.44	9.03	30.00	-20.97
5788	32.0	NB UNII HDRPL32	ePA	0.21	-19.05	0.26	30.00	-29.74
5844	32.0	NB UNII HDRPL32	ePA	0.49	7.87	8.60	30.00	-21.40
5733	32.0	NB UNII HDRPL32	iPA	-13.08	-42.00	-13.07	30.00	-43.07
5788	32.0	NB UNII HDRPL32	iPA	-13.19	-10.06	-8.34	30.00	-38.34
5844	32.0	NB UNII HDRPL32	iPA	-13.04	-15.59	-11.12	30.00	-41.12
5733	2.0	NB UNII HDT2	ePA	7.93	17.01	17.51	30.00	-12.49
5788	2.0	NB UNII HDT2	ePA	7.47	6.58	10.06	30.00	-19.94
5844	2.0	NB UNII HDT2	ePA	7.75	3.47	9.12	30.00	-20.88
5733	2.0	NB UNII HDT2	iPA	-4.31	-25.91	-4.28	30.00	-34.28
5788	2.0	NB UNII HDT2	iPA	-4.45	-1.24	0.46	30.00	-29.54
5844	2.0	NB UNII HDT2	iPA	-4.35	-11.66	-3.61	30.00	-33.61
5733	4.0	NB UNII HDT4	ePA	7.73	17.06	17.54	30.00	-12.46
5788	4.0	NB UNII HDT4	ePA	7.80	6.62	10.26	30.00	-19.74
5844	4.0	NB UNII HDT4	ePA	8.06	3.50	9.36	30.00	-20.64
5733	4.0	NB UNII HDT4	iPA	-4.33	-29.90	-4.32	30.00	-34.32
5788	4.0	NB UNII HDT4	iPA	-4.48	-1.37	0.36	30.00	-29.64
5844	4.0	NB UNII HDT4	iPA	-4.37	-11.63	-3.62	30.00	-33.62
5733	6.0	NB UNII HDT6	ePA	5.67	16.98	17.29	30.00	-12.71
5788	6.0	NB UNII HDT6	ePA	5.73	-20.91	5.74	30.00	-24.26
5844	6.0	NB UNII HDT6	ePA	5.99	16.28	16.67	30.00	-13.33
5733	6.0	NB UNII HDT6	iPA	-7.28	-35.39	-7.28	30.00	-37.28
5788	6.0	NB UNII HDT6	iPA	-7.51	-1.30	-0.37	30.00	-30.37
5844	6.0	NB UNII HDT6	iPA	-7.37	-18.23	-7.02	30.00	-37.02

Table 7-30. Power Spectral Density Measurements TxBF

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 273 of 441




Plot 7-430. PSD Tx BF Diversity Antenna 5T (NB UNII BDR, ePA – 5788 MHz)




Plot 7-431. PSD Tx BF Diversity Antenna 1B (NB UNII BDR, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 274 of 441




Plot 7-432. PSD TxBF Diversity Antenna 5T (NB UNII BDR, iPA – 5788 MHz)



Plot 7-433. PSD TxBF Diversity Antenna 1B (NB UNII BDR, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 275 of 441




Plot 7-434. PSD TxBF Diversity Antenna 5T (NB UNII LE1M, ePA – 5788 MHz)



Plot 7-435. PSD TxBF Diversity Antenna 1B (NB UNII LE1M, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 276 of 441




Plot 7-436. PSD TxBF Diversity Antenna 5T (NB UNII LE1M, iPA – 5788 MHz)




Plot 7-437. PSD TxBF Diversity Antenna 1B (NB UNII LE1M, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 277 of 441




Plot 7-438. PSD TxBF Diversity Antenna 5T (NB UNII LE2M, ePA - 5788 MHz)




Plot 7-439. PSD TxBF Diversity Antenna 1B (NB UNII LE2M, ePA - 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 278 of 441




Plot 7-440. PSD Tx BF Diversity Antenna 5T (NB UNII LE2M, iPA – 5788 MHz)




Plot 7-441. PSD Tx BF Diversity Antenna 1B (NB UNII LE2M, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 279 of 441




Plot 7-442. PSD TxBF Diversity Antenna 5T (NB UNII HDR4, ePA – 5788 MHz)




Plot 7-443. PSD TxBF Diversity Antenna 1B (NB UNII HDR4, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 280 of 441




Plot 7-444. PSD TxBF Diversity Antenna 5T (NB UNII HDR4, iPA - 5788 MHz)




Plot 7-445. PSD TxBF Diversity Antenna 1B (NB UNII HDR4, iPA - 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 281 of 441




Plot 7-446. PSD TxBF Diversity Antenna 5T (NB UNII HDR8, ePA – 5788 MHz)




Plot 7-447. PSD TxBF Diversity Antenna 1B (NB UNII HDR8, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 282 of 441




Plot 7-448. PSD TxBF Diversity Antenna 5T (NB UNII HDR8, iPA – 5788 MHz)




Plot 7-449. PSD TxBF Diversity Antenna 1B (NB UNII HDR8, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 283 of 441



Plot 7-450. PSD TxBF Diversity Antenna 5T (NB UNII HDRPS2, ePA – 5788 MHz)




Plot 7-451. PSD TxBF Diversity Antenna 1B (NB UNII HDRPS2, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 284 of 441




Plot 7-452. PSD TxBF Diversity Antenna 5T (NB UNII HDRPS2, iPA – 5788 MHz)




Plot 7-453. PSD TxBF Diversity Antenna 1B (NB UNII HDRPS2, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 285 of 441




Plot 7-454. PSD Tx BF Diversity Antenna 5T (NB UNII XHDRPM6, ePA – 5788 MHz)




Plot 7-455. PSD Tx BF Diversity Antenna 1B (NB UNII XHDRPM6, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 286 of 441

V 12.0 03/03/2026




Plot 7-456. PSD TxBF Diversity Antenna 5T (NB UNII XHDRPM6, iPA – 5788 MHz)




Plot 7-457. PSD TxBF Diversity Antenna 1B (NB UNII XHDRPM6, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 287 of 441




Plot 7-458. PSD TxBF Diversity Antenna 5T (NB UNII HDRPM16, ePA – 5788 MHz)




Plot 7-459. PSD TxBF Diversity Antenna 1B (NB UNII HDRPM16, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 288 of 441




Plot 7-460. PSD TxBF Diversity Antenna 5T (NB UNII HDRPM16, iPA – 5788 MHz)




Plot 7-461. PSD TxBF Diversity Antenna 1B (NB UNII HDRPM16, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 289 of 441

V 12.0 03/03/2026




Plot 7-462. PSD Tx BF Diversity Antenna 5T (NB UNII HDRPL12, ePA – 5788 MHz)




Plot 7-463. PSD Tx BF Diversity Antenna 1B (NB UNII HDRPL12, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 290 of 441




Plot 7-464. PSD TxBF Diversity Antenna 5T (NB UNII HDRPL12, iPA – 5788 MHz)




Plot 7-465. PSD TxBF Diversity Antenna 1B (NB UNII HDRPL12, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 291 of 441




Plot 7-466. PSD TxBF Diversity Antenna 5T (NB UNII HDRPL32, ePA – 5788 MHz)




Plot 7-467. PSD TxBF Diversity Antenna 1B (NB UNII HDRPL32, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 292 of 441



Plot 7-468. PSD TxBF Diversity Antenna 5T (NB UNII HDRPL32, iPA – 5788 MHz)




Plot 7-469. PSD TxBF Diversity Antenna 1B (NB UNII HDRPL32, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 293 of 441




Plot 7-470. PSD TxBF Diversity Antenna 5T (NB UNII HDT2, ePA – 5788 MHz)




Plot 7-471. PSD TxBF Diversity Antenna 1B (NB UNII HDT2, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 294 of 441




Plot 7-472. PSD TxBF Diversity Antenna 5T (NB UNII HDT2, iPA – 5788 MHz)



Plot 7-473. PSD TxBF Diversity Antenna 1B (NB UNII HDT2, iPA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 295 of 441



Plot 7-474. PSD TxBF Diversity Antenna 5T (NB UNII HDT4, ePA – 5788 MHz)



Plot 7-475. PSD TxBF Diversity Antenna 1B (NB UNII HDT4, ePA – 5788 MHz)

FCC ID: BCGA3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 7/20/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-13-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 296 of 441