





09:08:28 PM 06/30/2026

Plot 7-319. Lower Band Edge Plot (LTE Band 71 – 15 MHz QPSK – Full RB Configuration)




09:15:15 PM 06/30/2026

Plot 7-320. Upper Band Edge Plot (LTE Band 71 – 15 MHz QPSK – RB Size 1, RB Offset 74 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 190 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



09:18:58 PM 06/30/2026

Plot 7-321. Lower Band Edge Plot (LTE Band 71 – 20 MHz QPSK – Full RB Configuration)



09:26:37 PM 06/30/2026


Plot 7-322. Upper Band Edge Plot (LTE Band 71 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 191 of 361

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LTE Band 12



07:21:44 PM 06/30/2026

Plot 7-323. Lower Band Edge Plot (LTE Band 12 – 1.4 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




07:30:09 PM 06/30/2026

Plot 7-324. Upper Band Edge Plot (LTE Band 12 – 1.4 MHz QPSK – RB Size 1, RB Offset 5 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 192 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



07:32:05 PM 06/30/2026

Plot 7-325. Lower Band Edge Plot (LTE Band 12 – 3 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




07:40:28 PM 06/30/2026

Plot 7-326. Upper Band Edge Plot (LTE Band 12 – 3 MHz QPSK – RB Size 1, RB Offset 14 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 193 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



07:42:24 PM 06/30/2026


Plot 7-327. Lower Band Edge Plot (LTE Band 12 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)



12:04:28 AM 07/01/2026


Plot 7-328. Upper Band Edge Plot (LTE Band 12 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 194 of 361



07:52:25 PM 06/30/2026

Plot 7-329. Lower Band Edge Plot (LTE Band 12 – 10 MHz QPSK – RB Size 1, RB Offset 0 Configuration)



08:00:11 PM 06/30/2026


Plot 7-330. Upper Band Edge Plot (LTE Band 12 – 10 MHz QPSK – RB Size 1, RB Offset 49 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 195 of 361

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LTE Band 17



12:05:35 AM 07/01/2026

Plot 7-331. Lower Band Edge Plot (LTE Band 17 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




08:10:08 PM 06/30/2026

Plot 7-332. Upper Band Edge Plot (LTE Band 17 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 196 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



08:12:01 PM 06/30/2026

Plot 7-333. Lower Band Edge Plot (LTE Band 17 – 10 MHz QPSK – RB Size 1, RB Offset 0 Configuration)



08:19:48 PM 06/30/2026


Plot 7-334. Upper Band Edge Plot (LTE Band 17 – 10 MHz QPSK – RB Size 1, RB Offset 49 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 197 of 361

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LTE Band 13



09:36:05 PM 06/30/2026

Plot 7-335. Lower Band Edge Plot (LTE Band 13 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




09:35:53 PM 06/30/2026

Plot 7-336. Lower Emission Mask Plot (LTE Band 13 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 198 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



09:49:59 PM 06/30/2026

Plot 7-337. Upper Band Edge Plot (LTE Band 13 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)




09:50:12 PM 06/30/2026

Plot 7-338. Upper Emission Mask Plot (LTE Band 13 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 199 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



09:53:01 PM 06/30/2026

Plot 7-339. Lower Band Edge Plot (LTE Band 13 – 10 MHz QPSK – Full RB Configuration)




09:52:49 PM 06/30/2026

Plot 7-340. Lower Emission Mask Plot (LTE Band 13 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 200 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



09:53:36 PM 06/30/2026

Plot 7-341. Upper Band Edge Plot (LTE Band 13 – 10 MHz QPSK – Full RB Configuration)



09:53:48 PM 06/30/2026


Plot 7-342. Upper Emission Mask Plot (LTE Band 13 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 201 of 361

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LTE Band 106



07:37:19 PM 06/29/2026

Plot 7-343. Lower Band Edge Plot (LTE Band 106 – 1.4 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




07:45:44 PM 06/29/2026

Plot 7-344. Upper Band Edge Plot (LTE Band 106 – 1.4 MHz QPSK – RB Size 1, RB Offset 5 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 202 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



07:48:33 PM 06/29/2026

Plot 7-345. Lower Band Edge Plot (LTE Band 106 – 3 MHz QPSK – RB Size 1, RB Offset 14 Configuration)




07:49:12 PM 06/29/2026


Plot 7-346. Upper Band Edge Plot (LTE Band 106 – 3 MHz QPSK – RB Size 1, RB Offset 14 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 203 of 361

NR Band n66




Plot 7-347. Lower Band Edge Plot (NR Band n66 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-348. Upper Band Edge Plot (NR Band n66 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 204 of 361




Plot 7-349. Lower Band Edge Plot (NR Band n66 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-350. Upper Band Edge Plot (NR Band n66 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 205 of 361



Plot 7-351. Lower Band Edge Plot (NR Band n66 – 15 MHz DFT-s-OFDM QPSK – Full RB Configuration)





Plot 7-352. Upper Band Edge Plot (NR Band n66 – 15 MHz CP-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 206 of 361

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 207 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-355. Lower Band Edge Plot (NR Band n66 – 25 MHz DFT-s-OFDM QPSK – Full RB Configuration)





Plot 7-356. Upper Band Edge Plot (NR Band n66 – 25 MHz DFT-s-OFDM P12BPSK – Full RB Configuration)



FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 208 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.





FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 209 of 361




FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 210 of 361

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 211 of 361




Plot 7-363. Lower Band Edge Plot (NR Band n66 – 45 MHz DFT-s-OFDM P12BPSK – Full RB Configuration)




Plot 7-364. Upper Band Edge Plot (NR Band n66 – 45 MHz DFT-s-OFDM P12BPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 212 of 361

NR Band n70



Plot 7-365. Lower Band Edge Plot (NR Band n70 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-366. Upper Band Edge Plot (NR Band n70 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 213 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-367. Lower Band Edge Plot (NR Band n70 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-368. Upper Band Edge Plot (NR Band n70 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 214 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-369. Middle Band Edge Plot (NR Band n70 – 15 MHz CP-OFDM QPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 215 of 361

V 2.3 03/03/2026

NR Band n71




Plot 7-370. Lower Band Edge Plot (NR Band n71 – 5 MHz DFT-s-OFDM PI2BPSK – Full RB Configuration)




Plot 7-371. Upper Band Edge Plot (NR Band n71 – 5 MHz DFT-s-OFDM PI2BPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 216 of 361



Plot 7-372. Lower Band Edge Plot (NR Band n71 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-373. Upper Band Edge Plot (NR Band n71 – 10 MHz DFT-s-OFDM P12BPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 217 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-374. Lower Band Edge Plot (NR Band n71 – 15 MHz DFT-s-OFDM QPSK – Full RB Configuration)





Plot 7-375. Upper Band Edge Plot (NR Band n71 – 15 MHz DFT-s-OFDM QPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 218 of 361

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 219 of 361




Plot 7-378. Lower Band Edge Plot (NR Band n71 – 25 MHz DFT-s-OFDM P12BPSK – Full RB Configuration)




Plot 7-379. Upper Band Edge Plot (NR Band n71 – 25 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 220 of 361



Plot 7-380. Lower Band Edge Plot (NR Band n71 – 30 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-381. Upper Band Edge Plot (NR Band n71 – 30 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 221 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-382. Middle Band Edge Plot (NR Band n71 – 35 MHz DFT-s-OFDM P12BPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 222 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

NR Band n12



Plot 7-383. Lower Band Edge Plot (NR Band n12 – 5 MHz DFT-s-OFDM PI2BPSK – Full RB Configuration)




Plot 7-384. Upper Band Edge Plot (NR Band n12 – 5 MHz DFT-s-OFDM PI2BPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 223 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-385. Lower Band Edge Plot (NR Band n12 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)





Plot 7-386. Upper Band Edge Plot (NR Band n12 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 224 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 225 of 361

WCDMA AWS



09:34:06 AM 06/22/2026

Plot 7-389. Lower Band Edge Plot (WCDMA AWS – Ch. 1312)




10:26:34 AM 07/24/2026

Plot 7-390. Lower Extended Band Edge Plot (WCDMA AWS – Ch. 1312)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 226 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-391. Upper Band Edge Plot (WCDMA AWS – Ch. 1513)



Plot 7-392. Upper Extended Band Edge Plot (WCDMA AWS – Ch. 1513)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 227 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.5 Peak-Average Ratio

Test Overview and Limit

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. The peak to average power ratio (PAPR) of the equipment shall not exceed 13 dB for more than 0.1% of the time. All ports were tested and only the worst case data were reported.

The peak to average power ratio (PAPR) of the equipment shall not exceed 13 dB for more than 0.1% of the time.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 5.7.1

Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW $\geq$ OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-7. LTE Test Instrument & Measurement Setup




Figure 7-8. FR1 Test Instrument & Measurement Setup

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 228 of 361

Test Notes

1. For LTE operation, QPSK was selected as the lowest order modulation, while 256QAM exhibited the highest peak-to average power ratio among the QAM modulation. Therefore, only QPSK and 256QAM results are reported in this section.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. $\pi/2$ BPSK was selected as the lowest order modulation, while 256QAM exhibited the highest peak-to average power ratio among the QAM modulation. Therefore, only $\pi/2$ BPSK and 256QAM results are reported in this section.

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 229 of 361

Mode	Bandwidth	Modulation	PAR at 0.1% [dB]	PAR Limit [dB]	Margin [dB]
LTE Band 71	5 MHz	QPSK	5.12	13	-7.88
		256QAM	6.74	13	-6.26
	10 MHz	QPSK	5.16	13	-7.84
		256QAM	6.80	13	-6.20
	15 MHz	QPSK	5.34	13	-7.66
		256QAM	6.84	13	-6.16
	20 MHz	QPSK	5.24	13	-7.76
		256QAM	6.80	13	-6.20
LTE Band 12/17	1.4 MHz	QPSK	5.16	13	-7.84
		256QAM	6.80	13	-6.20
	3 MHz	QPSK	4.90	13	-8.10
		256QAM	6.74	13	-6.26
LTE Band 13	5 MHz	QPSK	5.20	13	-7.80
		256QAM	6.72	13	-6.28
	10 MHz	QPSK	5.26	13	-7.74
		256QAM	6.66	13	-6.34
NR Band n71	5 MHz	$\pi/2$ BPSK	4.09	13	-8.91
		256QAM	6.53	13	-6.47
	10 MHz	$\pi/2$ BPSK	4.07	13	-8.93
		256QAM	6.56	13	-6.44
	15 MHz	$\pi/2$ BPSK	4.13	13	-8.87
		256QAM	6.64	13	-6.36
	20 MHz	$\pi/2$ BPSK	4.21	13	-8.79
		256QAM	6.54	13	-6.46
	25 MHz	$\pi/2$ BPSK	4.45	13	-8.55
		256QAM	6.50	13	-6.50
	30 MHz	$\pi/2$ BPSK	4.29	13	-8.71
		256QAM	6.60	13	-6.40
NR Band n12	5 MHz	$\pi/2$ BPSK	4.08	13	-8.92
		256QAM	6.36	13	-6.64
	10 MHz	$\pi/2$ BPSK	4.05	13	-8.95
		256QAM	6.50	13	-6.50
	15 MHz	$\pi/2$ BPSK	3.98	13	-9.02
		256QAM	6.54	13	-6.46
LTE Band 106	1.4 MHz	QPSK	5.20	13	-7.80
		256QAM	6.80	13	-6.20
	3 MHz	QPSK	4.92	13	-8.08
		256QAM	6.78	13	-6.22

Table 7-2. Peak-Average Ratio Results (<1 GHz Bands)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 230 of 361

Mode	Bandwidth	Modulation	PAR at 0.1% [dB]	PAR Limit [dB]	Margin [dB]
WCDMA1700	5 MHz	Spread Spectrum	3.42	13	-9.58
LTE Band 66/4	1.4 MHz	QPSK	4.98	13	-8.02
		256QAM	6.64	13	-6.36
	3 MHz	QPSK	4.84	13	-8.16
		256QAM	6.62	13	-6.38
	5 MHz	QPSK	5.02	13	-7.98
		256QAM	6.62	13	-6.38
	10 MHz	QPSK	4.96	13	-8.04
		256QAM	6.64	13	-6.36
	15 MHz	QPSK	5.02	13	-7.98
		256QAM	6.58	13	-6.42
	20 MHz	QPSK	4.96	13	-8.04
		256QAM	6.62	13	-6.38
NR Band n66	5 MHz	$\pi/2$ BPSK	4.10	13	-8.90
		256QAM	6.54	13	-6.46
	10 MHz	$\pi/2$ BPSK	4.06	13	-8.94
		256QAM	6.49	13	-6.51
	15 MHz	$\pi/2$ BPSK	4.03	13	-8.97
		256QAM	6.38	13	-6.62
	20 MHz	$\pi/2$ BPSK	4.01	13	-8.99
		256QAM	6.37	13	-6.63
	25 MHz	$\pi/2$ BPSK	4.22	13	-8.78
		256QAM	6.42	13	-6.58
	30 MHz	$\pi/2$ BPSK	4.27	13	-8.73
		256QAM	6.57	13	-6.43
	35 MHz	$\pi/2$ BPSK	4.28	13	-8.72
		256QAM	6.58	13	-6.42
	40 MHz	$\pi/2$ BPSK	4.51	13	-8.49
		256QAM	6.53	13	-6.47
	45 MHz	$\pi/2$ BPSK	4.34	13	-8.66
		256QAM	6.59	13	-6.41
NR Band n70	5 MHz	$\pi/2$ BPSK	4.06	13	-8.94
		256QAM	6.57	13	-6.43
	10 MHz	$\pi/2$ BPSK	3.99	13	-9.01
		256QAM	6.54	13	-6.46
	15 MHz	$\pi/2$ BPSK	4.05	13	-8.95
		256QAM	6.49	13	-6.51

Table 7-3. Peak-Average Ratio Results (>1 GHz Bands)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 231 of 361

LTE Band 66/4



04:29:48 AM 07/01/2026

Plot 7-393. PAR Plot (LTE Band 66/4 - 1.4 MHz QPSK - Full RB)



04:31:06 AM 07/01/2026

Plot 7-394. PAR Plot (LTE Band 66/4 - 1.4 MHz 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 232 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



04:32:21 AM 07/01/2026


Plot 7-395. PAR Plot (LTE Band 66/4 - 3 MHz QPSK - Full RB)



04:33:40 AM 07/01/2026


Plot 7-396. PAR Plot (LTE Band 66/4 - 3 MHz 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 233 of 361



04:34:55 AM 07/01/2026

Plot 7-397. PAR Plot (LTE Band 66/4 - 5 MHz QPSK - Full RB)




04:36:08 AM 07/01/2026

Plot 7-398. PAR Plot (LTE Band 66/4 - 5 MHz 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 234 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



04:37:19 AM 07/01/2026

Plot 7-399. PAR Plot (LTE Band 66/4 - 10 MHz QPSK - Full RB)




04:38:32 AM 07/01/2026

Plot 7-400. PAR Plot (LTE Band 66/4 - 10 MHz 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 235 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



04:39:43 AM 07/01/2026

Plot 7-401. PAR Plot (LTE Band 66/4 - 15 MHz QPSK - Full RB)




04:40:56 AM 07/01/2026

Plot 7-402. PAR Plot (LTE Band 66/4 - 15 MHz 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 236 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



04:42:08 AM 07/01/2026

Plot 7-403. PAR Plot (LTE Band 66/4 - 20 MHz QPSK - Full RB)



04:43:21 AM 07/01/2026


Plot 7-404. PAR Plot (LTE Band 66/4 - 20 MHz 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 237 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

NR Band n66




Plot 7-405. PAR Plot (NR Band n66 - 5.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-406. PAR Plot (NR Band n66 - 5.0 MHz DFT-s-OFDM 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 238 of 361



Plot 7-407. PAR Plot (NR Band n66 - 10.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-408. PAR Plot (NR Band n66 - 10.0 MHz DFT-s-OFDM 256-QAM - Full RB)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 239 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-409. PAR Plot (NR Band n66 - 15.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-410. PAR Plot (NR Band n66 - 15.0 MHz DFT-s-OFDM 256-QAM - Full RB)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 240 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-411. PAR Plot (NR Band n66 - 20.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-412. PAR Plot (NR Band n66 - 20.0 MHz DFT-s-OFDM 256-QAM - Full RB)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 241 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-413. PAR Plot (NR Band n66 - 25.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-414. PAR Plot (NR Band n66 - 25.0 MHz DFT-s-OFDM 256-QAM - Full RB)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 242 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-415. PAR Plot (NR Band n66 - 30.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-416. PAR Plot (NR Band n66 - 30.0 MHz DFT-s-OFDM 256-QAM - Full RB)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 243 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-417. PAR Plot (NR Band n66 - 35.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-418. PAR Plot (NR Band n66 - 35.0 MHz DFT-s-OFDM 256-QAM - Full RB)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 244 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-419. PAR Plot (NR Band n66 - 40.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-420. PAR Plot (NR Band n66 - 40.0 MHz DFT-s-OFDM 256-QAM - Full RB)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 245 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-421. PAR Plot (NR Band n66 - 45.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-422. PAR Plot (NR Band n66 - 45.0 MHz DFT-s-OFDM 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 246 of 361


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

NR Band n70



Plot 7-423. PAR Plot (NR Band n70 - 5.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-424. PAR Plot (NR Band n70 - 5.0 MHz DFT-s-OFDM 256-QAM - Full RB)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 247 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-425. PAR Plot (NR Band n70 - 10.0 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)



Plot 7-426. PAR Plot (NR Band n70 - 10.0 MHz DFT-s-OFDM 256-QAM - Full RB)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/22/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-03-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 248 of 361

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.