





03:04:40 AM 07/09/2026

Plot 7-463. Lower Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration) – ISED




03:05:14 AM 07/09/2026

Plot 7-464. Lower Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration) - ISED

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 263 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



03:05:49 AM 07/09/2026

Plot 7-465. Lower Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration) – ISED




03:06:24 AM 07/09/2026

Plot 7-466. Lower Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration) - ISED

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 264 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



03:06:59 AM 07/09/2026

Plot 7-467. Lower Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration) – ISED




03:07:33 AM 07/09/2026

Plot 7-468. Lower Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration) - ISED

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 265 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



03:08:08 AM 07/09/2026

Plot 7-469. Lower Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration) – ISED




03:08:43 AM 07/09/2026

Plot 7-470. Lower Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration) - ISED

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 266 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



01:12:57 PM 07/18/2026

Plot 7-471. Middle Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)




01:13:28 PM 07/18/2026

Plot 7-472. Middle Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 267 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



01:13:59 PM 07/18/2026


Plot 7-473. Middle Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)



01:14:30 PM 07/18/2026


Plot 7-474. Middle Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 268 of 555



01:15:01 PM 07/18/2026


Plot 7-475. Middle Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)



01:15:31 PM 07/18/2026


Plot 7-476. Middle Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 269 of 555



01:16:02 PM 07/18/2026


Plot 7-477. Middle Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)



01:16:33 PM 07/18/2026


Plot 7-478. Middle Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 270 of 555



01:26:09 PM 07/18/2026


Plot 7-479. Upper Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)



01:26:40 PM 07/18/2026


Plot 7-480. Upper Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 271 of 555



01:27:11 PM 07/18/2026

Plot 7-481. Upper Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)




01:27:42 PM 07/18/2026

Plot 7-482. Upper Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 272 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



01:28:13 PM 07/18/2026


Plot 7-483. Upper Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)



01:28:43 PM 07/18/2026


Plot 7-484. Upper Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 273 of 555



01:29:14 PM 07/18/2026

Plot 7-485. Upper Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)



01:29:45 PM 07/18/2026


Plot 7-486. Upper Band Edge Plot (LTE Band 41 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 274 of 555

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LTE Band 38



10:40:16 PM 06/25/2026


Plot 7-487. Lower Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)



10:39:18 PM 06/25/2026


Plot 7-488. Lower Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 275 of 555



10:38:20 PM 06/25/2026


Plot 7-489. Lower Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)



10:38:48 PM 06/25/2026


Plot 7-490. Lower Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 276 of 555



10:39:46 PM 06/25/2026

Plot 7-491. Lower Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)




10:40:44 PM 06/25/2026

Plot 7-492. Lower Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 277 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



10:49:52 PM 06/25/2026

Plot 7-493. Middle Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)




10:48:54 PM 06/25/2026

Plot 7-494. Middle Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 278 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



10:47:56 PM 06/25/2026


Plot 7-495. Middle Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)



10:48:24 PM 06/25/2026


Plot 7-496. Middle Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 279 of 555



10:49:22 PM 06/25/2026

Plot 7-497. Middle Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)




10:50:20 PM 06/25/2026

Plot 7-498. Middle Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 280 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



10:59:28 PM 06/25/2026

Plot 7-499. Upper Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)




10:58:30 PM 06/25/2026

Plot 7-500. Upper Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 281 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



10:57:32 PM 06/25/2026


Plot 7-501. Upper Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)



10:57:59 PM 06/25/2026


Plot 7-502. Upper Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 282 of 555



10:58:57 PM 06/25/2026

Plot 7-503. Upper Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)




10:59:55 PM 06/25/2026

Plot 7-504. Upper Band Edge Plot (LTE Band 38 – 5 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 283 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:08:53 PM 06/25/2026

Plot 7-505. Lower Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)




11:07:56 PM 06/25/2026

Plot 7-506. Lower Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 284 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:06:59 PM 06/25/2026

Plot 7-507. Lower Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)




11:07:26 PM 06/25/2026

Plot 7-508. Lower Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 285 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:08:23 PM 06/25/2026


Plot 7-509. Lower Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)



11:09:20 PM 06/25/2026


Plot 7-510. Lower Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 286 of 555



11:18:16 PM 06/25/2026

Plot 7-511. Middle Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)




11:17:20 PM 06/25/2026

Plot 7-512. Middle Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 287 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:16:23 PM 06/25/2026

Plot 7-513. Middle Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)




11:16:50 PM 06/25/2026

Plot 7-514. Middle Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 288 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:17:47 PM 06/25/2026

Plot 7-515. Middle Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)




11:18:43 PM 06/25/2026

Plot 7-516. Middle Band Edge Plot (LTE Band 38 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 289 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:23:53 PM 06/25/2026


Plot 7-517. Upper Band Edge Plot (LTE Band 38 – 10 MHz QPSK – RB Size 1, RB Offset 49 Configuration)



11:22:56 PM 06/25/2026


Plot 7-518. Upper Band Edge Plot (LTE Band 38 – 10 MHz QPSK – RB Size 1, RB Offset 49 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 290 of 555



11:23:24 PM 06/25/2026

Plot 7-519. Upper Band Edge Plot (LTE Band 38 – 10 MHz QPSK – RB Size 1, RB Offset 49 Configuration)




11:24:21 PM 06/25/2026

Plot 7-520. Upper Band Edge Plot (LTE Band 38 – 10 MHz QPSK – RB Size 1, RB Offset 49 Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 291 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:25:17 PM 06/25/2026

Plot 7-521. Upper Band Edge Plot (LTE Band 38 – 10 MHz QPSK – RB Size 1, RB Offset 49 Configuration)




11:37:31 PM 06/25/2026

Plot 7-522. Lower Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 292 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:36:32 PM 06/25/2026


Plot 7-523. Lower Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)



11:35:32 PM 06/25/2026


Plot 7-524. Lower Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 293 of 555



11:36:00 PM 06/25/2026

Plot 7-525. Lower Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)




11:37:00 PM 06/25/2026

Plot 7-526. Lower Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 294 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:47:22 PM 06/25/2026

Plot 7-527. Middle Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)




11:46:22 PM 06/25/2026

Plot 7-528. Middle Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 295 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:45:23 PM 06/25/2026

Plot 7-529. Middle Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)




11:45:51 PM 06/25/2026

Plot 7-530. Middle Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 296 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:46:51 PM 06/25/2026

Plot 7-531. Middle Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)




11:47:51 PM 06/25/2026

Plot 7-532. Middle Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 297 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:55:14 PM 06/25/2026

Plot 7-533. Upper Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)




11:55:43 PM 06/25/2026

Plot 7-534. Upper Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 298 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:56:43 PM 06/25/2026

Plot 7-535. Upper Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)




11:57:43 PM 06/25/2026

Plot 7-536. Upper Band Edge Plot (LTE Band 38 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 299 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



12:07:06 AM 06/26/2026

Plot 7-537. Lower Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)




12:06:06 AM 06/26/2026

Plot 7-538. Lower Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 300 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



12:05:07 AM 06/26/2026


Plot 7-539. Lower Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)



12:05:35 AM 06/26/2026


Plot 7-540. Lower Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 301 of 555



12:16:57 AM 06/26/2026

Plot 7-541. Middle Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)




12:15:57 AM 06/26/2026

Plot 7-542. Middle Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 302 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



12:14:57 AM 06/26/2026

Plot 7-543. Middle Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)




12:15:26 AM 06/26/2026

Plot 7-544. Middle Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 303 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



12:16:26 AM 06/26/2026

Plot 7-545. Middle Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)




12:17:25 AM 06/26/2026

Plot 7-546. Middle Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 304 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



12:24:49 AM 06/26/2026

Plot 7-547. Upper Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)




12:25:17 AM 06/26/2026

Plot 7-548. Upper Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 305 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



12:26:17 AM 06/26/2026

Plot 7-549. Upper Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)



12:27:17 AM 06/26/2026


Plot 7-550. Upper Band Edge Plot (LTE Band 38 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 306 of 555


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

NR Band n30




Plot 7-551. Lower ACP Plot (NR Band n30 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-552. Upper ACP Plot (NR Band n30 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 307 of 555




Plot 7-553. Lower ACP Plot (NR Band n30 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-554. Upper ACP Plot (NR Band n30 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 308 of 555

NR Band n7



Plot 7-555. Lower ACP Plot (NR Band n7 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-556. Middle ACP Plot (NR Band n7 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 309 of 555

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-557. Upper ACP Plot (NR Band n7 – 5 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-558. Lower ACP Plot (NR Band n7 – 10 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 310 of 555



Plot 7-559. Middle ACP Plot (NR Band n7 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-560. Upper ACP Plot (NR Band n7 – 10 MHz DFT-s-OFDM QPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 311 of 555

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-561. Lower ACP Plot (NR Band n7 – 15 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-562. Middle ACP Plot (NR Band n7 – 15 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 312 of 555

V 2.3 03/03/2026




Plot 7-563. Upper ACP Plot (NR Band n7 – 15 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)




Plot 7-564. Lower ACP Plot (NR Band n7 – 20 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 313 of 555



Plot 7-565. Middle ACP Plot (NR Band n7 – 20 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)




Plot 7-566. Upper ACP Plot (NR Band n7 – 20 MHz DFT-s-OFDM QPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 314 of 555

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-567. Lower ACP Plot (NR Band n7 – 25 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)




Plot 7-568. Middle ACP Plot (NR Band n7 – 25 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 315 of 555



Plot 7-569. Upper ACP Plot (NR Band n7 – 25 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-570. Lower ACP Plot (NR Band n7 – 30 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 316 of 555

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-571. Middle ACP Plot (NR Band n7 – 30 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-572. Upper ACP Plot (NR Band n7 – 30 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 317 of 555



Plot 7-573. Lower ACP Plot (NR Band n7 - 35 MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB Configuration)




Plot 7-574. Middle ACP Plot (NR Band n7 - 35 MHz DFT-s-OFDM QPSK - Full RB Configuration)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 318 of 555

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-575. Upper ACP Plot (NR Band n7 – 35 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-576. Lower ACP Plot (NR Band n7 – 40 MHz DFT-s-OFDM QPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 319 of 555




Plot 7-577. Middle ACP Plot (NR Band n7 – 40 MHz DFT-s-OFDM QPSK – Full RB Configuration)




Plot 7-578. Upper ACP Plot (NR Band n7 – 40 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 320 of 555



Plot 7-579. Lower ACP Plot (NR Band n7 – 50 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)



Plot 7-580. Middle ACP Plot (NR Band n7 – 50 MHz DFT-s-OFDM $\pi/2$ BPSK – Full RB Configuration)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 3/16/2026 - 7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-04-R3.BCG		This report is blockchain verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the blockchain logo.		Page 321 of 555

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.