



NR Band n48



Plot 7-82. Conducted Spurious Plot (NR Band n48 - 40 MHz DFT-s-OFDM QPSK - Low Channel)





Plot 7-83. Conducted Spurious Plot (NR Band n48 - 40 MHz DFT-s-OFDM QPSK - Low Channel)


FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 59 of 197

V 2.3 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3596	element	Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 60 of 197




Plot 7-86. Conducted Spurious Plot (NR Band n48 - 40 MHz DFT-s-OFDM QPSK - Mid Channel)




Plot 7-87. Conducted Spurious Plot (NR Band n48 - 40 MHz DFT-s-OFDM QPSK - Mid Channel)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 61 of 197




Plot 7-88. Conducted Spurious Plot (NR Band n48 - 40 MHz DFT-s-OFDM QPSK - High Channel)



Plot 7-89. Conducted Spurious Plot (NR Band n48 - 40 MHz DFT-s-OFDM QPSK - High Channel)

FCC ID: BCGA3596	element	Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 62 of 197



Plot 7-90. Conducted Spurious Plot (NR Band n48 - 40 MHz DFT-s-OFDM QPSK - High Channel)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 63 of 197

7.4 Band Edge Emissions and Adjacent Channel Leakage Ratio at Antenna Terminal

Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation and all ports were investigated and the worst case configuration results are reported in this section.

The conducted power of any emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B MHz (where B is the bandwidth in MHz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B MHz below the lower CBSD-assigned channel edge. At all frequencies greater than B MHz above the upper CBSD assigned channel edge and less than B MHz below the lower CBSD-assigned channel edge, the conducted power of any end user device emission shall not exceed -25 dBm/MHz. The conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz.

Notwithstanding the emission limits, the Adjacent Channel Leakage Ratio (ACLR) for End User Devices shall be at least 30 dB.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW $\geq$ 1% of the emission bandwidth
4. VBW $\geq$ 3 x RBW
5. Detector = RMS
6. Number of sweep points $\geq$ 2 x Span/RBW
7. Trace mode = trace average
8. Sweep time = auto couple
9. The trace was allowed to stabilize

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 64 of 197

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. LTE Test Instrument & Measurement Setup





Figure 7-6. FR1 Test Instrument & Measurement Setup

Test Notes

1. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.
2. For LTE ACLR emission measurements, the R&S CMW500 Wideband Radio Communication Tester's "ACLR" measurement capability is used. For NR ACLR emission measurements, the Keysight UXA Signal Analyzer's "ACP" measurement capability is used.


FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 65 of 197

7.4.1 Band Edge Emissions – LTE Band 48



04:28:12 PM 06/12/2026


Plot 7-91. Low Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)



04:28:40 PM 06/12/2026


Plot 7-92. Low Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 66 of 197



04:29:09 PM 06/12/2026

Plot 7-93. Low Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




04:29:37 PM 06/12/2026

Plot 7-94. Low Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 67 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



04:30:06 PM 06/12/2026


Plot 7-95. Low Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)



04:30:34 PM 06/12/2026

Plot 7-96. Low Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 68 of 197



04:31:03 PM 06/12/2026

Plot 7-97. Low Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




04:40:29 PM 06/12/2026

Plot 7-98. Mid Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 69 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



04:40:58 PM 06/12/2026


Plot 7-99. Mid Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)



04:41:26 PM 06/12/2026


Plot 7-100. Mid Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 70 of 197



04:41:55 PM 06/12/2026

Plot 7-101. Mid Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




04:42:24 PM 06/12/2026

Plot 7-102. Mid Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 71 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



04:42:52 PM 06/12/2026

Plot 7-103. Mid Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)




04:43:21 PM 06/12/2026

Plot 7-104. Mid Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 72 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



04:43:49 PM 06/12/2026


Plot 7-105. Mid Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 0 Configuration)



05:01:26 PM 06/12/2026


Plot 7-106. High Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 73 of 197



05:01:55 PM 06/12/2026

Plot 7-107. High Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)




05:02:23 PM 06/12/2026

Plot 7-108. High Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 74 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:02:52 PM 06/12/2026

Plot 7-109. High Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)




05:03:20 PM 06/12/2026

Plot 7-110. High Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 75 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:03:49 PM 06/12/2026

Plot 7-111. High Channel Edge Plot (LTE Band 48 – 5 MHz QPSK – RB Size 1, RB Offset 24 Configuration)




05:09:00 PM 06/12/2026

Plot 7-112. Low Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 76 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:09:29 PM 06/12/2026

Plot 7-113. Low Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)




05:09:59 PM 06/12/2026

Plot 7-114. Low Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 77 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:10:28 PM 06/12/2026

Plot 7-115. Low Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)




05:10:58 PM 06/12/2026

Plot 7-116. Low Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 78 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:11:27 PM 06/12/2026

Plot 7-117. Low Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)




05:11:57 PM 06/12/2026

Plot 7-118. Low Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 79 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:21:31 PM 06/12/2026

Plot 7-119. Mid Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)




05:22:00 PM 06/12/2026

Plot 7-120. Mid Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 80 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:22:29 PM 06/12/2026


Plot 7-121. Mid Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)



05:22:59 PM 06/12/2026


Plot 7-122. Mid Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 81 of 197



05:23:29 PM 06/12/2026


Plot 7-123. Mid Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)



05:23:58 PM 06/12/2026


Plot 7-124. Mid Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 82 of 197



05:24:28 PM 06/12/2026


Plot 7-125. Mid Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)



05:24:57 PM 06/12/2026


Plot 7-126. Mid Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 83 of 197



05:35:00 PM 06/12/2026


Plot 7-127. High Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)



05:35:30 PM 06/12/2026


Plot 7-128. High Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 84 of 197



05:35:59 PM 06/12/2026

Plot 7-129. High Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)




05:36:29 PM 06/12/2026

Plot 7-130. High Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 85 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:36:59 PM 06/12/2026


Plot 7-131. High Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)



05:37:28 PM 06/12/2026


Plot 7-132. High Channel Edge Plot (LTE Band 48 – 10 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 86 of 197



05:46:57 PM 06/12/2026

Plot 7-133. Low Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)




05:47:30 PM 06/12/2026

Plot 7-134. Low Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 87 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:48:04 PM 06/12/2026


Plot 7-135. Low Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)



05:48:38 PM 06/12/2026


Plot 7-136. Low Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 88 of 197



05:49:12 PM 06/12/2026

Plot 7-137. Low Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)




05:49:46 PM 06/12/2026

Plot 7-138. Low Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 89 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



05:50:20 PM 06/12/2026

Plot 7-139. Low Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)




06:00:41 PM 06/12/2026

Plot 7-140. Mid Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 90 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:01:15 PM 06/12/2026

Plot 7-141. Mid Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)




06:01:49 PM 06/12/2026

Plot 7-142. Mid Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 91 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:02:23 PM 06/12/2026

Plot 7-143. Mid Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)




06:02:56 PM 06/12/2026

Plot 7-144. Mid Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 92 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:03:30 PM 06/12/2026


Plot 7-145. Mid Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)



06:04:04 PM 06/12/2026


Plot 7-146. Mid Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 93 of 197



06:04:38 PM 06/12/2026

Plot 7-147. Mid Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – Full RB Configuration)




06:19:59 PM 06/12/2026

Plot 7-148. High Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – RB Size 1, RB Offset 74 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 94 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:20:31 PM 06/12/2026

Plot 7-149. High Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – RB Size 1, RB Offset 74 Configuration)




06:21:02 PM 06/12/2026

Plot 7-150. High Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – RB Size 1, RB Offset 74 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 95 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:21:34 PM 06/12/2026


Plot 7-151. High Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – RB Size 1, RB Offset 74 Configuration)



06:22:05 PM 06/12/2026


Plot 7-152. High Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – RB Size 1, RB Offset 74 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 96 of 197



06:22:37 PM 06/12/2026

Plot 7-153. High Channel Edge Plot (LTE Band 48 – 15 MHz QPSK – RB Size 1, RB Offset 74 Configuration)




06:28:13 PM 06/12/2026

Plot 7-154. Low Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 97 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:28:47 PM 06/12/2026


Plot 7-155. Low Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)



06:29:22 PM 06/12/2026


Plot 7-156. Low Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 98 of 197



06:29:56 PM 06/12/2026

Plot 7-157. Low Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)




06:30:30 PM 06/12/2026

Plot 7-158. Low Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 99 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:31:05 PM 06/12/2026

Plot 7-159. Low Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)



06:31:39 PM 06/12/2026

Plot 7-160. Low Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 100 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:42:03 PM 06/12/2026

Plot 7-161. Mid Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)




06:42:37 PM 06/12/2026

Plot 7-162. Mid Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 101 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:43:12 PM 06/12/2026

Plot 7-163. Mid Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)




06:43:46 PM 06/12/2026

Plot 7-164. Mid Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 102 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:44:20 PM 06/12/2026

Plot 7-165. Mid Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)




06:44:55 PM 06/12/2026

Plot 7-166. Mid Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 103 of 197

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:45:29 PM 06/12/2026

Plot 7-167. Mid Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)




06:46:03 PM 06/12/2026

Plot 7-168. Mid Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 104 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:57:01 PM 06/12/2026

Plot 7-169. High Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)




06:57:36 PM 06/12/2026

Plot 7-170. High Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 105 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:58:10 PM 06/12/2026

Plot 7-171. High Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)




06:58:44 PM 06/12/2026

Plot 7-172. High Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 106 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



06:59:19 PM 06/12/2026

Plot 7-173. High Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)




06:59:53 PM 06/12/2026

Plot 7-174. High Channel Edge Plot (LTE Band 48 – 20 MHz QPSK – Full RB Configuration)


FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 107 of 197

7.4.2 Band Edge Emissions – ULCA LTE Band 48



10:40:16 PM 07/11/2026


Plot 7-175. Low Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



10:41:07 PM 07/11/2026


Plot 7-176. Low Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 108 of 197



10:41:57 PM 07/11/2026


Plot 7-177. Low Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



10:42:48 PM 07/11/2026

Plot 7-178. Low Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 109 of 197



10:43:39 PM 07/11/2026

Plot 7-179. Low Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



10:44:30 PM 07/11/2026

Plot 7-180. Low Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 110 of 197



10:45:21 PM 07/11/2026

Plot 7-181. Low Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



10:46:12 PM 07/11/2026

Plot 7-182. Low Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 111 of 197

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:02:49 PM 07/11/2026


Plot 7-183. Mid Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



11:03:40 PM 07/11/2026


Plot 7-184. Mid Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 112 of 197



11:04:31 PM 07/11/2026


Plot 7-185. Mid Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



11:05:22 PM 07/11/2026


Plot 7-186. Mid Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 113 of 197



11:06:13 PM 07/11/2026


Plot 7-187. Mid Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



11:07:04 PM 07/11/2026

Plot 7-188. Mid Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 114 of 197



11:07:54 PM 07/11/2026

Plot 7-189. Mid Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



11:08:45 PM 07/11/2026

Plot 7-190. Mid Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 115 of 197

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:32:08 PM 07/11/2026


Plot 7-191. High Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



11:32:59 PM 07/11/2026


Plot 7-192. High Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 116 of 197



11:33:49 PM 07/11/2026

Plot 7-193. High Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)




11:34:40 PM 07/11/2026

Plot 7-194. High Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 117 of 197

V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:35:31 PM 07/11/2026

Plot 7-195. High Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



11:36:22 PM 07/11/2026

Plot 7-196. High Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 118 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:37:12 PM 07/11/2026

Plot 7-197. High Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)



11:38:03 PM 07/11/2026


Plot 7-198. High Channel Edge Plot (ULCA LTE Band B48 – (20+20) MHz QPSK - Full RB)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 119 of 197


V 2.3 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.4.3 Band Edge Emissions – NR Band n48



Plot 7-199. Lower ACP Plot (NR Band n48 – 10 MHz CP-OFDM QPSK – Full RB Configuration)



Plot 7-200. Middle ACP Plot (NR Band n48 – 10 MHz DFT-s-OFDM $\pi/2$ BPSK – RB Size 1, RB Offset 1 Configuration)

FCC ID: BCGA3596		Test Dates: 3/16/2026-7/31/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 120 of 197