




Plot 7-1390. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 1 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11910.00	Average	V	-	-	-83.97	17.44	40.47	53.98	-13.51
* 11910.00	Peak	V	-	-	-72.04	17.44	52.40	73.98	-21.58
* 17865.00	Average	V	-	-	-85.70	26.01	47.31	53.98	-6.67
* 17865.00	Peak	V	-	-	-73.99	26.01	59.02	73.98	-14.96

Table 7-240. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 459 of 649



Plot 7-1391. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 45 – RU242)




Plot 7-1392. Radiated Spurious Emissions 18-40 GHz SDM Diversity (802.11be – Ch. 45 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6175 MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Average	H	-	-	-84.08	18.18	0.00	41.10	53.98	-12.88
* 12350.00	Peak	H	-	-	-72.95	18.18	0.00	52.23	73.98	-21.75
* 18525.00	Average	H	-	-	-60.97	-7.31	-9.54	29.17	53.98	-24.81
* 18525.00	Peak	H	-	-	-49.85	-7.31	-9.54	40.29	73.98	-33.69
24700.00	Average	V	-	-	-61.36	-6.57	-9.54	29.54	68.23	-38.69
24700.00	Peak	V	-	-	-49.95	-6.57	-9.54	40.94	88.23	-47.29
30875.00	Average	H	-	-	-63.60	-3.73	-9.54	30.13	68.23	-38.10
30875.00	Peak	H	-	-	-52.34	-3.73	-9.54	41.40	88.23	-46.83
37050.00	Average	H	-	-	-64.87	-4.95	-9.54	27.64	68.23	-40.59
37050.00	Peak	H	-	-	-54.01	-4.95	-9.54	38.50	88.23	-49.73

Table 7-241. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 460 of 649




Plot 7-1393. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 93 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415 MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Average	H	-	-	-84.45	19.01	41.56	68.23	-26.67
12830.00	Peak	H	-	-	-72.72	19.01	53.29	88.23	-34.94

Table 7-242. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 461 of 649



Plot 7-1394. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be – Ch. 97 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6435 MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	H	-	-	-84.39	19.02	41.64	68.23	-26.59
12870.00	Peak	H	-	-	-73.11	19.02	52.91	88.23	-35.32


Table 7-243. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 462 of 649

V 12.0 03/03/2026



Plot 7-1395. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be – Ch. 105 – RU242)




Plot 7-1396. Radiated Spurious Emissions 18-40 GHz CDD Diversity (802.11be – Ch. 105 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6475 MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-84.54	19.33	0.00	41.79	68.23	-26.44
12950.00	Peak	V	-	-	-72.82	19.33	0.00	53.51	88.23	-34.72
* 19425.00	Average	H	-	-	-60.51	-5.95	-9.54	30.99	53.98	-22.99
* 19425.00	Peak	H	-	-	-49.09	-5.95	-9.54	42.42	73.98	-31.56
25900.00	Average	V	-	-	-61.60	-4.39	-9.54	31.47	68.23	-36.76
25900.00	Peak	V	-	-	-50.12	-4.39	-9.54	42.95	88.23	-45.28
32375.00	Average	V	-	-	-62.86	-3.25	-9.54	31.35	68.23	-36.88
32375.00	Peak	V	-	-	-51.66	-3.25	-9.54	42.55	88.23	-45.68
* 38850.00	Average	V	-	-	-64.76	-2.32	-9.54	30.38	53.98	-23.60
* 38850.00	Peak	H	-	-	-53.41	-2.32	-9.54	41.73	73.98	-32.25

Table 7-244. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 463 of 649




Plot 7-1397. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be – Ch. 113 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515 MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13030.00	Average	H	-	-	-84.45	19.29	41.85	68.23	-26.38
13030.00	Peak	H	-	-	-73.24	19.29	53.05	88.23	-35.18

Table 7-245. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 464 of 649




Plot 7-1398. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 117 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535 MHz
Channel: 117


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-84.46	19.38	41.92	68.23	-26.31
13070.00	Peak	V	-	-	-72.91	19.38	53.47	88.23	-34.76

Table 7-246. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 465 of 649



Plot 7-1399. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 149 – RU242)




Plot 7-1400. Radiated Spurious Emissions 18-40 GHz SDM Diversity (802.11be – Ch. 149 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695 MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	V	-	-	-84.05	19.47	0.00	42.42	53.98	-11.56
* 13390.00	Peak	V	-	-	-73.27	19.47	0.00	53.20	73.98	-20.78
* 20085.00	Average	H	-	-	-59.82	-6.22	-9.54	31.42	53.98	-22.56
* 20085.00	Peak	H	-	-	-48.13	-6.21	-9.54	43.12	73.98	-30.86
26780.00	Average	H	-	-	-62.65	-3.89	-9.54	30.92	68.23	-37.31
26780.00	Peak	H	-	-	-51.13	-3.89	-9.54	42.44	88.23	-45.79
33475.00	Average	H	-	-	-61.38	-3.58	-9.54	32.50	68.23	-35.73
33475.00	Peak	H	-	-	-50.17	-3.58	-9.54	43.71	88.23	-44.52

Table 7-247. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 466 of 649




Plot 7-1401. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 185 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875 MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	H	-	-	-84.04	19.22	42.17	68.23	-26.06
13750.00	Peak	H	-	-	-72.25	19.22	53.97	88.23	-34.26

Table 7-248. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 467 of 649




Plot 7-1402. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 189 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895 MHz
Channel: 189


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	H	-	-	-84.37	19.02	41.65	68.23	-26.58
13790.00	Peak	H	-	-	-73.35	19.02	52.67	88.23	-35.56

Table 7-249. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 468 of 649



Plot 7-1403. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 209 – RU242)




Plot 7-1404. Radiated Spurious Emissions 18-40 GHz SDM Diversity (802.11be – Ch. 209 – RU242)

Mode: 802.11be
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995 MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	H	-	-	-84.81	19.54	0.00	41.73	68.23	-26.50
13990.00	Peak	H	-	-	-72.95	19.54	0.00	53.59	88.23	-34.64
* 20985.00	Average	V	-	-	-60.62	-5.87	-9.54	30.97	53.98	-23.01
* 20985.00	Peak	V	-	-	-49.56	-5.87	-9.54	42.04	73.98	-31.94
27980.00	Average	V	-	-	-62.39	-2.82	-9.54	32.25	68.23	-35.98
27980.00	Peak	V	-	-	-50.76	-2.82	-9.54	43.88	88.23	-44.35
34975.00	Average	V	-	-	-61.61	-4.82	-9.54	31.02	68.23	-37.21
34975.00	Peak	V	-	-	-50.38	-4.82	-9.54	42.25	88.23	-45.98

Table 7-250. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 469 of 649



Plot 7-1405. Radiated Spurious Emissions above 1 GHz SDM Diversity (802.11be – Ch. 233 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7115 MHz
Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14230.00	Average	V	-	-	-84.00	19.58	42.57	68.23	-25.66
14230.00	Peak	V	-	-	-72.90	19.58	53.68	88.23	-34.55


Table 7-251. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 470 of 649

7.7.3 Antenna 5T Radiated Band Edge Measurements (20 MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1406 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1407 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229



Plot 7-1408 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229




Plot 7-1409 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1410 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1411 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229



Plot 7-1412 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229




Plot 7-1413 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115 MHz
Channel: 233



Plot 7-1416 Antenna 5T Radiated Integrated Band Edge (Peak – UNII Band 8) - RU242




Plot 7-1417 Antenna 5T Radiated Integrated Band Edge (Average – UNII Band 8) - RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

7.7.4 Antenna 5T Radiated Band Edge Measurements (40 MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5965 MHz
Channel: 3



Plot 7-1418 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 5965 MHz
Channel: 3




Plot 7-1419 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

7.7.5 Antenna 5T Radiated Band Edge Measurements (80 MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1424 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1425 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215



Plot 7-1426 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215




Plot 7-1427 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1428 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1429 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 482 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1430 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1431 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 483 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215



Plot 7-1432 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215



Plot 7-1433 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215



Plot 7-1434 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215




Plot 7-1435 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1436 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215




Plot 7-1437 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 486 of 649

7.7.6 Antenna 5T Radiated Band Edge Measurements (160 MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025 MHz
 Channel: 15



Plot 7-1438 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)


Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025 MHz
 Channel: 15



Plot 7-1439 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 487 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1440 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207




Plot 7-1441 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (H)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 488 of 649


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1442 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1443 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 489 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1444 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1445 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 490 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1446 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1447 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1448 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1449 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1450 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1451 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1452 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1453 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 494 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1454 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1455 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1456 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1457 Antenna 5T Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1458 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1459 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1460 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1461 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1462 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1463 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1464 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207




Plot 7-1465 Antenna 5T Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

7.7.7 Antenna 5B Radiated Band Edge Measurements (20 MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1468 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1469 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 502 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229



Plot 7-1470 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229




Plot 7-1471 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 503 of 649


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1472 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1473 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229



Plot 7-1474 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229




Plot 7-1475 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 505 of 649


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5955 MHz
Channel: 1



Plot 7-1476 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095 MHz
Channel: 229




Plot 7-1477 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 506 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115 MHz
Channel: 233



Plot 7-1478 Antenna 5B Radiated Integrated Band Edge (Peak – UNII Band 8) - RU242




Plot 7-1479 Antenna 5B Radiated Integrated Band Edge (Average – UNII Band 8) - RU242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 507 of 649

7.7.8 Antenna 5B Radiated Band Edge Measurements (40 MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5965 MHz
Channel: 3



Plot 7-1480 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 5965 MHz
Channel: 3




Plot 7-1481 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085 MHz
Channel: 227




Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085 MHz
Channel: 227



FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 5965 MHz
Channel: 3



Plot 7-1484 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085 MHz
Channel: 227




Plot 7-1485 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

7.7.9 Antenna 5B Radiated Band Edge Measurements (80 MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1486 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1487 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215



Plot 7-1488 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215




Plot 7-1489 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1490 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1491 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1492 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1493 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 514 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215



Plot 7-1494 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215



Plot 7-1495 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215



Plot 7-1496 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215




Plot 7-1497 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 516 of 649


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 5985 MHz
Channel: 7



Plot 7-1498 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025 MHz
Channel: 215




Plot 7-1499 Antenna 5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 517 of 649

7.7.10 Antenna 5B Radiated Band Edge Measurements (160 MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025 MHz
 Channel: 15



Plot 7-1500 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)


Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025 MHz
 Channel: 15




Plot 7-1501 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (H)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207




Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1504 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1505 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 520 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Plot 7-1508 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207




Plot 7-1509 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207




Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207




FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 523 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1512 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1513 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1514 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1515 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 525 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1516 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1517 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15



Plot 7-1518 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025 MHz
Channel: 15




Plot 7-1519 Antenna 5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985 MHz
Channel: 207



FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 04/23/2026 - 07/04/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-19-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		