









FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 120 of 468



Plot 7-210 PSD Antenna 5B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.229)




Plot 7-212 PSD Antenna 5B (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.207)




Plot 7-211 PSD Antenna 5B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.199)


FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 121 of 468




Plot 7-213 PSD Antenna 5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.189)



Plot 7-215 PSD Antenna 5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.215)



Plot 7-214 PSD Antenna 5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.211)



Plot 7-216 PSD Antenna 5B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 122 of 468

7.4.3 Antenna 1B Power Spectral Density Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	26	0	MCS5	-10.14	-0.10	-10.24	-5.00	-5.24
	6255	61	be (20 MHz)	26	8	MCS5	-10.50	-0.10	-10.60	-5.00	-5.60
	6415	93	be (20 MHz)	26	0	MCS5	-10.57	-0.20	-10.77	-5.00	-5.77
	6125	35	be (40 MHz)	26	0	MCS5	-10.65	-0.10	-10.75	-5.00	-5.75
	6245	59	be (40 MHz)	26	17	MCS5	-10.63	-0.10	-10.73	-5.00	-5.73
	6405	91	be (40 MHz)	26	17	MCS5	-10.78	-0.20	-10.98	-5.00	-5.98
	6145	39	be (80 MHz)	26	0	MCS5	-10.39	-0.10	-10.49	-5.00	-5.49
	6225	55	be (80 MHz)	26	17	MCS5	-10.51	-0.10	-10.61	-5.00	-5.61
	6385	87	be (80 MHz)	26	0	MCS5	-10.87	-0.20	-11.07	-5.00	-6.07
	6185	47	be (160 MHz)	26	0	MCS5	-10.47	-0.10	-10.57	-5.00	-5.57
Band 6	6345	79	be (160 MHz)	26	0	MCS5	-10.85	-0.20	-11.05	-5.00	-6.05
	6435	97	be (20 MHz)	26	0	MCS5	-10.85	-0.40	-11.25	-5.00	-6.25
	6475	105	be (20 MHz)	26	8	MCS5	-10.53	-0.40	-10.93	-5.00	-5.93
	6515	113	be (20 MHz)	26	0	MCS5	-10.53	-0.40	-10.93	-5.00	-5.93
	6445	99	be (40 MHz)	26	0	MCS5	-10.69	-0.40	-11.09	-5.00	-6.09
	6485	107	be (40 MHz)	26	17	MCS5	-10.68	-0.40	-11.08	-5.00	-6.08
	6525	115	be (40 MHz)	26	0	MCS5	-10.58	-0.40	-10.98	-5.00	-5.98
	6465	103	be (80 MHz)	26	17	MCS5	-10.74	-0.40	-11.14	-5.00	-6.14
	6505	111	be (160 MHz)	26	36	MCS5	-10.65	-0.40	-11.05	-5.00	-6.05
	6535	117	be (20 MHz)	26	8	MCS5	-10.13	0.30	-9.83	-5.00	-4.83
Band 7	6695	149	be (20 MHz)	26	8	MCS5	-9.68	0.30	-9.38	-5.00	-4.38
	6875	185	be (20 MHz)	26	8	MCS5	-9.42	0.30	-9.12	-5.00	-4.12
	6565	123	be (40 MHz)	26	8	MCS5	-10.20	0.30	-9.90	-5.00	-4.90
	6725	155	be (40 MHz)	26	0	MCS5	-9.85	0.30	-9.55	-5.00	-4.55
	6845	179	be (40 MHz)	26	17	MCS5	-9.93	0.30	-9.63	-5.00	-4.63
	6545	119	be (80 MHz)	26	36	MCS5	-10.43	0.30	-10.13	-5.00	-5.13
	6705	151	be (80 MHz)	26	36	MCS5	-9.55	0.30	-9.25	-5.00	-4.25
	6865	183	be (80 MHz)	26	36	MCS5	-9.72	0.30	-9.42	-5.00	-4.42
	6665	143	be (160 MHz)	26	36	MCS5	-10.43	0.30	-10.13	-5.00	-5.13
	6825	175	be (160 MHz)	26	0	MCS5	-10.09	0.30	-9.79	-5.00	-4.79
Band 8	6895	189	be (20 MHz)	26	8	MCS5	-8.85	-0.10	-8.95	-5.00	-3.95
	6995	209	be (20 MHz)	26	8	MCS5	-8.81	-0.10	-8.91	-5.00	-3.91
	7095	229	be (20 MHz)	26	8	MCS5	-8.72	-0.10	-8.82	-5.00	-3.82
	6885	187	be (40 MHz)	26	17	MCS5	-9.85	-0.10	-9.95	-5.00	-4.95
	7005	211	be (40 MHz)	26	8	MCS5	-8.74	-0.10	-8.84	-5.00	-3.84
	7085	227	be (40 MHz)	26	0	MCS5	-8.57	-0.10	-8.67	-5.00	-3.67
	6945	199	be (80 MHz)	26	0	MCS5	-8.47	-0.10	-8.57	-5.00	-3.57
	7025	215	be (80 MHz)	26	0	MCS5	-9.01	-0.10	-9.11	-5.00	-4.11
	6985	207	be (160 MHz)	26	17	MCS5	-8.89	-0.10	-8.99	-5.00	-3.99

Table 7-75. Power Spectral Density Measurements Antenna 1B (RU26)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	106+26	82	MCS5	-10.65	-0.10	-10.75	-5.00	-5.75
	6255	61	be (20 MHz)	106+26	83	MCS5	-10.36	-0.10	-10.46	-5.00	-5.46
	6415	93	be (20 MHz)	106+26	82	MCS5	-11.02	-0.20	-11.22	-5.00	-6.22
	6145	39	be (80 MHz)	484+242	92	MCS5	-10.68	-0.10	-10.78	-5.00	-5.78
	6225	55	be (80 MHz)	484+242	93	MCS5	-10.50	-0.10	-10.60	-5.00	-5.60
	6385	87	be (80 MHz)	484+242	90	MCS5	-11.37	-0.20	-11.57	-5.00	-6.57
	6185	47	be (160 MHz)	996+484+242	98-L	MCS5	-10.81	-0.10	-10.91	-5.00	-5.91
	6345	79	be (160 MHz)	996+484+242	96-L	MCS5	-11.22	-0.20	-11.42	-5.00	-6.42
	6435	97	be (20 MHz)	106+26	82	MCS5	-10.31	-0.40	-10.71	-5.00	-5.71
	6475	105	be (20 MHz)	106+26	82	MCS5	-10.76	-0.40	-11.16	-5.00	-6.16
Band 6	6515	113	be (20 MHz)	106+26	82	MCS5	-10.79	-0.40	-11.19	-5.00	-6.19
	6465	103	be (80 MHz)	484+242	90	MCS5	-10.70	-0.40	-11.10	-5.00	-6.10
	6505	111	be (160 MHz)	996+484+242	99-L	MCS5	-10.93	-0.40	-11.33	-5.00	-6.33
	6535	117	be (20 MHz)	106+26	82	MCS5	-10.13	0.30	-9.83	-5.00	-4.83
	6695	149	be (20 MHz)	106+26	82	MCS5	-9.51	0.30	-9.21	-5.00	-4.21
	6875	185	be (20 MHz)	106+26	82	MCS5	-9.34	0.30	-9.04	-5.00	-4.04
	6545	119	be (80 MHz)	484+242	92	MCS5	-10.77	0.30	-10.47	-5.00	-5.47
	6705	151	be (80 MHz)	484+242	93	MCS5	-10.04	0.30	-9.74	-5.00	-4.74
	6865	183	be (80 MHz)	484+242	93	MCS5	-9.66	0.30	-9.36	-5.00	-4.36
	6665	143	be (160 MHz)	996+484+242	97-L	MCS5	-10.17	0.30	-9.87	-5.00	-4.87
Band 7	6825	175	be (160 MHz)	996+484+242	99-L	MCS5	-10.20	0.30	-9.90	-5.00	-4.90
	6895	189	be (20 MHz)	106+26	82	MCS5	-8.66	-0.10	-8.76	-5.00	-3.76
	6995	209	be (20 MHz)	106+26	83	MCS5	-9.14	-0.10	-9.24	-5.00	-4.24
	7095	229	be (20 MHz)	106+26	82	MCS5	-8.57	-0.10	-8.67	-5.00	-3.67
	6945	199	be (80 MHz)	484+242	92	MCS5	-9.02	-0.10	-9.12	-5.00	-4.12
	7025	215	be (80 MHz)	484+242	92	MCS5	-8.94	-0.10	-9.04	-5.00	-4.04
	6985	207	be (160 MHz)	996+484+242	99-L	MCS5	-9.11	-0.10	-9.21	-5.00	-4.21





Table 7-76. Power Spectral Density Measurements Antenna 1B (MRU)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 123 of 468


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	242	61	MCS5	-10.93	-0.10	-11.03	-5.00	-6.03
	6255	61	be (20 MHz)	242	61	MCS5	-10.76	-0.10	-10.86	-5.00	-5.86
	6415	93	be (20 MHz)	242	61	MCS5	-10.72	-0.20	-10.92	-5.00	-5.92
	6125	35	be (40 MHz)	484	65	MCS5	-10.69	-0.10	-10.79	-5.00	-5.79
	6245	59	be (40 MHz)	484	65	MCS5	-10.47	-0.10	-10.57	-5.00	-5.57
	6405	91	be (40 MHz)	484	65	MCS5	-10.90	-0.20	-11.10	-5.00	-6.10
	6145	39	be (80 MHz)	996	67	MCS5	-10.86	-0.10	-10.96	-5.00	-5.96
	6225	55	be (80 MHz)	996	67	MCS5	-10.88	-0.10	-10.98	-5.00	-5.98
	6385	87	be (80 MHz)	996	67	MCS5	-11.42	-0.20	-11.62	-5.00	-6.62
	6185	47	be (160 MHz)	996x2	68	MCS5	-11.72	-0.10	-11.82	-5.00	-6.82
Band 6	6345	79	be (160 MHz)	996x2	68	MCS5	-12.48	-0.20	-12.68	-5.00	-7.68
	6435	97	be (20 MHz)	242	61	MCS5	-10.32	-0.40	-10.72	-5.00	-5.72
	6475	105	be (20 MHz)	242	61	MCS5	-10.38	-0.40	-10.78	-5.00	-5.78
	6515	113	be (20 MHz)	242	61	MCS5	-10.34	-0.40	-10.74	-5.00	-5.74
	6445	99	be (40 MHz)	484	65	MCS5	-11.01	-0.40	-11.41	-5.00	-6.41
	6485	107	be (40 MHz)	484	65	MCS5	-10.94	-0.40	-11.34	-5.00	-6.34
	6525	115	be (40 MHz)	484	65	MCS5	-10.85	-0.40	-11.25	-5.00	-6.25
	6465	103	be (80 MHz)	996	67	MCS5	-10.69	-0.40	-11.09	-5.00	-6.09
	6505	111	be (160 MHz)	996x2	68	MCS5	-12.00	-0.40	-12.40	-5.00	-7.40
	6535	117	be (20 MHz)	242	61	MCS5	-9.61	0.30	-9.31	-5.00	-4.31
Band 7	6695	149	be (20 MHz)	242	61	MCS5	-9.84	0.30	-9.54	-5.00	-4.54
	6875	185	be (20 MHz)	242	61	MCS5	-9.78	0.30	-9.48	-5.00	-4.48
	6565	123	be (40 MHz)	484	65	MCS5	-10.42	0.30	-10.12	-5.00	-5.12
	6725	155	be (40 MHz)	484	65	MCS5	-9.99	0.30	-9.69	-5.00	-4.69
	6845	179	be (40 MHz)	484	65	MCS5	-9.97	0.30	-9.67	-5.00	-4.67
	6545	119	be (80 MHz)	996	67	MCS5	-10.89	0.30	-10.59	-5.00	-5.59
	6705	151	be (80 MHz)	996	67	MCS5	-9.92	0.30	-9.62	-5.00	-4.62
	6865	183	be (80 MHz)	996	67	MCS5	-9.71	0.30	-9.41	-5.00	-4.41
	6665	143	be (160 MHz)	996x2	68	MCS5	-11.09	0.30	-10.79	-5.00	-5.79
	6825	175	be (160 MHz)	996x2	68	MCS5	-11.20	0.30	-10.90	-5.00	-5.90
Band 8	6895	189	be (20 MHz)	242	61	MCS5	-8.86	-0.10	-8.96	-5.00	-3.96
	6995	209	be (20 MHz)	242	61	MCS5	-9.09	-0.10	-9.19	-5.00	-4.19
	7115	233	be (20 MHz)	242	61	MCS5	-9.69	-0.10	-9.79	-5.00	-4.79
	6885	187	be (40 MHz)	484	65	MCS5	-9.76	-0.10	-9.86	-5.00	-4.86
	7005	211	be (40 MHz)	484	65	MCS5	-9.07	-0.10	-9.17	-5.00	-4.17
	7085	227	be (40 MHz)	484	65	MCS5	-9.01	-0.10	-9.11	-5.00	-4.11
	6945	199	be (80 MHz)	996	67	MCS5	-9.08	-0.10	-9.18	-5.00	-4.18
	7025	215	be (80 MHz)	996	67	MCS5	-8.50	-0.10	-8.60	-5.00	-3.60
	6985	207	be (160 MHz)	996x2	68	MCS5	-10.04	-0.10	-10.14	-5.00	-5.14

Table 7-77. Power Spectral Density Measurements Antenna 1B (Fully – Loaded RU)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 124 of 468




FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 125 of 468



Plot 7-221 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU106+26 Index83 - Ch.61)




Plot 7-223 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.47)




Plot 7-222 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU484+242 Index93 - Ch.55)


FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 126 of 468




Plot 7-224 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.61)



Plot 7-226 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.39)




Plot 7-225 PSD Antenna 1B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.59)




Plot 7-227 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.47)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 127 of 468




Plot 7-228 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU26 Index8 - Ch.105)



Plot 7-230 PSD Antenna 1B (80MHz BW 802.11be(RU) RU26 Index17 - Ch.103)




Plot 7-229 PSD Antenna 1B (40 MHz BW 802.11be(RU) RU26 Index0 - Ch.115)




Plot 7-231 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU26 Index36 - Ch.111)


FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 128 of 468



Plot 7-232 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.97)




Plot 7-234 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.111)




Plot 7-233 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU484+242 Index90 - Ch.103)


FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 129 of 468




Plot 7-235 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.97)



Plot 7-237 PSD Antenna 1B (80Mhz BW 802.11be(RU) RU996 Index67 - Ch.103)




Plot 7-236 PSD Antenna 1B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.115)




Plot 7-238 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 130 of 468




Plot 7-239 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU26 Index8 - Ch.185)



Plot 7-241 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU26 Index36 - Ch.151)




Plot 7-240 PSD Antenna 1B (40 MHz BW 802.11be(RU) RU26 Index0 - Ch.155)




Plot 7-242 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU26 Index0 - Ch.175)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 131 of 468



Plot 7-243 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-245 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.143)




Plot 7-244 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU484+242 Index93 - Ch.183)


FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 132 of 468




Plot 7-246 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.117)



Plot 7-248 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.183)




Plot 7-247 PSD Antenna 1B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.179)




Plot 7-249 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)


FCC ID: BCGA3596 IC: 579C-A3596	element	Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 133 of 468




Plot 7-250 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU26 Index8 - Ch.229)



Plot 7-252 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU26 Index0 - Ch.199)




Plot 7-251 PSD Antenna 1B (40 MHz BW 802.11be(RU) RU26 Index0 - Ch.227)




Plot 7-253 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU26 Index17 - Ch.207)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 134 of 468



Plot 7-254 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.229)




Plot 7-256 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.207)




Plot 7-255 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.215)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 135 of 468




Plot 7-257 PSD Antenna 1B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.189)



Plot 7-259 PSD Antenna 1B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.215)



Plot 7-258 PSD Antenna 1B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.227)



Plot 7-260 PSD Antenna 1B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 136 of 468

7.4.4 SDM Primary Power Spectral Density Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 5B Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	52	40	SDM	MCSS	-13.51	-13.96	-10.72	3.30	-7.42	-5.00	-2.42
	6255	61	be (20 MHz)	52	40	SDM	MCSS	-13.34	-13.52	-10.41	3.30	-7.11	-5.00	-2.11
	6415	93	be (20 MHz)	52	37	SDM	MCSS	-13.77	-14.41	-11.07	3.56	-7.51	-5.00	-2.51
	6125	35	be (40 MHz)	52	40	SDM	MCSS	-13.56	-14.08	-10.81	3.30	-7.51	-5.00	-2.51
	6245	59	be (40 MHz)	52	44	SDM	MCSS	-13.49	-14.18	-10.81	3.30	-7.51	-5.00	-2.51
	6405	91	be (40 MHz)	52	40	SDM	MCSS	-14.13	-14.27	-11.19	3.56	-7.63	-5.00	-2.63
	6145	39	be (40 MHz)	52	37	SDM	MCSS	-13.69	-13.86	-10.76	3.30	-7.46	-5.00	-2.46
	6225	55	be (80 MHz)	52	52	SDM	MCSS	-13.97	-13.84	-10.89	3.30	-7.59	-5.00	-2.59
	6385	87	be (80 MHz)	52	44	SDM	MCSS	-14.16	-14.20	-11.17	3.56	-7.61	-5.00	-2.61
	6185	47	be (160 MHz)	52	52-L	SDM	MCSS	-14.02	-14.33	-11.16	3.30	-7.86	-5.00	-2.86
Band 6	6345	79	be (160 MHz)	52	37-L	SDM	MCSS	-14.02	-14.54	-11.26	3.56	-7.71	-5.00	-2.71
	6435	97	be (20 MHz)	52	40	SDM	MCSS	-13.81	-13.59	-10.69	3.25	-7.44	-5.00	-2.44
	6475	105	be (20 MHz)	52	37	SDM	MCSS	-13.34	-13.98	-10.64	3.25	-7.39	-5.00	-2.39
	6515	113	be (20 MHz)	52	39	SDM	MCSS	-13.46	-13.71	-10.57	3.25	-7.32	-5.00	-2.32
	6445	99	be (40 MHz)	52	37	SDM	MCSS	-13.71	-13.83	-10.76	3.25	-7.51	-5.00	-2.51
	6485	107	be (40 MHz)	52	37	SDM	MCSS	-13.56	-14.08	-10.80	3.25	-7.55	-5.00	-2.55
	6525	115	be (40 MHz)	52	40	SDM	MCSS	-13.92	-14.23	-11.06	3.25	-7.81	-5.00	-2.81
	6465	103	be (80 MHz)	52	37	SDM	MCSS	-13.53	-13.93	-10.72	3.25	-7.46	-5.00	-2.46
	6505	111	be (160 MHz)	52	52-H	SDM	MCSS	-13.76	-14.39	-11.05	3.25	-7.80	-5.00	-2.80
	6535	117	be (20 MHz)	52	40	SDM	MCSS	-13.73	-14.13	-10.92	3.28	-7.63	-5.00	-2.63
Band 7	6695	149	be (20 MHz)	52	40	SDM	MCSS	-13.37	-13.89	-10.61	3.28	-7.33	-5.00	-2.33
	6875	185	be (20 MHz)	52	37	SDM	MCSS	-13.19	-13.31	-10.24	3.28	-6.96	-5.00	-1.96
	6565	123	be (40 MHz)	52	44	SDM	MCSS	-14.08	-14.05	-11.06	3.28	-7.77	-5.00	-2.77
	6725	155	be (40 MHz)	52	40	SDM	MCSS	-13.56	-13.94	-10.74	3.28	-7.45	-5.00	-2.45
	6845	179	be (40 MHz)	52	37	SDM	MCSS	-13.60	-13.59	-10.58	3.28	-7.30	-5.00	-2.30
	6545	119	be (80 MHz)	52	37	SDM	MCSS	-13.80	-14.31	-11.03	3.28	-7.75	-5.00	-2.75
	6705	151	be (80 MHz)	52	37	SDM	MCSS	-13.61	-14.10	-10.84	3.28	-7.55	-5.00	-2.55
	6865	183	be (80 MHz)	52	37	SDM	MCSS	-13.38	-13.62	-10.49	3.28	-7.20	-5.00	-2.20
	6665	143	be (160 MHz)	52	52-L	SDM	MCSS	-13.91	-14.09	-10.99	3.28	-7.70	-5.00	-2.70
	6825	175	be (160 MHz)	52	52-H	SDM	MCSS	-13.70	-14.05	-10.86	3.28	-7.58	-5.00	-2.58
Band 8	6895	189	be (20 MHz)	52	37	SDM	MCSS	-12.46	-13.09	-9.75	2.61	-7.14	-5.00	-2.14
	6995	209	be (20 MHz)	52	37	SDM	MCSS	-12.84	-13.05	-9.93	2.61	-7.31	-5.00	-2.31
	7095	229	be (20 MHz)	52	40	SDM	MCSS	-12.39	-13.58	-9.94	2.61	-7.32	-5.00	-2.32
	6885	187	be (40 MHz)	52	40	SDM	MCSS	-13.28	-13.50	-10.38	2.61	-7.76	-5.00	-2.76
	7005	211	be (40 MHz)	52	40	SDM	MCSS	-13.22	-13.09	-10.15	2.61	-7.53	-5.00	-2.53
	7085	227	be (40 MHz)	52	40	SDM	MCSS	-12.95	-13.33	-10.13	2.61	-7.51	-5.00	-2.51
	6945	199	be (80 MHz)	52	37	SDM	MCSS	-12.68	-13.25	-9.94	2.61	-7.33	-5.00	-2.33
	7025	215	be (80 MHz)	52	44	SDM	MCSS	-12.88	-13.05	-9.95	2.61	-7.34	-5.00	-2.34
	6985	207	be (160 MHz)	52	37-L	SDM	MCSS	-13.18	-13.28	-10.22	2.61	-7.60	-5.00	-2.60

Table 7-78. Power Spectral Density Measurements SDM Primary (RU52)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 5B Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	106+26	82	SDM	MCSS	-13.48	-13.78	-10.62	3.30	-7.32	-5.00	-2.32
	6255	61	be (20 MHz)	106+26	82	SDM	MCSS	-13.46	-13.51	-10.47	3.30	-7.17	-5.00	-2.17
	6415	93	be (20 MHz)	106+26	82	SDM	MCSS	-13.25	-13.79	-10.50	3.56	-6.94	-5.00	-1.94
	6145	39	be (80 MHz)	484+242	91	SDM	MCSS	-14.04	-14.17	-11.09	3.30	-7.79	-5.00	-2.79
	6225	55	be (80 MHz)	484+242	92	SDM	MCSS	-13.99	-13.93	-10.95	3.30	-7.65	-5.00	-2.65
	6385	87	be (80 MHz)	484+242	90	SDM	MCSS	-14.30	-14.56	-11.42	3.56	-7.86	-5.00	-2.86
	6185	47	be (160 MHz)	996+484+242	98-L	SDM	MCSS	-14.29	-14.20	-11.24	3.30	-7.94	-5.00	-2.94
	6345	79	be (160 MHz)	996+484+242	96-L	SDM	MCSS	-14.28	-14.32	-11.29	3.56	-7.73	-5.00	-2.73
	6435	97	be (20 MHz)	106+26	83	SDM	MCSS	-13.26	-13.66	-10.44	3.25	-7.19	-5.00	-2.19
	6475	105	be (20 MHz)	106+26	82	SDM	MCSS	-13.19	-13.58	-10.37	3.25	-7.12	-5.00	-2.12
Band 6	6515	113	be (20 MHz)	106+26	82	SDM	MCSS	-13.21	-13.11	-10.15	3.25	-6.90	-5.00	-1.90
	6465	103	be (80 MHz)	484+242	90	SDM	MCSS	-13.96	-13.76	-10.85	3.25	-7.60	-5.00	-2.60
	6505	111	be (160 MHz)	996+484+242	97-L	SDM	MCSS	-14.61	-14.65	-11.62	3.25	-8.37	-5.00	-3.37
	6535	117	be (20 MHz)	106+26	82	SDM	MCSS	-13.72	-13.60	-10.65	3.28	-7.36	-5.00	-2.36
	6695	149	be (20 MHz)	106+26	82	SDM	MCSS	-13.67	-13.40	-10.52	3.28	-7.24	-5.00	-2.24
	6875	185	be (20 MHz)	106+26	82	SDM	MCSS	-12.80	-13.25	-10.01	3.28	-6.72	-5.00	-1.72
	6545	119	be (80 MHz)	484+242	91	SDM	MCSS	-14.24	-14.00	-11.11	3.28	-7.82	-5.00	-2.82
	6705	151	be (80 MHz)	484+242	92	SDM	MCSS	-14.29	-13.78	-11.01	3.28	-7.73	-5.00	-2.73
	6865	183	be (80 MHz)	484+242	92	SDM	MCSS	-13.68	-14.02	-10.84	3.28	-7.55	-5.00	-2.55
	6665	143	be (160 MHz)	996+484+242	96-L	SDM	MCSS	-14.26	-14.13	-11.18	3.28	-7.90	-5.00	-2.90
Band 7	6825	175	be (160 MHz)	996+484+242	97-L	SDM	MCSS	-14.48	-14.18	-11.32	3.28	-8.03	-5.00	-3.03
	6895	189	be (20 MHz)	106+26	82	SDM	MCSS	-12.78	-13.10	-9.93	2.61	-7.32	-5.00	-2.32
	6995	209	be (20 MHz)	106+26	83	SDM	MCSS	-12.97	-13.04	-9.99	2.61	-7.38	-5.00	-2.38
	7095	229	be (20 MHz)	106+26	83	SDM	MCSS	-12.66	-13.47	-10.03	2.61	-7.42	-5.00	-2.42
	6945	199	be (80 MHz)	484+242	91	SDM	MCSS	-13.28	-13.36	-10.31	2.61	-7.70	-5.00	-2.70
	7025	215	be (80 MHz)	484+242	90	SDM	MCSS	-13.91	-13.12	-10.48	2.61	-7.87	-5.00	-2.87
	6985	207	be (160 MHz)	996+484+242	97-L	SDM	MCSS	-13.51	-13.25	-10.36	2.61	-7.75	-5.00	-2.75


Table 7-79. Power Spectral Density Measurements SDM Primary (MRU)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 137 of 468


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 5B Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20 MHz)	242	61	SDM	MCSS	-13.41	-13.80	-10.59	3.30	-7.29	-5.00	-2.29
	6255	61	be (20 MHz)	242	61	SDM	MCSS	-13.75	-13.80	-10.77	3.30	-7.47	-5.00	-2.47
	6415	93	be (20 MHz)	242	61	SDM	MCSS	-13.45	-13.92	-10.67	3.56	-7.11	-5.00	-2.11
	6125	35	be (40 MHz)	484	65	SDM	MCSS	-13.63	-14.00	-10.80	3.30	-7.50	-5.00	-2.50
	6245	59	be (40 MHz)	484	65	SDM	MCSS	-13.98	-13.76	-10.86	3.30	-7.56	-5.00	-2.56
	6405	91	be (40 MHz)	484	65	SDM	MCSS	-13.53	-13.76	-10.63	3.56	-7.08	-5.00	-2.08
	6145	39	be (80 MHz)	996	67	SDM	MCSS	-14.24	-14.44	-11.33	3.30	-8.03	-5.00	-3.03
	6225	55	be (80 MHz)	996	67	SDM	MCSS	-14.48	-14.38	-11.42	3.30	-8.12	-5.00	-3.12
	6385	87	be (80 MHz)	996	67	SDM	MCSS	-14.25	-14.55	-11.39	3.56	-7.83	-5.00	-2.83
	6185	47	be (160 MHz)	996x2	68	SDM	MCSS	-14.96	-15.27	-12.10	3.30	-8.80	-5.00	-3.80
Band 6	6345	79	be (160 MHz)	996x2	68	SDM	MCSS	-15.30	-15.28	-12.28	3.56	-8.72	-5.00	-3.72
	6435	97	be (20 MHz)	242	61	SDM	MCSS	-13.23	-13.53	-10.37	3.25	-7.12	-5.00	-2.12
	6475	105	be (20 MHz)	242	61	SDM	MCSS	-13.68	-13.86	-10.76	3.25	-7.51	-5.00	-2.51
	6515	113	be (20 MHz)	242	61	SDM	MCSS	-13.75	-13.91	-10.82	3.25	-7.57	-5.00	-2.57
	6445	99	be (40 MHz)	484	65	SDM	MCSS	-13.73	-13.88	-10.79	3.25	-7.54	-5.00	-2.54
	6485	107	be (40 MHz)	484	65	SDM	MCSS	-13.86	-13.86	-10.85	3.25	-7.60	-5.00	-2.60
	6525	115	be (40 MHz)	484	65	SDM	MCSS	-14.15	-13.29	-10.69	3.25	-7.44	-5.00	-2.44
	6465	103	be (80 MHz)	996	67	SDM	MCSS	-14.25	-14.33	-11.28	3.25	-8.03	-5.00	-3.03
	6505	111	be (160 MHz)	996x2	68	SDM	MCSS	-15.39	-15.69	-12.53	3.25	-9.28	-5.00	-4.28
	6535	117	be (20 MHz)	242	61	SDM	MCSS	-13.45	-13.40	-10.42	3.28	-7.13	-5.00	-2.13
Band 7	6695	149	be (20 MHz)	242	61	SDM	MCSS	-13.62	-13.99	-10.79	3.28	-7.50	-5.00	-2.50
	6875	185	be (20 MHz)	242	61	SDM	MCSS	-13.28	-13.45	-10.35	3.28	-7.07	-5.00	-2.07
	6565	123	be (40 MHz)	484	65	SDM	MCSS	-14.38	-14.19	-11.27	3.28	-7.98	-5.00	-2.98
	6725	155	be (40 MHz)	484	65	SDM	MCSS	-14.43	-13.41	-10.87	3.28	-7.59	-5.00	-2.59
	6845	179	be (40 MHz)	484	65	SDM	MCSS	-13.32	-13.14	-10.22	3.28	-6.93	-5.00	-1.93
	6545	119	be (80 MHz)	996	67	SDM	MCSS	-14.31	-14.46	-11.37	3.28	-8.09	-5.00	-3.09
	6705	151	be (80 MHz)	996	67	SDM	MCSS	-13.93	-13.84	-10.88	3.28	-7.59	-5.00	-2.59
	6865	183	be (80 MHz)	996	67	SDM	MCSS	-13.77	-14.05	-10.90	3.28	-7.61	-5.00	-2.61
	6665	143	be (160 MHz)	996x2	68	SDM	MCSS	-14.79	-14.79	-11.78	3.28	-8.50	-5.00	-3.50
	6825	175	be (160 MHz)	996x2	68	SDM	MCSS	-14.62	-15.06	-11.82	3.28	-8.54	-5.00	-3.54
Band 8	6895	189	be (20 MHz)	242	61	SDM	MCSS	-12.64	-12.67	-9.65	2.61	-7.03	-5.00	-2.03
	6995	209	be (20 MHz)	242	61	SDM	MCSS	-13.08	-13.05	-10.05	2.61	-7.44	-5.00	-2.44
	7115	233	be (20 MHz)	242	61	SDM	MCSS	-13.73	-14.57	-11.12	2.61	-8.51	-5.00	-3.51
	6885	187	be (40 MHz)	484	65	SDM	MCSS	-12.96	-13.29	-10.11	2.61	-7.49	-5.00	-2.49
	7005	211	be (40 MHz)	484	65	SDM	MCSS	-12.34	-13.44	-9.84	2.61	-7.23	-5.00	-2.23
	7085	227	be (40 MHz)	484	65	SDM	MCSS	-13.02	-13.75	-10.36	2.61	-7.75	-5.00	-2.75
	6945	199	be (80 MHz)	996	67	SDM	MCSS	-13.05	-13.61	-10.31	2.61	-7.70	-5.00	-2.70
	7025	215	be (80 MHz)	996	67	SDM	MCSS	-12.53	-12.71	-9.61	2.61	-6.99	-5.00	-1.99
	6985	207	be (160 MHz)	996x2	68	SDM	MCSS	-14.23	-14.28	-11.24	2.61	-8.63	-5.00	-3.63

Table 7-80. Power Spectral Density Measurements SDM Primary (Fully – Loaded RU)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 138 of 468




Plot 7-261 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU52 Index40 - Ch.61)




Plot 7-265 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU52 Index40 - Ch.61)




Plot 7-262 PSD SDM Primary Antenna 5T (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.35)




Plot 7-266 PSD SDM Primary Antenna 5B (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.35)



Plot 7-263 PSD SDM Primary Antenna 5T (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.39)



Plot 7-267 PSD SDM Primary Antenna 5B (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.39)




Plot 7-264 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU52 Index37 - Ch.79)




Plot 7-268 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU52 Index37 - Ch.79)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		




Plot 7-269 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.93)




Plot 7-272 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.93)




Plot 7-270 PSD SDM Primary Antenna 5T (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.55)



Plot 7-273 PSD SDM Primary Antenna 5B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.55)




Plot 7-271 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.79)




Plot 7-274 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.79)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 140 of 468




Plot 7-275 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.93)




Plot 7-279 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.93)




Plot 7-276 PSD SDM Primary Antenna 5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.91)




Plot 7-280 PSD SDM Primary Antenna 5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.91)




Plot 7-277 PSD SDM Primary Antenna 5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.87)



Plot 7-281 PSD SDM Primary Antenna 5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.87)




Plot 7-278 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.79)




Plot 7-282 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.79)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 141 of 468




Plot 7-283 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU52 Index39 - Ch.113)




Plot 7-287 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU52 Index39 - Ch.113)




Plot 7-284 PSD SDM Primary Antenna 5T (40 MHz BW 802.11be(RU) RU52 Index37 - Ch.99)



Plot 7-288 PSD SDM Primary Antenna 5B (40 MHz BW 802.11be(RU) RU52 Index37 - Ch.99)




Plot 7-285 PSD SDM Primary Antenna 5T (80MHz BW 802.11be(RU) RU52 Index37 - Ch.103)



Plot 7-289 PSD SDM Primary Antenna 5B (80MHz BW 802.11be(RU) RU52 Index37 - Ch.103)




Plot 7-286 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.111)




Plot 7-290 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.111)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		




Plot 7-291 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.113)




Plot 7-294 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.113)




Plot 7-292 PSD SDM Primary Antenna 5T (80 MHz BW 802.11be(RU) RU484+242 Index90 - Ch.103)



Plot 7-295 PSD SDM Primary Antenna 5B (80 MHz BW 802.11be(RU) RU484+242 Index90 - Ch.103)




Plot 7-293 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.111)




Plot 7-296 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.111)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 143 of 468




Plot 7-297 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.97)




Plot 7-301 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.97)




Plot 7-298 PSD SDM Primary Antenna 5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.115)




Plot 7-302 PSD SDM Primary Antenna 5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.115)




Plot 7-299 PSD SDM Primary Antenna 5T (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-303 PSD SDM Primary Antenna 5B (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)




Plot 7-300 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)




Plot 7-304 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 144 of 468




Plot 7-305 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.185)




Plot 7-309 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.185)




Plot 7-306 PSD SDM Primary Antenna 5T (40 MHz BW 802.11be(RU) RU52 Index37 - Ch.179)



Plot 7-310 PSD SDM Primary Antenna 5B (40 MHz BW 802.11be(RU) RU52 Index37 - Ch.179)




Plot 7-307 PSD SDM Primary Antenna 5T (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.183)



Plot 7-311 PSD SDM Primary Antenna 5B (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.183)




Plot 7-308 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.175)




Plot 7-312 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.175)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		




Plot 7-313 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-316 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-314 PSD SDM Primary Antenna 5T (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.183)



Plot 7-317 PSD SDM Primary Antenna 5B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.183)




Plot 7-315 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.143)




Plot 7-318 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.143)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 146 of 468




Plot 7-319 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.185)




Plot 7-323 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.185)




Plot 7-320 PSD SDM Primary Antenna 5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.179)




Plot 7-324 PSD SDM Primary Antenna 5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.179)




Plot 7-321 PSD SDM Primary Antenna 5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.151)



Plot 7-325 PSD SDM Primary Antenna 5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.151)




Plot 7-322 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)




Plot 7-326 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)


FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		




Plot 7-327 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.189)




Plot 7-331 PSD SDM Primary Antenna 5B (20 MHz BW 802.11be(RU) RU52 Index37 - Ch.189)




Plot 7-328 PSD SDM Primary Antenna 5T (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.227)




Plot 7-332 PSD SDM Primary Antenna 5B (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.227)




Plot 7-329 PSD SDM Primary Antenna 5T (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.199)



Plot 7-333 PSD SDM Primary Antenna 5B (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.199)



Plot 7-330 PSD SDM Primary Antenna 5T (160 MHz BW 802.11be(RU) RU52 Index37 - Ch.207)



Plot 7-334 PSD SDM Primary Antenna 5B (160 MHz BW 802.11be(RU) RU52 Index37 - Ch.207)

FCC ID: BCGA3596 IC: 579C-A3596		Test Dates: 05/12/2026 - 09/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-21-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		