





Plot 7-135. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch. 52)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5260 MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-69.13	11.17	49.04	68.23	-19.19
* 15780.00	Average	V	-	-	-80.90	17.27	43.37	53.98	-10.61
* 15780.00	Peak	V	-	-	-69.42	17.27	54.85	73.98	-19.13

Table 7-144. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 159 of 262



Plot 7-136. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch. 56)



Plot 7-137. Radiated Spurious Emissions 18 GHz - 40 GHz CDD Diversity (802.11n – Ch.56)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters


Operating Frequency: 5280 MHz

Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	V	-	-	-69.46	11.21	0.00	48.75	68.23	-19.48
* 15840.00	Average	V	-	-	-81.47	17.84	0.00	43.37	53.98	-10.61
* 15840.00	Peak	V	-	-	-70.81	17.84	0.00	54.03	73.98	-19.95
* 21120.00	Average	H	-	-	-70.72	-6.08	-9.54	20.66	53.98	-33.32
* 21120.00	Peak	H	-	-	-51.41	-6.08	-9.54	39.97	73.98	-34.01
26400.00	Peak	H	-	-	-53.21	-4.01	-9.54	40.24	68.23	-27.99
* 31680.00	Average	V	-	-	-64.53	-2.66	-9.54	30.27	53.98	-23.71
* 31680.00	Peak	V	-	-	-52.73	-2.66	-9.54	42.07	73.98	-31.91

Table 7-145. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 160 of 262




Plot 7-138. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch. 64)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5320 MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-80.29	10.90	37.61	53.98	-16.37
* 10640.00	Peak	H	-	-	-68.98	10.90	48.92	73.98	-25.06
* 15960.00	Average	H	-	-	-81.42	17.87	43.45	53.98	-10.53
* 15960.00	Peak	H	-	-	-70.73	17.87	54.14	73.98	-19.84

Table 7-146. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 161 of 262




Plot 7-139. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch. 100)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5500 MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-80.80	12.26	38.46	53.98	-15.52
* 11000.00	Peak	H	-	-	-69.53	12.26	49.73	73.98	-24.25
16500.00	Peak	H	-	-	-70.09	19.09	56.01	68.23	-12.22

Table 7-147. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 162 of 262



Plot 7-140. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch. 116)



Plot 7-141. Radiated Spurious Emissions 18 GHz - 40 GHz CDD Diversity (802.11n – Ch.116)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters


Operating Frequency: 5580 MHz

Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-80.52	11.61	0.00	38.09	53.98	-15.89
* 11160.00	Peak	V	-	-	-69.91	11.61	0.00	48.71	73.98	-25.27
16740.00	Peak	H	-	-	-69.95	19.47	0.00	56.52	68.23	-11.71
* 22320.00	Average	H	-	-	-62.41	-5.46	-9.54	29.59	53.98	-24.39
* 22320.00	Peak	H	-	-	-50.75	-5.46	-9.54	41.25	73.98	-32.73
27900.00	Peak	H	-	-	-54.63	-2.89	-9.54	39.94	68.23	-28.29
33480.00	Peak	V	-	-	-52.59	-3.59	-9.54	41.28	68.23	-26.95

Table 7-148. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 163 of 262




Plot 7-142. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch. 144)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5720 MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-80.69	12.43	38.74	53.98	-15.24
* 11440.00	Peak	H	-	-	-70.17	12.43	49.26	73.98	-24.72
17160.00	Peak	V	-	-	-70.56	20.31	56.75	68.23	-11.48

Table 7-149. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 164 of 262




Plot 7-143. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch. 149)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5745 MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-80.21	12.46	39.24	53.98	-14.74
* 11490.00	Peak	V	-	-	-69.02	12.46	50.43	73.98	-23.55
17235.00	Peak	H	-	-	-70.27	20.42	57.15	68.23	-11.08

Table 7-150. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 165 of 262



Plot 7-144. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch.157)




Plot 7-145. Radiated Spurious Emissions 18 GHz - 40 GHz CDD Diversity (802.11n – Ch.157)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785 MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-80.42	12.36	0.00	38.95	53.98	-15.03
* 11570.00	Peak	V	-	-	-69.27	12.36	0.00	50.09	73.98	-23.89
17355.00	Peak	V	-	-	-69.77	20.68	0.00	57.91	68.23	-10.32
23140.00	Peak	H	-	-	-51.99	-5.65	-9.54	39.82	68.23	-28.41
28925.00	Peak	H	-	-	-56.51	-2.88	-9.54	38.07	68.23	-30.16
34710.00	Peak	H	-	-	-51.21	-4.60	-9.54	41.65	68.23	-26.58

Table 7-151. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 166 of 262




Plot 7-146. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11n – Ch. 165)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5825 MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-80.46	12.36	38.90	53.98	-15.08
* 11650.00	Peak	H	-	-	-69.69	12.36	49.67	73.98	-24.31
17475.00	Peak	V	-	-	-70.17	21.04	57.88	68.23	-10.35

Table 7-152. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 167 of 262




Plot 7-147. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 36)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5180 MHz
Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	H	-	-	-69.51	11.12	48.61	68.23	-19.62
* 15540.00	Average	H	-	-	-81.16	17.32	43.15	53.98	-10.83
* 15540.00	Peak	H	-	-	-69.92	17.32	54.40	73.98	-19.58

Table 7-153. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 168 of 262



Plot 7-148. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 40)




Plot 7-149. Radiated Spurious Emissions 18 GHz - 40 GHz CDD Diversity (802.11be(SU) – Ch.40)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200 MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	H	-	-	-69.66	11.37	0.00	48.71	68.23	-19.52
* 15600.00	Average	H	-	-	-81.23	17.04	0.00	42.81	53.98	-11.17
* 15600.00	Peak	H	-	-	-70.14	17.04	0.00	53.89	73.98	-20.09
* 20800.00	Average	V	-	-	-63.08	-5.87	-9.54	28.51	53.98	-25.47
* 20800.00	Peak	V	-	-	-51.49	-5.90	-9.54	40.07	73.98	-33.91
26000.00	Peak	V	-	-	-52.47	-4.40	-9.54	40.59	68.23	-27.64
* 31200.00	Average	H	-	-	-62.25	-2.74	-9.54	32.47	53.98	-21.51
* 31200.00	Peak	H	-	-	-51.10	-2.74	-9.54	43.62	73.98	-30.36

Table 7-154. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 169 of 262




Plot 7-150. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 48)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240 MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	V	-	-	-69.00	11.50	49.50	68.23	-18.73
* 15720.00	Average	V	-	-	-81.22	16.77	42.55	53.98	-11.43
* 15720.00	Peak	V	-	-	-69.73	16.77	54.05	73.98	-19.93

Table 7-155. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 170 of 262




Plot 7-151. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 52)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260 MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10520.00	Peak	V	-	-	-68.95	11.17	49.22	68.23	-19.01
* 15780.00	Average	H	-	-	-81.20	17.27	43.07	53.98	-10.91
* 15780.00	Peak	H	-	-	-70.54	17.27	53.73	73.98	-20.25

Table 7-156. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 171 of 262



Plot 7-152. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 56)



Plot 7-153. Radiated Spurious Emissions 18 GHz - 40 GHz CDD Diversity (802.11be(SU) – Ch.56)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5280 MHz

Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	V	-	-	-69.52	11.20	0.00	48.67	68.23	-19.56
* 15840.00	Average	H	-	-	-81.45	17.74	0.00	43.29	53.98	-10.69
* 15840.00	Peak	H	-	-	-70.59	17.74	0.00	54.15	73.98	-19.83
* 21120.00	Average	V	-	-	-62.68	-6.08	-9.54	28.70	53.98	-25.28
* 21120.00	Peak	V	-	-	-51.75	-6.08	-9.54	39.63	73.98	-34.35
26400.00	Peak	H	-	-	-53.63	-4.01	-9.54	39.82	68.23	-28.41
* 31680.00	Average	V	-	-	-64.45	-2.66	-9.54	30.35	53.98	-23.63
* 31680.00	Peak	V	-	-	-53.06	-2.66	-9.54	41.74	73.98	-32.24

Table 7-157. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 172 of 262




Plot 7-154. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 64)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320 MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-80.13	10.91	37.78	53.98	-16.20
* 10640.00	Peak	H	-	-	-68.80	10.91	49.12	73.98	-24.86
* 15960.00	Average	H	-	-	-81.67	17.87	43.21	53.98	-10.77
* 15960.00	Peak	H	-	-	-70.10	17.87	54.77	73.98	-19.21

Table 7-158. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 173 of 262




Plot 7-155. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 100)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500 MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-81.05	12.50	38.46	53.98	-15.52
* 11000.00	Peak	V	-	-	-70.06	12.50	49.45	73.98	-24.53
16500.00	Peak	V	-	-	-70.03	19.10	56.07	68.23	-12.16

Table 7-159. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 174 of 262



Plot 7-156. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 116)



Plot 7-157. Radiated Spurious Emissions 18 GHz - 40 GHz CDD Diversity (802.11be(SU) – Ch.116)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5580 MHz

Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-80.58	11.69	0.00	38.11	53.98	-15.87
* 11160.00	Peak	H	-	-	-69.57	11.69	0.00	49.12	73.98	-24.86
16740.00	Peak	H	-	-	-70.31	19.56	0.00	56.25	68.23	-11.98
* 22320.00	Average	V	-	-	-62.38	-5.46	-9.54	29.62	53.98	-24.36
* 22320.00	Peak	V	-	-	-51.01	-5.49	-9.54	40.96	73.98	-33.02
27900.00	Peak	H	-	-	-54.72	-3.02	-9.54	39.72	68.23	-28.51
33480.00	Peak	H	-	-	-52.12	-3.58	-9.54	41.76	68.23	-26.47

Table 7-160. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 175 of 262




Plot 7-158. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 144)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720 MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-80.41	12.40	38.99	53.98	-14.99
* 11440.00	Peak	H	-	-	-69.57	12.40	49.83	73.98	-24.15
17160.00	Peak	V	-	-	-70.46	20.31	56.85	68.23	-11.38

Table 7-161. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 176 of 262




Plot 7-159. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 149)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745 MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-80.57	12.46	38.88	53.98	-15.10
* 11490.00	Peak	H	-	-	-69.16	12.46	50.30	73.98	-23.68
17235.00	Peak	V	-	-	-69.56	20.42	57.85	68.23	-10.38

Table 7-162. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 177 of 262



Plot 7-160. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 157)



Plot 7-161. Radiated Spurious Emissions 18 GHz - 40 GHz CDD Diversity (802.11be(SU) – Ch.157)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5785 MHz

Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-80.46	12.40	0.00	38.93	53.98	-15.05
* 11570.00	Peak	V	-	-	-69.77	12.40	0.00	49.63	73.98	-24.35
17355.00	Peak	V	-	-	-69.19	20.68	0.00	58.49	68.23	-9.74
23140.00	Peak	H	-	-	-51.88	-5.67	-9.54	39.91	68.23	-28.32
28925.00	Peak	V	-	-	-56.82	-2.88	-9.54	37.76	68.23	-30.47
34710.00	Peak	H	-	-	-51.74	-4.60	-9.54	41.12	68.23	-27.11

Table 7-163. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 178 of 262



Plot 7-162. Radiated Spurious Emissions above 1 GHz CDD Diversity (802.11be(SU) – Ch. 165)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825 MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-80.49	12.43	38.93	53.98	-15.05
* 11650.00	Peak	H	-	-	-69.40	12.43	50.03	73.98	-23.95
17475.00	Peak	H	-	-	-69.35	21.24	58.90	68.23	-9.33


Table 7-164. Radiated Measurements CDD Diversity

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 179 of 262


7.6.3 Antenna 5T Radiated Band Edge Measurements (20 MHz BW)




Plot 7-163. Antenna 5T (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-166. Antenna 5T (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-164. Antenna 5T (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-167. Antenna 5T (Peak & Average, Ch.100, 802.11n, MCS7)




Plot 7-165. Antenna 5T (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-168. Antenna 5T (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 180 of 262




Plot 7-169. Antenna 5T (Peak, Ch.136, 802.11n, MCS7)




Plot 7-172. Antenna 5T (Peak, Ch.165, 802.11n, MCS7)




Plot 7-170. Antenna 5T (Peak, Ch.140, 802.11n, MCS7)



Plot 7-173. Antenna 5T (Peak & Average, Ch.36, 802.11be(SU), MCS11)




Plot 7-171. Antenna 5T (Peak, Ch.149, 802.11n, MCS7)




Plot 7-174. Antenna 5T (Peak & Average, Ch.40, 802.11be(SU), MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 181 of 262




Plot 7-175. Antenna 5T (Peak & Average, Ch.60, 802.11be(SU), MCS11)




Plot 7-178. Antenna 5T (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-176. Antenna 5T (Peak & Average, Ch.64, 802.11be(SU), MCS11)



Plot 7-179. Antenna 5T (Peak, Ch.136, 802.11be(SU), MCS11)




Plot 7-177. Antenna 5T (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-180. Antenna 5T (Peak, Ch.140, 802.11be(SU), MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 182 of 262




Plot 7-181. Antenna 5T (Peak, Ch.149, 802.11be(SU), MCS11)




Plot 7-182. Antenna 5T (Peak, Ch.165, 802.11be(SU), MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 183 of 262


7.6.4 Antenna 5T Radiated Band Edge Measurements (40 MHz BW)




Plot 7-183. Antenna 5T (Peak & Average, Ch.38, 802.11n, MCS7)




Plot 7-186. Antenna 5T (Peak & Average, Ch.62, 802.11n, MCS7)




Plot 7-184. Antenna 5T (Peak & Average, Ch.46, 802.11n, MCS7)



Plot 7-187. Antenna 5T (Peak & Average, Ch.102, 802.11n, MCS7)




Plot 7-185. Antenna 5T (Peak & Average, Ch.54, 802.11n, MCS7)




Plot 7-188. Antenna 5T (Peak & Average, Ch.110, 802.11n, MCS7)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 184 of 262




Plot 7-189. Antenna 5T (Peak & Average, Ch.118, 802.11n, MCS7)




Plot 7-192. Antenna 5T (Peak, Ch.151, 802.11n, MCS7)




Plot 7-190. Antenna 5T (Peak, Ch.126, 802.11n, MCS7)



Plot 7-193. Antenna 5T (Peak, Ch.159, 802.11n, MCS7)




Plot 7-191. Antenna 5T (Peak, Ch.134, 802.11n, MCS7)




Plot 7-194. Antenna 5T (Peak & Average, Ch.38, 802.11be(SU), MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 185 of 262




Plot 7-195. Antenna 5T (Peak & Average, Ch.46, 802.11be(SU), MCS11)




Plot 7-198. Antenna 5T (Peak & Average, Ch.102, 802.11be(SU), MCS11)




Plot 7-196. Antenna 5T (Peak & Average, Ch.54, 802.11be(SU), MCS11)



Plot 7-199. Antenna 5T (Peak & Average, Ch.110, 802.11be(SU), MCS11)




Plot 7-197. Antenna 5T (Peak & Average, Ch.62, 802.11be(SU), MCS11)




Plot 7-200. Antenna 5T (Peak & Average, Ch.118, 802.11be(SU), MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 186 of 262




Plot 7-201. Antenna 5T (Peak, Ch.126, 802.11be(SU), MCS11)



Plot 7-204. Antenna 5T (Peak, Ch.159, 802.11be(SU), MCS11)




Plot 7-202. Antenna 5T (Peak, Ch.134, 802.11be(SU), MCS11)




Plot 7-203. Antenna 5T (Peak, Ch.151, 802.11be(SU), MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 187 of 262


7.6.5 Antenna 5T Radiated Band Edge Measurements (80 MHz BW)




Plot 7-205. Antenna 5T (Peak & Average, Ch.42, 802.11ac, MCS9)




Plot 7-208. Antenna 5T (Peak & Average, Ch.122, 802.11ac, MCS9)




Plot 7-206. Antenna 5T (Peak & Average, Ch.58, 802.11ac, MCS9)



Plot 7-209. Antenna 5T (Peak, Ch.122, 802.11ac, MCS9)




Plot 7-207. Antenna 5T (Peak & Average, Ch.106, 802.11ac, MCS9)




Plot 7-210. Antenna 5T (Peak, Ch.155, 802.11ac, MCS9)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 188 of 262




Plot 7-211. Antenna 5T (Peak, Ch.155, 802.11ac, MCS9)




Plot 7-214. Antenna 5T (Peak & Average, Ch.106, 802.11be(SU), MCS11)




Plot 7-212. Antenna 5T (Peak & Average, Ch.42, 802.11be(SU), MCS11)



Plot 7-215. Antenna 5T (Peak & Average, Ch.122, 802.11be(SU), MCS11)




Plot 7-213. Antenna 5T (Peak & Average, Ch.58, 802.11be(SU), MCS11)




Plot 7-216. Antenna 5T (Peak, Ch.122, 802.11be(SU), MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 189 of 262




Plot 7-217. Antenna 5T (Peak, Ch.155, 802.11be(SU), MCS11)




Plot 7-218. Antenna 5T (Peak, Ch.155, 802.11be(SU), MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 190 of 262


7.6.6 Antenna 5T Radiated Band Edge Measurements (160 MHz BW)




Plot 7-219. Antenna 5T (Peak & Average, Ch.50, 802.11ac, MCS9)




Plot 7-222. Antenna 5T (Peak, Ch.114, 802.11ac, MCS9)




Plot 7-220. Antenna 5T (Peak & Average, Ch.50, 802.11ac, MCS9)



Plot 7-223. Antenna 5T (Peak & Average, Ch.50, 802.11be(SU), MCS11)




Plot 7-221. Antenna 5T (Peak & Average, Ch.114, 802.11ac, MCS9)




Plot 7-224. Antenna 5T (Peak & Average, Ch.50, 802.11be(SU), MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 191 of 262




Plot 7-225. Antenna 5T (Peak & Average, Ch.114, 802.11be(SU), MCS11)




Plot 7-226. Antenna 5T (Peak, Ch.114, 802.11be(SU), MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 192 of 262


7.6.7 Antenna 5B Radiated Band Edge Measurements (20 MHz BW)




Plot 7-227. Antenna 5B (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-230. Antenna 5B (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-228. Antenna 5B (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-231. Antenna 5B (Peak & Average, Ch.100, 802.11n, MCS7)




Plot 7-229. Antenna 5B (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-232. Antenna 5B (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 193 of 262




Plot 7-233. Antenna 5B (Peak, Ch.136, 802.11n, MCS7)




Plot 7-236. Antenna 5B (Peak, Ch.165, 802.11n, MCS7)




Plot 7-234. Antenna 5B (Peak, Ch.140, 802.11n, MCS7)



Plot 7-237. Antenna 5B (Peak & Average, Ch.36, 802.11be(SU), MCS11)




Plot 7-235. Antenna 5B (Peak, Ch.149, 802.11n, MCS7)




Plot 7-238. Antenna 5B (Peak & Average, Ch.40, 802.11be(SU), MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 194 of 262




Plot 7-239. Antenna 5B (Peak & Average, Ch.60, 802.11be(SU), MCS11)




Plot 7-242. Antenna 5B (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-240. Antenna 5B (Peak & Average, Ch.64, 802.11be(SU), MCS11)



Plot 7-243. Antenna 5B (Peak, Ch.136, 802.11be(SU), MCS11)



Plot 7-241. Antenna 5B (Peak & Average, Ch.100, 802.11be(SU), MCS11)



Plot 7-244. Antenna 5B (Peak, Ch.140, 802.11be(SU), MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-16-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 195 of 262