





Plot 7-162 PSD CDD Primary Antenna 5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.60)




Plot 7-166 PSD CDD Primary Antenna 5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.60)




Plot 7-163 PSD CDD Primary Antenna 5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.46)




Plot 7-167 PSD CDD Primary Antenna 5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.46)




Plot 7-164 PSD CDD Primary Antenna 5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.138)



Plot 7-168 PSD CDD Primary Antenna 5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.138)



Plot 7-165 PSD CDD Primary Antenna 5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.114)



Plot 7-169 PSD CDD Primary Antenna 5B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.114)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 119 of 380

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 5B Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Power Density [dBm/500kHz]	Margin [dB]
Band 3	5180	149	be (20 MHz)	26	8	CDD	MCS5	1.46	1.34	4.41	30.0	-25.59
	5200	157	be (20 MHz)	26	0	CDD	MCS5	1.07	1.53	4.31	30.0	-25.69
	5240	165	be (20 MHz)	26	0	CDD	MCS5	0.70	0.92	3.82	30.0	-26.18
	5190	151	be (40 MHz)	26	8	CDD	MCS5	1.40	0.92	4.17	30.0	-25.83
	5230	159	be (40 MHz)	26	8	CDD	MCS5	1.09	1.14	4.13	30.0	-25.87
	5210	155	be (80 MHz)	26	17	CDD	MCS5	0.87	1.01	3.95	30.0	-26.05

Table 7-179. Band 3 Power Spectral Density Measurements CDD Primary (RU26)


	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 5B Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20 MHz)	CDD	52+26	71	MCS5	0.81	1.46	4.16	30.0	-25.84
	5785	157	be (20 MHz)	CDD	52+26	71	MCS5	0.80	1.59	4.22	30.0	-25.78
	5825	165	be (20 MHz)	CDD	52+26	71	MCS5	1.26	1.24	4.26	30.0	-25.74
	5745	149	be (20 MHz)	CDD	106+26	82	MCS5	1.65	1.01	4.35	30.0	-25.65
	5785	157	be (20 MHz)	CDD	106+26	83	MCS5	1.42	1.62	4.53	30.0	-25.47
	5825	165	be (20 MHz)	CDD	106+26	82	MCS5	1.36	1.26	4.32	30.0	-25.68
	5775	155	be (80 MHz)	CDD	484+242	91	MCS5	-6.42	-6.69	-3.54	30.0	-33.54

Table 7-180. Band 3 Power Spectral Density Measurements CDD Primary (MRU)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 5B Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20 MHz)	242	61	CDD	MCS5	0.77	0.53	3.66	30.0	-26.34
	5785	157	be (20 MHz)	242	61	CDD	MCS5	0.73	0.66	3.71	30.0	-26.29
	5825	165	be (20 MHz)	242	61	CDD	MCS5	0.59	0.38	3.50	30.0	-26.50
	5755	151	be (40 MHz)	484	65	CDD	MCS5	-2.15	-2.29	0.79	30.0	-29.21
	5795	159	be (40 MHz)	484	65	CDD	MCS5	-2.29	-2.48	0.63	30.0	-29.37
	5775	155	be (80 MHz)	996	67	CDD	MCS5	-7.11	-7.27	-4.17	30.0	-34.17

Table 7-181. Band 3 Power Spectral Density Measurements CDD Primary (Fully-loaded RU)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 120 of 380




Plot 7-170 PSD CDD Primary Antenna 5T (20 MHz BW 802.11be(RU) RU26 Index8 - Ch.149)




Plot 7-173 PSD CDD Primary Antenna 5B (20 MHz BW 802.11be(RU) RU26 Index8 - Ch.149)




Plot 7-171 PSD CDD Primary Antenna 5T (40 MHz BW 802.11be(RU) RU26 Index8 - Ch.151)



Plot 7-174 PSD CDD Primary Antenna 5B (40 MHz BW 802.11be(RU) RU26 Index8 - Ch.151)




Plot 7-172 PSD CDD Primary Antenna 5T (80 MHz BW 802.11be(RU) RU26 Index17 - Ch.155)




Plot 7-175 PSD CDD Primary Antenna 5B (80 MHz BW 802.11be(RU) RU26 Index17 - Ch.155)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 121 of 380




Plot 7-176 PSD CDD Primary Antenna 5T (20 MHz BW 802.11be(RU) RU106+26 Index83 - Ch.157)



Plot 7-178 PSD CDD Primary Antenna 5B (20 MHz BW 802.11be(RU) RU106+26 Index83 - Ch.157)




Plot 7-177 PSD CDD Primary Antenna 5T (80 MHz BW 802.11be(RU) RU484+242 Index91 - Ch.155)




Plot 7-179 PSD CDD Primary Antenna 5B (80 MHz BW 802.11be(RU) RU484+242 Index91 - Ch.155)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 122 of 380




Plot 7-180 PSD CDD Primary Antenna 5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.157)




Plot 7-183 PSD CDD Primary Antenna 5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.157)




Plot 7-181 PSD CDD Primary Antenna 5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-184 PSD CDD Primary Antenna 5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-182 PSD CDD Primary Antenna 5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.155)



Plot 7-185 PSD CDD Primary Antenna 5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.155)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 123 of 380

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 5B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	SDM	26	8	MCS5	0.15	0.38	3.27	3.87	7.15	10.0	-2.85
	5200	40	be (20 MHz)	SDM	26	0	MCS5	0.18	0.43	3.32	3.87	7.19	10.0	-2.81
	5240	48	be (20 MHz)	SDM	26	8	MCS5	0.45	0.43	3.45	3.87	7.32	10.0	-2.68
	5190	38	be (40 MHz)	SDM	26	8	MCS5	0.34	0.49	3.43	3.87	7.30	10.0	-2.70
	5230	46	be (40 MHz)	SDM	26	0	MCS5	0.07	-0.06	3.01	3.87	6.89	10.0	-3.11
Band 1/2A	5210	42	be (80 MHz)	SDM	26	17	MCS5	0.28	-0.10	3.10	3.87	6.98	10.0	-3.02
	5250	50	be (160 MHz)	SDM	52	52	MCS5	-1.16	-1.20	1.83	4.68	6.51	10.0	-3.49

Table 7-182. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Primary (RU26/52)


	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 5B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	SDM	52+26	71	MCS5	-0.12	0.06	2.98	3.87	6.85	10.0	-3.15
	5200	40	be (20 MHz)	SDM	52+26	71	MCS5	0.28	0.23	3.26	3.87	7.13	10.0	-2.87
	5240	48	be (20 MHz)	SDM	52+26	72	MCS5	0.39	0.82	3.62	3.87	7.49	10.0	-2.51
	5180	36	be (20 MHz)	SDM	106+26	83	MCS5	-0.52	-0.26	2.62	3.87	6.50	10.0	-3.50
	5200	40	be (20 MHz)	SDM	106+26	82	MCS5	0.15	0.69	3.43	3.87	7.31	10.0	-2.69
	5240	48	be (20 MHz)	SDM	106+26	83	MCS5	0.34	0.78	3.57	3.87	7.45	10.0	-2.55
	5210	42	be (80 MHz)	CDD	484+242	92	MCS5	-4.60	-4.39	-1.48	3.87	2.39	10.0	-7.61
Band 1/2A	5250	50 (L)	be (160 MHz)	CDD	996+484	95	MCS5	-8.51	-8.45	-5.47	4.68	-0.79	10.0	-10.79
	5250	50 (L)	be (160 MHz)	CDD	996+484+242	96	MCS5	-9.67	-9.08	-6.35	4.68	-1.67	10.0	-11.67
	5250	50 (U)	be (160 MHz)	CDD	996+484	94	MCS5	-8.52	-8.73	-5.61	4.68	-0.93	10.0	-10.93
	5250	50 (U)	be (160 MHz)	CDD	996+484+242	97	MCS5	-9.03	-9.01	-6.01	4.68	-1.32	10.0	-11.32

Table 7-183. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM Primary (MRU)


	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 5B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	SDM	242	61	MCS5	-0.50	-0.92	2.31	3.87	6.18	10.0	-3.82
	5200	40	be (20 MHz)	SDM	242	61	MCS5	0.54	0.21	3.39	3.87	7.26	10.0	-2.74
	5240	48	be (20 MHz)	SDM	242	61	MCS5	0.28	0.11	3.20	3.87	7.08	10.0	-2.92
	5190	38	be (40 MHz)	SDM	484	65	MCS5	-3.11	-3.06	-0.07	3.87	3.80	10.0	-6.20
	5230	46	be (40 MHz)	SDM	484	65	MCS5	-0.99	-1.29	1.87	3.87	5.75	10.0	-4.25
	5210	42	be (80 MHz)	CDD	996	67	MCS5	-6.31	-6.48	-3.38	6.85	3.46	10.0	-6.54
Band 1/2A	5250	50	be (160 MHz)	CDD	996	68	MCS5	-9.97	-10.02	-6.98	7.68	0.70	10.0	-9.30

Table 7-184. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM Primary (Fully-loaded RU)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 124 of 380




Plot 7-186 PSD CDD Primary Antenna 5B (20 MHz BW 802.11be(RU) RU26 Index8 - Ch.48)




Plot 7-190 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU26 Index8 - Ch.48)




Plot 7-187 PSD CDD Primary Antenna 5B (40 MHz BW 802.11be(RU) RU26 Index8 - Ch.38)




Plot 7-191 PSD CDD Primary Antenna 5T (40 MHz BW 802.11be(RU) RU26 Index8 - Ch.38))




Plot 7-188 PSD CDD Primary Antenna 5B (80 MHz BW 802.11be(RU) RU26 Index17 - Ch.42)



Plot 7-192 PSD CDD Primary Antenna 5T (80 MHz BW 802.11be(RU) RU26 Index17 - Ch.42)









Plot 7-189 PSD CDD Primary Antenna 5B (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.50)



Plot 7-193 PSD CDD Primary Antenna 5T (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.50)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 125 of 380



FCC ID: BCGA3596 IC: 579C-A3596 Test Report S/N: 1C2604030026-17-R3.BCG	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager Page 126 of 380
		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		




Plot 7-200 PSD CDD Primary Antenna 5B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.40)




Plot 7-204 PSD SDM Primary Antenna 5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.40)




Plot 7-201 PSD CDD Primary Antenna 5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.46)



Plot 7-205 PSD SDM Primary Antenna 5T (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.46)




Plot 7-202 PSD CDD Primary Antenna 5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.42)



Plot 7-206 PSD CDD Primary Antenna 5T (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.42)



Plot 7-203 PSD CDD Primary Antenna 5B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)



Plot 7-207 PSD CDD Primary Antenna 5T (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 127 of 380

7.5.5 Summed CDD/SDM Diversity Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 1B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	26	8	SDM	MCS5	4.26	4.32	7.30	11.0	-3.70
	5200	40	be (20 MHz)	26	0	SDM	MCS5	4.34	4.51	7.44	11.0	-3.56
	5240	48	be (20 MHz)	26	8	SDM	MCS5	4.33	4.12	7.23	11.0	-3.77
	5190	38	be (40 MHz)	26	17	SDM	MCS5	4.18	4.40	7.30	11.0	-3.70
	5230	46	be (40 MHz)	26	8	SDM	MCS5	4.27	4.28	7.29	11.0	-3.71
	5210	42	be (80 MHz)	26	17	SDM	MCS5	4.17	4.32	7.26	11.0	-3.74
Band 1/2A	5250	50	be (160 MHz)	52	37	SDM	MCS5	3.26	3.57	6.43	11.0	-4.57
Band 2A	5260	52	be (20 MHz)	52	40	SDM	MCS5	3.97	4.40	7.20	11.0	-3.80
	5280	60	be (20 MHz)	52	40	SDM	MCS5	4.05	4.23	7.15	11.0	-3.85
	5320	64	be (20 MHz)	52	37	SDM	MCS5	3.39	3.90	6.66	11.0	-4.34
	5270	54	be (40 MHz)	52	44	SDM	MCS5	3.79	4.39	7.11	11.0	-3.89
	5310	62	be (40 MHz)	52	44	SDM	MCS5	3.65	3.98	6.83	11.0	-4.17
	5290	58	be (80 MHz)	52	44	SDM	MCS5	4.03	3.79	6.92	11.0	-4.08
Band 2C	5500	100	be (20 MHz)	52	40	SDM	MCS5	3.46	3.83	6.66	11.0	-4.34
	5580	116	be (20 MHz)	52	37	SDM	MCS5	4.16	3.89	7.04	11.0	-3.96
	5720	144	be (20 MHz)	52	39	SDM	MCS5	3.79	3.76	6.78	11.0	-4.22
	5510	102	be (40 MHz)	52	37	SDM	MCS5	3.78	3.87	6.84	11.0	-4.16
	5550	110	be (40 MHz)	52	44	SDM	MCS5	3.73	3.79	6.77	11.0	-4.23
	5590	118	be (40 MHz)	52	40	SDM	MCS5	3.94	3.93	6.95	11.0	-4.05
	5670	134	be (40 MHz)	52	44	SDM	MCS5	3.30	3.67	6.50	11.0	-4.50
	5710	142	be (40 MHz)	52	40	SDM	MCS5	3.77	3.76	6.77	11.0	-4.23
	5530	106	be (80 MHz)	52	44	SDM	MCS5	3.65	3.60	6.64	11.0	-4.36
	5610	122	be (80 MHz)	52	37	SDM	MCS5	3.47	3.85	6.67	11.0	-4.33
	5690	138	be (80 MHz)	52	37	SDM	MCS5	3.54	3.72	6.64	11.0	-4.36
	5570	114	be (160 MHz)	52	52	CDD	MCS5	3.98	3.91	6.96	11.0	-4.04

Table 7-185. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (RU26/52)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 128 of 380

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 1B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	SDM	52+26	72	MCS5	3.71	4.51	7.14	11.0	-3.86
	5200	40	be (20 MHz)	SDM	52+26	71	MCS5	4.22	5.23	7.76	11.0	-3.24
	5240	48	be (20 MHz)	SDM	52+26	71	MCS5	4.20	4.84	7.54	11.0	-3.46
	5180	36	be (20 MHz)	SDM	106+26	82	MCS5	4.24	4.32	7.29	11.0	-3.71
	5200	40	be (20 MHz)	SDM	106+26	82	MCS5	5.12	5.11	8.12	11.0	-2.88
	5240	48	be (20 MHz)	SDM	106+26	83	MCS5	4.66	5.06	7.88	11.0	-3.12
Band 1/2A	5210	42	be (80 MHz)	CDD	484+242	92	MCS5	-4.74	-4.78	-1.75	11.0	-12.75
	5250	50 (L)	be (160 MHz)	CDD	996+484	95	MCS5	-8.51	-8.58	-5.54	11.0	-16.54
	5250	50 (L)	be (160 MHz)	CDD	996+484+242	98	MCS5	-9.54	-8.98	-6.24	11.0	-17.24
Band 2A	5250	50 (U)	be (160 MHz)	CDD	996+484	94	MCS5	-8.52	-8.65	-5.57	11.0	-16.57
	5250	50 (U)	be (160 MHz)	CDD	996+484+242	97	MCS5	-9.03	-9.39	-6.19	11.0	-17.19
	5260	52	be (20 MHz)	SDM	52+26	71	MCS5	4.10	4.87	7.51	11.0	-3.49
	5280	60	be (20 MHz)	SDM	52+26	72	MCS5	4.09	4.89	7.52	11.0	-3.48
	5320	64	be (20 MHz)	SDM	52+26	72	MCS5	3.60	4.50	7.08	11.0	-3.92
	5260	52	be (20 MHz)	SDM	106+26	82	MCS5	4.63	4.62	7.63	11.0	-3.37
Band 2C	5280	60	be (20 MHz)	SDM	106+26	82	MCS5	4.70	4.74	7.73	11.0	-3.27
	5320	64	be (20 MHz)	SDM	106+26	82	MCS5	4.23	4.33	7.29	11.0	-3.71
	5290	58	be (80 MHz)	CDD	484+242	92	MCS5	-4.32	-4.27	-1.29	11.0	-12.29
	5500	100	be (20 MHz)	SDM	52+26	71	MCS5	3.68	4.43	7.08	11.0	-3.92
	5580	116	be (20 MHz)	SDM	52+26	71	MCS5	3.86	4.73	7.33	11.0	-3.67
	5720	144	be (20 MHz)	SDM	52+26	71	MCS5	3.70	4.44	7.09	11.0	-3.91
	5500	100	be (20 MHz)	SDM	106+26	83	MCS5	3.02	2.70	5.87	11.0	-5.13
	5580	116	be (20 MHz)	SDM	106+26	82	MCS5	4.68	4.39	7.55	11.0	-3.45
	5720	144	be (20 MHz)	SDM	106+26	82	MCS5	4.13	4.32	7.24	11.0	-3.76
	5530	106	be (80 MHz)	CDD	484+242	92	MCS5	-4.68	-5.01	-1.83	11.0	-12.83
	5610	122	be (80 MHz)	CDD	484+242	92	MCS5	-1.37	-1.67	1.49	11.0	-9.51
	5690	138	be (80 MHz)	CDD	484+242	92	MCS5	-0.12	-0.22	2.84	11.0	-8.16
	5570	114 (L)	be (160 MHz)	CDD	996+484	95	MCS5	-8.75	-8.86	-5.80	11.0	-16.80
	5570	114 (H)	be (160 MHz)	CDD	996+484+242	97	MCS5	-9.37	-9.24	-6.29	11.0	-17.29
	5570	114 (L)	be (160 MHz)	CDD	996+484	95	MCS5	-8.75	-8.86	-5.80	11.0	-16.80
	5570	114 (H)	be (160 MHz)	CDD	996+484+242	97	MCS5	-9.37	-9.24	-6.29	11.0	-17.29


Table 7-186. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (MRU)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 129 of 380

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 1B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	242	61	CDD	MCS5	1.18	1.22	4.21	11.0	-6.79
	5200	40	be (20 MHz)	242	61	SDM	MCS5	4.16	4.41	7.29	11.0	-3.71
	5240	48	be (20 MHz)	242	61	SDM	MCS5	4.09	4.11	7.11	11.0	-3.89
	5190	38	be (40 MHz)	484	65	CDD	MCS5	-4.20	-3.93	-1.05	11.0	-12.05
	5230	46	be (40 MHz)	484	65	CDD	MCS5	0.91	1.21	4.07	11.0	-6.93
	5210	42	be (80 MHz)	996	67	CDD	MCS5	-7.17	-6.95	-4.05	11.0	-15.05
Band 1/2A	5250	50	be (160 MHz)	996x2	68	CDD	MCS5	-11.00	-10.61	-7.79	11.0	-18.79
Band 2A	5260	52	be (20 MHz)	242	61	SDM	MCS5	3.95	4.07	7.02	11.0	-3.98
	5280	60	be (20 MHz)	242	61	SDM	MCS5	4.09	4.25	7.18	11.0	-3.82
	5320	64	be (20 MHz)	242	61	CDD	MCS5	1.25	1.39	4.33	11.0	-6.67
	5270	54	be (40 MHz)	484	65	CDD	MCS5	0.73	1.09	3.93	11.0	-7.07
	5310	62	be (40 MHz)	484	65	CDD	MCS5	-4.18	-4.09	-1.12	11.0	-12.12
	5290	58	be (80 MHz)	996	67	CDD	MCS5	-6.72	-6.32	-3.50	11.0	-14.50
Band 2C	5500	100	be (20 MHz)	242	61	CDD	MCS5	-0.44	-0.31	2.63	11.0	-8.37
	5580	116	be (20 MHz)	242	61	SDM	MCS5	3.55	3.88	6.73	11.0	-4.27
	5720	144	be (20 MHz)	242	61	SDM	MCS5	3.59	4.02	6.82	11.0	-4.18
	5510	102	be (40 MHz)	484	65	CDD	MCS5	-4.57	-4.33	-1.44	11.0	-12.44
	5550	110	be (40 MHz)	484	65	CDD	MCS5	0.28	0.58	3.45	11.0	-7.55
	5590	118	be (40 MHz)	484	65	CDD	MCS5	0.76	1.25	4.02	11.0	-6.98
	5670	134	be (40 MHz)	484	65	CDD	MCS5	-3.24	-3.19	-0.20	11.0	-11.20
	5710	142	be (40 MHz)	484	65	CDD	MCS5	0.42	0.61	3.53	11.0	-7.47
	5530	106	be (80 MHz)	996	67	CDD	MCS5	-7.00	-6.83	-3.90	11.0	-14.90
	5610	122	be (80 MHz)	996	67	CDD	MCS5	-3.75	-3.22	-0.47	11.0	-11.47
	5690	138	be (80 MHz)	996	67	CDD	MCS5	-2.10	-1.87	1.03	11.0	-9.97
	5570	114	be (160 MHz)	996x2	68	CDD	MCS5	-10.69	-10.69	-7.68	11.0	-18.68

Table 7-187. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (Fully-loaded RU)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 130 of 380




Plot 7-208 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU26 Index17 - Ch.42)




Plot 7-212 PSD CDD Diversity Antenna 1B (20 MHz BW 802.11be(RU) RU26 Index0 - Ch.40)



Plot 7-209 PSD CDD Diversity Antenna 1B (160 MHz BW 802.11be(RU) RU52 Index52 - Ch.114)




Plot 7-213 PSD CDD Diversity Antenna 1B (40 MHz BW 802.11be(RU) RU52 Index40 - Ch.62)



Plot 7-210 PSD CDD Diversity Antenna 5B (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.58)



Plot 7-214 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU52 Index37 - Ch.58)




Plot 7-211 PSD CDD Diversity Antenna 5T (20 MHz BW 802.11be(RU) RU26 Index0 - Ch.40)




Plot 7-215 PSD CDD Diversity Antenna 1B (20 MHz BW 802.11be(RU) RU26 Index0 - Ch.40)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 131 of 380




Plot 7-216 PSD CDD Diversity Antenna 5B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.40)




Plot 7-219 PSD CDD Diversity Antenna 1B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.40)




Plot 7-217 PSD CDD Diversity Antenna 5B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.138)



Plot 7-220 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.138)




Plot 7-218 PSD CDD Diversity Antenna 5B (160 MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)




Plot 7-221 PSD CDD Diversity Antenna 1B (160 MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 132 of 380




Plot 7-222 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.138)




Plot 7-226 PSD CDD Diversity Antenna 1B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.40)




Plot 7-223 PSD CDD Diversity Antenna 1B (160 MHz BW 802.11be(RU) RU996X2 Index68 - Ch.114)




Plot 7-227 PSD CDD Diversity Antenna 1B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.46)




Plot 7-224 PSD CDD Diversity Antenna 5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.138)



Plot 7-228 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.138)



Plot 7-225 PSD CDD Diversity Antenna 5T (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.40)



Plot 7-229 PSD CDD Diversity Antenna 1B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.40)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 133 of 380

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 1B Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Power Density [dBm/500kHz]	Margin [dB]
Band 3	5180	149	be (20 MHz)	26	8	CDD	MCS5	1.46	1.49	4.49	30.0	-25.51
	5200	157	be (20 MHz)	26	0	CDD	MCS5	1.07	1.00	4.04	30.0	-25.96
	5240	165	be (20 MHz)	26	0	CDD	MCS5	0.70	0.91	3.82	30.0	-26.18
	5190	151	be (40 MHz)	26	8	CDD	MCS5	1.40	1.22	4.32	30.0	-25.68
	5230	159	be (40 MHz)	26	8	CDD	MCS5	1.09	1.14	4.13	30.0	-25.87
	5210	155	be (80 MHz)	26	0	CDD	MCS5	1.03	1.22	4.14	30.0	-25.86

Table 7-188. Band 3 Power Spectral Density Measurements CDD Diversity (RU26)


	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 1B Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20 MHz)	CDD	52+26	71	MCS5	0.81	1.58	4.22	30.0	-25.78
	5785	157	be (20 MHz)	CDD	52+26	71	MCS5	0.80	1.47	4.16	30.0	-25.84
	5825	165	be (20 MHz)	CDD	52+26	72	MCS5	1.33	1.34	4.35	30.0	-25.65
	5745	149	be (20 MHz)	CDD	106+26	82	MCS5	1.65	1.39	4.53	30.0	-25.47
	5785	157	be (20 MHz)	CDD	106+26	82	MCS5	1.55	1.33	4.45	30.0	-25.55
	5825	165	be (20 MHz)	CDD	106+26	82	MCS5	1.36	0.92	4.16	30.0	-25.84
	5775	155	be (80 MHz)	CDD	484+242	92	MCS5	-6.23	-6.73	-3.46	30.0	-33.46

Table 7-189. Band 3 Power Spectral Density Measurements CDD Diversity (MRU)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 5T Power Density [dBm/500kHz]	Antenna 1B Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20 MHz)	242	61	CDD	MCS5	0.77	1.05	3.92	30.0	-26.08
	5785	157	be (20 MHz)	242	61	CDD	MCS5	0.73	1.06	3.91	30.0	-26.09
	5825	165	be (20 MHz)	242	61	CDD	MCS5	0.59	0.55	3.58	30.0	-26.42
	5755	151	be (40 MHz)	484	65	CDD	MCS5	-2.15	-2.09	0.89	30.0	-29.11
	5795	159	be (40 MHz)	484	65	CDD	MCS5	-2.29	-2.48	0.63	30.0	-29.37
	5775	155	be (80 MHz)	996	67	CDD	MCS5	-7.11	-7.01	-4.05	30.0	-34.05

Table 7-190. Band 3 Power Spectral Density Measurements CDD Diversity (Fully-loaded RU)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 134 of 380




Plot 7-230 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU26 Index0 - Ch.155)




Plot 7-233 PSD CDD Diversity Antenna 1B (20 MHz BW 802.11be(RU) RU26 Index0 - Ch.157)




Plot 7-231 PSD CDD Diversity Antenna 5B (40 MHz BW 802.11be(RU) RU26 Index0 - Ch.151)



Plot 7-234 PSD CDD Diversity Antenna 1B (40 MHz BW 802.11be(RU) RU26 Index0 - Ch.151)




Plot 7-232 PSD CDD Diversity Antenna 5B (80 MHz BW 802.11be(RU) RU26 Index0 - Ch.155)




Plot 7-235 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU26 Index0 - Ch.155)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 135 of 380




Plot 7-236 PSD CDD Diversity Antenna 5B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.149)



Plot 7-238 PSD CDD Diversity Antenna 1B (20 MHz BW 802.11be(RU) RU106+26 Index82 - Ch.149)




Plot 7-237 PSD CDD Diversity Antenna 5B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.155)




Plot 7-239 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU484+242 Index92 - Ch.155)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 136 of 380



Plot 7-240 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.155)




Plot 7-243 PSD CDD Diversity Antenna 1B (20 MHz BW 802.11be(RU) RU242 Index61 - Ch.165)




Plot 7-241 PSD CDD Diversity Antenna 5B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-244 PSD CDD Diversity Antenna 1B (40 MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-242 PSD CDD Diversity Antenna 5B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.155)



Plot 7-245 PSD CDD Diversity Antenna 1B (80 MHz BW 802.11be(RU) RU996 Index67 - Ch.155)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 137 of 380

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 1B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	SDM	26	8	MCS5	0.15	0.48	3.32	2.36	5.69	10.0	-4.31
	5200	40	be (20 MHz)	SDM	26	0	MCS5	0.18	0.35	3.28	2.36	5.64	10.0	-4.36
	5240	48	be (20 MHz)	SDM	26	8	MCS5	0.45	0.16	3.31	2.36	5.68	10.0	-4.32
	5190	38	be (40 MHz)	SDM	26	8	MCS5	0.34	0.41	3.38	2.36	5.75	10.0	-4.25
	5230	46	be (40 MHz)	SDM	26	8	MCS5	0.10	0.47	3.30	2.36	5.66	10.0	-4.34
Band 1/2A	5210	42	be (80 MHz)	SDM	26	17	MCS5	0.28	0.48	3.39	2.36	5.76	10.0	-4.24
	5250	50	be (160 MHz)	SDM	52	37	MCS5	-1.08	-1.03	1.95	3.00	4.95	10.0	-5.05

Table 7-191. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Diversity (RU26/52)

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 1B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	SDM	52+26	71	MCS5	-0.12	-0.24	2.83	2.36	5.20	10.0	-4.80
	5200	40	be (20 MHz)	SDM	52+26	71	MCS5	0.28	0.35	3.32	2.36	5.68	10.0	-4.32
	5240	48	be (20 MHz)	SDM	52+26	72	MCS5	0.39	0.77	3.59	2.36	5.96	10.0	-4.04
	5180	36	be (20 MHz)	SDM	106+26	83	MCS5	-0.52	-0.26	2.63	2.36	4.99	10.0	-5.01
	5200	40	be (20 MHz)	SDM	106+26	82	MCS5	0.15	0.63	3.41	2.36	5.77	10.0	-4.23
	5240	48	be (20 MHz)	SDM	106+26	83	MCS5	0.34	0.64	3.50	2.36	5.87	10.0	-4.13
	5210	42	be (80 MHz)	CDD	484+242	92	MCS5	-4.60	-4.50	-1.54	4.77	3.23	10.0	-6.77
Band 1/2A	5250	50 (L)	be (160 MHz)	CDD	996+484	95	MCS5	-8.51	-8.58	-5.54	5.43	-0.11	10.0	-10.11
	5250	50 (L)	be (160 MHz)	CDD	996+484+242	96	MCS5	-9.67	-9.11	-6.37	5.43	-0.94	10.0	-10.94
	5250	50 (U)	be (160 MHz)	CDD	996+484	94	MCS5	-8.52	-8.65	-5.57	5.43	-0.14	10.0	-10.14
	5250	50 (U)	be (160 MHz)	CDD	996+484+242	97	MCS5	-9.03	-9.39	-6.19	5.43	-0.77	10.0	-10.77

Table 7-192. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM Diversity (MRU)

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 1B Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20 MHz)	SDM	242	61	MCS5	-0.50	-0.75	2.39	2.36	4.75	10.0	-5.25
	5200	40	be (20 MHz)	SDM	242	61	MCS5	0.54	0.27	3.42	2.36	5.78	10.0	-4.22
	5240	48	be (20 MHz)	SDM	242	61	MCS5	0.28	0.16	3.23	2.36	5.59	10.0	-4.41
	5190	38	be (40 MHz)	SDM	484	65	MCS5	-3.11	-3.21	-0.15	2.36	2.22	10.0	-7.78
	5230	46	be (40 MHz)	SDM	484	65	MCS5	-0.99	-1.32	1.86	2.36	4.22	10.0	-5.78
	5210	42	be (80 MHz)	CDD	996	67	MCS5	-6.31	-6.47	-3.38	4.77	1.39	10.0	-8.61
Band 1/2A	5250	50	be (160 MHz)	CDD	996	68	MCS5	-9.97	-10.23	-7.09	5.43	-1.66	10.0	-11.66

Table 7-193. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM Diversity (Fully-loaded RU)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 138 of 380