




Plot 7-311. RSE above 1 GHz CDD Diversity (11be – Ch.144 – RU52)

Mode: 802.11be (20 MHz BW)

Data Rate: MCS0

RU Index: 39

Distance of Measurements: 3 Meters


Operating Frequency: 5720 MHz

Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-80.51	12.40	38.89	53.98	-15.09
*	11440.00	Peak	V	-	-	-69.63	12.40	49.78	73.98	-24.20
	17160.00	Peak	H	-	-	-69.67	20.34	57.67	68.23	-10.56

Table 7-227. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 179 of 380




Plot 7-312. RSE above 1 GHz CDD Diversity (11be – Ch.149 – RU26)

Mode: 802.11be (20 MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5745 MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	H	-	-	-80.30	12.45	39.15	53.98	-14.83
*	11490.00	Peak	H	-	-	-68.99	12.45	50.46	73.98	-23.52
	17235.00	Peak	V	-	-	-70.15	20.42	57.27	68.23	-10.96

Table 7-228. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 180 of 380



Plot 7-313. RSE above 1 GHz CDD Diversity (11be – Ch.157 – RU26)




Plot 7-314. RSE 18 GHz – 40 GHz CDD Diversity (11be Ch.157 — RU26)

Mode:	802.11be (20 MHz BW)
Data Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	5785 MHz
Channel:	157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11570.00	Average	H	-	-	-80.79	12.43	0.00	38.64	53.98	-15.34
*	11570.00	Peak	H	-	-	-69.02	12.43	0.00	50.41	73.98	-23.57
	17355.00	Peak	V	-	-	-69.34	20.85	0.00	58.51	68.23	-9.72
	23140.00	Peak	V	-	-	-52.31	-5.67	-9.54	39.48	68.23	-28.75
	28925.00	Peak	H	-	-	-58.34	-2.80	-9.54	36.32	68.23	-31.91
	34710.00	Peak	V	-	-	-51.10	-4.60	-9.54	41.76	68.23	-26.47

Table 7-229. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 181 of 380



Plot 7-315. RSE above 1 GHz CDD Diversity (11be – Ch.165 – RU26)

Mode: 802.11be (20 MHz BW)

Data Rate: MCS0

RU Index: 4

Distance of Measurements: 3 Meters

Operating Frequency: 5825 MHz


Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-80.16	12.37	39.21	53.98	-14.77
* 11650.00	Peak	V	-	-	-68.93	12.37	50.44	73.98	-23.54
17475.00	Peak	V	-	-	-70.20	21.23	58.03	68.23	-10.20

Table 7-230. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 182 of 380

RU242




Plot 7-316. RSE above 1 GHz CDD Diversity (11be – Ch.36 – RU242)

Mode: 11be (20 MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5180 MHz
Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	V	-	-	-70.06	8.51	45.45	68.23	-22.78
* 15540.00	Average	H	-	-	-83.44	17.43	40.99	53.98	-12.99
* 15540.00	Peak	H	-	-	-72.97	17.43	51.46	73.98	-22.52

Table 7-231. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 183 of 380



Plot 7-317. RSE above 1 GHz CDD Diversity (11be - Ch.40 - RU242)



Plot 7-318. RSE 18 GHz - 40 GHz CDD Diversity (11be Ch.40 - RU242)

Mode: 802.11be (20 MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5200 MHz

Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	V	-	-	-69.92	8.41	0.00	45.49	68.23	-22.74
* 15600.00	Average	V	-	-	-83.57	17.62	0.00	41.05	53.98	-12.93
* 15600.00	Peak	V	-	-	-72.55	17.62	0.00	52.07	73.98	-21.91
* 20800.00	Average	H	-	-	-62.92	-5.91	-9.54	28.63	53.98	-25.35
* 20800.00	Peak	H	-	-	-51.04	-5.87	-9.54	40.55	73.98	-33.43
26000.00	Peak	V	-	-	-52.59	-4.40	-9.54	40.47	68.23	-27.76
* 31200.00	Average	H	-	-	-64.70	-2.74	-9.54	30.02	53.98	-23.96
* 31200.00	Peak	H	-	-	-53.23	-2.74	-9.54	41.49	73.98	-32.49

Table 7-232. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 184 of 380



Plot 7-319. RSE above 1 GHz CDD Diversity (11be – Ch.48 – RU242)

Mode: 802.11be (20 MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5240 MHz

Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	H	-	-	-69.75	8.81	46.06	68.23	-22.17
* 15720.00	Average	V	-	-	-82.79	17.76	41.97	53.98	-12.01
* 15720.00	Peak	V	-	-	-71.58	17.76	53.19	73.98	-20.79

Table 7-233. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 185 of 380




Plot 7-320. RSE above 1 GHz CDD Diversity (11be – Ch.52 – RU242)

Mode: 802.11be (20 MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5260 MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10520.00	Peak	V	-	-	-69.72	9.00	46.27	68.23	-21.96
* 15780.00	Average	V	-	-	-83.29	17.40	41.11	53.98	-12.87
* 15780.00	Peak	V	-	-	-71.38	17.40	53.02	73.98	-20.96

Table 7-234. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 186 of 380



Plot 7-321. RSE above 1 GHz CDD Diversity (11be - Ch.56 - RU242)




Plot 7-322. RSE 18 GHz - 40 GHz CDD Diversity (11be Ch.56 - RU242)

Mode:	802.11be (20 MHz BW)
Data Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5280 MHz
Channel:	56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	H	-	-	-69.41	9.10	0.00	46.69	68.23	-21.54
* 15840.00	Average	H	-	-	-83.50	17.53	0.00	41.03	53.98	-12.95
* 15840.00	Peak	H	-	-	-72.46	17.53	0.00	52.07	73.98	-21.91
* 21120.00	Average	H	-	-	-62.71	-6.08	-9.54	28.67	53.98	-25.31
* 21120.00	Peak	H	-	-	-51.78	-6.08	-9.54	39.60	73.98	-34.38
26400.00	Peak	V	-	-	-53.67	-4.04	-9.54	39.75	68.23	-28.48
* 31680.00	Average	H	-	-	-64.32	-2.78	-9.54	30.36	53.98	-23.62
* 31680.00	Peak	H	-	-	-53.06	-2.70	-9.54	41.70	73.98	-32.28

Table 7-235. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 187 of 380




Plot 7-323. RSE above 1 GHz CDD Diversity (11be – Ch.64 – RU242)

Mode: 802.11be (20 MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5320 MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-80.42	9.12	35.70	53.98	-18.28
* 10640.00	Peak	H	-	-	-68.80	9.12	47.32	73.98	-26.66
* 15960.00	Average	V	-	-	-84.46	18.24	40.78	53.98	-13.20
* 15960.00	Peak	V	-	-	-73.22	18.24	52.02	73.98	-21.96

Table 7-236. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 188 of 380




Plot 7-324. RSE above 1 GHz CDD Diversity (11be – Ch.100 – RU242)

Mode:	802.11be (20 MHz BW)
Data Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5500 MHz
Channel:	100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11000.00	Average	H	-	-	-80.97	9.60	35.64	53.98	-18.34
*	11000.00	Peak	H	-	-	-69.66	9.60	46.94	73.98	-27.04
	16500.00	Peak	V	-	-	-72.57	19.01	53.44	68.23	-14.79

Table 7-237. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 189 of 380



Plot 7-325. RSE above 1 GHz CDD Diversity (11be – Ch.116 – RU242)




Plot 7-326. RSE 18 GHz – 40 GHz CDD Diversity (11be Ch.116 — RU242)

Mode:	802.11be (20 MHz BW)
Data Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5580 MHz
Channel:	116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11160.00	Average	H	-	-	-80.62	9.45	0.00	35.83	53.98	-18.15
*	11160.00	Peak	H	-	-	-69.91	9.45	0.00	46.54	73.98	-27.44
	16740.00	Peak	H	-	-	-72.85	19.03	0.00	53.18	68.23	-15.05
*	22320.00	Average	V	-	-	-62.35	-5.46	-9.54	29.65	53.98	-24.33
*	22320.00	Peak	V	-	-	-51.03	-5.49	-9.54	40.94	73.98	-33.04
	27900.00	Peak	H	-	-	-54.74	-3.02	-9.54	39.70	68.23	-28.53
	33480.00	Peak	H	-	-	-52.10	-3.58	-9.54	41.78	68.23	-26.45

Table 7-238. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 190 of 380




Plot 7-327. RSE above 1 GHz CDD Diversity (11be – Ch.144 – RU242)

Mode: 802.11be (20 MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720 MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-81.35	10.08	35.73	53.98	-18.25
* 11440.00	Peak	H	-	-	-70.27	10.08	46.81	73.98	-27.17
17160.00	Peak	H	-	-	-71.94	18.80	53.86	68.23	-14.37

Table 7-239. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 191 of 380




Plot 7-328. RSE above 1 GHz CDD Diversity (11be – Ch.149 – RU242)

Mode: 802.11be (20 MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745 MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-81.33	10.09	35.75	53.98	-18.23
*	11490.00	Peak	V	-	-	-69.98	10.09	47.11	73.98	-26.87
	17235.00	Peak	V	-	-	-72.44	18.59	53.15	68.23	-15.08

Table 7-240. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 192 of 380



Plot 7-329. RSE above 1 GHz CDD Diversity (11be – Ch.157 – RU242)




Plot 7-330. RSE 18 GHz – 40 GHz CDD Diversity (11be Ch.157 — RU242)

Mode:	802.11be (20 MHz BW)
Data Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5785 MHz
Channel:	157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11570.00	Average	V	-	-	-80.46	10.13	0.00	36.67	53.98	-17.31
11570.00	Peak	V	-	-	-69.05	10.13	0.00	48.08	73.98	-25.90
17355.00	Peak	V	-	-	-73.19	19.07	0.00	52.89	68.23	-15.34
23140.00	Peak	H	-	-	-51.91	-5.67	-9.54	39.88	68.23	-28.35
28925.00	Peak	V	-	-	-56.88	-2.88	-9.54	37.70	68.23	-30.53
34710.00	Peak	H	-	-	-51.71	-4.60	-9.54	41.15	68.23	-27.08

Table 7-241. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 193 of 380



Plot 7-331. RSE above 1 GHz CDD Diversity (11be – Ch.165 – RU242)

Mode: 802.11be (20 MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825 MHz
Channel: 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-81.19	10.59	36.40	53.98	-17.58
*	11650.00	Peak	H	-	-	-70.14	10.59	47.45	73.98	-26.53
	17475.00	Peak	V	-	-	-72.79	18.27	52.48	68.23	-15.75

Table 7-242. Radiated Measurements CDD Diversity (RU242)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 194 of 380

7.6.3 Antenna 5T Radiated Band Edge Measurements (20 MHz BW)


RU26




Plot 7-332. Antenna 5T (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-335. Antenna 5T (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-333. Antenna 5T (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-336. Antenna 5T (Peak, RU26, Index 0, Ch.153, MCS11)




Plot 7-334. Antenna 5T (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-337. Antenna 5T (Peak, RU26, Index 0, Ch.157, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 195 of 380




Plot 7-338. Antenna 5T (Peak, RU26, Index 8, Ch.157, MCS11)




Plot 7-342. Antenna 5T (Peak, RU26, Index 8, Ch.165, MCS11)



Plot 7-339. Antenna 5T (Peak, RU26, Index 0, Ch.161, MCS11)




Plot 7-340. Antenna 5T (Peak, RU26, Index 8, Ch.161, MCS11)




Plot 7-341. Antenna 5T (Peak, RU26, Index 0, Ch.165, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 196 of 380


RU52




Plot 7-343. Antenna 5T (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-344. Antenna 5T (Peak & Average, RU52, Index 40, Ch.64, MCS11)




Plot 7-345. Antenna 5T (Peak & Average, RU52, Index 37, Ch.100, MCS11)



Plot 7-346. Antenna 5T (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-347. Antenna 5T (Peak, RU52, Index 37, Ch.140, MCS11)




Plot 7-348. Antenna 5T (Peak, RU52, Index 40, Ch.140, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 197 of 380


MRU




Plot 7-349. Antenna 5T (Peak & Average, RU52+26, Index 70, Ch.36, MCS11)




Plot 7-352. Antenna 5T (Peak & Average, RU52+26, Index 72, Ch.64, MCS11)




Plot 7-350. Antenna 5T (Peak & Average, RU52+26, Index 72, Ch.36, MCS11)



Plot 7-353. Antenna 5T (Peak & Average, RU52+26, Index 70, Ch.100, MCS11)




Plot 7-351. Antenna 5T (Peak & Average, RU52+26, Index 70, Ch.64, MCS11)




Plot 7-354. Antenna 5T (Peak & Average, RU52+26, Index 72, Ch.100, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 198 of 380




Plot 7-355. Antenna 5T (Peak & Average, RU52+26, Index 70, Ch.104, MCS11)




Plot 7-358. Antenna 5T (Peak, RU52+26, Index 72, Ch.136, MCS11)




Plot 7-356. Antenna 5T (Peak & Average, RU52+26, Index 72, Ch.104, MCS11)



Plot 7-359. Antenna 5T (Peak, RU52+26, Index 70, Ch.140, MCS11)




Plot 7-357. Antenna 5T (Peak, RU52+26, Index 70, Ch.136, MCS11)




Plot 7-360. Antenna 5T (Peak, RU52+26, Index 72, Ch.140, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 199 of 380




Plot 7-361. Antenna 5T (Peak, RU52+26, Index 70, Ch.149, MCS11)



Plot 7-364. Antenna 5T (Peak, RU52+26, Index 72, Ch.165, MCS11)




Plot 7-362. Antenna 5T (Peak, RU52+26, Index 72, Ch.149, MCS11)




Plot 7-363. Antenna 5T (Peak, RU52+26, Index 70, Ch.165, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 200 of 380


RU242




Plot 7-365. Antenna 5T (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-366. Antenna 5T (Peak & Average, RU242, Index 61, Ch.40, MCS11)




Plot 7-367. Antenna 5T (Peak & Average, RU242, Index 61, Ch.44, MCS11)



Plot 7-368. Antenna 5T (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-369. Antenna 5T (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-370. Antenna 5T (Peak & Average, RU242, Index 61, Ch.100, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 201 of 380




Plot 7-371. Antenna 5T (Peak & Average, RU242, Index 61, Ch.104, MCS11)




Plot 7-374. Antenna 5T (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-372. Antenna 5T (Peak & Average, RU242, Index 61, Ch.108, MCS11)



Plot 7-375. Antenna 5T (Peak, RU242, Index 61, Ch.149, MCS11)



Plot 7-373. Antenna 5T (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-376. Antenna 5T (Peak, RU242, Index 61, Ch.165, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 202 of 380

7.6.4 Antenna 5T Radiated Band Edge Measurements (40 MHz BW)


RU26




Plot 7-377. Antenna 5T (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-380. Antenna 5T (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-378. Antenna 5T (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-381. Antenna 5T (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-379. Antenna 5T (Peak & Average, RU26, Index 17, Ch.46, MCS11)



Plot 7-382. Antenna 5T (Peak, RU26, Index 0, Ch.159, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 203 of 380




Plot 7-383. Antenna 5T (Peak, RU26, Index 17, Ch.159, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 204 of 380

V 12.0 03/03/2026


RU52




Plot 7-384. Antenna 5T (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-385. Antenna 5T (Peak & Average, RU52, Index 44, Ch.62, MCS11)




Plot 7-386. Antenna 5T (Peak & Average, RU52, Index 37, Ch.102, MCS11)



Plot 7-387. Antenna 5T (Peak & Average, RU52, Index 44, Ch.102, MCS11)




Plot 7-388. Antenna 5T (Peak & Average, RU52, Index 44, Ch.110, MCS11)



Plot 7-389. Antenna 5T (Peak, RU52, Index 37, Ch.134, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 205 of 380




Plot 7-390. Antenna 5T (Peak, RU52, Index 44, Ch.134, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 206 of 380

V 12.0 03/03/2026


RU484




Plot 7-391. Antenna 5T (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-394. Antenna 5T (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-392. Antenna 5T (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-395. Antenna 5T (Peak & Average, RU484, Index 65, Ch.102, MCS11)




Plot 7-393. Antenna 5T (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-396. Antenna 5T (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 207 of 380




Plot 7-397. Antenna 5T (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-400. Antenna 5T (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-398. Antenna 5T (Peak, RU484, Index 65, Ch.126, MCS11)



Plot 7-401. Antenna 5T (Peak, RU484, Index 65, Ch.159, MCS11)




Plot 7-399. Antenna 5T (Peak, RU484, Index 65, Ch.134, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 208 of 380

7.6.5 Antenna 5T Radiated Band Edge Measurements (80 MHz BW)


RU26




Plot 7-402. Antenna 5T (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-405. Antenna 5T (Peak, RU26, Index 36, Ch.155, MCS11)




Plot 7-403. Antenna 5T (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-406. Antenna 5T (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-404. Antenna 5T (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-407. Antenna 5T (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 209 of 380


RU52




Plot 7-408. Antenna 5T (Peak & Average, RU52, Index 37, Ch.58, MCS11)




Plot 7-411. Antenna 5T (Peak & Average, RU52, Index 52, Ch.106, MCS11)




Plot 7-409. Antenna 5T (Peak & Average, RU52, Index 52, Ch.58, MCS11)



Plot 7-412. Antenna 5T (Peak, RU52, Index 37, Ch.122, MCS11)




Plot 7-410. Antenna 5T (Peak & Average, RU52, Index 37, Ch.106, MCS11)




Plot 7-413. Antenna 5T (Peak, RU52, Index 52, Ch.122, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 210 of 380


MRU




Plot 7-414. Antenna 5T (Peak & Average, RU484+242, Index 90, Ch.42, MCS11)




Plot 7-417. Antenna 5T (Peak & Average, RU484+242, Index 93, Ch.42, MCS11)




Plot 7-415. Antenna 5T (Peak & Average, RU484+242, Index 91, Ch.42, MCS11)



Plot 7-418. Antenna 5T (Peak & Average, RU484+242, Index 90, Ch.58, MCS11)




Plot 7-416. Antenna 5T (Peak & Average, RU484+242, Index 92, Ch.42, MCS11)




Plot 7-419. Antenna 5T (Peak & Average, RU484+242, Index 91, Ch.58, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 211 of 380




Plot 7-420. Antenna 5T (Peak & Average, RU484+242, Index 92, Ch.58, MCS11)




Plot 7-423. Antenna 5T (Peak & Average, RU484+242, Index 91, Ch.106, MCS11)




Plot 7-421. Antenna 5T (Peak & Average, RU484+242, Index 93, Ch.58, MCS11)



Plot 7-424. Antenna 5T (Peak & Average, RU484+242, Index 92, Ch.106, MCS11)




Plot 7-422. Antenna 5T (Peak & Average, RU484+242, Index 90, Ch.106, MCS11)




Plot 7-425. Antenna 5T (Peak & Average, RU484+242, Index 93, Ch.106, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 212 of 380




Plot 7-426. Antenna 5T (Peak & Average, RU484+242, Index 90, Ch.122, MCS11)




Plot 7-429. Antenna 5T (Peak & Average, RU484+242, Index 93, Ch.122, MCS11)




Plot 7-427. Antenna 5T (Peak & Average, RU484+242, Index 91, Ch.122, MCS11)



Plot 7-430. Antenna 5T (Peak, RU484+242, Index 90, Ch.122, MCS11)




Plot 7-428. Antenna 5T (Peak & Average, RU484+242, Index 92, Ch.122, MCS11)




Plot 7-431. Antenna 5T (Peak, RU484+242, Index 91, Ch.122, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 213 of 380




Plot 7-432. Antenna 5T (Peak, RU484+242, Index 92, Ch.122, MCS11)




Plot 7-435. Antenna 5T (Peak, RU484+242, Index 91, Ch.155, MCS11)




Plot 7-433. Antenna 5T (Peak, RU484+242, Index 93, Ch.122, MCS11)



Plot 7-436. Antenna 5T (Peak, RU484+242, Index 92, Ch.155, MCS11)




Plot 7-434. Antenna 5T (Peak, RU484+242, Index 90, Ch.155, MCS11)




Plot 7-437. Antenna 5T (Peak, RU484+242, Index 93, Ch.155, MCS11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 214 of 380




Plot 7-438. Antenna 5T (Peak, RU484+242, Index 90, Ch.155, MCS11)



Plot 7-441. Antenna 5T (Peak, RU484+242, Index 93, Ch.155, MCS11)




Plot 7-439. Antenna 5T (Peak, RU484+242, Index 91, Ch.155, MCS11)




Plot 7-440. Antenna 5T (Peak, RU484+242, Index 92, Ch.155, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 215 of 380


RU996




Plot 7-442. Antenna 5T (Peak & Average, RU996, Index 67, Ch.42, MCS11)




Plot 7-445. Antenna 5T (Peak & Average, RU996, Index 67, Ch.122, MCS11)




Plot 7-443. Antenna 5T (Peak & Average, RU996, Index 67, Ch.58, MCS11)



Plot 7-446. Antenna 5T (Peak, RU996, Index 67, Ch.122, MCS11)




Plot 7-444. Antenna 5T (Peak & Average, RU996, Index 67, Ch.106, MCS11)



Plot 7-447. Antenna 5T (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 216 of 380



Plot 7-448. Antenna 5T (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 5/12/2026 - 7/08/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-17-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 217 of 380

V 12.0 03/03/2026