









FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 76 of 180



FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 77 of 180




Plot 7-77. Band Edge Plot Antenna 3A (802.11be (SU - 2.4 GHz) – Ch. 12)




Plot 7-78. Band Edge Plot Antenna 3A (802.11be (SU - 2.4 GHz) – Ch. 13)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 78 of 180

7.6.2 Antenna 1A Conducted Emissions at the Band Edge




Plot 7-79. Band Edge Plot Antenna 1A (802.11b – Ch. 1)




Plot 7-80. Band Edge Plot Antenna 1A (802.11b – Ch. 12)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 79 of 180

V 12.0 03/03/2026





Plot 7-81. Band Edge Plot Antenna 1A (802.11b – Ch. 13)




Plot 7-82. Band Edge Plot Antenna 1A (802.11g – Ch. 1)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 80 of 180



FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 81 of 180





Plot 7-85. Band Edge Plot Antenna 1A (802.11g – Ch. 4)




Plot 7-86. Band Edge Plot Antenna 1A (802.11g – Ch. 5)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 82 of 180



FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 83 of 180




Plot 7-89. Band Edge Plot Antenna 1A (802.11g – Ch. 8)




Plot 7-90. Band Edge Plot Antenna 1A (802.11g – Ch. 9)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 84 of 180




Plot 7-91. Band Edge Plot Antenna 1A (802.11g – Ch. 10)




Plot 7-92. Band Edge Plot Antenna 1A (802.11g – Ch. 11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 85 of 180




Plot 7-93. Band Edge Plot Antenna 1A (802.11g – Ch. 12)




Plot 7-94. Band Edge Plot Antenna 1A (802.11g – Ch. 13)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 86 of 180





Plot 7-95. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 1)




Plot 7-96. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 2)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 87 of 180



FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 88 of 180




Plot 7-99. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 5)




Plot 7-100. Band Edge Plot Antenna 1A (802.11n – Ch. 6)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 89 of 180




Plot 7-101. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 7)




Plot 7-102. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 8)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 90 of 180




Plot 7-103. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 9)




Plot 7-104. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 10)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 91 of 180




Plot 7-105. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 11)




Plot 7-106. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 12)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 92 of 180




Plot 7-107. Band Edge Plot Antenna 1A (802.11n (2.4 GHz) – Ch. 13)




Plot 7-108. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 1)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 93 of 180




Plot 7-109. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 2)




Plot 7-110. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 3)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 94 of 180




Plot 7-111. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 4)




Plot 7-112. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 5)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 95 of 180




Plot 7-113. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) - Ch. 6)




Plot 7-114. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) - Ch. 7)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 96 of 180




Plot 7-115. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 8)




Plot 7-116. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 9)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 97 of 180




Plot 7-117. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 10)




Plot 7-118. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 11)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 98 of 180



Plot 7-119. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 12)



Plot 7-120. Band Edge Plot Antenna 1A (802.11be (SU - 2.4 GHz) – Ch. 13)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 99 of 180

7.7 Conducted Spurious Emissions

Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

The limit for out-of-band spurious emissions at the band edge is 30 dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100 kHz bandwidth per the procedure in Section 11.11 of ANSI C63.10-2020+COR. 1-2023+C63.10A-2024 + ERRATA TO C63.10A-2024 and KDB 558074 D01 v05r02.

Test Procedure Used

ANSI C63.10-2020+COR. 1-2023+C63.10A-2024 + ERRATA TO C63.10A-2024 – Subclause 11.11.3
KDB 558074 D01 v05r02 – Section 8.5
ANSI C63.10-2020+COR. 1-2023+C63.10A-2024 + ERRATA TO C63.10A-2024 – Subclause 14.5.3
KDB 662911 D01 v02r01 – Section E3)b)

Test Settings

1. Start frequency was set to 30 MHz and stop frequency was set to 25 GHz
2. RBW = 100 kHz
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = Max-Hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 100 of 180

sTest Setup

The EUT and measurement equipment were set up as shown in the diagram below.






Figure 7-6. Test Instrument & Measurement Setup

Test Notes


1. The conducted spurious emissions were measured to relative limits. Therefore, in accordance with ANSI C63.10-2020+COR. 1-2023+C63.10A-2024 + ERRATA TO C63.10A-2024 and KDB 662911 D01 v02r01 Section E)3)b), it was unnecessary to show compliance through the summation of test results of the individual outputs.
2. All modes, data rates, and antenna configurations were investigated and only the worse case is reported.

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 101 of 180

7.7.1 Antenna 3A Conducted Spurious Emission



FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 102 of 180





Plot 7-123. Conducted Spurious Plot Antenna 3A (802.11b – Ch. 11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 103 of 180

V 12.0 03/03/2026

7.7.2 Antenna 1A Conducted Spurious Emission



FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 104 of 180



Plot 7-126. Conducted Spurious Plot Antenna 1A (802.11b – Ch. 11)


FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 105 of 180

V 12.0 03/03/2026


7.7.3 Simultaneous Tx

Description	WLAN	LTE (Band 41)
Antenna	Antenna 3A	Antenna 3A
Channel	13	40640
Operating Frequency (MHz)	2472	2595
Mode/Modulation	802.11b	QPSK/1RB/20 MHz

Table 7-21. Worst Case Simultaneous Transmission Configuration



Plot 7-127. Conducted Simultaneous Tx Spurious Plot Antenna 3A (WLAN + LTE Band 41)



Plot 7-128. Conducted Simultaneous Tx Spurious Plot Antenna 3A (WLAN + LTE Band 41)

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 106 of 180

7.8 Radiated Spurious Emissions – Above 1 GHz

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (7.5) must not exceed the limits shown in Table 7-22 per Section 15.209 and RSS-Gen (7.4.3).

Frequency	Field Strength [$\mu\text{V/m}$]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-22. Radiated Limits

Test Procedures Used

ANSI C63.10-2020+COR. 1-2023+C63.10A-2024 + ERRATA TO C63.10A-2024 – Subclause 6.6.4.3
KDB 558074 D01 v05r02 – Sections 8.6, 8.7

Test Settings

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1 MHz
3. VBW = 3 MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times \text{span/RBW}$)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1 MHz
3. VBW = 3 MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 107 of 180

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-7. Radiated Measurement Setup

Test Notes

1. The optional test procedures for antenna port conducted measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All Radiated Spurious Emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in Section 15.205 and Section 7.5 of RSS-Gen are below the limit shown in Table 7-22.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9 kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1 GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
6. D is the measurement test distance and emissions 1-18 GHz were measured at a 3 meters test distance while emissions above 18 GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20 dB of the limit are fully investigated and the results are shown in this section.
8. The "-" shown in the following RSE tables are used to denote a noise floor measurement.
9. All data rates and antenna configurations were investigated and only the worst case is reported.
10. The unit was tested at its highest output power.
11. The unit was tested with all possible modes and only the highest emission is reported.

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 108 of 180

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamplifier Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB\mu V/m]} - \text{Limit }_{[dB\mu V/m]}$


Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Section 7.8.3 to 7.8.5 was calculated using the formula:
Offset (dB) = (Antenna Factor + Cable Loss + Attenuator) – Preamplifier Gain

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 109 of 180

V 12.0 03/03/2026

7.8.1 CDD Radiated Spurious Emission Measurements




Plot 7-129. Radiated Spurious Emissions above 1 GHz CDD (802.11b – Ch. 1)

Mode:	802.11b
Data Rate:	11Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2412 MHz
Channel:	01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4824.00	Average	V	-	-	-80.84	8.40	34.56	53.98	-19.42
4824.00	Peak	V	-	-	-68.53	8.40	46.87	73.98	-27.11
12060.00	Average	H	-	-	-83.86	18.29	41.43	53.98	-12.55
12060.00	Peak	H	-	-	-72.83	18.29	52.46	73.98	-21.52
14472.00	Average	H	-	-	-83.19	20.48	44.29	53.98	-9.69
14472.00	Peak	H	-	-	-72.19	20.48	55.29	73.98	-18.69

Table 7-23. Radiated Measurements CDD

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 110 of 180



Plot 7-130. Radiated Spurious Emissions above 1 GHz CDD (802.11b – Ch. 6)



Plot 7-131. Radiated Spurious Emissions above 18 GHz CDD (802.11b – Ch. 6)

Mode: 802.11b

Data Rate: 11Mbps

Distance of Measurements: 3 Meters


Operating Frequency: 2437 MHz

Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	V	-	-	-80.95	8.73	0.00	34.78	53.98	-19.20
4874.00	Peak	V	-	-	-69.06	8.73	0.00	46.66	73.98	-27.32
7311.00	Average	V	-	-	-81.03	11.93	0.00	37.90	53.98	-16.08
7311.00	Peak	V	-	-	-70.54	11.93	0.00	48.39	73.98	-25.59
12185.00	Average	H	-	-	-83.50	18.10	0.00	41.60	53.98	-12.38
12185.00	Peak	H	-	-	-71.78	18.10	0.00	53.31	73.98	-20.67
19496.00	Average	H	-	-	-63.26	-6.00	-9.54	28.20	53.98	-25.78
19496.00	Peak	H	-	-	-52.05	-6.00	-9.54	39.41	73.98	-34.57

Table 7-24. Radiated Measurements CDD

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 111 of 180




Plot 7-132. Radiated Spurious Emissions above 1 GHz CDD (802.11b – Ch. 11)

Mode:	802.11b
Data Rate:	11Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2462 MHz
Channel:	11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	V	-	-	-81.01	8.53	34.52	53.98	-19.46
4924.00	Peak	V	-	-	-69.15	8.53	46.38	73.98	-27.60
7386.00	Average	V	-	-	-81.52	11.73	37.21	53.98	-16.77
7386.00	Peak	V	-	-	-70.05	11.73	48.68	73.98	-25.30
12310.00	Average	V	-	-	-83.43	19.07	42.65	53.98	-11.33
12310.00	Peak	V	-	-	-72.47	19.07	53.61	73.98	-20.37

Table 7-25. Radiated Measurements CDD

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 112 of 180




Plot 7-133. Radiated Spurious Emissions above 1 GHz CDD (802.11n – Ch. 1)

Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2412 MHz
Channel: 01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-80.58	8.73	35.15	53.98	-18.83
4824.00	Peak	H	-	-	-69.35	8.73	46.38	73.98	-27.60
12060.00	Average	H	-	-	-83.92	18.29	41.37	53.98	-12.61
12060.00	Peak	H	-	-	-72.07	18.29	53.22	73.98	-20.76
14472.00	Average	H	-	-	-83.29	20.26	43.98	53.98	-10.00
14472.00	Peak	H	-	-	-72.18	20.26	55.08	73.98	-18.90

Table 7-26. Radiated Measurements CDD

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 113 of 180



Plot 7-134. Radiated Spurious Emissions above 1 GHz CDD (802.11n – Ch. 6)




Plot 7-135. Radiated Spurious Emissions above 18 GHz CDD (802.11n – Ch.6)

Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2437 MHz
Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Average	H	-	-	-81.47	8.81	0.00	34.34	53.98	-19.64
4874.00	Peak	H	-	-	-69.69	8.81	0.00	46.11	73.98	-27.87
7311.00	Average	V	-	-	-81.49	11.93	0.00	37.44	53.98	-16.54
7311.00	Peak	V	-	-	-70.40	11.93	0.00	48.53	73.98	-25.45
12185.00	Average	V	-	-	-83.04	17.94	0.00	41.90	53.98	-12.08
12185.00	Peak	V	-	-	-72.22	17.94	0.00	52.71	73.98	-21.27
19496.00	Average	H	-	-	-63.19	-6.04	-9.54	28.23	53.98	-25.75
19496.00	Peak	H	-	-	-51.77	-6.04	-9.54	39.65	73.98	-34.33

Table 7-27. Radiated Measurements CDD

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 114 of 180



Plot 7-136. Radiated Spurious Emissions above 1 GHz CDD (802.11n – Ch. 11)

Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2462 MHz
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	V	-	-	-81.51	8.88	34.37	53.98	-19.61
4924.00	Peak	V	-	-	-69.14	8.88	46.74	73.98	-27.24
7386.00	Average	V	-	-	-81.48	11.73	37.25	53.98	-16.73
7386.00	Peak	V	-	-	-70.18	11.73	48.55	73.98	-25.43
12310.00	Average	V	-	-	-83.47	19.07	42.60	53.98	-11.38
12310.00	Peak	V	-	-	-71.41	19.07	54.66	73.98	-19.32

Table 7-28. Radiated Measurements CDD

FCC ID: BCGA3596 IC: 579C-A3596	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 4/23/2026 - 9/1/2026	EUT Type: Tablet Device	Approved by: Technical Manager
Test Report S/N: 1C2604030026-08-R4.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 115 of 180