



### 7.8.3 Antenna 1A Radiated Restricted Band Edge Measurements RU26

Mode: 802.11be OFDMA  
Transfer Rate: MCS9  
RU Index: 0  
Distance of Measurements: 3 Meters  
Operating Frequency: 2412 MHz  
Channel: 1



Plot 7-116 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU26)


Mode: 802.11be OFDMA  
Transfer Rate: MCS9  
RU Index: 8  
Distance of Measurements: 3 Meters  
Operating Frequency: 2467 MHz  
Channel: 12



Plot 7-117 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU26)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 109 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 8  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 24672 MHz  
**Channel:** 13




**Plot 7-118 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU26)**

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 110 of 151                          |


## MRU

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2412 MHz  
**Channel:** 1



Plot 7-119 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2412 MHz  
**Channel:** 1



Plot 7-120 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2417 MHz  
**Channel:** 2



Plot 7-121 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2417 MHz  
**Channel:** 2



Plot 7-122 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 112 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2457 MHz  
**Channel:** 10



Plot 7-123 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2457 MHz  
**Channel:** 10



Plot 7-124 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 113 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2462 MHz  
**Channel:** 11



Plot 7-125 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2462 MHz  
**Channel:** 11



Plot 7-126 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2467 MHz  
**Channel:** 12



Plot 7-127 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2467 MHz  
**Channel:** 12



Plot 7-128 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2472 MHz  
**Channel:** 13



Plot 7-129 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2472 MHz  
**Channel:** 13




Plot 7-130 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU52+26)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 116 of 151                   |


## RU242

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2412 MHz  
**Channel:** 1



Plot 7-131 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2417 MHz  
**Channel:** 2



Plot 7-132 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU242)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2422 MHz  
**Channel:** 3



Plot 7-133 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2427 MHz  
**Channel:** 4



Plot 7-134 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU242)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 118 of 151                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2432 MHz  
**Channel:** 5



Plot 7-135 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2437 MHz  
**Channel:** 6



Plot 7-136 Radiated Restricted Lower Band Edge Measurement Antenna 1A (Peak & Average – RU242)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 119 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2437 MHz  
**Channel:** 6



Plot 7-137 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2442 MHz  
**Channel:** 7



Plot 7-138 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU242)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 120 of 151                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2447 MHz  
**Channel:** 8



Plot 7-139 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2452 MHz  
**Channel:** 9



Plot 7-140 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU242)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 121 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2457 MHz  
**Channel:** 10



Plot 7-141 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2462 MHz  
**Channel:** 11



Plot 7-142 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU242)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2467 MHz  
**Channel:** 12



Plot 7-143 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU242)

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2472 MHz  
**Channel:** 13




Plot 7-144 Radiated Restricted Upper Band Edge Measurement Antenna 1A (Peak & Average – RU242)

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |


## 7.8.4 CDD Radiated Restricted Band Edge Measurements RU26

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 0  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2412 MHz  
**Channel:** 1



Plot 7-145 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 8  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2467 MHz  
**Channel:** 12



Plot 7-146 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU26)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 124 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 8  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2472 MHz  
**Channel:** 13




Plot 7-147 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU26)

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 125 of 151                          |


## MRU

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2412 MHz  
**Channel:** 1



Plot 7-148 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2412 MHz  
**Channel:** 1



Plot 7-149 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 126 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2417 MHz  
**Channel:** 2



Plot 7-150 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2417 MHz  
**Channel:** 2



Plot 7-151 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2452 MHz  
**Channel:** 9



Plot 7-152 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2452 MHz  
**Channel:** 9



Plot 7-153 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 128 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2457 MHz  
**Channel:** 10



Plot 7-154 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2457 MHz  
**Channel:** 10



Plot 7-155 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 129 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2462 MHz  
**Channel:** 11



Plot 7-156 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2462 MHz  
**Channel:** 11



Plot 7-157 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 130 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2467 MHz  
**Channel:** 12



Plot 7-158 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2467 MHz  
**Channel:** 12



Plot 7-159 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 131 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 71  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2472 MHz  
**Channel:** 13



Plot 7-160 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 72  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2472 MHz  
**Channel:** 13




Plot 7-161 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |


## RU242

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2412 MHz  
**Channel:** 1



Plot 7-162 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2417 MHz  
**Channel:** 2



Plot 7-163 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2422 MHz  
**Channel:** 3



Plot 7-164 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2427 MHz  
**Channel:** 4



Plot 7-165 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 134 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2432 MHz  
**Channel:** 5



Plot 7-166 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2437 MHz  
**Channel:** 6



Plot 7-167 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2437 MHz  
**Channel:** 6



Plot 7-168 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2442 MHz  
**Channel:** 7



Plot 7-169 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT</b><br><b>(CERTIFICATION)</b>                                 | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   |                                          |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2447 MHz  
**Channel:** 8



Plot 7-170 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2452 MHz  
**Channel:** 9



Plot 7-171 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 137 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2457 MHz  
**Channel:** 10



Plot 7-172 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2462 MHz  
**Channel:** 11



Plot 7-173 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 138 of 151                   |

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2467 MHz  
**Channel:** 12



Plot 7-174 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)

**Mode:** 802.11be OFDMA  
**Transfer Rate:** MCS9  
**RU Index:** 61  
**Distance of Measurements:** 3 Meters  
**Operating Frequency:** 2472 MHz  
**Channel:** 13



Plot 7-175 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                            |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                                                                                                                                                                                                                                                | Test Dates:<br>4/23/2026 - 8/27/2026 | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                      |                            | Page 139 of 151                   |

## 7.9 Radiated Spurious Emissions – Below 1 GHz

### Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

***All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (7.5) must not exceed the limits shown in Table 7-49 per Section 15.209 and RSS-Gen (7.4.3).***

| Frequency         | Field Strength<br>[ $\mu\text{V/m}$ ] | Measured Distance<br>[Meters] |
|-------------------|---------------------------------------|-------------------------------|
| 0.009 – 0.490 MHz | 2400/F (kHz)                          | 300                           |
| 0.490 – 1.705 MHz | 24000/F (kHz)                         | 30                            |
| 1.705 – 30.00 MHz | 30                                    | 30                            |
| 30.00 – 88.00 MHz | 100                                   | 3                             |
| 88.00 – 216.0 MHz | 150                                   | 3                             |
| 216.0 – 960.0 MHz | 200                                   | 3                             |
| Above 960.0 MHz   | 500                                   | 3                             |

**Table 7-49. Radiated Limits**

### Test Procedures Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024

### Test Settings

#### Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120 kHz (for emissions from 30 MHz – 1 GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

#### Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120 kHz (for emissions from 30 MHz – 1 GHz)
3. VBW = 300 kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b>                                       | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 140 of 151                          |

## Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




**Figure 7-8. Radiated Test Setup < 30 MHz**




**Figure 7-9. Radiated Test Setup < 1 GHz**

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b>                                       | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 141 of 151                          |

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

## Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (7.5) are below the limit shown in Table 7-49.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30 MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6 dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20 dB of the limit below 30 MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. All antenna configurations and data rates were investigated and only the worst case are reported.
10. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.
11. Both configurations below were investigated, and the worst case has been reported.
  - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
  - b. EUT powered by host PC via USB-C cable with wire charger


## Sample Calculations

### Determining Spurious Emissions Levels

- Field Strength Level  $_{[dB\mu V/m]} = \text{Analyzer Level}_{[dBm]} + 107 + \text{AFCL}_{[dB/m]}$
- $\text{AFCL}_{[dB/m]} = \text{Antenna Factor}_{[dB/m]} + \text{Cable Loss}_{[dB]} - \text{Preamplifier Gain}_{[dB]}$
- $\text{Margin}_{[dB]} = \text{Field Strength Level}_{[dB\mu V/m]} - \text{Limit}_{[dB\mu V/m]}$

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b>                                       | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 142 of 151                          |

## CDD Radiated Spurious Emissions Measurements (Below 1 GHz)




Plot 7-176. Radiated Spurious Emissions below 1 GHz CDD Ch.6 (RU26), with AC/DC Adapter

| Frequency [MHz] | Detector   | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|------------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 36.47           | Quasi-Peak | V               | 101                 | -8                         | -53.65               | -20.07      | 33.28                   | 40.00          | -6.72       |
| 67.44           | Max-Peak   | V               | 100                 | 165                        | -59.31               | -20.89      | 26.80                   | 40.00          | -13.20      |
| 94.56           | Max-Peak   | V               | 100                 | 213                        | -63.61               | -20.19      | 23.20                   | 43.50          | -20.30      |
| 191.05          | Max-Peak   | H               | 100                 | 185                        | -59.50               | -18.90      | 28.60                   | 43.50          | -14.90      |
| 286.75          | Max-Peak   | H               | 100                 | 83                         | -66.55               | -15.96      | 24.49                   | 46.00          | -21.51      |
| 949.18          | Max-Peak   | H               | 100                 | 106                        | -75.61               | -4.08       | 27.31                   | 46.00          | -18.69      |

Table 7-50. Radiated Spurious Emissions below 1 GHz CDD Ch.6 (RU26), with AC/DC Adapter

|                                            |                                                                                     |                                                                                                                                                                                                                  |                            |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3596<br>IC: 579C-A3596         | MEASUREMENT REPORT<br>(CERTIFICATION)                                               | Test Dates:<br>4/23/2026 - 8/27/2026                                                                                                                                                                             | EUT Type:<br>Tablet Device | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                            | Page 143 of 151                   |



**Plot 7-177. Radiated Spurious Emissions below 1 GHz CDD Ch.6 (RU242), with AC/DC Adapter**

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBuV/m] | Limit [dBuV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 36.54           | Max Peak | V               | 100                 | 8                          | -53.53               | -20.05      | 33.42                   | 40.00          | -6.58       |
| 67.86           | Max Peak | V               | 300                 | 162                        | -60.01               | -21.06      | 25.93                   | 40.00          | -14.07      |
| 94.50           | Max Peak | V               | 100                 | 225                        | -63.58               | -20.21      | 23.22                   | 43.50          | -20.28      |
| 191.47          | Max Peak | H               | 100                 | 180                        | -58.65               | -18.84      | 29.52                   | 43.50          | -13.98      |
| 287.11          | Max Peak | H               | 100                 | 266                        | -66.22               | -15.92      | 24.85                   | 46.00          | -21.15      |
| 999.64          | Max Peak | H               | 100                 | 158                        | -76.27               | -3.26       | 27.47                   | 54.00          | -26.53      |

**Table 7-51. Radiated Spurious Emissions below 1 GHz CDD Ch.6 (RU242), with AC/DC Adapter**

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT (CERTIFICATION)</b>                                           | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 144 of 151                          |

## 7.10 AC Line-Conducted Emissions Measurement

### Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

**All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (7.4.2).**

| Frequency of emission (MHz) | Conducted Limit (dBμV) |           |
|-----------------------------|------------------------|-----------|
|                             | Quasi-peak             | Average   |
| 0.15 – 0.5                  | 66 to 56*              | 56 to 46* |
| 0.5 – 5                     | 56                     | 46        |
| 5 – 30                      | 60                     | 50        |

**Table 7-52. Conducted Limits**

\*Decreases with the logarithm of the frequency.

### Test Procedures Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024, Subclause 6.2

### Test Settings

#### Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9 kHz (for emissions from 150 kHz – 30 MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

#### Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9 kHz (for emissions from 150 kHz – 30 MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT (CERTIFICATION)</b>                                           | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 145 of 151                          |

## Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





**Figure 7-10. Test Instrument & Measurement Setup**

## Test Notes

- All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
- Both configurations below were investigated, and the worst case has been reported.
  - EUT powered by AC/DC adaptor via USB-C cable with wire charger
  - EUT powered by host PC via USB-C cable with wire charger
- The limit for an intentional radiator from 150 kHz to 30 MHz are specified in Part 15.207 and RSS-Gen (7.4.2).
- $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
- $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
- $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
- Traces shown in plot are made using quasi peak and average detectors.
- Deviations to the Specifications: None.
- All RU's were investigated and only worst case partially-loaded and fully-loaded RU's are reported.

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b>                                       | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 146 of 151                          |




**Plot 7-178. AC Line Conducted Emissions with 802.11be CDD (RU26) Ch.6 (L1, with AC/DC Adapter)**

| Frequency [MHz] | Process State | QuasiPeak [dBμV] | Average [dBμV] | Limit [dBμV] | Margin [dB] | Line | PE  |
|-----------------|---------------|------------------|----------------|--------------|-------------|------|-----|
| 0.16            | FINAL         | ---              | 36.30          | 55.40        | -19.10      | L1   | GND |
| 0.17            | FINAL         | 51.38            | ---            | 65.17        | -13.79      | L1   | GND |
| 0.25            | FINAL         | ---              | 27.90          | 51.87        | -23.97      | L1   | GND |
| 0.25            | FINAL         | 44.72            | ---            | 61.79        | -17.07      | L1   | GND |
| 0.50            | FINAL         | ---              | 16.32          | 46.02        | -29.70      | L1   | GND |
| 0.50            | FINAL         | 35.27            | ---            | 56.00        | -20.73      | L1   | GND |
| 4.36            | FINAL         | 28.51            | ---            | 56.00        | -27.49      | L1   | GND |
| 4.39            | FINAL         | ---              | 16.67          | 46.00        | -29.33      | L1   | GND |
| 9.14            | FINAL         | 20.27            | ---            | 60.00        | -39.73      | L1   | GND |
| 9.14            | FINAL         | ---              | 14.85          | 50.00        | -35.15      | L1   | GND |
| 16.03           | FINAL         | ---              | 10.95          | 50.00        | -39.05      | L1   | GND |
| 16.04           | FINAL         | 15.13            | ---            | 60.00        | -44.87      | L1   | GND |

**Table 7-53. AC Line Conducted Data with 802.11be CDD (RU26) Ch.6 (L1, with AC/DC Adapter)**

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT (CERTIFICATION)</b>                                           | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 147 of 151                          |




**Plot 7-179. AC Line Conducted Emissions with 802.11be CDD (RU26) Ch.6 (N, with AC/DC Adapter)**

| Frequency [MHz] | Process State | QuasiPeak [dBμV] | Average [dBμV] | Limit [dBμV] | Margin [dB] | Line | PE  |
|-----------------|---------------|------------------|----------------|--------------|-------------|------|-----|
| 0.16            | FINAL         | ---              | 31.90          | 55.40        | -23.50      | N    | GND |
| 0.16            | FINAL         | 45.93            | ---            | 65.40        | -19.47      | N    | GND |
| 0.47            | FINAL         | 33.17            | ---            | 56.48        | -23.31      | N    | GND |
| 0.47            | FINAL         | ---              | 16.29          | 46.44        | -30.15      | N    | GND |
| 1.34            | FINAL         | ---              | 13.56          | 46.00        | -32.44      | N    | GND |
| 1.35            | FINAL         | 28.42            | ---            | 56.00        | -27.58      | N    | GND |
| 4.49            | FINAL         | ---              | 15.86          | 46.00        | -30.14      | N    | GND |
| 4.50            | FINAL         | 29.00            | ---            | 56.00        | -27.00      | N    | GND |
| 16.00           | FINAL         | 13.32            | ---            | 60.00        | -46.68      | N    | GND |
| 16.00           | FINAL         | ---              | 8.06           | 50.00        | -41.94      | N    | GND |
| 26.32           | FINAL         | 10.49            | ---            | 60.00        | -49.51      | N    | GND |
| 26.42           | FINAL         | ---              | 4.19           | 50.00        | -45.81      | N    | GND |

**Table 7-54. AC Line Conducted Data with 802.11be CDD (RU26) Ch.6 (N, with AC/DC Adapter)**

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT (CERTIFICATION)</b>                                           | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 148 of 151                          |




**Plot 7-180. AC Line Conducted Emissions with 802.11be CDD (RU242) Ch.6 (L1, with AC/DC Adapter)**

| Frequency [MHz] | Process State | QuasiPeak [dBµV] | Average [dBµV] | Limit [dBµV] | Margin [dB] | Line | PE  |
|-----------------|---------------|------------------|----------------|--------------|-------------|------|-----|
| 0.16            | FINAL         | ---              | 37.12          | 55.40        | -18.28      | L1   | GND |
| 0.17            | FINAL         | 52.46            | ---            | 65.17        | -12.71      | L1   | GND |
| 0.25            | FINAL         | ---              | 28.71          | 51.94        | -23.23      | L1   | GND |
| 0.25            | FINAL         | 45.63            | ---            | 61.87        | -16.24      | L1   | GND |
| 0.50            | FINAL         | ---              | 17.08          | 46.00        | -28.92      | L1   | GND |
| 0.50            | FINAL         | 35.89            | ---            | 56.00        | -20.11      | L1   | GND |
| 4.37            | FINAL         | 28.47            | ---            | 56.00        | -27.53      | L1   | GND |
| 4.38            | FINAL         | ---              | 16.66          | 46.00        | -29.34      | L1   | GND |
| 9.30            | FINAL         | ---              | 14.98          | 50.00        | -35.02      | L1   | GND |
| 9.34            | FINAL         | 20.39            | ---            | 60.00        | -39.61      | L1   | GND |
| 16.02           | FINAL         | ---              | 10.94          | 50.00        | -39.06      | L1   | GND |
| 16.02           | FINAL         | 15.09            | ---            | 60.00        | -44.91      | L1   | GND |

**Table 7-55. AC Line Conducted Data with 802.11be CDD (RU242) Ch.6 (L1, with AC/DC Adapter)**

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT (CERTIFICATION)</b>                                           | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 149 of 151                          |



**Plot 7-181. AC Line Conducted Emissions with 802.11be CDD (RU242) Ch.6 (N, with AC/DC Adapter)**

| Frequency [MHz] | Process State | QuasiPeak [dBμV] | Average [dBμV] | Limit [dBμV] | Margin [dB] | Line | PE  |
|-----------------|---------------|------------------|----------------|--------------|-------------|------|-----|
| 0.16            | FINAL         | ---              | 37.99          | 55.40        | -17.41      | N    | GND |
| 0.17            | FINAL         | 52.69            | ---            | 65.17        | -12.48      | N    | GND |
| 0.47            | FINAL         | 37.08            | ---            | 56.52        | -19.44      | N    | GND |
| 0.47            | FINAL         | ---              | 18.05          | 46.48        | -28.43      | N    | GND |
| 1.32            | FINAL         | 29.37            | ---            | 56.00        | -26.63      | N    | GND |
| 1.34            | FINAL         | ---              | 15.33          | 46.00        | -30.67      | N    | GND |
| 4.48            | FINAL         | 28.69            | ---            | 56.00        | -27.31      | N    | GND |
| 4.49            | FINAL         | ---              | 15.40          | 46.00        | -30.60      | N    | GND |
| 16.00           | FINAL         | 12.91            | ---            | 60.00        | -47.09      | N    | GND |
| 16.00           | FINAL         | ---              | 7.84           | 50.00        | -42.16      | N    | GND |
| 26.30           | FINAL         | 10.02            | ---            | 60.00        | -49.98      | N    | GND |
| 26.64           | FINAL         | ---              | 3.73           | 50.00        | -46.27      | N    | GND |

**Table 7-56. AC Line Conducted Data with 802.11be CDD (RU242) Ch.6 (N, with AC/DC Adapter)**

|                                                  |                                                                                     |                                                                                                                                                                                                                  |                                |                                       |
|--------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596 | <b>MEASUREMENT REPORT (CERTIFICATION)</b>                                           | <b>Test Dates:</b> 4/23/2026 - 8/27/2026                                                                                                                                                                         | <b>EUT Type:</b> Tablet Device | <b>Approved by:</b> Technical Manager |
| <b>Test Report S/N:</b> 1C2604030026-09-R3.BCG   |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                | Page 150 of 151                       |

## 8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device FCC ID: BCGA3596, IC: 579C-A3596** is in compliance with Part 15 Subpart C (15.247) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                   |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3596<br><b>IC:</b> 579C-A3596  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b>                                       | <b>Test Dates:</b><br>4/23/2026 - 8/27/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Tablet Device | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2604030026-09-R3.BCG |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">https://www.blockchain-verified.com</a> or by clicking on the Blockchain logo. |                                   | Page 151 of 151                          |

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).