

Date:

12 February 2000

Page:

Page 44 of 71

EMCE ENGINEERING INC.
4615 ENTERPRISE COMMON
FREMONT, CA 94538

PERFORMED FOR: HARRIS MCD
TEST SPECIMEN: 5.8 GHZ SPREAD SPECTRUM RADIO

MODEL NO: A2
SERIAL NO: 001

115 VAC RETURN LINE

CONDUCTED NARROWBAND RESULTS: (FCC-B)

450KHz to 1.6 MHz

The Two Largest Signals are:	0.67 MHz	25.6 dBuV
	0.45 MHz	23.9 dBuV
Spec at This Frequency is:		48.0 dBuV

PASSED

1.6 MHz to 8 MHz

The Two Largest Signals are:	3.09 MHz	24.9 dBuV
	1.60 MHz	22.5 dBuV
Spec at This Frequency is:		48.0 dBuV

PASSED

8 MHz to 30 MHz

The Two Largest Signals are:	20.21 MHz	23.7 dBuV
	8.00 MHz	21.5 dBuV
Spec at This Frequency is:		48.0 dBuV

PASSED

COMMENTS:

VERIFIED BY

Don Ballard

DATE: 2/13/00

MODEL #A2

SERIAL # 001


EMC ENGINEERING INC. 4615 ENTERPRISE COMMON, FREMONT, CA 94538

PERFORMED FOR: HARRIS MCD

NARROWBAND CONDUCTED EMI

CLASS B (450KHZ-30MHZ)

115 VAC RETURN LINE



Conducted Emissions, Graphical Data, Return Lead, A2 Radio

EMCE ENGINEERING INC.
4615 ENTERPRISE COMMON
FREMONT, CA 94538

PERFORMED FOR: HARRIS MCD
TEST SPECIMEN: 5.8 GHZ SPREAD SPECTRUM RADIO

MODEL NO: C1
SERIAL NO: 001

115 VAC SUPPLY LINE

CONDUCTED NARROWBAND RESULTS: (FCC-B)

450KHz to 1.6 MHz

The Two Largest Signals are:	0.73 MHz	32.2 dBuV
	0.45 MHz	22.5 dBuV
Spec at This Frequency is:		48.0 dBuV
		PASSED

1.6 MHz to 8 MHz

The Two Largest Signals are:	2.60 MHz	24.3 dBuV
	1.60 MHz	23.8 dBuV
Spec at This Frequency is:		48.0 dBuV
		PASSED

8 MHz to 30 MHz

The Two Largest Signals are:	11.92 MHz	24.3 dBuV
	8.00 MHz	21.3 dBuV
Spec at This Frequency is:		48.0 dBuV
		PASSED

COMMENTS:

VERIFIED BY

Don Ballard