









Mikom
MR 701 Power


Mod. 1000-1000-1000
Mod. 1000-1000-1000
Mod. 1000-1000-1000
Mod. 1000-1000-1000
Mod. 1000-1000-1000
Mod. 1000-1000-1000
Mod. 1000-1000-1000
Mod. 1000-1000-1000

CE



For safety the following
instructions must be
followed before
opening the unit.
Report if any trapped
current is detected.

MR 701 Power
1000 W
1000 V



MIKOM
Expansion Module ver. 8.0V
IC-No.: 148045
Freq.: 1830-1870 / 1900-1960 MHz
Rev.: 00
SN: 11

USM 1900
ARFCN
SELECTION

from: to:

0	10^3	1
0	10^4	2
1	10^5	4


ALC Threshold
UL
DL


*Van
Ext. Model
2*


DL OUT


UL OUT











TFS 120/64
H1
K5

DC 5
+ 1/12

7947EX
SARINEX
0902


TFS 120/60
H1
K8

DC 5
- 1/12

7947EX
SARINEX
0902

mic
DAF 1900 T0342
SN 1737

mic
DAF 1900 T0344
SN 1620



TFS 120/64
H1
K5


TFS 120/60
H1
K8


micron
DNP 1800-72141
SN 1737


micron
DNP 1800-72141
SN 1737


F786


F786































Id No.: 148706 Rev.: 00
Ext. Extension Module TDMA
1000 000 000 000 000 000 000

LN: 13
VCO FIL UM 40 ALC BI 6 K
70°C


1000 000 000 000 000 000 000



MIKOM
Extension Module TDMA
IdNo.: 148706
Rev.: 00
SN.: 11
1000 000 000 000 000 000 000

Ex 1

DL IN DL OUT
UL IN UL OUT



FILTRE
FOI240 HNE
FIP 1715
No: 3/9902

13731


MODIM





FILTRE
FOI240 HNE
FIP 1715
No: 9/9902


13731

MODIM









992

TELIA S.A. 99CK024

TLA0251A
9913 0054