


LGE FCC ID: BEJFB775F CRT Monitor
640 x 480 54KHz./85Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.474	33.65	56.44	-22.79	24.94	46.46	-21.52
2	.171	42.32	64.91	-22.59	34.59	54.94	-20.35
3	.690	32.97	56.00	-23.03	24.32	46.00	-21.68
4	4.936	30.72	56.00	-25.28	20.29	46.00	-25.71
5	1.729	29.78	56.00	-26.22	20.60	46.00	-25.40
6	27.006	35.19	60.00	-24.81	29.95	50.00	-20.05
7	4.330	29.66	56.00	-26.34	20.21	46.00	-25.79
8	1.687	29.88	56.00	-26.12	20.30	46.00	-25.70
9	1.773	29.55	56.00	-26.45	20.69	46.00	-25.31
10	1.859	28.37	56.00	-27.63	19.89	46.00	-26.11

LGE FCC ID: BEJFB775F CRT Monitor
640 x 480 54KHz./85Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.387	28.90	58.12	-29.22	22.18	48.15	-25.97
2	.474	32.89	56.44	-23.55	24.62	46.46	-21.84
3	.162	42.43	65.35	-22.92	36.50	54.98	-18.48
4	.387	28.85	58.12	-29.27	22.41	48.14	-25.73
5	.690	31.71	56.00	-24.29	23.36	46.00	-22.64
6	27.006	34.28	60.00	-25.72	29.03	50.00	-20.97
7	.203	37.13	63.49	-26.36	31.22	53.12	-21.90
8	.820	29.47	56.00	-26.53	21.74	46.00	-24.26
9	1.643	27.08	56.00	-28.92	19.00	46.00	-27.00
10	4.546	26.16	56.00	-29.84	17.93	46.00	-28.07

LGE FCC ID: BEJFB775F CRT Monitor
800 x 600 54KHz./85Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.696	36.82	56.00	-19.18	27.80	46.00	-18.20
2	.481	35.30	56.32	-21.02	26.54	46.33	-19.79
3	1.716	32.71	56.00	-23.29	21.05	46.00	-24.95
4	.159	43.68	65.51	-21.83	35.14	55.57	-20.43
5	.750	34.13	56.00	-21.87	24.86	46.00	-21.14
6	1.770	30.65	56.00	-25.35	20.75	46.00	-25.25
7	14.066	37.36	60.00	-22.64	32.31	50.00	-17.69
8	.857	33.47	56.00	-22.53	24.53	46.00	-21.47
9	1.662	30.94	56.00	-25.06	20.52	46.00	-25.48
10	.535	33.15	56.00	-22.85	24.41	46.00	-21.59

LGE FCC ID: BEJFB775F CRT Monitor
800 x 600 54KHz./85Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.696	35.87	56.00	-20.13	26.39	46.00	-19.61
2	.535	33.07	56.00	-22.93	24.53	46.00	-21.47
3	.481	34.44	56.32	-21.88	25.35	46.35	-21.00
4	.151	43.30	65.97	-22.67	37.73	55.49	-17.76
5	.857	33.31	56.00	-22.69	24.38	46.00	-21.62
6	.749	33.38	56.00	-22.62	24.20	46.00	-21.80
7	14.066	36.75	60.00	-23.25	24.00	50.00	-26.00
8	1.716	30.88	56.00	-25.12	20.18	46.00	-25.82
9	.266	36.84	61.23	-24.39	29.81	51.26	-21.45
10	1.769	29.98	56.00	-26.02	19.97	46.00	-26.03

LGE FCC ID: BEJFB775F CRT Monitor
1024 x 768 69KHz./85Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.631	45.92	60.00	-14.08	42.04	50.00	-7.96
2	.479	42.23	56.36	-14.13	32.46	46.37	-13.91
3	.685	41.34	56.00	-14.66	31.85	46.00	-14.15
4	.753	39.33	56.00	-16.67	29.45	46.00	-16.55
5	.547	37.32	56.00	-18.68	27.99	46.00	-18.01
6	.204	45.03	63.45	-18.42	35.69	53.46	-17.77
7	4.673	34.87	56.00	-21.13	22.43	46.00	-23.57
8	4.879	34.86	56.00	-21.14	22.38	46.00	-23.62
9	4.673	34.86	56.00	-21.14	22.49	46.00	-23.51
10	.410	37.46	57.65	-20.19	28.61	47.66	-19.05


LGE FCC ID: BEJFB775F CRT Monitor
1024 x 768 69KHz./85Hz. LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.631	45.82	60.00	-14.18	42.04	50.00	-7.96
2	.479	41.31	56.36	-15.05	31.47	46.37	-14.90
3	.685	40.17	56.00	-15.83	30.03	46.00	-15.97
4	.753	39.01	56.00	-16.99	29.10	46.00	-16.90
5	.204	44.02	63.45	-19.43	35.98	53.46	-17.48
6	.547	36.01	56.00	-19.99	26.55	46.00	-19.45
7	23.631	45.82	60.00	-14.18	42.09	50.00	-7.91
8	1.715	33.83	56.00	-22.17	20.95	46.00	-25.05
9	.410	35.45	57.65	-22.20	26.49	47.67	-21.18
10	23.699	37.72	60.00	-22.28	34.45	50.00	-15.55

LGE FCC ID: BEJFB775F CRT Monitor
1280 x 1024 64KHz./60Hz. LINE A PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	27.007	43.95	60.00	-16.05	40.52	50.00	-9.48
2	.702	39.72	56.00	-16.28	29.87	46.00	-16.13
3	.446	41.15	56.95	-15.80	31.58	46.97	-15.39
4	.638	38.13	56.00	-17.87	29.00	46.00	-17.00
5	.190	44.32	64.04	-19.72	35.15	54.08	-18.93
6	.766	35.56	56.00	-20.44	26.24	46.00	-19.76
7	1.791	31.58	56.00	-24.42	20.72	46.00	-25.28
8	.510	35.05	56.00	-20.95	25.34	46.00	-20.66
9	4.610	30.89	56.00	-25.11	21.32	46.00	-24.68
10	4.802	31.19	56.00	-24.81	21.26	46.00	-24.74

LGE FCC ID: BEJFB775F CRT Monitor
1280 x 1024 64KHz./60Hz. LINE B PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.446	40.66	56.95	-16.29	30.80	46.96	-16.16
2	27.007	42.39	60.00	-17.61	38.98	50.00	-11.02
3	.702	38.84	56.00	-17.16	29.07	46.00	-16.93
4	.638	37.74	56.00	-18.26	28.17	46.00	-17.83
5	.190	43.18	64.05	-20.87	35.90	54.05	-18.15
6	.766	35.62	56.00	-20.38	25.75	46.00	-20.25
7	.510	34.33	56.00	-21.67	25.30	46.00	-20.70
8	.830	32.60	56.00	-23.40	24.17	46.00	-21.83
9	1.726	31.20	56.00	-24.80	21.55	46.00	-24.45
10	4.930	30.38	56.00	-25.62	20.07	46.00	-25.93