



LG Electronics 1024 x 768 LINE A  
FCC ID: BEJLB500J with LGPL Module PCTEST Engineering Lab.




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 19.687      | 50.60           | 60.00        | -9.40       | 37.56          | 50.00        | -12.44      |
| 2   | .197        | 53.47           | 63.75        | -10.28      | 39.63          | 53.59        | -13.96      |
| 3   | .152        | 44.63           | 65.91        | -21.28      | 31.03          | 56.00        | -24.97      |
| 4   | .151        | 44.36           | 65.95        | -21.59      | 32.85          | 55.71        | -22.86      |
| 5   | 4.615       | 33.31           | 56.00        | -22.69      | 19.55          | 46.00        | -26.45      |
| 6   | .266        | 42.05           | 61.25        | -19.20      | 26.69          | 51.32        | -24.63      |
| 7   | .155        | 42.35           | 65.74        | -23.39      | 31.52          | 55.22        | -23.70      |
| 8   | 4.169       | 30.33           | 56.00        | -25.67      | 19.25          | 46.00        | -26.75      |
| 9   | .200        | 52.67           | 63.60        | -10.93      | 30.67          | 53.97        | -23.30      |
| 10  | 3.956       | 28.79           | 56.00        | -27.21      | 18.94          | 46.00        | -27.06      |


LG Electronics 1024 x 768 LINE B  
FCC ID: BEJLB500J with LGPL Module PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 19.687      | 49.80           | 60.00        | -10.20      | 36.12          | 50.00        | -13.88      |
| 2   | .151        | 49.83           | 65.94        | -16.11      | 44.84          | 56.00        | -11.16      |
| 3   | .201        | 50.31           | 63.57        | -13.26      | 42.85          | 53.58        | -10.73      |
| 4   | 4.688       | 31.82           | 56.00        | -24.18      | 20.60          | 46.00        | -25.40      |
| 5   | .267        | 39.43           | 61.22        | -21.79      | 33.04          | 51.36        | -18.32      |
| 6   | 5.810       | 33.96           | 60.00        | -26.04      | 19.82          | 50.00        | -30.18      |
| 7   | .164        | 48.06           | 65.25        | -17.19      | 41.52          | 54.72        | -13.20      |
| 8   | .155        | 49.18           | 65.71        | -16.53      | 42.84          | 55.22        | -12.38      |
| 9   | 3.932       | 26.97           | 56.00        | -29.03      | 18.92          | 46.00        | -27.08      |
| 10  | .399        | 29.19           | 57.87        | -28.68      | 23.61          | 47.94        | -24.33      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 12.351      | 53.48           | 60.00        | -6.52       | 48.36          | 50.00        | -1.64       |
| 2   | .197        | 48.82           | 63.72        | -14.90      | 36.57          | 53.56        | -16.99      |
| 3   | .151        | 41.56           | 65.92        | -24.36      | 33.03          | 56.00        | -22.97      |
| 4   | 4.418       | 32.91           | 56.00        | -23.09      | 19.32          | 46.00        | -26.68      |
| 5   | 4.244       | 32.06           | 56.00        | -23.94      | 18.93          | 46.00        | -27.07      |
| 6   | 4.337       | 32.26           | 56.00        | -23.74      | 19.31          | 46.00        | -26.69      |
| 7   | 4.632       | 33.71           | 56.00        | -22.29      | 19.82          | 46.00        | -26.18      |
| 8   | 4.631       | 33.46           | 56.00        | -22.54      | 19.63          | 46.00        | -26.37      |
| 9   | .267        | 38.03           | 61.20        | -23.17      | 23.97          | 51.37        | -27.40      |
| 10  | 3.716       | 27.92           | 56.00        | -28.08      | 19.51          | 46.00        | -26.49      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 12.351      | 53.13           | 60.00        | -6.87       | 47.88          | 50.00        | -2.12       |
| 2   | .201        | 48.69           | 63.58        | -14.89      | 41.11          | 53.75        | -12.64      |
| 3   | .151        | 49.73           | 65.96        | -16.23      | 44.68          | 56.00        | -11.32      |
| 4   | 4.634       | 32.78           | 56.00        | -23.22      | 20.71          | 46.00        | -25.29      |
| 5   | .151        | 49.71           | 65.95        | -16.24      | 44.07          | 55.74        | -11.67      |
| 6   | 1.184       | 25.10           | 56.00        | -30.90      | 18.58          | 46.00        | -27.42      |
| 7   | 5.697       | 34.14           | 60.00        | -25.86      | 20.25          | 50.00        | -29.75      |
| 8   | 4.279       | 30.33           | 56.00        | -25.67      | 19.93          | 46.00        | -26.07      |
| 9   | 5.766       | 34.88           | 60.00        | -25.12      | 19.99          | 50.00        | -30.01      |
| 10  | 3.999       | 28.26           | 56.00        | -27.74      | 19.48          | 46.00        | -26.52      |

LG Electronics 640 x 480 LINE A  
FCC ID: BEJLB500J with LGPL Module PCTEST Engineering Lab.




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 23.717      | 46.01           | 60.00        | -13.99      | 40.77          | 50.00        | -9.23       |
| 2   | .201        | 48.57           | 63.57        | -15.00      | 32.65          | 53.77        | -21.12      |
| 3   | .151        | 41.06           | 65.93        | -24.87      | 33.19          | 56.00        | -22.81      |
| 4   | 4.631       | 33.52           | 56.00        | -22.48      | 19.54          | 46.00        | -26.46      |
| 5   | 4.660       | 32.28           | 56.00        | -23.72      | 19.49          | 46.00        | -26.51      |
| 6   | 4.059       | 30.43           | 56.00        | -25.57      | 19.07          | 46.00        | -26.93      |
| 7   | 4.237       | 31.68           | 56.00        | -24.32      | 19.04          | 46.00        | -26.96      |
| 8   | 3.918       | 29.34           | 56.00        | -26.66      | 18.98          | 46.00        | -27.02      |
| 9   | .267        | 37.81           | 61.22        | -23.41      | 26.31          | 51.17        | -24.86      |
| 10  | .334        | 33.11           | 59.36        | -26.25      | 26.15          | 49.38        | -23.23      |

LG Electronics 640 x 480 LINE B  
FCC ID: BEJLB500J with LGPL Module PCTEST Engineering Lab.




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 23.717      | 45.05           | 60.00        | -14.95      | 39.91          | 50.00        | -10.09      |
| 2   | .201        | 48.77           | 63.56        | -14.79      | 41.49          | 53.71        | -12.22      |
| 3   | 4.632       | 32.73           | 56.00        | -23.27      | 20.62          | 46.00        | -25.38      |
| 4   | .151        | 50.02           | 65.95        | -15.93      | 44.78          | 56.00        | -11.22      |
| 5   | 4.897       | 28.44           | 56.00        | -27.56      | 19.37          | 46.00        | -26.63      |
| 6   | 4.388       | 31.13           | 56.00        | -24.87      | 20.24          | 46.00        | -25.76      |
| 7   | 5.777       | 34.90           | 60.00        | -25.10      | 19.89          | 50.00        | -30.11      |
| 8   | 4.212       | 30.16           | 56.00        | -25.84      | 19.93          | 46.00        | -26.07      |
| 9   | 4.709       | 31.74           | 56.00        | -24.26      | 20.49          | 46.00        | -25.51      |
| 10  | 5.683       | 34.43           | 60.00        | -25.57      | 20.13          | 50.00        | -29.87      |

LG Electronics 1024 x 768 LINE A  
FCC ID: BEJLB500J with AU Module PCTEST Engineering Lab.




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 19.687      | 51.80           | 60.00        | -8.20       | 38.85          | 50.00        | -11.15      |
| 2   | .197        | 47.58           | 63.74        | -16.16      | 35.45          | 53.66        | -18.21      |
| 3   | 4.405       | 32.13           | 56.00        | -23.87      | 19.69          | 46.00        | -26.31      |
| 4   | 4.208       | 31.50           | 56.00        | -24.50      | 19.28          | 46.00        | -26.72      |
| 5   | 4.603       | 31.78           | 56.00        | -24.22      | 19.54          | 46.00        | -26.46      |
| 6   | 3.846       | 28.97           | 56.00        | -27.03      | 19.44          | 46.00        | -26.56      |
| 7   | .151        | 40.35           | 65.95        | -25.60      | 32.85          | 56.00        | -23.15      |
| 8   | .258        | 36.70           | 61.51        | -24.81      | 25.26          | 51.42        | -26.16      |
| 9   | 3.242       | 27.34           | 56.00        | -28.66      | 19.64          | 46.00        | -26.36      |
| 10  | 3.497       | 27.23           | 56.00        | -28.77      | 19.53          | 46.00        | -26.47      |


LG Electronics 1024 x 768 LINE B  
FCC ID: BEJLB500J with AU Module PCTEST Engineering Lab.




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 19.687      | 51.10           | 60.00        | -8.90       | 37.87          | 50.00        | -12.13      |
| 2   | .197        | 47.90           | 63.75        | -15.85      | 41.24          | 53.66        | -12.64      |
| 3   | 3.594       | 27.96           | 56.00        | -28.04      | 18.83          | 46.00        | -27.17      |
| 4   | 4.750       | 28.39           | 56.00        | -27.61      | 19.43          | 46.00        | -26.57      |
| 5   | 3.960       | 28.00           | 56.00        | -28.00      | 19.08          | 46.00        | -26.92      |
| 6   | 5.673       | 33.87           | 60.00        | -26.13      | 20.54          | 50.00        | -29.46      |
| 7   | 4.398       | 29.60           | 56.00        | -26.40      | 20.21          | 46.00        | -25.79      |
| 8   | .151        | 49.64           | 65.96        | -16.32      | 44.52          | 56.00        | -11.48      |
| 9   | 3.971       | 27.86           | 56.00        | -28.14      | 19.60          | 46.00        | -26.40      |
| 10  | 4.546       | 29.63           | 56.00        | -26.37      | 20.33          | 46.00        | -25.67      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 12.351      | 52.39           | 60.00        | -7.61       | 46.81          | 50.00        | -3.19       |
| 2   | .197        | 47.07           | 63.75        | -16.68      | 32.47          | 53.92        | -21.45      |
| 3   | 4.600       | 31.93           | 56.00        | -24.07      | 19.46          | 46.00        | -26.54      |
| 4   | 4.093       | 31.11           | 56.00        | -24.89      | 19.18          | 46.00        | -26.82      |
| 5   | 4.211       | 31.59           | 56.00        | -24.41      | 19.35          | 46.00        | -26.65      |
| 6   | 4.138       | 31.19           | 56.00        | -24.81      | 19.27          | 46.00        | -26.73      |
| 7   | .151        | 40.21           | 65.95        | -25.74      | 33.08          | 56.00        | -22.92      |
| 8   | 3.442       | 27.33           | 56.00        | -28.67      | 19.53          | 46.00        | -26.47      |
| 9   | .262        | 36.29           | 61.37        | -25.08      | 24.49          | 51.48        | -26.99      |
| 10  | .720        | 29.85           | 56.00        | -26.15      | 26.99          | 46.00        | -19.01      |



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 12.351      | 51.88           | 60.00        | -8.12       | 46.43          | 50.00        | -3.57       |
| 2   | .197        | 47.19           | 63.74        | -16.55      | 41.97          | 53.75        | -11.78      |
| 3   | 3.591       | 29.88           | 56.00        | -26.12      | 18.90          | 46.00        | -27.10      |
| 4   | 3.757       | 29.49           | 56.00        | -26.51      | 19.17          | 46.00        | -26.83      |
| 5   | 3.827       | 29.24           | 56.00        | -26.76      | 19.34          | 46.00        | -26.66      |
| 6   | 5.704       | 34.28           | 60.00        | -25.72      | 20.57          | 50.00        | -29.43      |
| 7   | 4.564       | 29.76           | 56.00        | -26.24      | 20.33          | 46.00        | -25.67      |
| 8   | .151        | 50.19           | 65.95        | -15.76      | 44.86          | 56.00        | -11.14      |
| 9   | 4.057       | 27.96           | 56.00        | -28.04      | 19.72          | 46.00        | -26.28      |
| 10  | 4.289       | 29.09           | 56.00        | -26.91      | 19.98          | 46.00        | -26.02      |



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 5.246       | 24.31           | 60.00        | -35.69      | 18.75          | 50.00        | -31.25      |
| 2   | 23.717      | 47.06           | 60.00        | -12.94      | 41.73          | 50.00        | -8.27       |
| 3   | .197        | 46.55           | 63.73        | -17.18      | 31.87          | 53.95        | -22.08      |
| 4   | 4.202       | 31.60           | 56.00        | -24.40      | 19.24          | 46.00        | -26.76      |
| 5   | 4.546       | 32.07           | 56.00        | -23.93      | 19.49          | 46.00        | -26.51      |
| 6   | 4.069       | 31.23           | 56.00        | -24.77      | 19.11          | 46.00        | -26.89      |
| 7   | 27.670      | 37.59           | 60.00        | -22.41      | 29.27          | 50.00        | -20.73      |
| 8   | 3.627       | 28.33           | 56.00        | -27.67      | 19.55          | 46.00        | -26.45      |
| 9   | .151        | 39.90           | 65.93        | -26.03      | 33.04          | 56.00        | -22.96      |
| 10  | 1.092       | 30.15           | 56.00        | -25.85      | 27.51          | 46.00        | -18.49      |



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 23.717      | 46.18           | 60.00        | -13.82      | 40.93          | 50.00        | -9.07       |
| 2   | .197        | 47.16           | 63.73        | -16.57      | 41.14          | 53.94        | -12.80      |
| 3   | 4.692       | 28.65           | 56.00        | -27.35      | 19.64          | 46.00        | -26.36      |
| 4   | 3.523       | 27.27           | 56.00        | -28.73      | 18.68          | 46.00        | -27.32      |
| 5   | 4.611       | 29.67           | 56.00        | -26.33      | 20.11          | 46.00        | -25.89      |
| 6   | 5.722       | 34.52           | 60.00        | -25.48      | 20.43          | 50.00        | -29.57      |
| 7   | 3.909       | 28.02           | 56.00        | -27.98      | 19.68          | 46.00        | -26.32      |
| 8   | 5.720       | 34.41           | 60.00        | -25.59      | 20.40          | 50.00        | -29.60      |
| 9   | 4.215       | 28.76           | 56.00        | -27.24      | 19.99          | 46.00        | -26.01      |
| 10  | 27.670      | 37.17           | 60.00        | -22.83      | 29.71          | 50.00        | -20.29      |