



LGE Model: LB563B (ADP-36UB P.S) PCTEST Engineering Lab.
1024 x 768 60KHz./75Hz. LINE A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.208	46.29	63.27	-16.98	39.29	53.30	-14.01
2	.151	50.68	65.95	-15.27	34.64	56.00	-21.36
3	16.883	37.87	60.00	-22.13	26.69	50.00	-23.31
4	15.784	36.43	60.00	-23.57	26.70	50.00	-23.30
5	.489	28.88	56.19	-27.31	24.23	46.21	-21.98
6	.438	26.72	57.11	-30.39	18.54	46.72	-28.18
7	.349	34.37	58.99	-24.62	30.34	49.01	-18.67
8	.264	37.40	61.30	-23.90	24.29	50.99	-26.70
9	3.861	26.36	56.00	-29.64	21.53	46.00	-24.47
10	.507	23.62	56.00	-32.38	18.12	46.00	-27.88


LGE Model: LB563B (ADP-36UB P.S) PCTEST Engineering Lab.
1024 x 768 60KHz./75Hz. LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.196	46.85	63.80	-16.95	39.95	53.41	-13.46
2	.151	52.28	65.94	-13.66	45.19	56.00	-10.81
3	.493	29.58	56.11	-26.53	24.34	46.21	-21.87
4	16.883	37.16	60.00	-22.84	24.69	50.00	-25.31
5	15.784	36.06	60.00	-23.94	30.56	50.00	-19.44
6	.349	35.37	58.99	-23.62	30.68	49.01	-18.33
7	.517	27.53	56.00	-28.47	20.21	46.00	-25.79
8	.487	30.25	56.21	-25.96	20.43	46.00	-25.57
9	.290	36.41	60.52	-24.11	28.47	50.11	-21.64
10	.525	25.93	56.00	-30.07	19.98	46.00	-26.02




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	51.01	65.94	-14.13	34.99	56.00	-21.01
2	.208	45.98	63.27	-17.29	34.22	53.42	-19.20
3	16.883	36.89	60.00	-23.11	28.61	50.00	-21.39
4	15.786	36.82	60.00	-23.18	31.74	50.00	-18.26
5	.349	34.42	58.99	-24.57	30.22	49.02	-18.80
6	.239	40.73	62.11	-21.38	23.92	51.85	-27.93
7	.489	28.96	56.18	-27.22	24.48	46.20	-21.72
8	.270	37.85	61.13	-23.28	26.26	50.96	-24.70
9	.382	29.19	58.24	-29.05	18.99	48.15	-29.16
10	.419	29.78	57.47	-27.69	24.69	47.49	-22.80



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.208	46.87	63.27	-16.40	40.25	53.41	-13.16
2	.151	52.49	65.94	-13.45	45.25	56.00	-10.75
3	.489	30.17	56.19	-26.02	25.28	46.21	-20.93
4	16.885	37.04	60.00	-22.96	28.77	50.00	-21.23
5	15.786	36.83	60.00	-23.17	31.94	50.00	-18.06
6	.349	36.08	58.99	-22.91	31.10	49.01	-17.91
7	.408	30.28	57.68	-27.40	25.21	47.50	-22.29
8	.559	29.03	56.00	-26.97	24.64	46.00	-21.36
9	.419	30.12	57.47	-27.35	23.11	47.98	-24.87
10	.177	49.16	64.61	-15.45	40.89	54.37	-13.48

LGE Model: LB563B (ADP-36UB P.S)
640 x 480 38KHz./75Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	52.35	65.94	-13.59	45.16	56.00	-10.84
2	.200	46.90	63.27	-16.37	41.32	53.37	-12.05
3	16.882	37.15	60.00	-22.85	27.25	50.00	-22.75
4	.349	36.08	58.99	-22.91	31.21	49.00	-17.79
5	15.786	36.89	60.00	-23.11	28.15	50.00	-21.85
6	.268	38.33	61.19	-22.86	34.06	50.83	-16.77
7	.301	35.49	60.21	-24.72	28.13	49.97	-21.84
8	.439	28.77	57.09	-28.32	21.72	47.08	-25.36
9	.409	30.15	57.67	-27.52	25.15	47.49	-22.34
10	.490	30.01	56.17	-26.16	25.53	46.20	-20.67

LGE Model: LB563B (ADP-36UB P.S)
640 x 480 38KHz./75Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.198	46.00	63.67	-17.67	30.27	53.49	-23.22
2	.151	51.58	65.96	-14.38	34.83	56.00	-21.17
3	15.771	36.54	60.00	-23.46	26.25	50.00	-23.75
4	16.884	37.01	60.00	-22.99	30.04	50.00	-19.96
5	.508	24.12	56.00	-31.88	18.04	46.00	-27.96
6	.349	34.40	58.99	-24.59	30.07	49.02	-18.95
7	.172	49.06	64.88	-15.82	30.63	54.63	-24.00
8	.419	29.60	57.47	-27.87	24.29	47.46	-23.17
9	.574	23.31	56.00	-32.69	18.17	46.00	-27.83
10	.489	29.01	56.19	-27.18	24.19	46.21	-22.02

LGE Model: LB563B (PSCV360104A P.S)
1024 x 768 60KHz./75Hz. LINE A


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	25.323	43.70	60.00	-16.30	30.64	50.00	-19.36
2	25.320	43.85	60.00	-16.15	29.09	50.00	-20.91
3	25.196	42.61	60.00	-17.39	32.23	50.00	-17.77
4	25.322	43.81	60.00	-16.19	32.27	50.00	-17.73
5	.175	46.75	64.70	-17.95	34.20	54.29	-20.09
6	15.855	37.49	60.00	-22.51	28.62	50.00	-21.38
7	16.881	36.44	60.00	-23.56	28.83	50.00	-21.17
8	.151	49.85	65.95	-16.10	34.68	56.00	-21.32
9	16.881	36.99	60.00	-23.01	22.54	50.00	-27.46
10	.376	29.72	58.36	-28.64	26.87	48.35	-21.48

LGE Model: LB563B (PSCV360104A P.S)
1024 x 768 60KHz./75Hz. LINE B


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	25.318	42.00	60.00	-18.00	29.66	50.00	-20.34
2	25.194	41.10	60.00	-18.90	31.33	50.00	-18.67
3	25.196	41.24	60.00	-18.76	32.63	50.00	-17.37
4	15.794	37.09	60.00	-22.91	26.63	50.00	-23.37
5	.174	49.42	64.79	-15.37	41.39	54.37	-12.98
6	.503	29.86	56.00	-26.14	20.86	46.36	-25.50
7	.429	28.99	57.27	-28.28	22.57	47.11	-24.54
8	16.878	35.75	60.00	-24.25	19.37	50.00	-30.63
9	.224	42.88	62.68	-19.80	35.30	52.43	-17.13
10	.280	37.25	60.83	-23.58	29.84	50.58	-20.74




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	25.311	45.12	60.00	-14.88	36.68	50.00	-13.32
2	25.308	43.65	60.00	-16.35	31.20	50.00	-18.80
3	15.781	37.47	60.00	-22.53	31.91	50.00	-18.09
4	16.874	35.64	60.00	-24.36	24.54	50.00	-25.46
5	.173	46.98	64.79	-17.81	31.28	54.37	-23.09
6	.503	27.70	56.00	-28.30	24.40	46.00	-21.60
7	21.084	32.75	60.00	-27.25	28.61	50.00	-21.39
8	24.584	34.19	60.00	-25.81	36.38	50.00	-13.62
9	1.197	29.39	56.00	-26.61	26.75	46.00	-19.25
10	.566	30.58	56.00	-25.42	28.63	46.00	-17.37



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	25.309	42.45	60.00	-17.55	33.11	50.00	-16.89
2	25.305	41.54	60.00	-18.46	25.94	50.00	-24.06
3	25.186	40.03	60.00	-19.97	28.07	50.00	-21.93
4	16.872	38.50	60.00	-21.50	25.81	50.00	-24.19
5	16.874	38.25	60.00	-21.75	30.38	50.00	-19.62
6	15.785	36.49	60.00	-23.51	31.28	50.00	-18.72
7	.462	28.68	56.65	-27.97	20.92	46.44	-25.52
8	.180	49.16	64.48	-15.32	41.88	54.29	-12.41
9	.238	41.95	62.16	-20.21	34.24	51.85	-17.61
10	.376	32.08	58.36	-26.28	28.01	48.38	-20.37



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	25.307	45.24	60.00	-14.76	37.10	50.00	-12.82
2	25.102	42.09	60.00	-17.91	26.99	50.00	-23.01
3	25.101	42.20	60.00	-17.80	26.76	50.00	-23.24
4	15.780	36.81	60.00	-23.19	31.57	50.00	-18.43
5	16.872	36.81	60.00	-23.19	29.28	50.00	-20.72
6	.300	33.78	60.25	-26.47	20.62	50.01	-29.39
7	.175	47.82	64.72	-16.90	31.51	54.37	-22.86
8	16.872	36.57	60.00	-23.43	29.28	50.00	-20.72
9	.755	29.71	56.00	-26.29	27.58	46.00	-18.42
10	.310	32.85	59.96	-27.11	20.17	49.65	-29.48



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	25.308	44.71	60.00	-15.29	36.65	50.00	-13.35
2	25.101	41.72	60.00	-18.28	27.07	50.00	-22.93
3	25.102	41.85	60.00	-18.15	26.91	50.00	-23.09
4	15.781	36.38	60.00	-23.62	31.61	50.00	-18.39
5	.313	34.97	59.88	-24.91	27.24	49.63	-22.39
6	.244	41.51	61.97	-20.46	34.19	51.66	-17.47
7	16.872	36.28	60.00	-23.72	29.34	50.00	-20.66
8	16.843	35.40	60.00	-24.60	19.48	50.00	-30.52
9	.176	49.73	64.65	-14.92	41.93	54.29	-12.36
10	.504	29.77	56.00	-26.23	20.89	46.32	-25.43