



ATTACHMENT D – TEST PLOT(S)

LG ELECTRONICS 1024x768 @75 Hz. L/B
FCC ID: BEJLB563C Rdp M:PSCV360104R PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	6.291	38.74	60.00	-21.26	36.55	50.00	-13.45
2	6.226	39.19	60.00	-20.81	38.44	50.00	-11.56
3	6.160	39.00	60.00	-21.00	37.67	50.00	-12.33
4	.194	41.62	63.85	-22.23	37.78	53.87	-16.09
5	6.356	37.61	60.00	-22.39	36.67	50.00	-13.33
6	23.192	35.07	60.00	-24.93	22.69	50.00	-27.31
7	5.964	36.40	60.00	-23.60	36.16	50.00	-13.84
8	5.964	37.09	60.00	-22.91	36.17	50.00	-13.83
9	4.850	31.70	56.00	-24.30	29.41	46.00	-16.59
10	4.981	31.94	56.00	-24.06	29.08	46.00	-16.92

LG ELECTRONICS 1024x768 @75 Hz. L/B
FCC ID: BEJLB563C Rdp M:PSCV360104R PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	6.291	34.63	60.00	-25.37	36.31	50.00	-13.69
2	6.226	34.98	60.00	-25.02	37.95	50.00	-12.05
3	.181	39.69	64.45	-24.76	39.67	54.04	-14.37
4	6.095	34.42	60.00	-25.58	38.07	50.00	-11.93
5	6.357	33.77	60.00	-26.23	36.58	50.00	-13.42
6	5.964	33.57	60.00	-26.43	36.50	50.00	-13.50
7	.588	28.08	56.00	-27.92	27.13	46.00	-18.87
8	4.981	28.97	56.00	-27.03	28.22	46.00	-17.78
9	.653	28.21	56.00	-27.79	24.80	46.00	-21.20
10	5.703	32.61	60.00	-27.39	32.17	50.00	-17.83

LG ELECTRONICS 800x600 @75 Hz. L/R
FCC ID: BEJLB563C Rdp M:PSCV360104R PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	6.292	38.94	60.00	-21.06	38.53	50.00	-11.47
2	6.227	39.35	60.00	-20.65	38.89	50.00	-11.11
3	.194	41.85	63.05	-22.00	37.93	53.09	-15.96
4	6.358	37.77	60.00	-22.23	36.93	50.00	-13.07
5	6.096	38.73	60.00	-21.27	38.28	50.00	-11.72
6	23.195	35.20	60.00	-24.80	23.69	50.00	-26.31
7	4.851	32.17	56.00	-23.83	29.40	46.00	-16.60
8	5.899	36.87	60.00	-23.13	36.19	50.00	-13.81
9	5.965	37.29	60.00	-22.71	36.55	50.00	-13.45
10	5.834	36.60	60.00	-23.40	35.02	50.00	-14.98

LG ELECTRONICS 800x600 @75 Hz. L/R
FCC ID: BEJLB563C Rdp M:PSCV360104R PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	6.227	39.26	60.00	-20.74	38.85	50.00	-11.15
2	6.227	39.30	60.00	-20.70	38.90	50.00	-11.10
3	6.358	35.60	60.00	-24.40	36.83	50.00	-13.17
4	.181	45.20	64.45	-19.25	40.35	53.98	-13.63
5	.522	30.10	56.00	-25.90	23.20	46.00	-22.80
6	.588	31.43	56.00	-24.57	29.29	46.00	-16.71
7	4.917	32.05	56.00	-23.95	29.29	46.00	-16.71
8	5.769	35.89	60.00	-24.11	34.98	50.00	-15.02
9	23.198	37.79	60.00	-22.21	28.89	50.00	-21.11
10	4.851	31.90	56.00	-24.10	30.16	46.00	-15.84

LG ELECTRONICS 640x480 @75 Hz. L/R
FCC ID: BEJLB563C Rdp M:PSCV360104R PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	6.228	39.55	60.00	-20.45	39.05	50.00	-10.95
2	.194	41.89	63.84	-21.95	37.97	53.88	-15.91
3	6.031	38.18	60.00	-21.82	37.53	50.00	-12.47
4	6.359	37.73	60.00	-22.27	36.88	50.00	-13.12
5	5.966	37.40	60.00	-22.60	36.61	50.00	-13.39
6	5.835	36.69	60.00	-23.31	35.80	50.00	-14.20
7	5.966	37.38	60.00	-22.62	36.56	50.00	-13.44
8	.654	32.01	56.00	-23.99	30.38	46.00	-15.62
9	1.047	31.16	56.00	-24.84	29.25	46.00	-16.75
10	.719	31.20	56.00	-24.80	29.37	46.00	-16.63

LG ELECTRONICS 640x480 @75 Hz. L/R
FCC ID: BEJLB563C Rdp M:PSCV360104R PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	6.228	39.34	60.00	-20.66	39.02	50.00	-10.98
2	6.228	39.33	60.00	-20.67	39.02	50.00	-10.98
3	6.294	39.00	60.00	-21.00	38.65	50.00	-11.35
4	6.097	38.52	60.00	-21.48	38.15	50.00	-11.85
5	.181	45.46	64.43	-18.97	41.20	53.83	-12.63
6	.653	31.31	56.00	-24.69	28.72	46.00	-17.28
7	4.852	32.07	56.00	-23.93	30.09	46.00	-15.91
8	4.918	32.10	56.00	-23.90	30.16	46.00	-15.84
9	4.787	31.59	56.00	-24.41	29.43	46.00	-16.57
10	.461	30.50	56.68	-26.18	26.81	46.77	-19.96

LG ELECTRONICS 1024x768 @75 Hz. L/R
FCC ID: BEJLB563C Adp Md1: ADP-36UB PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	44.26	65.94	-21.68	33.57	56.00	-22.43
2	.209	50.53	63.26	-12.73	40.79	53.28	-12.49
3	.279	45.43	60.85	-15.42	38.02	50.85	-12.83
4	.349	39.09	58.98	-19.89	31.57	49.01	-17.44
5	.419	35.73	57.46	-21.73	30.93	47.49	-16.56
6	.159	38.50	65.54	-27.04	29.61	54.94	-25.33
7	.489	33.11	56.18	-23.07	29.44	46.20	-16.76
8	.630	32.21	56.00	-23.79	28.41	46.00	-17.59
9	.206	45.90	63.35	-17.45	28.59	54.45	-25.86
10	2.178	30.53	56.00	-25.47	26.65	46.00	-19.35

LG ELECTRONICS 1024x768 @75 Hz. L/R
FCC ID: BEJLB563C Adp Md1: ADP-36UB PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	49.73	65.94	-16.21	44.21	56.00	-11.79
2	.208	47.17	63.27	-16.10	41.96	53.32	-11.36
3	.278	43.88	60.86	-16.98	37.77	50.89	-13.12
4	.488	33.41	56.20	-22.79	28.72	46.21	-17.49
5	.418	35.20	57.48	-22.28	30.92	47.50	-16.58
6	.349	36.79	59.00	-22.21	30.80	49.03	-18.23
7	.558	32.00	56.00	-24.00	27.05	46.00	-18.95
8	.629	32.07	56.00	-23.93	27.24	46.00	-18.76
9	.773	31.42	56.00	-24.58	26.79	46.00	-19.21
10	1.544	30.82	56.00	-25.18	26.04	46.00	-19.96

LG ELECTRONICS 1024x768 @75 Hz. L/R
FCC ID: BEJLB563C Adp M: SAD3612SE PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	35.48	63.63	-28.15	28.14	53.55	-25.41
2	23.207	36.78	60.00	-23.22	29.58	50.00	-20.42
3	.151	39.29	65.95	-26.66	32.48	56.00	-23.52
4	20.184	30.79	60.00	-29.21	26.53	50.00	-23.47
5	15.571	27.60	60.00	-32.40	24.01	50.00	-25.99
6	19.799	30.83	60.00	-29.17	26.45	50.00	-23.55
7	19.341	30.76	60.00	-29.24	26.02	50.00	-23.98
8	19.214	30.42	60.00	-29.58	25.88	50.00	-24.12
9	21.001	30.26	60.00	-29.74	26.13	50.00	-23.87
10	19.552	30.84	60.00	-29.16	26.09	50.00	-23.91

LG ELECTRONICS 1024x768 @75 Hz. L/R
FCC ID: BEJLB563C Adp M: SAD3612SE PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.203	35.81	60.00	-24.19	29.30	50.00	-20.70
2	23.203	35.69	60.00	-24.31	29.36	50.00	-20.64
3	.184	44.87	64.32	-19.45	38.28	53.92	-15.64
4	.151	49.49	65.95	-16.46	43.77	56.00	-12.23
5	11.210	25.21	60.00	-34.79	20.85	50.00	-29.15
6	.443	30.93	57.00	-26.07	21.80	46.52	-24.72
7	23.154	32.69	60.00	-27.31	21.01	50.00	-28.99
8	.442	30.96	57.03	-26.07	22.02	47.24	-25.22
9	.278	34.98	60.88	-25.90	29.13	50.69	-21.56
10	23.028	27.60	60.00	-32.40	22.77	50.00	-27.23

LG ELECTRONICS 1024x768 @75 Hz. L/R
FCC ID: BEJLB563C AdpM:API-200-98010 PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.152	48.81	65.92	-17.11	45.34	56.00	-10.66
2	.418	33.78	57.49	-23.71	19.22	47.64	-28.42
3	.151	48.62	65.92	-17.30	32.23	55.54	-23.31
4	3.416	34.99	56.00	-21.01	32.08	46.00	-13.92
5	.418	33.97	57.50	-23.53	20.15	47.57	-27.42
6	3.347	35.12	56.00	-20.88	32.26	46.00	-13.74
7	3.487	34.69	56.00	-21.31	31.29	46.00	-14.71
8	3.278	34.44	56.00	-21.56	31.39	46.00	-14.61
9	.207	36.68	63.33	-26.65	33.32	53.34	-20.02
10	3.139	34.02	56.00	-21.98	29.60	46.00	-16.40

LG ELECTRONICS 1024x768 @75 Hz. L/R
FCC ID: BEJLB563C AdpM:API-200-98010 PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	51.14	65.93	-14.79	48.10	56.00	-7.90
2	.174	46.21	64.76	-18.55	40.33	54.34	-14.01
3	3.367	35.00	56.00	-20.92	31.99	46.00	-14.01
4	3.438	34.90	56.00	-21.10	32.12	46.00	-13.88
5	.404	34.16	57.77	-23.61	22.02	47.59	-25.57
6	3.298	34.98	56.00	-21.02	31.42	46.00	-14.58
7	3.229	35.05	56.00	-20.95	33.01	46.00	-12.99
8	3.790	33.61	56.00	-22.39	30.81	46.00	-15.19
9	.151	51.10	65.93	-14.83	42.90	55.52	-12.62
10	3.651	34.09	56.00	-21.91	30.74	46.00	-15.26