




ATTACHMENT D – TEST PLOT(S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	47.48	63.66	-16.18	41.16	53.80	-12.64
2	23.003	39.55	60.00	-20.45	29.27	50.00	-20.73
3	23.004	39.67	60.00	-20.33	28.62	50.00	-21.38
4	23.005	39.63	60.00	-20.37	32.19	50.00	-17.81
5	2.112	33.94	56.00	-22.06	27.91	46.00	-18.09
6	.353	30.34	58.89	-28.55	19.12	48.72	-29.60
7	.299	37.62	60.26	-22.64	35.74	50.29	-14.55
8	.601	32.39	56.00	-23.61	30.54	46.00	-15.46
9	2.413	31.90	56.00	-24.10	27.10	46.00	-18.90
10	.500	32.43	56.00	-23.57	30.44	46.02	-15.58




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.186	48.88	64.19	-15.31	41.68	53.80	-12.12
2	1.907	36.59	56.00	-19.41	28.09	46.00	-17.91
3	2.012	40.08	56.00	-15.92	31.47	46.00	-14.53
4	2.413	37.51	56.00	-18.49	30.33	46.00	-15.67
5	2.112	39.22	56.00	-16.78	30.24	46.00	-15.76
6	2.514	36.03	56.00	-19.97	28.08	46.00	-17.92
7	1.806	35.22	56.00	-20.78	27.53	46.00	-18.47
8	23.005	38.90	60.00	-21.10	31.82	50.00	-18.18
9	2.313	36.33	56.00	-19.67	27.57	46.00	-18.43
10	2.715	35.14	56.00	-20.86	27.51	46.00	-18.49




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.112	38.33	56.00	-17.67	29.51	46.00	-16.49
2	.193	48.17	63.90	-15.73	43.25	53.74	-10.49
3	2.413	36.66	56.00	-19.34	29.80	46.00	-16.20
4	1.906	36.23	56.00	-19.77	27.70	46.00	-18.30
5	23.005	39.83	60.00	-20.17	33.32	50.00	-16.68
6	2.714	34.41	56.00	-21.59	27.49	46.00	-18.51
7	.422	29.09	57.40	-28.31	22.31	47.21	-24.90
8	2.011	39.28	56.00	-16.72	30.70	46.00	-15.30
9	2.212	33.48	56.00	-22.52	24.86	46.00	-21.14
10	2.514	35.21	56.00	-20.79	27.01	46.00	-18.99




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	47.02	63.66	-16.64	40.84	53.80	-12.96
2	23.007	41.22	60.00	-18.78	34.50	50.00	-15.50
3	.500	32.25	56.00	-23.75	30.03	46.00	-15.99
4	.218	42.65	62.90	-20.25	25.13	52.55	-27.42
5	.601	32.06	56.00	-23.94	30.09	46.00	-15.91
6	.299	37.30	60.27	-22.97	28.61	50.37	-21.76
7	2.413	31.53	56.00	-24.47	26.11	46.00	-19.89
8	.164	49.63	65.25	-15.62	31.01	54.80	-23.79
9	.335	31.36	59.33	-27.97	19.69	49.24	-29.55
10	1.304	30.83	56.00	-25.17	28.64	46.00	-17.36




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	46.81	63.67	-16.86	40.58	53.80	-13.22
2	23.001	41.44	60.00	-18.56	30.17	50.00	-19.83
3	.500	32.09	56.00	-23.91	29.61	46.00	-16.41
4	2.011	33.19	56.00	-22.81	26.98	46.00	-19.02
5	.902	31.41	56.00	-24.59	29.47	46.00	-16.53
6	.357	29.59	58.79	-29.20	19.88	48.57	-28.69
7	.500	32.03	56.00	-23.97	29.51	46.00	-16.51
8	.299	37.13	60.27	-23.14	34.98	50.30	-15.32
9	.600	31.81	56.00	-24.19	29.98	46.00	-16.02
10	15.335	34.86	60.00	-25.14	29.68	50.00	-20.32




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.186	49.32	64.20	-14.88	42.59	53.76	-11.17
2	2.413	36.45	56.00	-19.55	29.57	46.00	-16.43
3	23.001	40.27	60.00	-19.73	33.57	50.00	-16.43
4	23.001	40.21	60.00	-19.79	33.87	50.00	-16.13
5	2.514	35.29	56.00	-20.71	27.45	46.00	-18.55
6	.423	29.09	57.40	-28.31	22.29	47.22	-24.93
7	1.906	35.53	56.00	-20.47	27.08	46.00	-18.92
8	2.815	34.57	56.00	-21.43	28.52	46.00	-17.48
9	22.833	30.10	60.00	-29.90	20.63	50.00	-29.37
10	1.806	34.71	56.00	-21.29	25.76	46.00	-20.24




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	46.87	63.67	-16.80	36.41	53.85	-17.44
2	23.001	37.61	60.00	-22.39	31.64	50.00	-18.36
3	.300	37.18	60.24	-23.06	34.75	50.31	-15.56
4	22.830	27.83	60.00	-32.17	21.03	50.00	-28.97
5	.601	31.79	56.00	-24.21	29.81	46.00	-16.19
6	.423	26.21	57.38	-31.17	18.55	47.39	-28.84
7	2.514	30.17	56.00	-25.83	24.61	46.00	-21.39
8	.500	31.93	56.00	-24.07	29.21	46.00	-16.82
9	1.806	30.24	56.00	-25.76	24.04	46.00	-21.96
10	2.011	33.57	56.00	-22.43	27.22	46.00	-18.78




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.112	38.07	56.00	-17.93	29.16	46.00	-16.84
2	.188	49.25	64.13	-14.88	43.24	53.73	-10.49
3	2.011	38.79	56.00	-17.21	30.26	46.00	-15.74
4	2.413	36.21	56.00	-19.79	29.40	46.00	-16.60
5	2.514	35.10	56.00	-20.90	27.16	46.00	-18.84
6	1.907	35.41	56.00	-20.59	27.17	46.00	-18.83
7	2.715	33.83	56.00	-22.17	26.62	46.00	-19.38
8	1.806	34.38	56.00	-21.62	25.98	46.00	-20.02
9	3.619	32.79	56.00	-23.21	27.38	46.00	-18.62
10	2.212	34.82	56.00	-21.18	24.62	46.00	-21.38




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	46.72	63.66	-16.94	40.65	53.80	-13.15
2	2.112	33.57	56.00	-22.43	27.52	46.00	-18.48
3	.427	25.40	57.30	-31.90	18.33	47.13	-28.80
4	.300	37.10	60.24	-23.14	35.35	50.28	-14.93
5	.601	31.92	56.00	-24.08	30.12	46.00	-15.88
6	2.413	31.37	56.00	-24.63	26.31	46.00	-19.69
7	.500	32.06	56.00	-23.94	30.02	46.00	-16.00
8	.307	32.95	60.06	-27.11	20.13	49.82	-29.69
9	.701	28.36	56.00	-27.64	24.82	46.00	-21.18
10	.902	31.40	56.00	-24.60	29.67	46.00	-16.33




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.187	48.97	64.17	-15.20	41.71	53.80	-12.09
2	1.906	35.91	56.00	-20.09	27.45	46.00	-18.55
3	2.514	35.30	56.00	-20.70	27.29	46.00	-18.91
4	2.413	36.53	56.00	-19.47	29.50	46.00	-16.44
5	1.705	34.74	56.00	-21.26	29.77	46.00	-16.23
6	2.815	34.56	56.00	-21.44	28.48	46.00	-17.52
7	1.806	34.49	56.00	-21.51	25.83	46.00	-20.17
8	2.715	34.13	56.00	-21.87	26.62	46.00	-19.38
9	1.605	33.67	56.00	-22.33	29.08	46.00	-16.92
10	4.824	33.33	56.00	-22.67	25.99	46.00	-20.01




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.200	47.99	63.61	-15.62	41.58	53.61	-12.03
2	2.026	34.29	56.00	-21.71	24.43	46.00	-21.57
3	.151	50.70	65.94	-15.24	34.35	55.68	-21.33
4	.605	33.48	56.00	-22.52	26.63	46.00	-19.37
5	2.127	33.39	56.00	-22.61	23.95	46.00	-22.05
6	.301	37.31	60.21	-22.90	26.81	50.32	-23.51
7	.504	33.63	56.00	-22.37	26.39	46.00	-19.61
8	.908	32.95	56.00	-23.05	25.98	46.00	-20.02
9	2.329	31.36	56.00	-24.64	21.88	46.00	-24.12
10	1.616	30.76	56.00	-25.24	23.59	46.00	-22.41




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.025	39.44	56.00	-16.56	25.62	46.00	-20.38
2	.187	49.31	64.17	-14.86	40.42	53.76	-13.34
3	2.531	34.02	56.00	-21.98	22.26	46.00	-23.74
4	2.835	34.98	56.00	-21.02	23.21	46.00	-22.79
5	1.717	34.72	56.00	-21.28	25.26	46.00	-20.74
6	3.138	33.97	56.00	-22.03	22.80	46.00	-23.20
7	1.920	35.02	56.00	-20.98	24.00	46.00	-22.00
8	.151	53.68	65.95	-12.27	45.64	56.00	-10.36
9	3.947	32.04	56.00	-23.96	22.80	46.00	-23.20
10	1.616	33.83	56.00	-22.17	25.50	46.00	-20.50




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.200	48.01	63.60	-15.59	41.40	53.58	-12.18
2	.504	33.67	56.00	-22.33	26.24	46.00	-19.76
3	2.430	32.83	56.00	-23.17	23.86	46.00	-22.14
4	.151	50.62	65.95	-15.33	34.19	55.54	-21.35
5	2.531	29.85	56.00	-26.15	22.12	46.00	-23.88
6	.605	33.44	56.00	-22.56	26.48	46.00	-19.52
7	.908	33.08	56.00	-22.92	25.83	46.00	-20.17
8	.301	37.47	60.21	-22.74	31.82	50.23	-18.41
9	1.313	32.37	56.00	-23.63	25.20	46.00	-20.80
10	.236	40.03	62.22	-22.19	24.78	51.91	-27.13




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.200	48.06	63.61	-15.55	41.71	53.64	-11.93
2	.151	50.86	65.94	-15.08	35.35	55.84	-20.49
3	.504	33.53	56.00	-22.47	26.56	46.00	-19.44
4	.908	33.04	56.00	-22.96	25.85	46.00	-20.15
5	.605	33.52	56.00	-22.48	26.69	46.00	-19.31
6	.236	40.30	62.24	-21.94	25.01	51.97	-26.96
7	.301	37.52	60.21	-22.69	31.89	50.21	-18.32
8	1.616	30.66	56.00	-25.34	23.79	46.00	-22.21
9	1.313	32.24	56.00	-23.76	24.95	46.00	-21.05
10	1.717	31.36	56.00	-24.64	24.02	46.00	-21.98




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.200	48.20	63.61	-15.41	39.27	53.72	-14.45
2	2.126	33.77	56.00	-22.23	23.63	46.00	-22.37
3	.301	37.52	60.20	-22.68	31.57	50.24	-18.67
4	.503	33.96	56.00	-22.04	26.21	46.00	-19.79
5	.605	33.83	56.00	-22.17	27.07	46.00	-18.93
6	2.328	31.00	56.00	-25.00	21.71	46.00	-24.29
7	.151	50.88	65.93	-15.05	33.02	55.30	-22.28
8	.908	33.29	56.00	-22.71	25.58	46.00	-20.42
9	1.717	31.54	56.00	-24.46	24.68	46.00	-21.32
10	1.312	32.53	56.00	-23.47	25.18	46.00	-20.82




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.025	39.48	56.00	-16.52	25.71	46.00	-20.29
2	.188	48.79	64.11	-15.32	41.58	53.66	-12.08
3	2.126	38.11	56.00	-17.89	24.23	46.00	-21.77
4	2.834	35.27	56.00	-20.73	23.71	46.00	-22.29
5	1.717	35.00	56.00	-21.00	25.58	46.00	-20.42
6	2.429	37.61	56.00	-18.39	25.13	46.00	-20.87
7	.460	30.09	50.70	-20.61	21.28	46.38	-25.10
8	3.239	33.25	56.00	-22.75	22.04	46.00	-23.96
9	.151	53.42	65.95	-12.53	45.31	56.00	-10.69
10	3.137	34.18	56.00	-21.82	23.44	46.00	-22.56




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.200	48.20	63.60	-15.40	39.28	53.72	-14.44
2	.151	50.91	65.95	-15.04	35.26	56.00	-20.74
3	2.025	34.35	56.00	-21.65	24.46	46.00	-21.54
4	2.126	33.51	56.00	-22.49	24.10	46.00	-21.90
5	2.834	30.83	56.00	-25.17	22.64	46.00	-23.36
6	.504	33.92	56.00	-22.08	27.15	46.00	-18.85
7	.605	33.84	56.00	-22.16	26.70	46.00	-19.30
8	1.312	32.58	56.00	-23.42	25.23	46.00	-20.77
9	.301	37.46	60.21	-22.75	31.86	50.22	-18.36
10	.908	33.36	56.00	-22.64	25.77	46.00	-20.23



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.190	48.61	64.03	-15.42	41.11	53.71	-12.60
2	2.429	37.47	56.00	-18.53	24.48	46.00	-21.52
3	1.919	35.26	56.00	-20.74	24.08	46.00	-21.92
4	2.834	35.16	56.00	-20.84	23.54	46.00	-22.46
5	.151	53.46	65.94	-12.48	45.37	56.00	-10.63
6	2.530	34.04	56.00	-21.96	21.98	46.00	-24.02
7	3.137	34.05	56.00	-21.95	23.10	46.00	-22.90
8	1.616	34.09	56.00	-21.91	25.69	46.00	-20.31
9	2.329	36.87	56.00	-19.13	24.49	46.00	-21.51
10	3.542	32.96	56.00	-23.04	23.00	46.00	-23.00



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.200	48.45	63.61	-15.16	41.26	53.72	-12.46
2	1.918	35.56	56.00	-20.44	23.77	46.00	-22.23
3	.155	53.20	65.73	-12.53	43.71	55.25	-11.54
4	2.428	37.40	56.00	-18.60	23.54	46.00	-22.46
5	2.732	35.31	56.00	-20.69	23.83	46.00	-22.17
6	2.328	36.93	56.00	-19.07	24.27	46.00	-21.73
7	1.615	33.06	56.00	-22.94	25.27	46.00	-20.73
8	.354	32.90	58.86	-25.96	25.03	48.64	-23.61
9	.332	34.28	59.39	-25.11	26.39	49.25	-22.86
10	.403	31.30	57.80	-26.50	22.73	47.50	-24.77



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.200	48.00	63.61	-15.61	35.17	53.80	-18.63
2	2.025	33.88	56.00	-22.12	24.17	46.00	-21.83
3	.151	50.94	65.95	-15.01	34.93	56.00	-21.07
4	.504	33.56	56.00	-22.44	26.41	46.00	-19.59
5	.454	25.64	56.81	-31.17	18.73	46.79	-28.06
6	.605	33.32	56.00	-22.68	26.58	46.00	-19.42
7	2.834	30.72	56.00	-25.28	22.77	46.00	-23.23
8	2.531	30.01	56.00	-25.99	21.47	46.00	-24.53
9	.908	32.92	56.00	-23.08	25.92	46.00	-20.08
10	.152	50.84	65.89	-15.05	33.45	55.44	-21.99