


LGE FCC ID: BEJLB800H FCC-B
1280 x 1024 @ 60Hz. Digital LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.276	34.32	56.00	-21.68	29.78	46.00	-16.22
2	1.669	32.43	56.00	-23.57	29.59	46.00	-16.41
3	1.571	32.31	56.00	-23.69	28.07	46.00	-17.93
4	1.965	31.49	56.00	-24.51	28.71	46.00	-17.29
5	1.375	32.13	56.00	-23.87	27.09	46.00	-18.91
6	3.346	29.26	56.00	-26.74	23.89	46.00	-22.11
7	3.247	28.11	56.00	-27.89	23.07	46.00	-22.93
8	2.461	30.31	56.00	-25.69	26.15	46.00	-19.85
9	.194	38.72	63.85	-25.13	29.02	54.03	-25.01
10	1.179	31.91	56.00	-24.09	26.80	46.00	-19.20

LGE FCC ID: BEJLB800H FCC-B
1280 x 1024 @ 60Hz. Digital LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.461	32.26	56.00	-23.74	27.65	46.00	-18.35
2	1.276	35.30	56.00	-20.70	29.31	46.00	-16.69
3	2.067	32.73	56.00	-23.27	28.76	46.00	-17.24
4	3.936	32.27	56.00	-23.73	26.53	46.00	-19.47
5	2.658	32.27	56.00	-23.73	27.80	46.00	-18.20
6	2.854	31.39	56.00	-24.61	26.35	46.00	-19.65
7	1.670	33.82	56.00	-22.18	29.38	46.00	-16.62
8	3.740	32.07	56.00	-23.93	27.36	46.00	-18.64
9	1.374	33.05	56.00	-22.95	26.55	46.00	-19.45
10	3.543	32.60	56.00	-23.40	27.17	46.00	-18.83

LGE FCC ID: BEJLB800H FCC-B
640 x 480 43KHz./85Hz. Analog L-A


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.223	37.16	60.00	-22.84	30.00	50.00	-19.92
2	1.277	34.14	56.00	-21.86	29.85	46.00	-16.15
3	2.752	41.94	56.00	-14.06	28.24	46.00	-17.76
4	1.178	31.78	56.00	-24.22	26.55	46.00	-19.45
5	15.483	35.34	60.00	-24.66	29.34	50.00	-20.66
6	1.571	32.15	56.00	-23.85	27.90	46.00	-18.10
7	1.669	32.30	56.00	-23.70	29.48	46.00	-16.52
8	1.965	31.25	56.00	-24.75	28.62	46.00	-17.38
9	2.363	30.50	56.00	-25.50	28.53	46.00	-17.47
10	2.658	30.13	56.00	-25.87	26.64	46.00	-19.36

LGE FCC ID: BEJLB800H FCC-B
640 x 480 43KHz./85Hz. Analog L-B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	3.444	32.15	56.00	-23.85	28.83	46.00	-17.17
2	2.756	32.71	56.00	-23.29	29.52	46.00	-16.48
3	3.149	32.60	56.00	-23.40	28.07	46.00	-17.93
4	1.276	35.10	56.00	-20.90	29.26	46.00	-16.74
5	3.543	32.67	56.00	-23.33	27.10	46.00	-18.90
6	1.669	33.78	56.00	-22.22	29.54	46.00	-16.46
7	4.428	32.14	56.00	-23.86	26.03	46.00	-19.97
8	4.625	32.47	56.00	-23.53	26.90	46.00	-19.10
9	1.571	33.45	56.00	-22.55	27.59	46.00	-18.41
10	3.838	32.35	56.00	-23.65	28.50	46.00	-17.50




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.276	34.22	56.00	-21.78	29.82	46.00	-16.18
2	2.068	31.28	56.00	-24.72	28.66	46.00	-17.34
3	3.051	29.57	56.00	-26.43	25.92	46.00	-20.08
4	2.363	30.56	56.00	-25.44	28.28	46.00	-17.72
5	2.854	29.77	56.00	-26.23	25.34	46.00	-20.66
6	1.375	32.36	56.00	-23.64	27.40	46.00	-18.60
7	1.571	31.90	56.00	-24.10	27.84	46.00	-18.16
8	1.670	32.47	56.00	-23.53	29.68	46.00	-16.32
9	1.178	31.46	56.00	-24.54	26.72	46.00	-19.28
10	2.707	22.91	56.00	-33.09	27.76	46.00	-18.24



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.363	32.47	56.00	-23.53	29.31	46.00	-16.69
2	3.543	32.77	56.00	-23.23	27.81	46.00	-18.19
3	1.276	35.13	56.00	-20.87	29.19	46.00	-16.81
4	2.461	32.63	56.00	-23.37	28.38	46.00	-17.62
5	1.571	33.37	56.00	-22.63	27.51	46.00	-18.49
6	4.329	32.37	56.00	-23.63	26.38	46.00	-19.62
7	1.670	33.83	56.00	-22.17	29.70	46.00	-16.30
8	4.821	31.86	56.00	-24.14	26.03	46.00	-19.97
9	1.178	32.18	56.00	-23.82	25.73	46.00	-20.27
10	1.374	33.50	56.00	-22.50	27.45	46.00	-18.55

LGE FCC ID: BEJLB800H FCC-B
1024x768 69KHz./85Hz. Analog L-R


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.276	34.29	56.00	-21.71	29.93	46.00	-16.07
2	15.357	35.04	60.00	-24.96	25.47	50.00	-24.53
3	2.756	30.55	56.00	-25.45	28.06	46.00	-17.94
4	3.149	30.01	56.00	-25.99	26.32	46.00	-19.68
5	2.067	31.37	56.00	-24.63	28.76	46.00	-17.24
6	3.444	29.45	56.00	-26.55	25.94	46.00	-20.06
7	2.363	30.69	56.00	-25.31	28.64	46.00	-17.36
8	1.669	32.52	56.00	-23.48	29.90	46.00	-16.10
9	1.374	32.36	56.00	-23.64	27.89	46.00	-18.11
10	1.964	31.45	56.00	-24.55	28.44	46.00	-17.56

LGE FCC ID: BEJLB800H FCC-B
1024x768 69KHz./85Hz. Analog L-R


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.461	32.65	56.00	-23.35	28.08	46.00	-17.92
2	2.264	31.63	56.00	-24.37	25.58	46.00	-20.42
3	1.276	35.23	56.00	-20.77	29.41	46.00	-16.59
4	2.854	32.34	56.00	-23.66	26.60	46.00	-19.40
5	2.362	32.54	56.00	-23.46	29.65	46.00	-16.35
6	3.247	31.66	56.00	-24.34	25.38	46.00	-20.62
7	3.739	32.28	56.00	-23.72	26.98	46.00	-19.02
8	1.669	33.87	56.00	-22.13	29.75	46.00	-16.25
9	3.936	32.75	56.00	-23.25	26.86	46.00	-19.14
10	4.231	32.43	56.00	-23.57	27.70	46.00	-18.30



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.266	29.36	56.00	-26.64	25.03	46.00	-20.97
2	1.277	33.53	56.00	-22.47	29.30	46.00	-16.70
3	2.069	30.37	56.00	-25.63	27.67	46.00	-18.33
4	23.044	35.74	60.00	-24.26	27.90	50.00	-22.10
5	1.179	31.67	56.00	-24.33	26.40	46.00	-19.60
6	1.572	31.63	56.00	-24.37	27.54	46.00	-18.46
7	2.364	29.95	56.00	-26.05	28.06	46.00	-17.94
8	2.758	29.97	56.00	-26.03	27.13	46.00	-18.87
9	2.954	28.85	56.00	-27.15	23.46	46.00	-22.54
10	23.234	34.23	60.00	-25.77	21.99	50.00	-28.01



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	3.149	32.67	56.00	-23.33	28.77	46.00	-17.23
2	3.542	32.71	56.00	-23.29	28.04	46.00	-17.96
3	1.276	35.26	56.00	-20.74	29.33	46.00	-16.67
4	2.363	32.65	56.00	-23.35	29.58	46.00	-16.42
5	1.571	33.62	56.00	-22.38	27.80	46.00	-18.20
6	1.669	33.85	56.00	-22.15	29.66	46.00	-16.34
7	1.965	32.94	56.00	-23.06	28.95	46.00	-17.05
8	4.428	32.20	56.00	-23.80	26.10	46.00	-19.90
9	2.756	33.00	56.00	-23.00	30.00	46.00	-16.00
10	1.374	33.56	56.00	-22.44	19.62	46.00	-26.38