




ATTACHMENT D – TEST PLOT(S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.199	47.34	63.66	-16.32	46.14	53.65	-7.51
2	1.907	37.47	56.00	-18.53	28.04	46.00	-17.96
3	2.113	37.79	56.00	-18.21	31.03	46.00	-14.97
4	2.012	38.95	56.00	-17.05	31.50	46.00	-14.50
5	1.700	35.77	56.00	-20.23	30.61	46.00	-15.39
6	1.807	35.10	56.00	-20.90	28.57	46.00	-17.43
7	2.414	35.30	56.00	-20.70	30.63	46.00	-15.37
8	2.314	35.48	56.00	-20.52	29.15	46.00	-16.85
9	2.716	33.51	56.00	-22.49	29.24	46.00	-16.76
10	2.299	36.80	60.26	-23.46	33.85	50.14	-16.29




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.313	40.77	56.00	-15.23	32.55	46.00	-13.45
2	1.907	40.54	56.00	-15.46	32.72	46.00	-13.28
3	2.112	41.62	56.00	-14.38	32.10	46.00	-13.90
4	2.012	42.96	56.00	-13.04	35.05	46.00	-10.95
5	2.414	40.30	56.00	-15.70	33.03	46.00	-12.97
6	1.605	38.69	56.00	-17.31	34.40	46.00	-11.60
7	1.186	48.89	64.20	-15.31	43.54	53.64	-10.10
8	1.700	38.27	56.00	-17.73	33.83	46.00	-12.17
9	2.815	38.12	56.00	-17.88	29.91	46.00	-16.09
10	4.825	37.15	56.00	-18.85	31.32	46.00	-14.68




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	47.27	63.66	-16.39	41.01	53.80	-12.79
2	1.907	37.32	56.00	-18.68	28.14	46.00	-17.86
3	2.112	37.58	56.00	-18.42	31.03	46.00	-14.97
4	2.012	38.77	56.00	-17.23	31.54	46.00	-14.46
5	1.706	35.63	56.00	-20.37	30.85	46.00	-15.15
6	2.414	35.16	56.00	-20.84	30.74	46.00	-15.26
7	2.313	35.19	56.00	-20.81	29.25	46.00	-16.75
8	1.906	34.79	56.00	-21.21	28.09	46.00	-17.91
9	.500	34.11	56.00	-21.89	32.76	46.02	-13.26
10	.601	34.42	56.00	-21.58	33.15	46.00	-12.85




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.112	41.35	56.00	-14.65	31.62	46.00	-14.38
2	2.414	40.20	56.00	-15.80	32.76	46.00	-13.24
3	1.907	40.34	56.00	-15.66	33.20	46.00	-12.80
4	2.313	40.57	56.00	-15.43	33.04	46.00	-12.96
5	2.715	38.11	56.00	-17.89	31.83	46.00	-14.17
6	1.605	38.52	56.00	-17.48	34.36	46.00	-11.64
7	2.012	42.77	56.00	-13.23	35.13	46.00	-10.87
8	.186	49.06	64.20	-15.14	41.91	53.80	-11.89
9	4.724	37.77	56.00	-18.23	31.63	46.00	-14.37
10	4.925	37.13	56.00	-18.87	31.54	46.00	-14.46




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	47.16	63.66	-16.50	46.07	53.68	-7.61
2	2.011	38.79	56.00	-17.21	31.68	46.00	-14.32
3	2.112	37.44	56.00	-18.56	30.58	46.00	-15.42
4	1.907	37.46	56.00	-18.54	28.46	46.00	-17.54
5	2.413	35.14	56.00	-20.86	30.50	46.00	-15.50
6	1.706	35.67	56.00	-20.33	30.53	46.00	-15.47
7	.601	34.28	56.00	-21.72	33.04	46.00	-12.96
8	2.514	33.90	56.00	-22.10	28.43	46.00	-17.57
9	.500	34.25	56.00	-21.75	32.96	46.02	-13.06
10	2.313	35.22	56.00	-20.78	29.67	46.00	-16.33




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.112	41.49	56.00	-14.51	31.54	46.00	-14.46
2	2.413	40.20	56.00	-15.80	32.64	46.00	-13.36
3	2.011	42.69	56.00	-13.31	35.07	46.00	-10.93
4	4.724	37.78	56.00	-18.22	31.82	46.00	-14.18
5	2.313	40.50	56.00	-15.50	33.03	46.00	-12.97
6	2.715	38.07	56.00	-17.93	31.93	46.00	-14.07
7	4.925	37.27	56.00	-18.73	32.17	46.00	-13.83
8	1.605	38.58	56.00	-17.42	34.29	46.00	-11.71
9	.188	49.20	64.12	-14.92	42.04	53.80	-11.76
10	1.706	38.17	56.00	-17.83	33.42	46.00	-12.58




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	47.03	63.67	-16.64	45.94	53.70	-7.76
2	1.907	37.37	56.00	-18.63	28.62	46.00	-17.38
3	2.011	38.65	56.00	-17.35	31.63	46.00	-14.37
4	2.112	37.03	56.00	-18.97	30.42	46.00	-15.58
5	2.313	35.25	56.00	-20.75	29.63	46.00	-16.37
6	.601	34.32	56.00	-21.68	33.11	46.00	-12.89
7	2.413	35.06	56.00	-20.94	30.49	46.00	-15.51
8	.500	34.27	56.00	-21.73	32.91	46.00	-13.11
9	1.705	35.57	56.00	-20.43	30.30	46.00	-15.70
10	1.806	34.27	56.00	-21.73	27.11	46.00	-18.89



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.112	41.30	56.00	-14.70	31.65	46.00	-14.35
2	2.012	42.51	56.00	-13.49	35.07	46.00	-10.93
3	1.907	39.67	56.00	-16.33	32.41	46.00	-13.59
4	2.413	40.03	56.00	-15.97	33.14	46.00	-12.86
5	2.313	40.29	56.00	-15.71	32.52	46.00	-13.48
6	2.614	36.48	56.00	-19.52	27.76	46.00	-18.24
7	1.705	39.13	56.00	-17.87	33.79	46.00	-12.21
8	1.605	38.45	56.00	-17.55	34.34	46.00	-11.66
9	2.715	37.96	56.00	-18.04	32.01	46.00	-13.99
10	4.723	37.87	56.00	-18.13	31.97	46.00	-14.03



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	47.32	63.66	-16.34	46.33	53.70	-7.37
2	2.112	37.56	56.00	-18.44	31.37	46.00	-14.63
3	1.906	37.00	56.00	-19.00	27.70	46.00	-18.30
4	1.705	35.48	56.00	-20.52	31.31	46.00	-14.69
5	2.413	35.22	56.00	-20.78	30.78	46.00	-15.22
6	2.011	38.69	56.00	-17.31	31.21	46.00	-14.79
7	2.212	33.61	56.00	-22.39	28.37	46.00	-17.63
8	1.806	34.96	56.00	-21.04	28.59	46.00	-17.41
9	.601	34.61	56.00	-21.39	33.26	46.00	-12.74
10	2.715	33.41	56.00	-22.59	28.72	46.00	-17.28



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.907	40.03	56.00	-15.97	32.32	46.00	-13.68
2	2.112	41.59	56.00	-14.41	31.43	46.00	-14.57
3	2.011	42.74	56.00	-13.26	34.53	46.00	-11.47
4	2.413	40.15	56.00	-15.85	32.55	46.00	-13.45
5	2.312	40.37	56.00	-15.63	32.46	46.00	-13.54
6	2.212	37.37	56.00	-18.63	28.13	46.00	-17.87
7	1.605	38.29	56.00	-17.71	34.14	46.00	-11.86
8	4.924	36.97	56.00	-19.03	31.20	46.00	-14.80
9	2.714	37.97	56.00	-18.03	31.35	46.00	-14.65
10	.186	49.38	64.19	-14.81	43.89	53.65	-9.76