


LGE FCC ID: BEJLM295B (FLATRON LCD)

w/ADP-80BB P.S / S-Video IN LINE A

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.157	53.52	65.64	-12.12	48.60	55.77	-7.17
2	1.464	40.87	56.00	-15.13	40.14	46.00	-5.86
3	1.232	40.90	56.00	-15.10	39.79	46.00	-6.21
4	.538	40.51	56.00	-15.49	39.88	46.00	-6.12
5	1.309	40.20	56.00	-15.80	38.57	46.00	-7.43
6	1.541	40.05	56.00	-15.95	37.93	46.00	-8.07
7	1.699	40.60	56.00	-15.40	39.39	46.00	-6.61
8	.306	42.96	60.07	-17.11	42.17	49.96	-7.79
9	.769	40.40	56.00	-15.60	39.72	46.00	-6.28
10	1.001	40.72	56.00	-15.28	40.11	46.00	-5.89

LGE FCC ID: BEJLM295B (FLATRON LCD)

w/ADP-80BB P.S / S-Video IN LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	53.96	65.67	-11.71	49.52	56.00	-6.48
2	1.463	41.29	56.00	-14.71	40.33	46.00	-5.67
3	1.232	41.37	56.00	-14.63	40.50	46.00	-5.50
4	.384	41.72	58.20	-16.48	40.59	48.23	-7.64
5	1.001	41.27	56.00	-14.73	40.45	46.00	-5.55
6	.769	40.88	56.00	-15.12	40.27	46.00	-5.73
7	1.309	40.82	56.00	-15.18	39.38	46.00	-6.62
8	.615	40.64	56.00	-15.36	39.44	46.00	-6.56
9	.537	40.95	56.00	-15.05	39.62	46.00	-6.38
10	1.695	40.92	56.00	-15.08	39.61	46.00	-6.39

LGE FCC ID: BEJLM295B (FLATRON LCD)

w/ADP-80BB P.S/Composite IN LINE A

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.155	53.05	65.72	-12.67	49.17	55.84	-6.67
2	1.464	40.82	56.00	-15.18	40.00	46.00	-6.00
3	.538	40.40	56.00	-15.60	39.49	46.00	-6.51
4	1.232	40.85	56.00	-15.15	40.11	46.00	-5.89
5	1.001	40.60	56.00	-15.40	40.00	46.00	-6.00
6	.769	40.24	56.00	-15.76	39.49	46.00	-6.51
7	1.695	40.42	56.00	-15.58	39.33	46.00	-6.67
8	1.078	40.09	56.00	-15.91	38.78	46.00	-7.22
9	1.310	40.21	56.00	-15.79	38.58	46.00	-7.42
10	1.541	40.04	56.00	-15.96	37.99	46.00	-8.01

LGE FCC ID: BEJLM295B (FLATRON LCD)

w/ADP-80BB P.S/Composite IN LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	53.08	65.68	-12.60	49.18	55.69	-6.51
2	1.232	40.94	56.00	-15.06	40.14	46.00	-5.86
3	1.464	40.85	56.00	-15.15	38.90	46.00	-7.10
4	1.001	40.67	56.00	-15.33	39.93	46.00	-6.07
5	1.699	40.55	56.00	-15.45	39.48	46.00	-6.52
6	.384	41.05	58.20	-17.15	40.16	48.22	-8.06
7	.538	40.47	56.00	-15.53	40.07	46.00	-5.93
8	.769	40.30	56.00	-15.70	39.76	46.00	-6.24
9	1.310	40.26	56.00	-15.74	38.56	46.00	-7.44
10	1.541	40.13	56.00	-15.87	37.94	46.00	-8.06

LGE FCC ID:BEJLM295B ADP-80BB P.S
1600x1200 94KHz./75Hz.(Analog)LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.154	53.47	65.76	-12.29	47.69	56.00	-8.31
2	25.184	43.69	60.00	-16.31	37.88	50.00	-12.12
3	1.464	40.80	56.00	-15.20	40.02	46.00	-5.98
4	25.185	43.73	60.00	-16.27	37.88	50.00	-12.12
5	1.001	40.65	56.00	-15.35	40.09	46.00	-5.91
6	1.232	40.90	56.00	-15.10	38.79	46.00	-7.21
7	1.695	40.53	56.00	-15.47	39.54	46.00	-6.46
8	.769	40.34	56.00	-15.66	39.77	46.00	-6.23
9	.384	41.06	58.20	-17.14	40.17	48.22	-8.05
10	.538	40.50	56.00	-15.50	40.03	46.00	-5.97

LGE FCC ID:BEJLM295B ADP-80BB P.S
1600x1200 94KHz./75Hz.(Analog)LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	54.01	65.66	-11.65	50.69	55.90	-5.21
2	.538	41.04	56.00	-14.96	39.54	46.00	-6.46
3	1.001	41.29	56.00	-14.71	40.62	46.00	-5.38
4	1.232	41.34	56.00	-14.66	40.60	46.00	-5.40
5	1.464	41.27	56.00	-14.73	40.25	46.00	-5.75
6	25.187	43.95	60.00	-16.05	37.74	50.00	-12.26
7	25.187	43.86	60.00	-16.14	37.72	50.00	-12.28
8	1.310	40.81	56.00	-15.19	39.37	46.00	-6.63
9	.615	40.58	56.00	-15.42	39.83	46.00	-6.17
10	.769	40.96	56.00	-15.04	40.20	46.00	-5.80

LGE FCC ID:BEJLM295B ADP-80BB P.S
1280x1024 80KHz./75Hz.(Analog)LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.155	52.18	65.73	-13.55	47.67	55.63	-7.96
2	25.196	43.49	60.00	-16.51	37.66	50.00	-12.34
3	1.235	40.15	56.00	-15.85	38.76	46.00	-7.24
4	1.467	40.01	56.00	-15.99	39.29	46.00	-6.71
5	1.003	39.95	56.00	-16.05	39.17	46.00	-6.83
6	1.699	39.67	56.00	-16.33	38.74	46.00	-7.26
7	1.544	39.24	56.00	-16.76	36.75	46.00	-9.25
8	.539	39.67	56.00	-16.33	39.20	46.00	-6.80
9	.771	39.60	56.00	-16.40	39.15	46.00	-6.85
10	1.000	39.35	56.00	-16.65	38.14	46.00	-7.86


LGE FCC ID:BEJLM295B ADP-80BB P.S
1280x1024 80KHz./75Hz.(Analog)LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	53.80	65.67	-11.87	49.37	56.00	-6.63
2	1.233	41.35	56.00	-14.65	40.61	46.00	-5.39
3	.538	40.97	56.00	-15.03	39.57	46.00	-6.43
4	.615	40.50	56.00	-15.50	39.78	46.00	-6.22
5	.769	41.05	56.00	-14.95	40.17	46.00	-5.83
6	1.001	41.21	56.00	-14.79	40.60	46.00	-5.40
7	1.310	40.82	56.00	-15.18	39.30	46.00	-6.70
8	1.464	41.30	56.00	-14.70	40.40	46.00	-5.60
9	1.079	40.79	56.00	-15.21	39.50	46.00	-6.50
10	1.695	40.90	56.00	-15.10	39.92	46.00	-6.08

LGE FCC ID:BEJLM295B ADP-80BB P.S
1024x768 69KHz./85Hz.(Analog)LINE A PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	52.73	65.68	-12.95	48.50	55.65	-7.15
2	1.232	40.96	56.00	-15.04	40.04	46.00	-5.96
3	1.464	40.85	56.00	-15.15	38.05	46.00	-7.95
4	1.001	40.64	56.00	-15.36	40.05	46.00	-5.95
5	1.699	40.50	56.00	-15.50	39.38	46.00	-6.62
6	25.190	42.68	60.00	-17.32	32.93	50.00	-17.07
7	.538	40.43	56.00	-15.57	39.98	46.00	-6.02
8	.769	40.33	56.00	-15.67	39.50	46.00	-6.50
9	1.078	40.05	56.00	-15.95	38.61	46.00	-7.39
10	1.541	40.07	56.00	-15.93	37.93	46.00	-8.07


LGE FCC ID:BEJLM295B ADP-80BB P.S
1024x768 69KHz./85Hz.(Analog)LINE B PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	53.66	65.66	-12.00	50.21	55.96	-5.75
2	.538	41.01	56.00	-14.99	39.63	46.00	-6.37
3	.615	40.61	56.00	-15.39	39.78	46.00	-6.22
4	1.232	41.45	56.00	-14.55	40.60	46.00	-5.40
5	1.309	40.82	56.00	-15.18	39.27	46.00	-6.73
6	1.468	41.34	56.00	-14.66	40.40	46.00	-5.60
7	1.001	41.30	56.00	-14.70	40.51	46.00	-5.49
8	1.078	40.83	56.00	-15.17	39.54	46.00	-6.46
9	.384	41.77	58.20	-16.43	40.84	48.22	-7.38
10	.769	40.94	56.00	-15.06	40.36	46.00	-5.64

LGE FCC ID:BEJLM295B ADP-80BB P.S
800x600 54KHz./85Hz.(Analog) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.154	52.70	65.79	-13.09	48.85	55.81	-6.96
2	1.468	40.90	56.00	-15.10	39.99	46.00	-6.01
3	1.001	40.63	56.00	-15.37	39.87	46.00	-6.13
4	1.232	40.99	56.00	-15.01	40.14	46.00	-5.86
5	1.541	40.09	56.00	-15.91	37.98	46.00	-8.02
6	1.699	40.56	56.00	-15.44	38.57	46.00	-7.43
7	.538	40.46	56.00	-15.54	39.44	46.00	-6.56
8	.769	40.32	56.00	-15.68	39.75	46.00	-6.25
9	.847	39.70	56.00	-16.30	38.62	46.00	-7.38
10	1.310	40.17	56.00	-15.83	38.55	46.00	-7.45


LGE FCC ID:BEJLM295B ADP-80BB P.S
800x600 54KHz./85Hz.(Analog) LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	53.97	65.68	-11.71	50.44	55.72	-5.28
2	1.000	41.22	56.00	-14.78	40.14	46.00	-5.86
3	1.464	41.35	56.00	-14.65	39.96	46.00	-6.04
4	1.232	41.32	56.00	-14.68	40.57	46.00	-5.43
5	1.310	40.73	56.00	-15.27	39.28	46.00	-6.72
6	.537	40.94	56.00	-15.06	40.03	46.00	-5.97
7	.769	41.02	56.00	-14.98	40.01	46.00	-5.99
8	.847	40.55	56.00	-15.45	39.61	46.00	-6.39
9	1.695	40.84	56.00	-15.16	39.83	46.00	-6.17
10	.615	40.53	56.00	-15.47	39.71	46.00	-6.29

LGE FCC ID:BEJLM295B ADP-80BB P.S
640x480 43KHz./85Hz.(Analog) LINE A PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	54.07	65.66	-11.59	50.65	55.00	-5.23
2	.538	40.95	56.00	-15.05	39.95	46.00	-6.05
3	1.232	41.32	56.00	-14.68	40.42	46.00	-5.58
4	1.464	41.30	56.00	-14.70	40.16	46.00	-5.84
5	.769	40.85	56.00	-15.15	40.30	46.00	-5.70
6	1.001	41.26	56.00	-14.74	40.13	46.00	-5.87
7	1.310	40.80	56.00	-15.20	39.23	46.00	-6.77
8	.384	41.71	58.20	-16.49	40.63	48.22	-7.59
9	.615	40.55	56.00	-15.45	39.57	46.00	-6.43
10	.847	40.58	56.00	-15.42	39.60	46.00	-6.40


LGE FCC ID:BEJLM295B ADP-80BB P.S
640x480 43KHz./85Hz.(Analog) LINE B PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.155	53.07	65.71	-12.64	47.62	56.00	-8.38
2	1.232	40.94	56.00	-15.06	40.25	46.00	-5.75
3	1.464	40.85	56.00	-15.15	40.01	46.00	-5.99
4	1.001	40.66	56.00	-15.34	39.97	46.00	-6.03
5	.384	40.94	58.20	-17.26	40.21	48.22	-8.01
6	.307	42.91	60.06	-17.15	42.43	50.09	-7.66
7	.769	40.31	56.00	-15.69	39.77	46.00	-6.23
8	1.699	40.51	56.00	-15.49	39.49	46.00	-6.51
9	.538	40.45	56.00	-15.55	39.17	46.00	-6.83
10	1.078	40.01	56.00	-15.99	38.74	46.00	-7.26

LGE FCC ID:BEJLM295B ADP-808B P.S
1280 x 1024 60Hz. (Digital) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.154	53.03	65.77	-12.74	48.89	55.00	-6.91
2	1.464	40.85	56.00	-15.15	39.90	46.00	-6.10
3	1.232	40.92	56.00	-15.08	40.16	46.00	-5.84
4	.538	40.45	56.00	-15.55	39.95	46.00	-6.05
5	1.695	40.52	56.00	-15.48	38.60	46.00	-7.40
6	25.307	42.87	60.00	-17.13	28.92	50.00	-21.08
7	1.001	40.69	56.00	-15.31	39.96	46.00	-6.04
8	1.310	40.10	56.00	-15.90	38.46	46.00	-7.54
9	.384	41.02	58.20	-17.18	40.21	48.22	-8.01
10	1.541	40.04	56.00	-15.96	37.78	46.00	-8.22

LGE FCC ID:BEJLM295B ADP-808B P.S
1280 x 1024 60Hz. (Digital) LINE B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	53.97	65.66	-11.69	49.48	56.00	-6.52
2	.307	42.95	60.06	-17.11	41.79	50.10	-8.31
3	1.464	41.40	56.00	-14.60	40.37	46.00	-5.63
4	.537	40.95	56.00	-15.05	39.75	46.00	-6.25
5	1.232	41.45	56.00	-14.55	40.61	46.00	-5.39
6	1.695	40.90	56.00	-15.10	39.84	46.00	-6.16
7	.847	40.58	56.00	-15.42	39.53	46.00	-6.47
8	1.001	41.21	56.00	-14.79	40.55	46.00	-5.45
9	.769	40.96	56.00	-15.04	40.17	46.00	-5.83
10	1.078	40.82	56.00	-15.18	39.52	46.00	-6.48