






































WARNING: THIS CATHODE
TUBE EMPLOYS INTEGRAL
IMPLOSION PROTECTION. REPLA-
CE WITH CATHODE RAY TUBE
OF THE SAME TYPE NUMBER
FOR CONTINUED SAFETY.
AVERTISSEMENT: CE TUBE
CATHODIQUE EST ÉQUIPÉ D'UN
DISPOSITIF INTÉGRÉ DE PROTEC-
TION CONTRE L'IMPLOSION. REM-
PLACER PAR UN TUBE DE MÊME
MODÈLE POUR NE PAS COMPRO-
METTRE LA SÉCURITÉ.
Eigensichere Kathodenstrahlröhre nach
Anlage III der Röntgenverordnung.
LG
NO.
M36LBLS03X 45
90337600 N
E119083
G07009
BSI
TL5
LR41994
Made by LG Electronics, Korea
WARNING – HANDLE WITH CARE
Breakage of this tube, which
contains a high vacuum, may
result in injury from flying glass.
Remove tube carefully from
container. Do not strike or
scratch the tube or subject
it to more than moderate pre-
ssure when inserting into or
removing from its socket in
electronic equipment.
X – RAY WARNING
When picture tubes are operat-
ed above the design maximum
anode voltage, and when personal
exposure is prolonged at close
range, special shielding pre-
cautions against x-radiation
may be needed.






IC304
SC301
IC303
IC301
P302
P301
IC302


IC302
IC304
P304
P302
P301


P2
C22
C23
P3
Q2
C10
C13
C14
C19
C24
J213
ZD1
J214
C27
C26
J215
P1
IC1
J217
J216
C4
C5


J216
J217
R951
VCC
GND
SDA
SCL
DGND
J215
J214
IC1
IC2
ZD1
Q1
Q3
R.SP
R_L.M.M
P1
P2
P3
P4


J216
J217
R951
VCC
GND
SDA
SCL
DGND
J215
IC1
IC2
ZD1
J214
J213
R.SPR.SP
P1
P2
P3
P4
C1
C2
C3
C4
C5
C6
C7
C8
C9
C10
C11
C12
C13
C14
C15
C16
C17
C18
C19
C20
C21
C22
C23
C24
C25
C26
C27
C28
C29
R1
R2
R3
R4
R5
R6
R7
R8
R9
R10
R11
R12
R13
R14
R15
R16
R19
R20
Q1
Q3


J216
J217
R951
VCC
GND
SDA
SCL
DGND
J215
IC1
IC2
ZD1
J214
J213
R.SPR.SP
P1
P2
P3
P4
C1
C2
C3
C4
C5
C6
C7
C8
C9
C10
C11
C12
C13
C14
C15
C16
C17
C18
C19
C20
C21
C22
C23
C24
C25
C26
C27
C28
C29
R1
R2
R3
R4
R5
R6
R7
R8
R9
R10
R11
R12
R13
R14
R15
R16
R19
R20
Q1
Q3