



































**Audix Technology Corp.**  
No. 491, Zhongfu Rd., Linkou Dist.,  
New Taipei City 244, Taiwan

**Tel: +886 2 26099301**  
**Fax: +886 2 26099303**

## A.6 UNDESIRABLE EMISSION LIMITS: SPURIOUS EMISSION (CONDUCTED)


|                                                                                                      |                               |            |           |
|------------------------------------------------------------------------------------------------------|-------------------------------|------------|-----------|
| Test Date                                                                                            | 2022/10/27                    | Temp./Hum. | 23°C/58%  |
| Cable Loss                                                                                           | 1.5dB                         | Tested By  | Kuper Hsu |
| Test Voltage                                                                                         | AC 120V 60Hz (Via AC Adapter) |            |           |
| Simultaneous Factor 10 log(N <sub>ANT</sub> )(Note: where N <sub>ANT</sub> is the number of outputs) |                               | 3dB        |           |





**Audix Technology Corp.**  
No. 491, Zhongfu Rd., Linkou Dist.,  
New Taipei City244, Taiwan

**Tel: +886 2 26099301**  
**Fax: +886 2 26099303**



**Audix Technology Corp.**  
No. 491, Zhongfu Rd., Linkou Dist.,  
New Taipei City244, Taiwan

**Tel: +886 2 26099301**  
**Fax: +886 2 26099303**

## A.7 IN-BAND EMISSION (CHANNEL MASK)

|              |                               |            |                |
|--------------|-------------------------------|------------|----------------|
| Test Date    | 2022/10/20 ~ 25               | Temp./Hum. | 20-23°C/60-72% |
| Cable Loss   | 1.5dB                         | Tested By  | Kuper Hsu      |
| Test Voltage | AC 120V 60Hz (Via AC Adapter) |            |                |

### ● OFDM Modulation

